

U.S. Army Environmental Center FORT DEVENS SITE INVESTIGATION FOR GROUPS 2, 7 & HISTORIC GAS STATIONS

REVISED FINAL SITE INVESTIGATION REPORT DATA ITEM A009

VOLUME IV OF IV APPENDICES E THROUGH L

CONTRACT DAAA15-91-D-0008

U.S. ARMY ENVIRONMENTAL CENTER ABERDEEN PROVING GROUND, MARYLAND

OCTOBER 1995

DESC QUALITY INSPECTED 3

PRINTED ON RECYCLED PAPER

Approved for public resource
Distribution Unitaritied

FORT DEVENS REVISED FINAL SITE INVESTIGATION REPORT GROUPS 2, 7 & HISTORIC GAS STATIONS

Volume IV of IV Appendices E Through L

Prepared for:

U.S. Army Environmental Center Aberdeen Proving Ground, Maryland

Prepared by:

ABB Environmental Services, Inc. 110 Free Street Portland, Maine 04112

Distribution unlimited approved for public release.

19970820 138

OCTOBER 1995

DTIC COMMIN INSPECTED S

LABORATORY QC RESULTS

FORT DEVENS SITE INVESTIGATION REPORT

ANALYTICAL DATA QUALITY REPORT

E.1.0 INTRODUCTION

Data quality evaluations for off-site laboratory data collected during the 1992 SI, and 1993 SSI for Groups 2 and 7 are presented in this Appendix. Soil, sediment, and groundwater samples were collected during both field events.

Soil, sediment, and groundwater samples collected during the SI and SSI were analyzed in a USAEC performance demonstrated laboratory for Fort Devens Project Analyte List (PAL) analytes. Off-site laboratory analyses for the PAL organics and inorganics are considered approximately equivalent to USEPA analytical support Level III quality data.

Soil and groundwater samples were also analyzed in the field during the SI and SSI. Target analytes for these programs are presented in Section 3.0.

A list of USAEC performance demonstrated methods used by ESE during each phase are provided in Table E1. The table includes a description of the methods used as well as equivalent EPA methods, where they exist. All methods were performed by ESE using the 1990 USATHAMA QA Plan (USATHAMA 1990). The method numbers (i.e., method JS16) are specific to the method and to the particular laboratory doing the analyses. As described in Section 3.2.3, the laboratory must document proficiency using each of the methods by meeting strict USAEC performance protocols. Once the laboratory has demonstrated proficiency, they become qualified to perform that particular method. It is through this performance demonstration process that certified reporting limits (CRLS) were established. CRLs for particular compounds and elements are presented in Tables E2 through E8.

Section 2.0 of this Appendix presents results of off-site laboratory method blank and field QC blank (field blanks, rinse blanks, and trip blanks) results. The information presented on analytes detected in blanks was used to identify potential false positive contaminants in contamination assessments presented in this Revised SI Report.

Data for field programs conducted in 1992 and 1993 are presented in separate subsections.

Section 3.0 of this Appendix presents results from matrix spike (MS) and field duplicate analyses. MS and field duplicate results are used to access the accuracy and precision of the analytical measurements.

E.2.0 QUALITY CONTROL BLANK RESULTS

A quality control review was completed for method blanks, rinsate blanks and trip blanks associated with off-site analytical samples collected from Groups 2 and 7 SAs. Quality control blank from the 1992 SI and 1993 SSI field events are evaluated. The goal of this discussion is to provide data from method and field quality control blanks to be used to identify possible field sampling or off-site laboratory related contaminants which have been reported in the results for samples collected from the Groups 2 and 7 SAs.

E.2.1 LABORATORY METHOD BLANKS

Method blanks were analyzed at the off-site laboratory with each lot of samples to evaluate if sample processing and analysis resulted in contamination of samples. Both water and soil matrices were used for this evaluation. Method blanks were sorted by lot number. Those lots that correspond to samples collected during the SI and SSI were included in the method blank assessment. Method blanks were analyzed for USAEC analytical methods for the following chemical classes of analytes: inorganics, VOCs, SVOCs, pesticides, PCBs, certified wet chemistry procedures, and explosives. Other analyses employed standard USEPA methods (USEPA, 1983) including TDS, TSS, alkalinity, TOC, hardness and TPHC.

E.2.1.1 1992 SI

Method blanks were performed on both water and soil samples using the following methodologies: inorganics in water and soil (USAEC Methods SB01, SD09, SD20, SD21, SD22, SD28, SS10, JB01, JD15, JD17, JD19, JD24, JD25, JS16), VOCs in water and soil (USAEC Methods UM20 and LM19), SVOCs in water and soil (USAEC Methods UM18 and LM18), pesticides in water and soil (USAEC Methods UH13 and LH10), PCBs in water and soil (USAEC methods UH02 and

LH16), explosives in water and soil (USAEC Methods UW32, UW19 and LW12), nitrate/nitrite as nitrogen in water (USAEC Method TF22), total Kjeldahl nitrogen (USAEC Method TF26), total phosphate in water (USAEC Method TF27), and chloride/sulfate ion in water (USAEC Method TT10). Other analyses that were employed using standard USEPA methods include TSS, alkalinity, TOC, hardness and TPHC. Method blank data from the 1992 Fort Devens SI are presented in Table E9.

<u>Inorganics</u>. Two aqueous method blanks were analyzed by the laboratory for the detection of inorganics in water. Forty seven of forty eight (98%) possible results were below the Certified Reporting Limit (CRL). Lead was detected in one blank at $3.2~\mu g/L$.

Twelve of a possible twenty-six results (46%) were reported at below CRLs. Elements detected in the soil are summarized below:

ELEMENT	CRL. (//g/g)	REPORTED CONCENTRATION (U9/9)
Al	2.35	1300
Ва	5.18	9.0
Ca	100	11700
- Cr	4.05	4.8
Cu	0.965	1.9
Fe	3.68	1770
K ·	100	330
Mg	. 100	1660
Na	100	3040
Pb	1.71	1.79
Zn	8.03	9.1

Soil method blanks analyses were conducted by the laboratory using a USAEC approved soil as the matrix. A Tampa Bay soil type was used. The high frequency

and concentrations of many of the inorganics are due to background levels inherent in this soil type. These results are not interpreted to be indicative of gross laboratory contamination. Based on aqueous method blank analyses the laboratory was free of introduced inorganic contamination.

<u>VOCs.</u> Two water method blanks were analyzed for VOC contamination by Method UM20. Seventy-five of seventy-eight (96%) possible aqueous VOC results were concentrations below CRLs. Two compounds, methylene chloride and chloroform, were detected above the CRL. Methylene chloride was reported at 4.6 μ g/L in one aqueous method blank. Chloroform was detected in both water method blanks at 0.91 and 1.1 μ g/L. Methylene chloride is a solvent used frequently by commercial laboratories. Chloroform is a compound frequently produced in chlorinated drinking water supplies. Chloroform and methylene chloride are likely present as a result of laboratory contamination.

Four soil method blanks were analyzed for VOCs by Method LM19. One hundred thirteen of one hundred seventeen (97%) possible soil VOC method blank results were concentrations below CRL. Three VOCs were found at low concentrations in the soil method blanks. These are acetone, trichlorofluoromethane, and chloroform. Acetone and trichlorofluoromethane were reported in one of the four soil method blanks. Acetone was detected at $0.027~\mu g/g$ and trichlorofluoromethane was detected at $0.008~\mu g/g$. Both of these compounds are considered by the USEPA to be common laboratory contaminants (USEPA 1991). Chloroform was detected in two of four soil method blanks. The concentrations at which chloroform was reported were $0.001~\mu g/g$ and $0.002~\mu g/g$. The blank results indicate that low concentrations of chloroform, acetone and trichlorofluoromethane reported in samples may have been introduced during laboratory handling.

<u>SVOCs</u>. Method blanks were analyzed to determine whether SVOC compounds were introduced during the sample preparation process. Soil and water blanks were prepared using Methods LM18 and UM18, respectively.

Three aqueous method blanks were analyzed for SVOC contamination. Two hundred ninety of two hundred ninety-one (99%) possible results were concentrations below CRLs. The only compound detected in any of the three method blanks was bis(2-ethylhexyl)phthalate. It was detected in one water method blank at 6.0 μ g/L. Bis(2-ethylhexyl)phthalate is considered by the USEPA to be a common laboratory

contaminant (USEPA, 1991). Sample results with similar concentrations of bis(2-ethylhexyl)phthalate may represent laboratory contamination.

Three soil method blanks were analyzed for SVOC contamination. Two hundred ninety-one of the two hundred ninety-two (99.6%) possible SVOC results were concentrations below CRLs. The only SVOC compound detected was di-N-butyl phthalate. Di-N-butyl phthalate was detected in one blank out of three at 0.09 μ g/g. Di-N-butyl phthalate belongs to the family of phthalate esters identified by the USEPA as common laboratory contaminants.

<u>Pesticides/PCBs</u>. Three aqueous method blanks were used to determine if pesticide or PCB compounds were introduced during laboratory preparation and handling. One hundred percent of the aqueous pesticide/PCB method blank results were concentrations below CRL values.

Three soil method blanks were analyzed for pesticide/PCB contamination. Fifty-five of fifty-eight (95%) possible results were concentrations below CRL values. Compounds which were detected using method LH10 included the pesticides alphachlordane, gamma-chlordane and heptachlor. All three detected pesticide compounds were reported at a frequency of one of three soil method blanks. The concentrations at which each of the pesticides were detected are as follows: alphachlordane at $0.006~\mu g/g$, gamma-chlordane at $0.041~\mu g/g$, and heptachlor at $0.032~\mu g/g$. The concentrations reported for these compounds represent low-level contamination that was either present in the soil media used for the method blank or was introduced during laboratory activities. All detections for these compounds occurred in the lot AVB. These compounds were not detected in samples from this lot.

Explosives. One aqueous method blank was analyzed for explosive compounds using USAEC Method UW32. No explosive analytes were detected above CRLs. In addition, two aqueous method blanks were analyzed for PETN and nitroglycerine using USAEC Method UW19. All results for this analysis were below CRLs. One soil method blank was analyzed for explosive compounds using USAEC Method LW12. No explosive analytes were detected above CRL. Both soil and water method blank data indicate that concentrations of explosive compounds were not influenced by laboratory activities.

<u>Nitrites/Nitrates as Nitrogen and Total Kjeldahl Nitrogen</u>. Two method blanks were analyzed in association with nitrate/nitrite and Kjeldahl nitrogen water samples. One hundred percent of the concentrations reported for both analyses were below CRL. This indicates that sample concentrations for nitrate/nitrite as nitrogen and Kjeldahl nitrogen were not influenced by laboratory activities.

<u>Phosphates</u>. One water method blank was analyzed for concentrations of phosphates. The concentration of phosphate for this blank was reported at below CRL. This indicates that phosphate ion concentrations in sample results were not influenced by laboratory activities.

<u>Chloride/Sulfate Ions</u>. Two method blanks were analyzed for chloride and sulfate ion laboratory contamination. One hundred percent of the sulfate and chloride ion concentrations reported for these blanks were below CRLs. This indicates that sample results for these parameters were not influenced by laboratory activities.

<u>USEPA Methods</u>. Method blanks were analyzed for the following USEPA methods (USEPA, 1983): TSS, hardness, alkalinity, TOC and TPHC.

One water method blank was analyzed in association with TSS samples. The concentration reported for this blank was below the laboratory reporting limit (RL) of 4000 μ g/L.

Two water method blanks were analyzed for hardness. Blanks concentrations were below the RL of 1000 μ g/L.

Two water method blanks were analyzed for alkalinity. Both blanks had concentrations below the RL of 5000 μ g/L.

One soil method blank was analyzed for TOC. The TOC concentration for this blank was below the RL of 100 μ g/L.

TPHC analysis was completed for three soil method blanks and two water method blanks. One hundred percent of the soil method blank results were concentrations below the RL of 20 μ g/g. Both water method blank results were below the RL of 200 μ g/L.

E.2.1.2 1993 SSI

Method blank results for the 1993 Fort Devens SSI are found in Table E10 of this appendix. Method blanks included in this table were sorted by lot number. Only those lots that correspond to samples collected during the 1993 Fort Devens SSI were included. This assessment also includes method blanks associated with samples collected during both rounds of groundwater sampling. Method blanks were analyzed for USATHAMA Methods for the following chemical classes of analytes: inorganics, VOCs, SVOCs, pesticides/PCBs, explosives, nitrate/nitrite as nitrogen, total Kjehldahl nitrogen, anions and phosphates. Other analyses that were employed using standard USEPA Methods include TDS, TSS, HCO3, alkalinity, TOC, hardness and TPHC.

<u>Inorganics</u>. Inorganic method blank analyses were completed for PAL elements: A total of one hundred seventy-eight results were obtained for all elements. One hundred seventy-seven of one hundred seventy-eight element results (99%) were at concentrations below established CRL values. The only element detected in any of the method blanks was iron at $56 \mu g/L$. This detection was associated with lot #ZFUA. The method blank data indicate that there was minimal laboratory contamination during the execution of the aqueous inorganic methods.

Soil method blanks were analyzed for the same elements as the aqueous method blanks. Three soil method blanks were used for analysis of all elements. Forty-five of sixty-nine (61%) inorganic soil results were below the CRL. Elements which were detected above CRL are summarized below:

Element	CRL (µg/g)	Frequency Detected Above CRL	Reported Concentration Range (µg/g)
Aluminum	2.35	3/3	336-584
Barium	5.18	3/3	7.0-9.5
Calcium	100	3/3	697-849
Iron	3.68	3/3	729-955
Potassium	100	3/3	101-150
Lead	0.177	3/3	0.37-0.61
Magnesium	100	3/3	213-273

Element	CRL (#9/9)	Frequency Detected Above CRL	Reported Concentration Range (µg/g)
Manganese	100	3/3	17-33
Sodium	100	3/3	212-275

Soil method blanks analyses were conducted by the laboratory using a USAEC approved soil as the matrix. This soil type is described as a Tampa Bay soil. The high frequency and concentrations of many of the inorganics are believed to be due to background levels inherent in this type of soil. These results are not interpreted to be indicative of gross laboratory contamination. Based on aqueous method blank analyses the laboratory was free of introduced inorganic contamination.

<u>VOCs</u>. Method blanks were run with each lot of water and soil samples to determine if VOCs were introduced during sample preparation and handling at the laboratory.

Twenty-four water method blanks were analyzed for VOCs. Nine hundred twenty eight of nine hundred thirty-six (99%) VOC concentrations were below CRLs. Compounds reported above CRL include acetone, chloroform, methylene chloride and methyl ethyl ketone (2-butanone). Acetone was reported in three method blanks (lots ICFA, ICLA, XDOB) at concentrations ranging from 16 μ g/L to 53 μ g/L. Methylene chloride was also reported in three method blanks (lots GBOA, XDOB, XDPB) at concentrations ranging from 6.9 to 9.1 μ g/L. Acetone and methylene chloride are often used as solvents at commercial laboratories. Methyl ethyl ketone was reported in one blank (lot GBOA) at 9.5 μ g/L. Methyl ethyl ketone is defined by the EPA as a common laboratory contaminant. Chloroform was detected in one method blank at a concentration of 1.1 μ g/L. Chloroform is often produced in chlorinated drinking water supplies. Chloroform and all of the other detected VOCs are likely to have been introduced as contaminants at the laboratory.

Eleven soil method blanks were analyzed for VOC contamination. One hundred percent of the four hundred twenty-nine results were concentrations below the CRLs. There was no laboratory contamination of VOCs observed for the soil method blanks.

<u>SVOCs</u>. Thirteen water method blanks were analyzed for ninety-seven SVOCs. One thousand two hundred fifty of one thousand sixty-one (99%) possible results were concentrations less than CRLs. Compounds detected in the water method blanks are summarized below:

COMPOUND	FREQUENCY OF DETECTION	ASSOCIATED LOTS	CONCEN. RANGE (µg/L)
1,2-Epoxycyclohexene	4/13	CKMA, WDYA, WDBB, WDFB	1.0 - 7.0
Bis(2-ethylhexyl)phthalate	2/13	GCUA, WDYA	6.7 - 200
Mesityl oxide	1/13	WDYA	2.0
2-Cyclohexen-1-ol	1/13	WDZA	3.0
2-Cyclohexen-1-one	1/13	WDZA	4.0

1,2-epoxycyclohexene, mesityl oxide, 2-cyclohexen-1-ol and 2-cyclohexen-1-one were reported as TICs and are not target analytes. These compounds are often used as preservatives in solvents such as methylene chloride. All of these compounds are defined by the USEPA as laboratory contaminants (USEPA 1991). Another detected SVOC, bis (2-ethylhexyl)phthalate, is similarly defined as a laboratory contaminant by the USEPA.

Other non-target compounds which were also detected using the SVOC water method include toluene and tetrachloroethene. Toluene was detected in two method blanks at 2.0 and 3.0 μ g/L. Tetrachloroethene was detected at 10 μ g/L. Since quantitative data for these compounds were obtained from the VOC method, method blank data for toluene and tetrachloroethene obtained from the SVOC method were not used and likely represent traces of these VOCs in the extraction solvent.

Six soil method blanks were analyzed for SVOCs. Five hundred seventy-seven of five hundred eighty-two (99%) possible results were concentrations below CRLs. Detected contaminants include di-n-butyl phthalate and bis (2-ethylhexyl) phthalate. Di-n-butyl phthalate was detected in four of six method blanks (lots FWMA, HZFA, HZKA, HZSA) at concentrations from 0.31 to 40 μ g/L while bis (2-ethylhexyl)

phthalate was detected in one blank (lot HZKA) at 2.2 ug/g. Phthalate esters are identified as common laboratory contaminants by the USEPA.

<u>Pesticides/PCBs</u>. Seven water method blanks were analyzed for pesticide/PCB compounds. One hundred percent of the concentrations were below corresponding CRL values. Two soil method blanks were analyzed for pesticide/PCB contamination. One hundred percent of the concentrations were below CRLs. There was no evidence of laboratory contamination of pesticide/PCB compounds in either the soil or water method blanks.

<u>Explosives</u>. Seven water method blanks were analyzed for explosives. One hundred percent of the results were concentrations below CRLs. Two soil method blanks were analyzed for explosives. One hundred percent of the concentrations were below CRLs. The water and soil method blank data indicate that no explosive compounds were introduced as laboratory contamination.

<u>Nitrites/Nitrates as Nitrogen</u>. Five method blanks were analyzed for nitrites/nitrates as nitrogen and one method blank was analyzed for total Kjeldahl nitrogen. One hundred percent of the concentrations were below CRLs for both methods.

<u>Anions</u>. Five method blanks were analyzed for concentrations of chloride, fluoride, and sulfate ions. One hundred percent of the results for concentrations of all anion parameters were below CRLs.

<u>Phosphates</u>. One method blank was analyzed for phosphate ion contamination. The concentration was reported at below the CRL of 13.3 μ g/L.

<u>USEPA Methods</u>. Method blanks were also analyzed for the following parameters: TSS, hardness, alkalinity, TOC, TPHC and TDS. Standard EPA methods (USEPA, 1983) are used for these analyses.

Fourteen method blanks were analyzed in association with TSS samples. Ten of fourteen blanks (71%) had concentrations below the RL of 4,000 μ g/L. The range of TSS concentrations for detections in the method blanks was from 4000 to 7000 μ g/L. The TSS values for the lots involved (IQZA, TECG, TEKG and TEQG) are indicative of low level laboratory contamination.

One method blank was analyzed for hardness concentrations. The concentration at which hardness was reported for this blank was below the RL of $1000 \mu g/L$.

Two method blanks were analyzed for alkalinity. Both method blanks had concentrations at below the RL of 5000 μ g/L.

Six soil method blanks were analyzed for TOC. One hundred percent of the results were below the RL.

TPHC analysis was completed for five soil and nine water method blanks. One hundred percent of the soil method blanks had concentrations below the RL of $28.7~\mu g/g$. One hundred percent of the water method blanks had concentrations below the RL of $171~\mu g/L$. The method blank data indicate that there was no laboratory contamination for TPHC.

Five method blanks were analyzed for concentrations of TDS. Four of five (80%) results were concentrations below the RL of $10000 \, \mu g/L$. The concentration at which it was detected was $12000 \, \mu g/L$. The TDS detection was associated with lot TEZF.

E.2.2 FIELD QUALITY CONTROL

Field quality control blanks associated with Groups 2 and 7 which were collected during the Fort Devens SI and SSI include: field blanks, rinse blanks, and trip blanks.

E.2.2.1 Field Blanks

Prior to the commencement of field activities in 1992 and 1993, field blanks were collected. The field blank water came from a USAEC approved source at Fort Devens. This water was used throughout the SI and SSI for decontamination operations. Field blank detections for all three investigations are presented in Table E11.

Methodologies that were used to analyze the field blanks include the following: inorganics (USAEC Method SS10, SB01, SD09, SD20, SD21, SD22, SD28), VOCs (USAEC Method UM20), SVOCs (USAEC Method UM18), pesticides (USAEC Method UH13), PCBs (USAEC Method UH02), explosives (USAEC Method UW32), nitrite/nitrate as nitrogen (USAEC Method TF22), chloride/sulfate ion

(USAEC Method TT10), total phosphorus (USAEC Method TF27), and total Kjeldahl nitrogen (USAEC Method TF26). Other methods which do not require USAEC certification include total TPHC, TOC, total alkalinity, TSS, phenolphthalein alkalinity, bicarbonate ion, and carbonate ion.

<u>Inorganics</u>. A subset of target elements were detected in field blanks at concentrations above the CRL. Elements that were detected are summarized in Table E11.

The elements, and the concentrations at which they were measured, are likely representative of inorganics inherent in New England groundwater. The results reflect background concentrations in groundwater samples collected at Fort Devens.

<u>VOCs</u>. All concentrations reported for VOCs in the field blanks were below respective CRLs with the exception of chloroform. A detection of 1.7 μ g/L for this compound was reported in the 1993 SSI field blank. Chloroform was identified in method blank discussions (see Section E.2.1) as a laboratory contaminant.

<u>SVOCs</u>. The only target SVOC compound detected above the CRL in any of the field blanks was bis(2-ethylhexyl)phthalate. The concentrations at which it was detected ranged from 9.9 to 53 μ g/L for an average value of 32 μ g/L. Bis(2-ethylhexyl)phthalate was likely introduced as a laboratory contaminant during sample preparation.

Two non-target SVOCs were also detected in field blanks. These compounds are 2-ethyl-1-hexanol and hexanedioic acid dioctyl ester. 2-ethyl-1-hexanol was detected at $10~\mu g/L$ in one field blank collected prior to the 1993 SSI. Hexanedioic acid dioctyl ester was detected at $9.00~\mu g/L$ in one field blank collected prior to the 1992 SI.

<u>Pesticides/PCB's</u>. One hundred percent of the concentrations reported for pesticide/PCB compounds were below CRL values for field blanks collected during the SI and SSI.

<u>Explosives</u>. One hundred percent of the concentrations reported for explosive compounds were below CRLs for all field blank samples.

Nitrite/Nitrate as Nitrogen. Nitrite/nitrate expressed as nitrogen was detected in field blanks collected for the 1992 SI and the 1993 SSI. Concentrations ranged from 530 to 710 μ g/L. These results may reflect background concentrations in groundwater in the vicinity of Fort Devens. TKN was not detected above the CRL of 183 μ g/L.

<u>Chloride/Sulfate Ion</u>. Chloride ion concentrations were not reported in the 1992 and 1993 field blanks.

<u>Total Phosphorus</u>. Concentrations reported for phosphorus were below CRL all field blanks.

Other Methods. Analyses for TPHC, TOC, total alkalinity, TSS, phenolphthalein alkalinity, bicarbonate ion, and carbonate ion were completed for each of the field blanks. Concentrations reported for TSS, TPHC, TOC, phenolphthalein alkalinity and carbonate ion concentrations were below corresponding CRLs for all field blanks. Total alkalinity was detected at concentrations ranging from 14000 to $28000~\mu g/L$ in field blanks associated with the 1992 SI and 1994 RI. Bicarbonate ion was detected at $34,000~\mu g/L$ and $33,000~\mu g/L$ in 1992 field blank samples. Hardness concentrations were detected at concentrations ranging from 17000 to 24000 $\mu g/L$ in all field blanks.

E.2.2.2 Rinse Blanks

Rinse blanks were collected by pouring previously analyzed water over sampling equipment (i.e., split spoons) and into sample containers. The purpose of collecting a rinsate blank was to determine the effectiveness of decontamination procedures in removing target analytes from sampling apparatus. Rinsate blanks were not collected during groundwater sampling of monitoring wells since there is dedicated sampling equipment for each location.

E.2.2.1 1992 Rinse Blanks. Rinse blank data from the 1992 field investigations at Groups 2 and 7 SAs have been tabulated and are presented in Table E12. The rinsate blanks were tested using the following methodologies: inorganics (USAEC Methods SB01, SD09, SD20, SD21, SD22, SS10), VOCs (USAEC Method UM20), SVOCs (USAEC Method UM18), pesticides (USAEC Method UH13), PCBs (USAEC Method UH02), explosives (USAEC Method UW32) nitrite/nitrate as nitrogen (USAEC Method TF22), and chloride/sulfate ion (USAEC Method TT10).

Other USEPA methods include total organic carbon (TOC), and total petroleum hydrocarbons (TPHC).

<u>Inorganics</u>. One rinsate blank was analyzed for the majority of target inorganics. The field sample number for the rinsate is SBK92302. Three rinsates were analyzed for lead using USAEC Method SD20. The rinsates analyzed for lead included SBK92302, SBK92307, and SBK92310.

Twenty-two of twenty-five (88%) possible inorganic results were concentrations below CRL values. Potassium was detected in the rinsate SBK92302 at 488 μ g/L. The CRL for potassium is 375 μ g/L. The amount of potassium detected in the rinsate blank does not greatly exceed CRL indicating that a small amount of instrument contamination occurred. The detection of potassium in the rinsate blank is not believed to affect the data quality for this parameter.

Lead was detected in two of three rinsates at 2.6 and 3.4 μ g/L. Lead was also detected in a method blank at a concentration of 3.2 μ g/L. In addition to being detected in the method blank, lead was detected in the field blanks at an average concentration of 3.2 μ g/L. Since lead was detected in the method blank and the field blank, contamination in the rinsate blank may have occurred as a result of laboratory contamination or as a result of carry over from USAEC approved water used for decontamination.

Overall, the rinsate blank data for inorganics indicate that decontamination procedures were effectively implemented.

<u>VOCs.</u> Three rinsate blanks were analyzed for VOCs. These blanks are SBK92302, SBK92307 and SBK92310. One hundred fifteen of one hundred seventeen (98%) possible VOC results were concentrations below the CRLs. The only detected VOC was 1,1,1-trichloroethane. 1,1,1-Trichloroethane was detected in two of the three rinsates. Concentrations of the detections were 2.5 μ g/L and 1.8 μ g/L. 1,1,1-Trichloroethane was not found in method blanks or in the field blank. The maximum concentration detected, 2.5 μ g/L, is well below the federal drinking water standard of 200 μ g/L for 1,1,1-trichloroethane. Concentrations of 1,1,1-trichloroethane, which are reported in samples at similar concentrations as those detected in rinsate blanks, should be considered estimated.

7053-15

<u>SVOCs</u>. One rinsate blank was analyzed for SVOCs. This rinsate blank is SBK92302. One hundred percent of the possible ninety seven SVOC results were concentrations below CRLS. This indicates that decontamination procedures were effective in the removal of potential SVOC contamination.

<u>Pesticides/PCBs</u>. The rinsate blank SBK92302 was analyzed for pesticide and PCB compounds. One hundred percent of the possible twenty-nine pesticide/PCB results were concentrations below CRL values. This indicates that decontamination procedures effectively removed potential contamination of these compounds.

<u>Explosives</u>. The rinsate blank SBK92302 was analyzed for explosives. One hundred percent of the possible eleven explosives compound results representing both methods were concentrations below the CRLs. This indicates that decontamination processes were effective in the removal of potential contamination of explosives compounds.

<u>USEPA Methods</u>. Other standard USEPA methods for which rinsates were analyzed included TOC and TPHC.

Analysis for TOC was completed using three rinsate blanks. The three rinsates were SBK92303, SBK92307, and SBK92310. The rinsate SBK92307 had TOC concentrations at 1,340 μ g/L. This concentration is slightly greater than the established CRL of 1,000 μ g/L. The other two rinsates had TOC concentrations below the CRL. Overall, decontamination processes were successful in the removal of TOC concentrations from the sampling equipment.

Three rinsate blanks were analyzed for TPHC contamination. These rinsates include the following: SBK92302, SBK92307, and SBK92310. One hundred percent of the three TPHC concentrations were below the CRL of 200 μ g/L. This indicates that TPHC contamination from the sampling equipment did not occur.

E.2.2.2.2 1993 Rinse Blanks. Three rinse blanks associated were collected at the Groups 2 and 7 SAs during the 1993 Fort Devens SSI (SBK93686, SBK93124, SBK93721). The rinsate blanks were tested for some or all of the following chemical parameters: inorganics, VOCs, SVOCs, explosives, pesticides/PCBs, nitrite/nitrate as nitrogen and chloride/sulfate ion. Other standard USEPA methods performed include alkalinity, bicarbonate ion, TOC, and TPHC. Rinsate blank results for the 1993 Fort Devens SSI are presented in Table E13.

<u>Inorganics</u>. Three rinsate blanks which were analyzed for PAL inorganics were identified as SBK93124, SBK93686, and SBK93721. An additional rinsate, SBK93701, was analyzed for lead only.

Forty-four of forty-seven (94%) inorganic concentrations were below CRLs. Three elements with concentrations greater than CRLs are outlined below:

ELEMENT	FREQUENCY OF DETECTION	CONCENTRATION (µg/L)
Iron	1/2	48
Manganese	1/2	3.5
Potassium	1/2	3310

The detection of potassium in the rinsate SBK93124 was reported at a concentration of almost ten times the CRL. This may represent contamination that was introduced from sampling equipment. Overall, the rinse blank data demonstrate that decontamination procedures successfully removed inorganics from sampling equipment.

<u>VOCs</u>. Two rinse blanks were analyzed for VOCs. These rinse blanks are SBK93686, and SBK93721. Seventy-five of seventy-nine (95%) VOC concentrations reported for the rinsates were below CRLs. Low concentrations of target VOCs detected in at least one of the rinsates include 1,1,1-trichloroethane, methylene chloride, and chloroform. The concentrations at which these compounds were detected are outlined below:

COMPOUND	FREQUENCY OF DETECTION	CONCENTRATION (µg/L)
1,1,1-Trichloroethane	1/2	2.5
Methylene Chloride	1/2	4.0
Chloroform	2/3	1.3

Methylene chloride was detected in one rinsate blank. It was also detected in three method blanks which indicates that the source of the contamination is likely the laboratory.

Chloroform contamination was observed in the rinsate blanks at roughly the same concentrations as those in the method blanks (1.1 μ g/L method blank versus 1.3 μ g/L rinsate blank). Based on method blank data, the presence of chloroform is likely due to laboratory contamination.

The detection of 1,1,1-trichloroethane in one rinsate blank represents low level contamination. The lot associated with this detection is GBOA. 1,1,1-Trichloroethane was not detected in method blanks. This compound was also detected at similar concentrations in rinse blanks collected during the 1992 field program. The maximum concentration detected for 1,1,1-trichloroethane is well below the federal drinking water standard of 200 μ g/L. Based on rinsate blank data, low concentrations of 1,1,1-trichloroethane reported as sample results may be present as introduced contamination.

<u>SVOCs</u>. One rinsate blank was analyzed for SVOCs. The rinsates used for this analysis are SBK93686. Ninety-six of ninety-seven (99%) possible SVOC concentrations were below CRLs. The only SVOC detected was di-n-butyl phthalate at 91 μ g/L. This compound was observed in laboratory method blanks and was likely introduced at the laboratory.

<u>Explosives</u>. One rinsate blank was analyzed for explosives. The rinsate blank used for explosives analysis were SBK93686. One hundred percent of the concentrations reported for explosive compounds were below respective CRL values.

<u>Pesticides/PCBs</u>. One rinsate blank was analyzed for pesticide/PCB contamination. The rinsate used for this analysis was SBK93686. One hundred percent of pesticide/PCB compounds were reported in concentrations below respective CRL values.

<u>Nitrate/Nitrite as Nitrogen</u>. One rinse blank was analyzed for nitrate/nitrite as nitrogen and total Kjehldahl nitrogen analyses using USAEC Methods TF22 and Method TF26. This rinse blank was SBK93686. The concentrations obtained for both analyses were below CRLs.

<u>Phosphate/Chloride/Sulfate Ions.</u> One rinse blank was collected for phosphate and chloride/sulfate analyses using USAEC Methods TF27 and TT10. The rinse blank was SBK93686. Concentrations were below CRLs for all three rinsates.

<u>USEPA Methods</u>. Standard USEPA analyses were performed to measure: alkalinity, hardness, total petroleum hydrocarbons (TPHC) and TSS.

The rinse blank SBK93686 was analyzed for concentrations of alkalinity, hardness, and TSS. Alkalinity was reported below the RL of 5,000 μ g/L. The rinse blank was SBK93686. The hardness concentration was below the RL of 1,000 μ g/L. The TSS concentration for this rinse blank was below the RL of 4 μ g/L.

One rinse blank was analyzed for TPHC. This rinse blank was SBK93721. The concentration obtained was below the RL of 178 μ g/L.

E.2.2.3 Trip Blanks

Trip blanks were shipped with all field samples which were analyzed for VOCs. Trip blanks were prepared at the contract laboratory by pouring previously analyzed deionized water into 40 mL vials. Two of these vials were sent with each shipment. The purpose of collecting trip blank data was to determine whether cross contamination by VOCs occurred during the shipment and handling of samples.

E.2.2.3.1 1992 Trip Blanks. Trip blank data for the 1992 SI are presented in Table E14. These trip blanks are DVTRP111, DVTRP112, DVTRP113, DVTRP118, DVTRP121, and DVTRP124. Two hundred twenty-three of two hundred twenty-four possible trip blank VOC results (99.5%) were concentrations below CRL. The only VOC detected in any of the trip blanks was acetone. The frequency at which this compound was detected was one of six trip blanks. The concentration at which acetone was detected was 29 μ g/L. Acetone is frequently used by commercial laboratories as a solvent and for cleaning glassware. Acetone was detected at roughly the same concentration (0.027 μ g/g) as that of the trip blank in the soil method blank. This provides supporting evidence that indicates that the source of the acetone is likely to be the laboratory. The trip blank data indicate that VOC cross contamination did not occur in the shipment and handling of field samples.

E.2.2.3.2 1993 Trip Blanks. Trip blanks were analyzed for VOC concentrations using Method UM20. Trip blank results for the 1993 Fort Devens SSI are presented

in Table E15. Six hundred fifty three of six hundred sixty-three possible VOC results (98%) were below CRL values. The most frequently detected VOC was methylene chloride. Eight of the fifteen trip blanks (53%) had concentrations ranging from 2.6 to 17 μ g/L. Method blanks were contaminated with methylene chloride at concentrations of 6.9 to 9.1 μ g/L. The detections in trip blanks of methylene chloride are attributed to laboratory contamination. Chloroform and total xylenes were also detected in trip blanks at concentrations above the corresponding CRL values. Chloroform was detected in one trip blank of the fifteen at a concentration of 0.81 μ g/L. Chloroform was also detected in method blanks at 0.6 to 1.3 μ g/L. Trip blank concentrations of chloroform are attributed to laboratory contamination. Total xylenes were detected at 1.9 μ g/L. This detection may represent cross contamination from contaminated field samples which were shipped with the trip blank DVTRP724. Samples analyzed in the same lot (ICNA) with similar concentrations should be considered estimated or suspected as possible false positives.

E.3.0 MATRIX SPIKE AND DUPLICATE QUALITY CONTROL

Matrix Spikes. Matrix spike and matrix spike duplicate samples were collected at a rate of one per twenty environmental samples (5%) during field programs conducted in 1992 and 1993. The purpose of collecting these samples was to measure the effect of the matrix on the recovery of known concentrations of target analytes. A summary of matrix spike data is presented in Table E16 (1992) and Table E17 (1993). Data have been segregated by method to show recovery trends of particular analytes. In the tables, matrix spikes have been paired with the corresponding matrix spike duplicates to make recovery comparisons. The relative percent differences (RPD) between recoveries of the matrix spikes and the matrix spike duplicates have been calculated and are listed next to the percent recovery. The average recoveries, and maximum and minimum recoveries for each method are also included as a way of measuring trends.

The criteria used for interpreting MS/MSD data are the analytical USEPA Contract Laboratory Program (CLP), Statement of Work (SOW) (USEPA, 1989) protocols and the POP for Fort Devens Volume III (USAEC, 1992). Interpretations of the MS/MSD results are contained in Subsections 3.1 and 3.2 for the 1992 and 1993 field programs.

VOC and SVOCs

For VOCs and SVOCs, matrix effect assessments were made based on surrogate recovery data rather than recoveries of the actual target analytes themselves.

Surrogate recovery data was used to evaluate matrix effects and to determine the accuracy of the VOC and SVOC methods used. Target analytes were not spiked into field samples for MS/MSD analysis. Surrogates which were spiked into VOC samples include 1,2-dichloroethane-D4, 4-bromofluorobenzene, and toluene-D8.

Recovery criteria for these surrogates, taken from the Fort Devens POP, are presented below:

SURROGATE	WATER LIMITS	SOIL LIMITS
1,2-Dichloroethane-D4	76% to 114%	70% to 121%
4-Bromofluorobenzene	86% to 115%	74% to 121%
Toluene-D8	88% to 110%	81% to 117%

The SVOC surrogates used include the following: 2-fluorophenol, phenol-D6, 2,4,6-tribromophenol, nitrobenzene-D5, 2-fluorobiphenyl, and terphenyl-D14.

Recovery criteria for these surrogates, as specified in the Fort Devens POP, are presented below:

SURROGATE	WATER LIMITS	SOIL LIMITS
2-Fluorophenol	21% to 100%	25% to 121%
Phenol-D6	10% to 94%	24% to 113%
2,4,6-Tribromophenol	10% to 123%	19% to 122%
Nitrobenzene-D5	35% to 114%	23% to 120%
2-Fluorobiphenyl	43% to 116%	30% to 115%
Terphenyl-D14	33% to 141%	18% to 137%

<u>Duplicates</u>. Field duplicate samples were collected every twenty samples. Duplicates are differentiated from original samples in the field sample number code. The second character of the code had a "D" in place to denote the duplicate.

The purpose of collecting duplicate samples was to measure the precision of the sampling and analytical techniques. The method by which this was measured is through the calculation of the RPD for each sample/duplicate pair. The RPD is the difference of the results divided by the average. The smaller the RPD, the more closely the results agree. The more closely the results agree, the greater the sampling and analytical precision. The RPD has been calculated for each pair of samples/duplicates. Interpretations of duplicate data are presented in Subsections 3.1 and 3.2 for the 1992, 1993, and 1994 field programs.

E.3.1 1992 MATRIX SPIKES AND FIELD DUPLICATES

Matrix Spike Results

Interpretations of the MS/MSD results for each study area in which MS/MSDs were collected are contained in this section. MS/MSD data was available for SA 41 only.

One soil sample was collected from Study Area 41 for matrix spike analysis. This sample is DX410400. DX410400 was spiked and analyzed using the following methodologies: inorganics (USAEC Methods JB01, JD15, JD17, JD19, JD24, JD25, JS16), pesticides (USAEC method LH10), PCBs (USAEC method LH16) and explosives (USAEC method LW12). Matrix spike data is presented in Table E16.

<u>Inorganics</u>. Matrix spike analysis of DX410400 included an assessment of the recoveries of the following elements: antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, nickel, selenium, silver, thallium, and zinc. MS/MSD criteria for recoveries are outlined in the Fort Devens POP (USAEC, 1992) and USEPA Regional data validation guidelines (USEPA, 1988).

The USEPA Regional CLP criteria for inorganic MS/MSDs is a recovery of 75% to 125%. Twenty-seven of twenty-eight (96%) matrix spike recoveries were within the CLP recovery range. The only recovery outside the CLP range was for arsenic. MS/MSD recoveries for this element were 102% and 137%. Overall, the inorganic MS/MSD data indicate that there were no significant matrix effects. The data also indicate that the methods used in the inorganics analyses provided accurate results.

The RPD data from Table D16 indicate that there was good precision demonstrated for these same methods. Specifically, RPD values range from 0.2% to 29%.

<u>Pesticides/PCBs</u>. Pesticide and PCB compounds were also spiked into the sample DX410400 to determine matrix effects. Surrogate recoveries of decachlorobiphenyl and tetrachlorometaxylene were also used to measure matrix effects on pesticide and PCB compounds. Recovery limits as outlined in the Fort Devens POP (USAEC, 1992) of 60% to 150% were used as a guideline for evaluating target analyte and surrogate recoveries.

Nineteen of twenty (95%) matrix spike recoveries of pesticide/PCB compounds and surrogates were within recovery limits. The only recovery outside of this recovery range was for that of Aroclor 1016. The recovery of this analyte was 59%. Overall, the MS/MSD data for pesticides/PCBs indicate that there were no matrix effects for the sample DX410400 and that the methods used provided accurate results.

<u>Explosives</u>. Explosive compounds were spiked into the sample DX410400 for MS/MSD recovery analysis for USAEC Method LW12. The criteria used for the assessment of the recoveries of these compounds were taken from the Fort Devens Project Operations Plan, Volume III and are summarized below:

COMPOUND	WATER LIMITS	SOIL LIMITS
2,4-Dinitrotoluene	57% to 107%	62% to 112%
Nitrobenzene	61% to 111%	69% to 119%
RDX	60% to 110%	69% to 119%
1,3,5-Trinitrobenzene	60% to 110%	71% to 121%
2,4,6-Trinitrotoluene	60% to 110%	72% to 122%

There were no criteria available to assess the recoveries of PETN and nitroglycerine.

Eighteen of twenty (90%) MS/MSD recoveries of explosive compounds were within specified recovery ranges. There were no matrix effects observed for the other explosive compounds. RPD data indicate excellent precision of explosive compounds results. RPDs ranged from 0.4% to 2.9%.

1992 VOC Surrogate Recoveries. The 1992 VOC surrogate recovery data is presented in Table E 16. The surrogate recoveries for 1,2-Dichloroethane-D4 ranged from 96% to 108% for nine samples from Study Areas 41 and 43J. One hundred percent of the soil recoveries were within criteria. Recoveries for the same surrogate ranged from 102% to 112% for seven water samples from Study Area 41. One hundred percent of the water recoveries of 1,2-Dichloroethane-D4 were within criteria.

The surrogate recoveries for 4-bromofluorobenzene ranged from 88% to 124% for ten soil samples. Eight of nine (89%) of the soil recoveries were within recovery limits. The soil sample with a BFB recovery outside of the acceptable recovery range is BX43J105. 4-Bromofluorobenzene recoveries for seven water samples ranged from 88% to 90%. One hundred percent of the water recoveries are within recovery limits.

The surrogate recoveries for toluene-D8 ranged from 94% to 124% for ten soil samples. Eight of nine (89%) of the toluene-D8 surrogate recoveries were within the specified recovery range. The soil sample with a toluene-D8 recovery outside of the recovery range is DX410200. Toluene-D8 recoveries for seven water samples ranged from 84% to 92%. One hundred percent of these recoveries are within the acceptable recovery range.

VOC surrogate recovery data indicate that there were no matrix effects and that the accuracy for the GC/MS method used for VOC analysis was acceptable.

1992 SVOC Surrogate Recoveries. Recovery data was available for nine soil/sediment samples (eight from Study Area 41 and one from Study Area 43J) and eight water samples (all eight from Study Area 41). SVOC surrogate recovery data are presented in Table E16. The surrogate recoveries of 2-fluorophenol ranged from 51% to 122% for the nine soil samples. 2-fluorophenol recoveries for eight of nine (89%) soil samples were within QC limits. The recoveries for seven of eight water samples (88%) were within acceptable limits.

The surrogate recoveries of phenol-D6 ranged from 48% to 110% for soil samples. One hundred percent of these recoveries are within criteria. Water sample recoveries for phenol-D6 ranged from 80% to 150%. Seven of eight (88%) of these recoveries fall within the acceptable recovery range. The sample associated with the outlier recovery of 150% is WX4104XX.

The surrogate recoveries of 2,4,6-tribromophenol ranged from 28% to 89% for the soil samples. One hundred percent of these recoveries are within acceptable limits. Surrogate recoveries for water samples ranged from 54% to 63%. One hundred percent of these recoveries are within the acceptable limits.

The surrogate recoveries of nitrobenzene-D5 ranged from 42% to 100% for soils. One hundred percent of these recoveries are within criteria. Nitrobenzene-D5 recoveries for water samples ranged from 90% to 126%. Seven of eight (88%) of these results fall within acceptable limits. The sample associated with the outlier recovery of 126% is WX4104XX.

The surrogate recoveries for 2-fluorobiphenyl ranged from 52% to 106% for the soil samples. One hundred percent of these recoveries are within specified recovery limits from Table 3-3. 2-fluorobiphenyl recoveries for the water samples ranged from 90% to 126%. Seven of eight (88%) recoveries were within acceptable limits. The sample WX4104XX was associated with the recovery which exceeded acceptable limits.

The soil surrogate recoveries for terphenyl-D14 ranged from 58% to 109%. One hundred percent of these results are within criteria. Recoveries for the same surrogate for water samples ranged from 98% to 136%. One hundred percent of the water recoveries are within acceptable limits.

The SVOC surrogate data for soil samples indicate that there were no recovery problems for the majority of samples. The majority of surrogate recoveries were within criteria for water samples also. However, the surface water sample WX4104XX had recoveries which exceeded criteria for four of the six surrogates. Based on surrogate recovery data, SVOC concentrations for this sample may be biased slightly high.

<u>Duplicate Results.</u> Field duplicate samples were collected at the same rate as the MS/MSD samples. Duplicates were differentiated from samples in the identification code by inserting a "D" in the second digit. The duplicate code is identical to the conjugate sample code except for this digit.

Duplicate samples collected from SA 12, 13, 14, 27, 41, 42, and 43 during the 1992 SI. Duplicate samples were analyzed for the following classes of analytes: VOC,

SVOC (BNA), inorganics, explosives, pesticides/PCBs, TPHC, and water quality parameters. Duplicate sample data are presented in Table E16.

Duplicates of field samples were collected to measure the precision of the results. They were collected at a rate of five percent per matrix for the following parameters: inorganics, VOCs, BNAs, explosives, PCBs, TOC and TPHC.

One soil sample and a duplicate, DX120200 and DD120200, were used for the above analyses.

<u>Inorganics</u>. The following elements with their respective methods are included in the inorganic analyses: Se (USAEC Method JD15), Pb (USAEC Method JD17), As (USAEC Method JD19), Tl (USAEC Method JD24), Sb (USAEC Method JD25) and Ag, Al, Ba, Be, Ca, Cd, Co, Cu, Cr, Fe, K, Mg, Mn, Na, Ni, V, Zn (USAEC Method JS16).

Concentrations of the following elements were found above the respective CRL: Pb, As, Al, Ba, Ca, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, V and Zn. There was generally good agreement of the sample results with the duplicate results. The RPDs for these elements ranged from 0.7% to 36.3%. Only one RPD exceeded the EPA Region I limit of 30%. This difference was seen in the ICAP analysis for calcium. All other differences were below the 30% EPA threshold.

The inorganics results show good precision. They demonstrate the laboratories ability to exhibit reproducibility of the results.

<u>VOCS</u>. The concentrations of volatile organic compounds were measured for DX120200 and DD120200. There was good agreement in the concentrations of these compounds because none of them were detected above CRL except acetone. Acetone was detected in both of the samples. The RPD of the results was 96.3%. Acetone possibly was introduced as a laboratory contaminant. However, acetone is not found in any Group 2 and 7 SI method blanks. Trip blanks, field flanks, and rinsate blanks also did not have concentrations above CRL. Refer to Section 2 for a discussion of these parameters. Three of the four pairs of Group 2 and 7 soil samples/duplicates had concentrations of acetone above the CRL of 0.017 μ g/g. The RPDs show lack of consistency for acetone results.

BNA. BNA concentrations were measured for the SA 12 sample/duplicate pair. The samples were also tested for PCB contamination using the same BNA method. All of the BNA and PCB concentrations were below CRL values. This shows good agreement for these nondetect results.

<u>Explosives</u>. Explosive compounds were not detected above CRL in the SA 12 sample and duplicate. The results were consistent in showing a lack of contamination with these compounds.

Other Methods. Other non-certified methods were used in the analysis of DX120200 and DD120200. These methods were used to measure for PCBs, TOC and TPHC.

PCB analysis, using ESE Laboratory techniques, detected no PCBs above CRL. The nondetect results in both the sample and duplicate show good agreement.

The TOC results for the sample and duplicate have an RPD of 1.3%. An RPD of this amount shows good precision of the results.

In TPHC analyses of the sample and duplicate low level petroleum contamination was reported in both samples. There is an RPD of 2.4% between the results. Since the RPD is so low good precision is demonstrated in the execution of the method analysis for this lot.

Field duplicates were collected at SA 13 to measure the precision of sampling and analysis results.

Inorganics. The inorganic analysis of the SA 13 duplicates included the following elements using the respective methods: Hg (USAEC Method SB01), Tl (USAEC Method SD09), Pb (USAEC Method SD20), Se (USAEC Method SD21), As (USAEC Method SD22), Sb (USAEC Method SD28), and Ag, Al, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, V, Zn (USAEC Method SS10).

Tl, Se, Sb, Ag, Be, Ca, Cd, Co, Cr, and Ni were not detected above the CRL in either WX130200 or WD130200. The sample results were in complete agreement with the duplicate results. For these elements there is good precision demonstrated by the laboratories. Some of the elements are analyzed using Method SS10. There is a high RPD for some of the results for elements included in this method. Elements analyzed by Method SS10 for which the RPD exceeded the EPA Region I

limit include Cu (64%) and Zn (40.5%). The elements Al, Ba, Ca, Fe, K, Mg, Mn, Na, and V were detected using the same method. However, the RPD for these methods was below the 30% EPA limit.

Lead and arsenic, for which alternate aqueous inorganic methods are used, were also present in WX130200 and WD130200. The RPD between the results was 64.8% for Pb and 40.8% for As. These RPDs exceed the EPA Region I advisory limit of 30%. This should be taken into consideration when Pb and As sample results from SA 13 are reviewed.

BNAs. AEC Method UM18 was used to analyze BNA compounds in water for SA 13 duplicate analysis. PCB compounds were also included in the UM18 analysis. None of the BNA nor the PCB compounds were detected above the CRL values. There was complete agreement between the sample and duplicate results. There was good precision demonstrated in the execution of this method.

<u>VOCs</u>. AEC Method UM20 was used for VOC duplicate analysis. No VOCs were detected above CRL in the water sample and its duplicate, WX130200 and WD130200. There was good precision demonstrated for these nondetect samples.

Explosives. AEC Method UM32 was used to determine explosive compounds concentrations in WX130200 and WD130200. In addition, AEC Method UW19 was used to determine concentrations of the explosives nitroglycerine and PETN. Concentrations of explosive compounds for both methods were below the corresponding CRLs. There was complete agreement between sample results and duplicate results.

Other Methods. Duplicate analysis was also performed for the following methodologies: total Kjeldahl nitrogen, nitrate/nitrite as nitrogen, phosphate, chloride/sulfate ion, alkalinity, hardness, TPHC and TSS.

USAEC Method TF26 was used to measure total Kjeldahl nitrogen levels in WX1302XX and WD1302XX. Nitrogen was found in both samples at 4,380 μ g/L and 3,240 μ g/L, respectively. There was an RPD of 29.9% between these values. This represents good precision for this method.

USAEC Method TF22 was used to measure nitrate/nitrite as nitrogen values for a water sample and its duplicate. Concentrations of nitrogen were reported at

 $26.3 \mu g/L$ and $11.3 \mu g/L$. An RPD of 79.8% was calculated for these values. A difference of this magnitude indicates poor agreement between the concentrations.

Phosphate concentrations were measured using USAEC Method TF27. Values of $406~\mu g/L$ and $475~\mu g/L$ were reported for the water sample and duplicate. This represents a 15.7% RPD between the two. The results show good precision for the method.

USAEC Method TT10 was used to determine chloride/sulfate ion concentration in WX130200 and WD130200. Chloride ion levels were the same for both samples at $40,000~\mu g/L$. Sulfate ion concentrations were $63,700~\mu g/L$ and $64,300~\mu g/L$. The RPD for sulfate results is 0.9%. There is good precision for the method in the analysis of both ions.

WX130200 and WD130200 were used in assessing the precision of the alkalinity method for SA 13. An RPD of 0.9% was calculated for the results. This indicates good agreement for the method.

Hardness results were 179,000 μ g/L and 172,000 μ g/L for WX130200 and WD130200, respectively. AN RPD of 4% was calculated as the difference between these values. Good precision is demonstrated for this method.

TPHC results for the water sample and duplicate were both below the CRL of $200 \mu g/L$. Since the RPD is 0% there is excellent precision shown in the analysis.

TSS results for WX130200 and WD130200 are $80,000~\mu g/L$ and $160,000~\mu g/L$. The RPD for these results is 66.7%. This represents a significant variance in concentrations. The variance is most likely due to a lack of homogeneity of suspended solids in the samples. The variability of the results should be considered during review of TSS results.

Field duplicates were collected to measure the precision of the sampling and analysis results. One soil sample and duplicate from SA 14, DX140200 and DD140200, were used for the analyses.

<u>Inorganics</u>. The following elements are included in the inorganics duplicate review: As (USAEC Method JD19), Se (USAEC Method JD15), Pb (USAEC Method JD17), Tl 6 (USAEC Method JD24), Sb (USAEC Method JD25) and Ag,

Al, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, V, Zn (USAEC Method JS16).

Every element except for Tl, Sb and Ag was detected above CRL in at least one of the duplicate pair of samples. There was agreement in the sample and duplicate results for the non-detect Tl, Sb and Ag results. Se was detected above CRL in one sample but was below this value in the duplicate. The Se concentrations measured in the recoveries were $<0.250 \,\mu\text{g/g}$ and $1.12 \,\mu\text{g/g}$. Although these results are inconsistent, the values being compared are small enough that even small differences result in high RPDs. The RPD in the present case is 127%. Allowances are made for this in the EPA Region I SOW.

Cd results for DX140200 and DD140200 are 8.29 μ g/g and 30.3 μ g/g. A 114% RPD was calculated for the difference of these results. K results were 450 μ g/g and 750 μ g/g. The RPD for these results is 50%. These RPDs do not meet the EPA CLP requirement for inorganic soil of <50% RPD. The inconsistency of the results is most likely due to a lack of homogeneity in the sample. This should be taken into consideration during the review of the data.

BNAs. USAEC method LM18 was used for BNA duplicate analysis. Pesticide and PCB compounds were included in the analysis. No BNA, pesticide or PCB compounds were detected above CRL in either DX140200 or DD140200.

<u>VOCs</u>. USAEC method LM19 was used for VOC duplicate analysis. VOCs were reported in concentrations below CRL except for acetone and xylene. Acetone results for DX140200 and DD140200 were $0.160~\mu g/g$ and $1.000~\mu g/g$. There is an RPD of 144.8% for these results. The presence of acetone in these samples is most likely due to introduction at the laboratory.

Xylene was measured at 0.023 μ g/g in DD140200 and at <0.008 μ g/g in DX140200. There is a 96.8% RPD for these values.

Explosives. USAEC method LW12 was used for explosives duplicate analysis. Explosive compound concentrations were not detected above CRL in either DX140200 or DD140200 except for 2,4-Dinitrotoluene and nitroglycerine. 2,4-Dinitrotoluene was reported at 0.894 μ g/g in DX140200 and at <0.424 μ g/g in DD140200. The RPD for these values is 71.3%. The variability of these results can

be due to lack of homogeneity of the soil sample. This needs to be taken into consideration when reviewing sample concentrations of this compound.

Nitroglycerine concentrations in the two samples was measured at 22.3 μ g/g and 26 μ g/g. An RPD of 15.3% demonstrates good precision for the method.

Other Methods. Other methods for which duplicate analyses were performed are TPHC and pesticides. The methods that were used are not AEC certified. Petroleum contamination was observed in both soil samples. TPHC results were reported at 248 μ /g and 231 μ g/g for DX140200 and DD140200, respectively. The RPD of the two concentrations is 7.1%. The laboratory demonstrated reproducibility of the results for the method.

The pesticide compounds alpha-chlordane, gamma-chlordane and heptachlor were tested for using ESE Laboratories techniques. None of these compounds were detected above the CRL in either DX140200 or DD140200.

One SA 41 water sample with a duplicate, WX4102XX and WD4102XX, was analyzed using the following methodologies: inorganics (USAEC method SB01, SD09, SD20, SD21, SD22, SD28, and SS10), BNAs (USAEC method UM18), VOCs (USAEC method UM20), explosives (USAEC method UW32), alkalinity, hardness, TPHC and TSS.

Inorganics. WX4102XX and WD4102XX were analyzed using the respective methods for the following elements: Hg (USAEC method SB01), Tl (USAEC method SD09), Pb (USAEC method SD20), Se (USAEC method SD21), As (USAEC method SD22), Sb (USAEC method SD28), Ag, Al, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, MG, Mn, Na, Ni, V and Zn (USAEC method SS10). The following elements were detected in concentrations above their respective CRLs: Pb, As, Al, Ba, Be, Ca, Fe, K, Mg, Mn, and Na. CLP criteria for the RPD between sample and duplicate results were used to assess the precision. The CLP criteria is for the RPD to be no greater than 30% between results. The RPD was greater than 30% for the following elements: Pb (144%), As (47%), Al (127%), Ba (72%), Fe (67%), K (89%) and Mn (65%). The variance of results for these elements could be due to a lack of homogeneity in the sample. In general, there is good consistency shown for the inorganic methods.

BNAs. USAEC method UM18 was used to measure BNA concentrations in WX4102XX and its duplicate. None of the target BNA compounds were detected above CRL in either of these samples. The results were consistent in these determinations.

<u>VOCs</u>. USAEC method UM20 was used to measure VOC concentrations in the water sample and its duplicate. No VOCs were reported above CRL for either of the two samples.

Explosives. USAEC method UW32 was used to measure the concentrations of explosive compounds in WX4102XX and WD4102XX. None of these compounds were found above their corresponding CRLs in either of the two samples.

Other Methods. Duplicate analysis was also performed to measure precision for other methods including alkalinity, hardness, TPHC, and TSS.

Alkalinity results for WX4102XX and WD4102XX were both 11,000 μ g/L. The RPD was 0% between the results showing excellent precision for the method.

The results for hardness for the sample and duplicate were 26000 μ g/L and 16,600 μ g/L. The RPD for these results was calculated to be 44%. This represents a significant difference between the two results.

The results for TPHC analysis done for WX4102XX and WD4102XX were both below the CRL of 200 μ g/L for this method. The results are consistent for this method.

The TSS results for the sample and duplicate water samples are $30,000~\mu g/L$ and $32,000~\mu g/L$. The RPD of these results is 6.5%. An RPD of this amount indicates good consistency in the execution of this method.

<u>Inorganics</u>. One SA 42 water sample with a duplicate was collected for inorganic testing. These samples are WX4203XX and WD4203XX. The following elements with their respective methods were included in the analyses: Hg (USAEC Method SB01), T1 (USAEC Method SD09), Pb (USAEC Method SD20), Se (USAEC Method SD21), As (USAEC Method SD22), Sb (USAEC Method SD28) and Ag, Al, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, V, Zn (USAEC Method SS10).

Table <u>E16</u> lists the relative percent difference (RPD) between the sample and field duplicate. The range of RPDs for inorganics is from 0% to 45%. The EPA Region I requirement for water samples is an RPD of no greater than 30%. The RPDs for all elements meet this requirement with the exception of barium. The RPD for barium was 45%. For sixteen of the elements there was an RPD of 0%.

The inorganics duplicate results indicate good precision. This is an indication that the laboratory has been consistent in the analysis for these elements.

<u>VOCs</u>. One water sample and duplicate were submitted for VOC analysis. These samples are WX4203XX and WD4203XX. USAEC Method UM20 was used to determine concentration of VOC compounds in these samples. The RPD was calculated to measure how closely these results agree.

Of the thirty-nine compounds included in the UM20 method only one toluene, was detected above the CRL. The RPD between the sample and duplicate was 10.5%. This is well below the EPA Region I limit of 30%.

All other compounds were not detected above respective CRLs for WX4203XX and WD4203XX. The RPD for these results is 0.

There is good agreement between the sample and duplicate results.

BNAs. One water sample and duplicate was collected for BNA analysis under USAEC Method UM18. These samples are WX4203XX and WD4203XX. Pesticides and PCBs compounds were also included in the UM18 method.

None of the BNA compounds were found in the WX4203XX. None were found in WD4203XX. This indicates good agreement in the results. It also indicates consistency of the BNA analysis by the laboratory.

Explosives. USAEC Method UW32 and UW19 was used to test one SA 42 water sample and duplicate. These samples are WX4203XX and WD4203XX.

None of the explosive compounds were detected in either sample. The RPD for these compounds was therefore 0%. This indicates good precision in the results.

Other Methods. Duplicate analysis for SA 42 samples was performed for nitrate/nitrite as nitrogen, total Kjeldahl nitrogen, total phosphates, chloride/sulfate ion, TSS, hardness and alkalinity. One water sample plus a duplicate was collected for all of these methods. These are WX4203XX and WD4203XX.

USAEC Method TF22 was used to test the samples for nitrate/nitrite as nitrogen. Both the sample and duplicate were found to be below the CRL of 10 μ g/L. This indicates agreement and good precision of the results for this method.

USAEC Method TF26 was used for total Kjeldahl nitrogen analysis of WX4203XX and WD4203XX. From Table E12 it can be seen that there is a 21.8% RPD between the samples. This is below the EPA Region I criteria for water samples of 30%.

USAEC Method TF27 was used for phosphate concentration determination. Both samples had detectable levels of phosphate. The concentration of phosphate in WX4203XX is 228 μ g/L and 178 μ g/L in WD4203XX. The RPD between these results is 24.6%. this is below the EPA Region I criteria for water samples of 30%.

USAEC Method TT10 was used to determine the concentrations of the chloride and sulfate ions. Neither ion was detected above the respective CRL values in either the sample or the duplicate. Since there was 0 percent RPD for both ions there was good agreement and precision demonstrated for this method.

Other methodologies for which there are no corresponding USAEC methods were used at SA 42. These include TSS, hardness and alkalinity. A water sample and duplicate, WX4203XX and WD4203XX, were used for these tests.

The TSS analysis results were 175,000 μ g/L and 136,000 μ g/L. The RPD between these results is 25%.

Hardness results were 17,800 μ g/L and 8,800 μ g/L. The RPD of these results is 67.7%. This RPD is relatively high and should be taken into consideration during the review of SA 42 sample results for alkalinity.

Alkalinity values are $8,000 \mu g/L$ and $9,000 \mu g/L$. The RPD of these results is 11.8%. A difference of this magnitude reflects good precision for the method.

Two soil sample/duplicate pairs from SA 43 sites 43O and 43H were analyzed using the following methodologies: inorganics (Pb only) in soil (AEC method JD17), VOCs in soil (AEC method LM19), and TPHC. The two soil samples were identified as BX43O105/BD43O105 and BX43H109/BD43H109. EPA CLP criteria, where available, was used to assess the RPDs of the various methods.

<u>Inorganics</u>. USAEC method JD17 was used to assess the precision of lead in soil results for the two duplicate pairs collected from SA 43. The EPA CLP criteria for inorganics calls for a RPD value of no more than 50% for soil samples. There was an RPD value of 7.6 % calculated for the BX43O105 pair and an RPD value of 45% calculated for the BX43H109 pair. These values meet CLP protocols. There was good precision shown for in the analysis of lead for these samples.

<u>VOCs.</u> USAEC method LM19 was used to obtain results to measure the precision of VOC concentrations. There were no VOC concentrations above CRL reported for the method with the exception of acetone. Acetone was detected in one sample of the duplicate pair of BX43O105 at $0.032 \mu g/g$. An RPD of 61% was reported. As noted in Section 2 of this appendix, acetone is classified by the EPA as a common laboratory contaminant. This is the likely source of this compound in this particular sample. Overall there is excellent consistency of the VOC nondetect results.

<u>TPHC</u>. The sample pairs BX43O105/BD43O105 and BX43H109/BD43H109 were also analyzed for TPHC concentrations. These concentrations were evaluated to determine the precision of these results. The results of the duplicate pair BX43O105/BD43O105 were both below the CRL. The results of the sample pair BX43H109/BD43H109 were not as consistent with one sample reported at below CRL and the other at 154 μ g/g. The RPD of these results is 139%. The precision shown for this method is mixed, given the results for the pairs of duplicates.

One duplicate water sample, MX2702X1, was collected from SA 27. Duplicate results are presented in Table E16 in this appendix. The sample pair were analyzed using the following methodologies: inorganics (USAEC methods SB01, SD09, SD20, SD21, SD22, SD28, SS10), VOCs (USAEC method UM20), BNAs (USAEC method UM18), explosives (USAEC method UW19 and UW32), nitrate/nitrite as nitrogen (AEC method TF22), alkalinity, chloride/sulfate ions, and TPHC.

EPA Region 1 guidelines were used to assess the RPDs of inorganics, BNAs, and VOCs. These guidelines provide criteria as to whether there is good precision of the results.

<u>Inorganics</u>. The following elements were included in the inorganics duplicate review for the SA 27 water sample MX2702X1: Ag, Al, As, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, Hg, K, Mg, Mn, Na, Ni, Sb, Se, Tl, V, and Zn.

The EPA Region I criteria for the RPD of inorganic methods is 50% for soils and 30% for waters. The RPD of the reported results for all of the elements were within the 30% limit. The range of RPDs for all elements was from 0% to 23%. The biggest difference in concentrations was found in chromium results. The low RPD values demonstrate consistency by the laboratory for all inorganic methods.

<u>VOCs</u>. USAEC method UM20 was used to determine the precision of measuring VOC concentrations in duplicates of the water sample MX2702X1. No VOCs were reported above CRL in either of the duplicate pair.

BNAs. USAEC method UM18 was used to measure the precision of the BNA results in the duplicate water sample pair of MX2702X1. The were no BNA compounds detected in either sample of the duplicate pair.

<u>Explosives</u>. USAEC methods UM19 and UW32 were used to measure the precision of the reported concentrations of explosive compounds. The water samples MX2702X1 and its duplicate were used to provide this information. None of the compounds were detected above CRL in either sample. There was good agreement of these nondetect results.

Other Methods. An evaluation was also performed on the results of the nitrate/nitrite as nitrogen, chloride/sulfate ion, TPHC and alkalinity analyses. The water sample MX2702X1 was used for all methods.

USAEC method TF22 was used to measure the concentration of nitrate/nitrite as nitrogen in the duplicate sample pair. Values of $187 \mu g/L$ and $840 \mu g/L$ were obtained from the analysis. The RPD of these results was calculated to be 127%. The lack of agreement for these results show poor precision by the laboratory in performing this particular method.

USAEC method TT10 was used to measure chloride and sulfate ion concentrations in the duplicate sample pair of MX2702X1. There was good agreement of the results for both ions because neither one was detected above their respective CRLs in either sample. The CRL of chloride ion is $2,120 \mu g/L$ while that of the sulfate ion is $10,000 \mu g/L$.

TPHC analysis was also performed on the duplicate sample pair of the water sample. Neither sample had TPHC concentrations above the CRL. The CRL was different for the two samples because apparently there was a 1:5 dilution performed on one of them.

Alkalinity results of the duplicate water samples varied by the RPD of 22%. Concentrations were reported at 24,000 μ g/L and 30,000 μ g/L. These results indicate good precision of the results.

E.3.2 1993 MATRIX SPIKES AND FIELD DUPLICATES

MS/MSD samples analyzed from the Group 2 and 7 Study Areas include groundwater, surface water, and subsurface soil samples. Analyses were completed on these samples for the following chemical classes of analytes: inorganics, pesticides/PCBs and explosives. Matrix spike analyses were also completed for alkalinity, hardness, TOC, and TPHC.

<u>Inorganics</u>. Inorganic matrix spikes included PAL elements: USEPA CLP guidelines were used to assess MS/MSD recoveries. These guidelines specify an acceptable recovery range for inorganic elements of 75 to 125%.

Five water samples were used to collect MS/MSD data. These samples include MX4104X1, MXAF05X1, MXAF07X1, WX122700 and WX4110XX. For groundwater samples MX4104X1, MXAF05X1, and MXAF07X1, there are filtered and unfiltered inorganic MS/MSD results. The associated tables list results for unfiltered samples first, followed by results for filtered samples. Computer generated RPD results presented in the Table E17, "MS/MSD Quality Control Report", are incorrect for sample MXAF05X1. The computer calculated RPD results on the table are based on filtered versus unfiltered samples, instead of filtered versus filtered and unfiltered versus unfiltered samples. Results have been manually corrected.

The aqueous inorganic matrix spike recoveries of two hundred seventy-one of three hundred ten possible results (87%) were within USEPA CLP limits. The recoveries of elements which were not within USEPA limits were associated with the samples MXAF07X1, MXAF05X1 and MX4104X1.

For the sample MXAF07X1, MS/MSD recoveries for aluminum, antimony, iron and selenium were below the lower recovery limit of 75%. According to "Region I Laboratory Data Validation Functional Guidelines For Evaluating Inorganics Analyses, February 1989" spike recoveries do not apply when sample concentration exceeds the spike concentration by a factor of 4 or more. Concentrations of aluminum and iron were greater than 4 times the spike concentration in the original sample and MS/MSD recoveries of aluminum and iron were not considered estimated due to this fact. Sample concentrations for the unfiltered water sample of MXAF07X1 are potentially biased low for antimony and selenium because of matrix effects.

For the sample MXAF05X1, MS/MSD recoveries were below the USEPA recovery limits of 75% for the following elements: aluminum, arsenic, barium, chromium, copper, iron, lead, magnesium, manganese, potassium, nickel, selenium, thallium, and zinc. Sodium was the only analyte above the USEPA recovery limit of 125% for sample MXAF05X1. Again due to the low sample spike concentration in relation to the concentration already present in the sample, spike recovery criteria does not apply for the following elements: aluminum, iron, magnesium, manganese, and potassium. Based on MS/MSD data, sample concentrations for the water sample MXAF05X1 may be biased low for arsenic, chromium, copper, lead, nickel, thallium, and zinc due to matrix effects.

For sample MX4104X1 the only analyte which was outside of USEPA Region I Recovery criteria was the iron with a recovery of 125%.

There were no matrix effects observed for the samples WX122700 and WX4110XX.

Five soil samples were spiked with target elements for MS/MSD analysis. These samples are BX410204, BXXG0512, BXXD0310, DX420500 and BXXJ0205. One hundred seventy-two of two hundred twenty-four (77%) possible inorganic soil MS/MSD recoveries were within USEPA CLP recovery limits for inorganics. Elements for which at least one MS/MSD recovery was outside USEPA limits include aluminum, antimony, arsenic, barium, iron, lead, magnesium, manganese,

ABB Environmental Services, Inc.

potassium, selenium, thallium, vanadium, and zinc. MS/MSD recoveries for some of the above elements showed a large variability for some elements including high and low results. The elements aluminum and iron showed low spike concentration in relation to the sample concentration already present in the sample so spike recovery criteria does not apply. MS/MSD soil data for the remaining elements for which MS/MSD recoveries were outside USEPA limits are summarized below:

ELEMENT	FREQUENCY OUTSIDE USEPA LIMITS*	PERCENT RECOVERY RANGE	RPD RANGE OF MS/MSDs
Antimony	1/10	64 to 103	3.5 to 11
Arsenic	8/10	112 to 827	7.3 to 107
Barium	3/10	6.1 to 104	1.0 to 163
Lead	6/10	6 to 277	4.3 to 147
Magnesium	2/10	50 to 105	0.9 to 52
Manganese	6/10	3.9 to 721	3.0 to 180
Potassium	2/10	42 to 104	1.0 to 51
Selenium	8/10	31 to 91	2.0 to 18
Vanadium	1/10	64 to 106	0.4 to 22
Zinc	1/10	73 to 110	1.6 to 24

^{*} Counted as outside USEPA limits if either the MS or MSD recovery was an outlier.

For the elements antimony, vanadium and zinc, one of ten MS/MSD recoveries was just below the USEPA CLP limit of 75%. No serious matrix effects were attributed to the recovery of these elements. For selenium MS/MSD data show consistent low recoveries which are probably due to matrix effects. Sample concentrations of selenium are potentially biased low due to these effects. Arsenic MS/MSD results showed consistent high recoveries which are probably due to matrix effects. Sample concentration of arsenic are potentially biased high due to these effects.

Recoveries for barium, lead, and manganese were less than the USEPA Region I rejection threshold of 30% in at least one spike sample.

<u>Pesticides/PCBs</u>. Two soil sample and one water sample were used to determine matrix effects for pesticides and PCBs. Criteria outlined in the POP (ABB-ES, 1992a) were used to assess recovery values. The criterion for pesticide/PCB compounds is a recovery range of 60% to 150%. Spiked target analytes and surrogates were evaluated.

The water sample used for MS/MSD analysis was WX122700. Twenty-eight of thirty-three (85%) possible MS/MSD recoveries were within the recovery range. At least one recovery for the surrogates decachlorobiphenyl and tetrachlorometaxylene were outside of criteria. Recoveries of all target pesticide/PCB compounds were within the USEPA surrogate advisory limits. For this reason, it was concluded that there were no matrix effects demonstrated for the water sample used in the MS/MSD analysis.

The soil samples used for the MS/MSD analysis of pesticide/PCB compounds were BX410204 and DX420500. Sixty-one of seventy-two (85%) pesticide/PCB recoveries were within the USEPA recovery limits. Six compounds were below the USEPA surrogate advisory limits for DX420500, these were all associated with USAEC Method LH10 for pesticides analysis. Five compounds were below the USEPA surrogate advisory limits for BX410204, these were all associated with USAEC Method LH 16 for PCB analysis. All recoveries outside of USEPA surrogate recovery criteria were very close to recovery criteria except Aroclor 1016 for DX420500 which had a recovery of 36%. In general, the MS/MSD data indicate accurate measurements were obtained for pesticide/PCB compounds.

<u>Explosives</u>. Two soil sample and two water samples were used for MS/MSD analysis of explosive compounds. Spike compounds and criteria used for the assessment of the recoveries of these compounds were previously listed in Subsection E.3.1.

The water samples used for the MS/MSD analysis of explosives were WX122700 and WX41100XX. Twenty of twenty-six (77%) possible results were recoveries within the specified recovery ranges. All recoveries outside control limits were associated with the sample WX4110XX. The recovery associated with one sample of this MS/MSD pair was consistently outside the limits. The RPDs of the MS/MSD results for WX4110XX were also high, ranging from 68 to 118%.

The soil samples BX410204 and DX420500 were also spiked with the explosive compounds. A total of twenty-eight recoveries were obtained and one hundred

ABB Environmental Services, Inc.

percent of them were within the specified recovery range. This indicates that there were no matrix effects for the soil sample used for the MS/MSD analysis.

VOC and SVOC

1993 VOC Surrogate Recovery. VOC surrogate recovery data for samples collected during the 1993 Fort Devens SSI are presented in Table E18. Recovery criteria for surrogate recoveries were specified in the POP, Volume III and are summarized in Subsection L.3.0.

Recoveries of 1,2-dichloroethane-D8 for water samples ranged from 102 to 134%. The average recovery of this surrogate was 112%. Eighty-one of one hundred thirty-five (60%) possible recoveries were outside of the limits specified for 1,2-dichloroethane-D4. Outlier recoveries were all greater than the upper limit of the acceptable range for this surrogate suggesting that there is a slightly high bias of VOC concentrations for the water samples.

Recoveries of 1,2-dichloroethane-D8 for soil samples ranged from 80 to 112%. One hundred percent of these results were within the specified range for soil recoveries of this surrogate.

Recoveries of 4-bromofluorobenzene for water samples ranged from 72 to 102% with an average recovery of 90%. One hundred thirty-nine of one hundred fifty-seven (89%) results were within recovery limits. All outlier recoveries were below the lower limit of the specified recovery range.

Soil sample recoveries of 4-bromofluorobenzene ranged from 94 to 134% with an average of 109%. Sixty of sixty-two (97%) recoveries were within acceptable limits.

Water sample recoveries of toluene-D8 ranged from 78 to 102%. One hundred fortynine of one hundred fifty seven (95%) recoveries were within limits specified in Table 3-5.

Toluene-D8 recoveries for soil samples ranged from 88 to 130% with an average of 106%. Fifty-six of sixty-two (90%) recoveries were within acceptable limits.

Overall, VOC surrogate data indicate that the majority of recoveries were within acceptable recovery ranges. No clear bias was observed as a general trend for all

surrogates. This indicates that matrix effects were minimal and that the VOC method produced accurate results for soil and aqueous samples.

1993 SVOC Surrogate Recovery. SVOC surrogate recoveries for the Fort Devens SSI are presented in Table E18. Recovery criteria for surrogate recoveries were specified in Subsection E.3.0.

Surrogate recoveries of water samples for 2-fluorophenol ranged from 17 to 130%. Eighty-seven of one hundred nineteen (73%) of these recoveries were within the specified recovery range. Outlier recoveries were both above and below this range.

Soil sample recoveries for 2-fluorophenol ranged from 28 to 149%. Forty of fifty-nine (68%) of these recoveries were within acceptable limits.

Water sample recoveries of phenol-D6 ranged from 36 to 150% with an average of 66%. One hundred eight of one hundred nineteen (91%) recoveries were within specified limits.

For soil, forty-five of fifty-nine (76%) surrogate recoveries of phenol-D6 fell within acceptable recovery limits.

For the surrogate 2,4,6-tribromophenol, one hundred percent of the recoveries from water samples were within the specified recovery range. One hundred percent of soil recoveries of this surrogate were also within acceptable limits.

Recoveries of nitrobenzene-D5 ranged from 22 to 130% for water samples. One hundred eleven of one hundred nineteen (93%) recoveries from water samples were within the specified range. Soil sample recoveries of nitrobenzene-D5 ranged from 22 to 130%. Fifty-three of fifty-nine (90%) surrogate recoveries were within acceptable limits.

For the surrogate 2-fluorobiphenyl one hundred percent of the recoveries from water samples were within water recovery limits. Fifty-seven of fifty-nine (97%) recoveries for soil samples were within soil recovery limits.

Recoveries of the surrogate terphenyl-D14 were within respective limits for one hundred percent of water and soil samples.

ABB Environmental Services, Inc.

The SVOC surrogate data indicate that, in general, there were no matrix problems associated with SVOC samples collected during the 1993 Fort Devens SSI.

<u>Duplicates</u>. Duplicate sample data for the Group 2 and 7 Study Areas were collected during the 1993 Fort Devens SSI (including subsequent rounds of groundwater sampling) are presented in the Table E17. Duplicate precision was measured for inorganics, VOCs, SVOCs, and explosives. Duplicate precision was also measured for data obtained from analyses of nitrite/nitrate as nitrogen, chloride/sulfide ion, TOC, TPHC, TSS, alkalinity and bicarbonate ion. It is important to note RPD calculations based on two samples with non-detect results have been calculated and presented on the table. These RPDs are not discussed in this evaluation. The second error occurred with inorganic aqueous RPD results for MX4103X1. The computer generated RPD values based on filtered versus non-filtered concentrations, instead of filtered versus filtered and unfiltered versus unfiltered concentrations due to errors in the field sample number. Correct RPDs have been included.

<u>Inorganics</u>. USEPA Region I guidelines were used to assess the RPDs of the inorganic data. These guidelines specify RPD goals of less than 30% for inorganic water concentrations and 50% for inorganic soil concentrations.

The dissolved and total concentrations for four groundwater samples and total concentrations for two surface water samples were compared with those for their respective duplicates. The water samples used were MX1302X1, MX4603X1, MXG308X2, MXXJ01X1, WX121800, and WX420700. The RPDs of 200 of 224 (89%) possible duplicate results were below 30%. Elements for which USEPA Region I precision goals were not met are presented below:

ELEMENT	FREQUENCY RPD EXCEEDS 30%	RPD RANGE
Antimony	1/6	0 to 44%
Aluminum	2/10	0 to 57%
Arsenic	2/10	0 to 68%
Barium	1/10	0 to 36%
Copper	1/10	0 to 51%
Chromium	1/10	0 to 43%

ELEMENT	FREQUENCY RPD EXCEEDS 30%	RPD RANGE
Copper	1/10	0 to 51%
Iron	4/10	0 to 100%
Lead	4/10	0 to 156%
Manganese	2/10	0 to 109%
Nickel	1/10	0 to 31%
Potassium	1/10	0 to 66%
Vanadium	1/10	0 to 42%
Zinc	2/10	0 to 89%

The outlier RPDs for the majority of the results are just barely above the USEPA Region I limit of 30%. Overall, the duplicate data indicate that there was good precision of the inorganic water results.

The concentrations of six duplicate pairs of soil samples were also assessed for precision. These duplicate samples are BX410230, BXXJ0210, BXXH0512, BXXH1025, DX420900 and DX410800. The RPDs of one hundred thirty-two of one hundred forty concentrations (94%) were below the USEPA Region I limit of 50%. The majority of RPD values that exceeded USEPA Region I criteria were calculated from values that were near or at the detection limits of the associated analyte, we would expect the analysis to be less precise in this area. The low frequency of RPDs which exceed 50% indicate that there was good precision of the soil inorganic concentrations.

<u>VOCS</u>. The precision of VOC concentrations for two water samples was assessed. These samples are WX121800 and WX420700. The only RPD value calculated that exceeded USEPA Region I guidelines was 1,2-dichloroethane for WX121800, which had a RPD value of 50%. The precision demonstrated by the laboratory for target VOCs was good.

The precision of soil VOC concentrations was measured using seven samples; BX410230, BXXJ0210, BXXH0512, BXXH1025, BXX00110, DX420900, and DX410800. One hundred sixteen of one hundred seventeen (99%) RPDs were 0%.

The RPD calculated for acetone concentrations of DX410800 was 127%. Acetone was identified as a method blank contaminant in previous discussions. RPD data for soil VOC concentrations indicate that there was good precision of the nondetect results.

<u>SVOCs</u>. The precision of SVOC concentrations for two water samples were measured. These samples are WX121800 and WX420700. Only one RPD value calculated exceeded USEPA Region I criteria. Sample WX121800 had a RPD value of 54% for Caprolactam, a non-target compound. The data indicate that there was little variability of the target SVOC duplicate concentrations.

The precision of SVOC concentrations for seven soil duplicate samples was measured. These samples are BX410230, BXXJ0210, BXXH0512, BXXH1025, BXX00110, DX420900 and

DX410800. RPDs for concentrations of detected SVOCs are summarized below:

COMPOUND	RPD RANGE
Bis (2-ethylhexyl)phthalate	0 to 64%
Di-n-butyl phthalate	0 to 148%
Fluoranthene	0 to 142%
Phenanthrene	0 to 138%
Pyrene	0 to 143%

Bis(2-ethylhexyl)phthalate and di-n-butyl phthalate were both identified as laboratory contaminants in the method blank discussion. The RPD values for fluoranthene, phenanthrene, and pyrene represent inconsistencies of the concentrations for samples DX410800 and BXXH0512. This may have been due to non-homogeneity of the compounds throughout the sample matrix and data should be considered estimated.

<u>Explosives</u>. Three duplicate water samples from Group 2 and 7 Study Areas were used to measure the precision of the concentrations of explosive compounds. These samples are MX1302X1, WX121800 and WX420700. One hundred percent of the RPD values were 0% indicating that the results were consistent in showing a lack of contamination with these compounds for the water sample.

Three duplicate soil samples from Group 2 and 7 Study Areas were used to assess the precision of concentrations of explosive compounds. These samples are BX410230, DX420900 and DX410800. One hundred percent of the RPDs were 0% indicating that there was good agreement of the concentrations of explosive results.

<u>USEPA Methods</u>. A precision assessment was also completed for concentrations of the following analytes: TOC, TPHC, TSS, alkalinity, bicarbonate ion, nitrate/nitrite, TKN, total phosphate, chloride ion and sulfate ion.

Five duplicate soil samples were used to determine the precision of TOC concentrations. These samples are BX410230, BXXJ0210, BXX00110, DX420900 and DX410800. RPDs of the concentrations of these samples ranged from 53% to 181%. This indicates a high degree of variability in TOC reported values and results should be considered estimated.

Four duplicate sets of soil samples were used to determine the precision of TPHC concentrations. The duplicate soil samples which were analyzed include BXXH0512, BXXH0125, BXXJ0210 and BXX00110. The RPDs of the TPHC concentrations for these samples ranged from 1.0% to 64%.

Seven water samples were used for the duplicate analysis of TSS concentrations. The samples used for this analysis are MX1302X1, MXXJ01X1, MX4103X1, MX4603X1, MXG308X2, MXXJ01X1, WX121800 and WX420700. RPDs for concentrations of these samples range from 0 to 43%.

One duplicate set of water samples was used to determine the RPD of alkalinity results. The water sample used for the duplicate analysis is MXG308X2. One of the duplicates had a detection of 6 μ g/L while the duplicate sample concentration was below the RL of 5 μ g/L. Since the detection is so close to the RL, the difference of the results does not appear to be significant.

One duplicate set of water samples was used to determine the RPD of bicarbonate ion results. The sample used for precision analysis was MXG308X2. One of the duplicates had a detection of 7.3 μ g/L while the associated sample concentration was less than the RL of 6.1 μ g/L. The RPD of the results is 18%.

Four duplicate set of water samples was used to determine the RPD of nitrate/nitrite results. The samples used for the precision analysis were MX1302X1, MXG308X2, WX121800 and WX420700. RPD values ranged from 0 to 128%.

Three duplicate sets of water samples were used to determine the RPD of total kjeldhal nitrogen results. The samples used for the precision analysis were MX1302X1, WD121800, and WX420700. RPD values ranged from 0 to 15%.

Three duplicate set of water samples was used to determine the RPD of total phosphate results. The samples used for the precision analysis were MX1302X1, WD121800, and WX420700. RPD values ranged from 8.8 to 21%.

Four duplicate set of water samples was used to determine the RPD of chloride ion results. The samples used for the precision analysis were MX1302X1, MXG308X2, WX121800 and WX420700. RPD values ranged from 0 to 15%.

Four duplicate set of water samples was used to determine the RPD of sulfate ion results. The samples used for the precision analysis were MX1302X1, MXG308X2, WX121800 and WX420700. RPD values ranged from 0 to 8.3%.

- USEPA, "National Functional Guidelines for Organic Data Review", June 1991.
- USEPA, "Methods for Chemical Analysis of Water and Wastes", March 1983.
- USEPA, "Region I Laboratory Data Validation Functional Guidelines for Evaluating Inorganics Analyses", June 1988.
- USEPA, "Region I Laboratory Data Validation Functional Guidelines for Evaluating Organics Analyses", February, 1988.
- USATHAMA, "Draft Final Project Operations Plan Data Item A005/A008", July 1992.

TABLE 1 LIST OF AEC METHODS FORT DEVENS, MA

USATHAMA	COMPARABLE	
METHOD	EPA METHOD	METHOD DESCRIPTION
NUMBER	NUMBER	
JB01	7471	MERCURY IN SOIL BY CVAA.
JD15	7740	SELENIUM IN SOIL BY GFAA.
JD16	7911	VANADIUM IN SOIL BY GFAA.
JD17	7421	LEAD IN SOIL BY GFAA.
JD18	7761	SILVER IN SOIL BY GFAA.
JD19	7060	ARSENIC IN SOIL BY GFAA.
JS16	6010	METALS IN SOIL BY ICP.
LH10	8080	ORGANOCHLORINE PESTICIDES IN SOIL BY GC-EC.
LH11	8150	HERBICIDES IN SOIL BY GC-EC.
LH16	8080	PCBS IN SOIL BY GC-EC.
LM18	8270	EXTRACTABLE ORGANICS IN SOIL BY GC/MS.
LM19	8240	VOLATILE ORGANICS IN SOIL BY GC/MS.
LW12	8090	NITROAROMATICS IN SOIL BY HPLC.
SB01	245.1	MERCURY IN WATER BY CVAA.
SD20	239.2	LEAD IN WATER BY GFAA.
SD21	270.2	SELENIUM IN WATER BY GFAA.
SD22	206.2	ARSENIC IN WATER BY GFAA.
SD23	272.2	SILVER IN WATER BY GFAA.
SS10	200.7	METALS IN WATER BY ICAP.
TF22	300.0	NITRATE/NITRITE IN WATER BY AUTO ANALYZER.
TF26	351.2	TKN IN WATER BY AUTOANALYZER.
TF27	365.1	TOTAL PHOSPHATE IN WATER BY AUTOANALYZER.
TT10	300.0	ANIONS IN WATER BY IC.
OH02	809	PCBs IN WATER BY GC.
UH13	809	ORGANOCHLORINE PESTICIDES IN WATER BY GC.
UH14	615	HERBICIDES IN WATER BY HPLC.
UM18	62.5	EXTRACTABLE ORGANICS IN WATER BY GC/MS.
UM20	624	VOLATILES IN WATER BY GC/MS.
UW19		PETN/NITROGLYCERIN IN WATER.
UW32	609	NITROAROMATICS IN WATER BY HPLC.

TABLE 2 SUMMARY OF CERTIFIED REPORTING LIMITS OF VOLATILE ORGANIC COMPOUNDS FORT DEVENS, MA

	CERTIFIED	REPORTING LIMIT
발표하는 방안 나를 받아 얼굴을 보다 모든		UM20 USATHAMA METHOD LM19
COMPOUND	WATER ANALYSIS	SOIL ANALYSIS
	(ug/L)	(ug/g)
1,1,1-Trichloroethane	0.5	0.0044
1,1,2-Trichloroethane	1.2	0.0054
1,1-Dichloroethene	0.5	0.0039
1,1-Dichloroethane	0.68	0.0023
1,2-Dichloroethene (total)	0.5	0.0030
1,2-Dichloroethane	0.5	0.0017
1,2-Dichloropropane	0.5	0.0029
Acetone	13	0.017
Bromodichloromethane	0.59	0.0029
Cis-1,3-dichloropropene	0.58	0.0032
Vinyl acetate	8.3	0.0032
Vinyl Chloride	2.6	0.0062
Chloroethane	1.9	0.012
Benzene	0.5	0.0015
Carbon Tetrachloride	0.58	0.007
Methylene Chloride	2.3	0.012
Bromomethane	5.8	. 0.0057
Chlormethane	3.2	0.0088
Bromoform	2.6	0.0069
Dichloromethane	2.3	0.012
Chloroform	0.5	0.00087
Chlorobenzene	0.5	0.00086
Carbon Disulfide	0.5	0.0044
Dibromochloromethane	0.67	0.0031
Ethylbenzene	0.5	0.0017
Toluene	0.5	0.00078
Methyl Ethyl Ketone	6.4	0.070
Methyl Isobutyl Ketone	3.0	0.027
Methyl-n-Butyl Ketone	3.6	0.032
Styrene	0.5	0.0026
Trans-1,3-Dichloropropene	0.7	0.0028
1,1,2,2-Tetrachloroethane	0.51	0.0024
Tetrachloroethane	1.6	0.00081
Trichloroethene	0.5	0.0028
Xylene (total)	0.84	0.0015

TABLE 3 SUMMARY OF CERTIFIED REPORTING LIMITS SEMIVOLATILE ORGANIC COMPOUNDS FORT DEVENS, MA

	CERTIFIED REP	ORTING LIMIT
	USATHAMA METHOD UM20	USATHAMA METHOD LM19
COMPOUND	WATER ANALYSIS	SOIL ANALYSIS
	(ug/L)	(ug/g)
1,2,4-Trichlorobenzene	1.8	0.04
1,2-Dichlorobenzene	1.7	0.11
1,3-Dichlorobenzene	1.7	0.13
1,4-Dichlorobenzene	1.7	0.098
2,4,5-Trichlorophenol	5.2	0.1
2,4-Dichlorophenol	2.9	0.18
2,4-Dimethylphenol	5.8	0.69
2,4-Dinitrophenol	21	1.2
2,4-Dinitrotoluene	4.5	0.14
2-Chlorophenol	0.99	0.06
2-Chloronaphthalene	0.5	0.036
2-Methylnaphthalene	1.7	0.049
2-Nitroaniline	4.3	0.062
2-Methylphenol	3.9	0.029
2-Nitrophenol	3.7	0.14
3,3-Dichlorobenzidine	12	6.3
3-Nitroaniline	4.9	0.45
2-Methyl-4,6-Dinitrophenol	17	0.55
4-Bromophenylphenyl ether	4.2	0.033
3-Methyl-4-Chlorophenol	4.0	0.095
4-Chlorophenylphenyl ether	5.1	0.033
4-Methylphenol	0.52	0.24
4-Nitroaniline	5.2	0.41
4-Nitrophenol	12	1.4
Acenaphthene	1.7	0.036
Acenaphthylene	0.5	0.033
Anthracene	0.5	0.033
bis (2-Chlorethoxy) methane	1.5	0.059
bis (2-Chloroisopropyl) ether	5.3	0.2
bis (2-Chloroethyl) ether	1.9	0.033
bis (2-Ethylhexyl) phthalate	4.8	0.62
Benzo(a)anthracene	1.6	0.17
Benzo(a)pyrene	4.7	0.25
Benzo(b)fluoranthene	5.4	0.21
Butylbenzylphthalate	3.4	0.17

TABLE 4 SUMMARY OF CERTIFIED REPORTING LIMITS OF INORGANICS FORT DEVENS, MA

PARAMETER	MATRIX	USATHAMA METHOD NUMBER	METHOD DESCRIPTION	CERTIFIED REPORTING LIMIT
ALUMINUM (Al)	WATER	SS10	ICP	141 ug/L
ABOMINOM (AII)	SOIL	JS16	ICP	2.35 ug/g
	WATER	SS10	ICP	38 ug/L
ANTIMONY (Sb)	SOIL	JS16	ICP	7.14 ug/g
AITIMOIT (50)	WATER	SD28	GFAA	3.03 ug/L
	SOIL	JD25	GFAA	1.09 ug/g
ARSENIC (As)	WATER	SD22	GFAA	2.54 ug/L
AKSENIC (AS)	SOIL	JD19	GFAA	0.25 ug/g
BARIUM (Ba)	WATER	SS10	ICP	5.0 ug/L
DARIUM (Da)	SOIL	JS16	ICP	_
DEDMILIUM (Da)	WATER	SS10	ICP	5.18 ug/g
BERYLLIUM (Be)				5.0 ug/L
CADMENA (CI)	SOIL	JS16	ICP	0.50 ug/g
CADMIUM (Cd)	WATER	SS10	ICP	4.01 ug/L
art armera	SOIL	JS16	ICP	0.70 ug/g
CALCIUM (Ca)	WATER	SS10	ICP	500 ug/L
	SOIL	JS16	ICP	100 ug/g
CHROMIUM (Cr)	WATER	SS10	ICP	6.02 ug/L
	SOIL	JS16	ICP	4.05 ug/g
COBALT (Co)	WATER	SS10	ICP	25 ug/L
	SOIL	JS16	ICP	1.42 ug/g
COPPER (Cu)	WATER	SS10	ICP	8.09 ug/L
	SOIL	JS16	ICP	0.965 ug/g
IRON (Fe)	WATER	SS10	ICP	42.7 ug/L
	SOIL	JS16	ICP	3.68 ug/g
	WATER	SS10	ICP	18.6 ug/L
LEAD (Pb)	SOIL	JS16	ICP	10.5 ug/g
	WATER	SD20	GFAA	1.26 ug/L
	SOIL	JD17	GFAA	0.177 ug/g
MAGNESIUM (Mg)	WATER	SS10	ICP	500 ug/L
	SOIL	JS16	ICP	100 ug/g
MANGANESE (Mn)	WATER	SS10	ICP	2.75 ug/L
	SOIL	JS16	ICP	2.05 ug/g
MERCURY (Hg)	WATER	SB01	CVAA	0.243 ug/L
• •	SOIL	JB01	CVAA	0.05 ug/g
NICKEL (Ni)	WATER	SS10	ICP	34.3 ug/L
• •	SOIL	JS16	ICP	1.71 ug/g

TABLE 5
SUMMARY OF CERTIFIED REPORTING LIMITS
OF EXPLOSIVE COMPOUNDS
FORT DEVENS, MA

	CERTIFIED REPORTING LIMIT	CERTIFIED REPORTING LIMIT
COMPOUND	WATER ANALYSIS	SOIL ANALYSIS
	(ug/L)	(8/8n)
1,3-Dinitrobenzene	0.611	0.496
1,3,5-Trinitrobenzene	0.449	0.488
2,4-Dinitrotoluene	0.0637	0.424
2,6-Dinitrotoluene	0.0738	0.524
2,4,6-Trinitrotoluene	0.635	0.456
HMX	1.21	0.666
RDX	1.17	0.587
Tetryl	1.56	0.731
Nitrobenzene	0.645	2.41
Nitroglycerine	10.0	4.00
PETN	20.0	4.00

Note: USATHAMA METHOD UW19 is used for the water analysis of PETN and nitroglycerine.

09-Jun-95 TABAS.WK1

TABLE 6 SUMMARY OF CERTIFIED REPORTING LIMITS OF PESTICIDE COMPOUNDS FORT DEVENS, MA

	CERTIFIED REPORTING LIMIT	DRITING LIMIT
New pro-	USATHAMA METHOD UH13 USATHAMA METHOD	13 USATHAMA METHOD LHIO
COMPOUND	WATER ANALYSIS	SOIL ANALYSIS
	(ug/L)	(ng/g)
BHC, A	0.039	0.00907
Endosulfan, A	0.023	0.00602
Aldrin	0.092	0.00729
BHC, B	0.024	0.00257
Endosulfan, B	0.023	0.00663
BHC, D	0.029	0.00555
Dieldrin	0.024	0.00629
Endrin	0.024	0.00657
Endrin Aldehyde	0.029	0.0240
Endosulfan Sulfate	0.079	0.00763
Heptachlor	0.042	0.00618
Heptachlor Epoxide	0.025	0.00622
Lindane	0.051	0.00657
Methoxychlor	0.057	0.0711
DDD-PP	0.023	0.00826
DDE-PP	0.027	0.00765
DDT-PP	0.034	0.00739
Toxaphene	1.350	0.444
Chlordane-alpha	0.075	0.005
Chlordane-gamma	0.075	0.005

TABA6WKI

TABLE 7
SUMMARY OF CERTIFIED REPORTING LIMITS
OF PCB COMPOUNDS
FORT DEVENS, MA

	CERTIFIED REPORTING LIMIT	RTING LIMIT
	USATHAMA METHOD UH02	USATHAMA METHOD LH13
COMPOUND	WATER ANALYSIS	SOIL ANALYSIS
	(ug/L)	(a/g/g)
PCB 1016	0.16	0.067
PCB 1221	0.16	0.067
PCB 1232	0.16	0.067
PCB 1242	0.19	0.082
PCB 1248	0.19	0.082
PCB 1254	0.19	0.082
PCB 1260	0.19	0.082

TABA7.WK1

TABLE 8 SUMMARY OF REPORTING LIMITS OF MISCELLANEOUS METHODS FORT DEVENS, MA

		USATHAMA	метнор	CERTIFIED
PARAMETER	MATRIX	METHOD NUMBBR	DESCRIPTION	REPORTING LIMIT
TOTAL ORGANIC	WATER	NO CERTIFIED		1000 ug/L
CARBON	SOIL	METHOD	GRAVIMETRIC	100 ug/g
ALKALINITY	WATER	NO CERTIFIED	TITRATION	5000 ug/L
HARDNESS	WATER	METHOD	EPA METHOD 403	1000 ug/L
TOTAL	WATER	NO CERTIFIED	EPA METHOD 160.2	4000 ng/L
SUSPENDED SOLIDS		METHOD		
TOTAL PETROLEUM	WATER	NO CERTIFIED	EPA METHOD 418.1	200 ug/L
HYDROCARBONS	SOIL	METHOD	EPA METHOD 418.1	20 ug/g
CARBONATE/	WATER	NO CERTIFIED	EPA METHOD 310.1	5000 ug/g
BICARBONATE	SOIL	METHOD	EPA METHOD 310.1	8/8n 000S
	WATER	TT10	EPA METHOD 300.0	CHLORIDE 2120 ug/L
ANIONS	WATER	TT10	EPA METHOD 300.0	SULFATE 10000 ug/L
	WATER	TF27	EPA METHOD 365.2	PHOSPHATE 13.3 ug/L
	WATER	TF22	AUTO ANALYZER	NO3 AS N 10 ug/L
TOTAL NITRATE	WATER	TF22	EPA METHOD 351.2	10 ug/L
COLIFORMS	WATER	NO CERTIFIED		
		METHOD		
TOTAL	SOIL	NO CERTIFIED	EPA METHOD 365.1	2.5 ug/g
PHOSPHOROUS	WATER	METHOD	EPA METHOD 365.1	10 ug/L

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Value Units	1000 UGL 1000 UGL				_		_	_	.005 UGG	_	_	_	_	_	.05 UGG	.25 UGG	.249 UGG .322 UGG	.25 UGG	.5 066	1.09 UGG	.589 UGG 1300 UGG
v	. • •	v	′ ∨	v	v	v v	· •	v	v	v	v	v	v	v	•	•		v	v	•	•
Analysis Date	28-AUG-92 28-AUG-92	01-SEP-92 07-SEP-92	10-SEP-92	11-SEP-92	17-SEP-92	17-SEP-92	07-0CT-92	06-0CT-92	14-0CT-92	14-0CT-92	14-0CT-92	14-oct-92	14-0CT-92	14-oct-92	10-SEP-92	14-0CT-92	14-0CT-92 30-0CT-92	15-oct-92	15-0CT-92	22-0CT-92	16-SEP-92 16-SEP-92
Prep Date	28-AUG-92 28-AUG-92	01-SEP-92 07-SEP-92	09-SEP-92	10-SEP-92	15-SEP-92	17-SEP-92 07-OCT-02	06-0CI-92	06-0CT-92	07-oct-92	07-0CT-92	07-oct-92	07-0CT-92	07-0CT-92	07-0CT-92	10-SEP-92	15-SEP-92	15-SEP-92 28-0CT-92	15-SEP-92	15-SEP-92	15-SEP-92	14-SEP-92 14-SEP-92
Lab Number																					
Test Name	HARD HARD	TSS	TP.K	TPHC	TPHC	7 TP.	TPHC	ALK	ACLDAN	ACLDAN	GCLDAN	GCLDAN	#PCL	HPCL	9£	SE	88	AS	1	SB	AG AL
Lot	ASS	AYS AYS	AXX	AYY	AYZ DCu	- T	BNM	BNI	3	<u>a</u>	₩	₽	≘	8 06	ANK	AMN	AUH	ACX	STG	SMZ	A01 A01
USATHAMA Method Code	8							&							JB01	JD15	JD17	JD 19	JD24	JD25	JS16

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

t t		
Units		
Value	9.02 17.00 17.77 17.80 17.00 17.00 17.00 17.10 17.11 1	.005 .005 .007 .007 .007 .007 .008 .008 .008 .008
v :	V V V V V V V V V V V V V V V V V V V	· · · · · · · · · · · · · · · · · · ·
Analysis Date	6- SE-92	19-SEP-92 19-SEP-92 19-SEP-92 19-SEP-92 19-SEP-92 19-SEP-92 19-SEP-92 19-SEP-92 19-SEP-92 19-SEP-92 19-SEP-92 19-SEP-92 19-SEP-92 19-SEP-92 19-SEP-92
Prep Date	7-56-92 7-56-92 7-56-92 7-56-92 7-56-92 7-56-92 7-56-92 7-56-92 7-56-92 7-56-92 7-56-92 7-56-92 7-56-92 7-56-92 7-56-92 7-56-92	28- AUG-92 28- AUG-92
Lab Number		
Test Name	885888585×584×84×8	ABHC ACLDAN AENSLF ALDRN BBHC BBHC BBHC DLDRN ENDRN ENDRN ENDRN ENDRN ENDRN ENDRN HPCL HPCL
Lot	A01 A01 A01 A01 A01 A01 A01 A01	ABU ABU ABU ABU ABU ABU ABU ABU ABU ABU
USATHAMA Method Code	91SL	ГН10

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

USATHAMA Method		Test	Гар	Prep	Analysis			
Code	Lot	Name	Number	Date	Date	v	Value	Units
LH10	ABU	LIN		28-AUG-92	19-SEP-92		98	: : ::::::::::::::::::::::::::::::::::
	ABU	MEXCLR		28-AUG-92	19-SEP-92	•	.071	18
	ABU	PPDDD		28-AUG-92	19-SEP-92	v	.008	99
	ABU	PPODE		28-AUG-92	19-SEP-92	v	900.	35
	ABU	PPDDT		28-AUG-92	19-SEP-92	•	200.	290
	ABU	TXPHEN		28-AUG-92	19-SEP-92	•	777	99 1
	ABV	ABHC		01-SEP-92	28-SEP-92	•	600.	<u>9</u>
	ABV	ACLDAN		01-SEP-92	28-SEP-92		90.	990
	ABV	AENSLF		01-SEP-92	28-SEP-92	v	900.	990
	ABV	ALDRN		01-SEP-92	28-SEP-92	v	200.	8
	ABV	BBHC		01-SEP-92	28-SEP-92	•	.003	99 190
	ABV	BENSLF		01-SEP-92	28-SEP-92	v	200.	ജ
	ABV	DBHC		01-SEP-92	28-SEP-92	v	90.	990
	ΑB	DLDRN		01-SEP-92	28-SEP-92	v	90.	99
	ABV	ENDRN		01-SEP-92	28-SEP-92	v	200.	990
	ABV	ENDRNA		01-SEP-92	28-SEP-92	v	.024	990
	ΑBV	ENDRNK		01-SEP-92	28-SEP-92	v	.024	99
	ABV	ESFS04		01-SEP-92	28-SEP-92	v	80.	990
	ABV	GCLDAN		01-SEP-92	28-SEP-92		.041	99
	AB<	#PCF		01-SEP-92	28-SEP-92		.032	99
	ABV	HPCLE		01-SEP-92	28-SEP-92	v	90.	990
	AB	ISOOR			28-SEP-92	v	-005	990
	ABV	LIN		01-SEP-92	28-SEP-92	v	900.	990
	ΑBΛ	MEXCLR			28-SEP-92	•	.07	99
	ABV	PPDDD		01-SEP-92	28-SEP-92	v	800.	95U
	ABV	PPDDE			28-SEP-92	•	80.	<u> </u>
	ABV	PPODT		01-SEP-92	28-SEP-92	v	200.	8
	ABV	TXPHEN		01-SEP-92	28-SEP-92	•	777	100
1114	417	210000		76 0116 00	10 01	,	į	9
2	1 1			74-DOV-01	10-3EF-72	,	9	3
	A12	PCB221		16-AUG-92	18-SEP-92	v	-082	ဋ္ဌ
	A12	PCB252		16-AUG-92	18-SEP-92	v	.082	250
	A12	PCB242		16-AUG-92	18-SEP-92	v	-082	99
	AIZ	PCB248		16-AUG-92	18-SEP-92	v	.082	550

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Units	: 5	g	g	5	g	g	9	g	g	g	G	5	g	g	g	g	g	g	g	g	g	9	Ģ	9	G	g	Ö	c c	c g	g	g	G	g
	: 3	2	ຮ	ອ	ອ	ອ	ອ	ອ	ອ	_	_	_	_	_	_	5	ອ	5	200	ອ	ອ	ຮ	ຮ	ຮ	ອ	ອ	ຮ	3	5	ອ	ອ	ອ	ອ
Value	.082	8	.067	.082	.082	.082	.082	.082	80.	.04		.14	.13	.098	۲.	.17	.18	69.	1.2	.14	.085	8.	.036	.049	.029	.062	.14	6.3	.45	.55	.033	<u>.</u> ق	.095
v	: :	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	18-SEP-92	18-SEP-92	23-SEP-92	10-SEP-92	10-SEP-92																												
Prep Date	16-AUG-92	16-AUG-92	01-SEP-92	28-AUG-92	28-AUG-92																												
Lab Number																																	
Test Name	PCB254	PCB260	PCBU16	PCB221	PCB232	PCB242	PCB248	PCB254	PCB260	124TCB	120CLB	120PH	130CLB	140CLB	245TCP	246TCP	24DCLP	24DMPN	24DNP	24DNT	26DNT	2CLP	SCNAP	ZMNAP	<u>a</u>	ZNANIL	SNP	330CBD	SNANIL	46DN2C	4BRPPE	4CANIL	46136
Lot	AIZ	AIZ	¥	¥ç	Š	Š	ΑXC	ΑXC	AXC	AES	AES																						
USATHAMA Method Code	LH16									LM18																							

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	v	Value	Units
LM18	AES	4CLPPE		28-AUG-92	10-SEP-92		.033	
	AES	d₩5		28-AUG-92	10-SEP-92	v	7.	8
	AES	4NANIL		28-AUG-92	10-SEP-92	v	7.	8
	AES	4NP		28-AUG-92	10-SEP-92	v	1.4	990
	AES	ABHC		28-AUG-92	10-SEP-92	v	.27	<u>9</u>
	AES	ACLDAN		28-AUG-92	10-SEP-92	v		9 90
	AES	AENSLF		28-AUG-92	10-SEP-92	v	.62	99 100
	AES	ALDRN		28-AUG-92	10-SEP-92	v	.33	95 100 100 100 100 100 100 100 100 100 10
	AES	ANAPNE		28-AUG-92	10-SEP-92	v	.036	990
	AES	ANAPYL		28-AUG-92	10-SEP-92	v	.033	990
	AES	ANTRC		28-AUG-92	10-SEP-92	v	.033	990
	AES	B2CEXM		28-AUG-92	10-SEP-92	v	.059	990
	AES	B2CIPE		28-AUG-92	10-SEP-92	~	۲.	990
	AES	BZCLEE		28-AUG-92	10-SEP-92	~	.033	99
	AES	BZEHP		28-AUG-92	10-SEP-92	v	.62	250
	AES	BAANTR		28-AUG-92	10-SEP-92	v	.17	320
	AES	BAPYR		28-AUG-92	10-SEP-92	v	ю.	990
	AES	BBFANT		28-AUG-92	10-SEP-92	v	.21	990
	AES	BBHC		28-AUG-92	10-SEP-92	v	.27	990
	AES	BBZP		28-AUG-92	10-SEP-92	v	.17	990
	AES	BENSLF		28-AUG-92	10-SEP-92	v	79	990
	AES	BENZ1D		28-AUG-92	10-SEP-92	•	8	990
	AES	BENZOA		28-AUG-92	10-SEP-92	v	6.1	99
	AES	BGHIPY		28-AUG-92	10-SEP-92	v	<u>ئ</u>	99 1
	AES	BKFANT		28-AUG-92	10-SEP-92	v	990.	990
	AES	BZALC		28-AUG-92	10-SEP-92	v	.19	<u>8</u>
	AES	CARBAZ		28-AUG-92	10-SEP-92	v	.033	39 N
	AES	CHRY		28-AUG-92	10-SEP-92	v	.12	UGG
	AES	CL682		28-AUG-92	10-SEP-92	v	.033	99 189
	AES	CL6CP		28-AUG-92	10-SEP-92	v	6.2	85
	AES	CL6ET		28-AUG-92	10-SEP-92	v	.15	ဗ္ဗ
	AES	DBAHA		28-AUG-92	10-SEP-92	v	۲.	<u> </u>
	AES	DBHC		28-AUG-92	10-SEP-92	v	.27	99 189
	AES	DBZFUR		28-AUG-92	10-SEP-92	v	.035	990

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

USATHAMA Method		Test	Lab	Prep	Analysis			
Code	<u>ا</u> ځ	Name	Number	Date	Date	,	Value	Units
LM18	AES	DEP		28-AUG-92	10-SEP-92	•	77.	nee
	AES	DLDRN		28-AUG-92	10-SEP-92	•	₽.	99 199
	AES	DMP		28-AUG-92	10-SEP-92	•	.17	99 20 20
	AES	DNBP		28-AUG-92	10-SEP-92	•	.06	99 1
	AES	DNO		28-AUG-92	10-SEP-92	~	.1	<u> </u>
	AES	ENDRN		28-AUG-92	10-SEP-92	~	.45	<u>8</u>
	AES	ENDRNA		28-AUG-92	10-SEP-92	v	55.	<u>8</u>
	AES	ENDRNK		28-AUG-92	10-SEP-92	•	53.	99 0
	AES	ESFS04		28-AUG-92	10-SEP-92	v	9	g S
	AES	FANT		28-AUG-92	10-SEP-92	v	890.	<u>8</u>
	AES	FLRENE		28-AUG-92	10-SEP-92	v	.033	95 O
	AES	GCLDAN		28-AUG-92	10-SEP-92	v		99 20
	AES	#C80		28-AUG-92	10-SEP-92	v	ຸ	S S
	AES	₽C.		28-AUG-92	10-SEP-92	v	5.	ဗ္ဗ
	AES	HPCLE		28-AUG-92	10-SEP-92	v	.33	g
	AES	ICDPYR		28-AUG-92	10-SEP-92	v	8.	ខ្លួ
	AES	ISOPHR		28-AUG-92	10-SEP-92	v	.033	S S
	AES	LIN		28-AUG-92	10-SEP-92	v	.27	<u>9</u> 90
	AES	MEXCLR		28-AUG-92	10-SEP-92	v	53	39 130
	AES	NAP		28-AUG-92	10-SEP-92	v	.037	9
	AES	82		28-AUG-92	10-SEP-92	v	.045	9
	AES	NNDMEA		28-AUG-92	10-SEP-92	√.	.14	990
	AES	NUDNPA		28-AUG-92	10-SEP-92	~	٠į	99 29
	AES	NNDPA		28-AUG-92	10-SEP-92	v	.19	ဗ္ဗ
	AES	PCB016		28-AUG-92	10-SEP-92	~	1.4	8
	AES	PCB221		28-AUG-92	10-SEP-92	v	1.4	9
	AES	PCB232		28-AUG-92	10-SEP-92	v	1.4	99
	AES	PCB242		28-AUG-92	10-SEP-92	ę V	1.4	990
	AES	PCB248		28-AUG-92	10-SEP-92	v	7	99 1
	AES	PCB254		28-AUG-92	10-SEP-92	v	2.3	99 199
	AES	PCB260		28-AUG-92	10-SEP-92	v	5.6	9
	AES	<u>م</u>		28-AUG-92	10-SEP-92	~	1.3	99
	AES	PHANTR		28-AUG-92	10-SEP-92	v	.033	990
	AES	PHENOL		28-AUG-92	10-SEP-92	v	=	9 0

Value Units	27 UGG 2.6 UGG 2.6 UGG 2.6 UGG 2.6 UGG 2.7 UGG 2.8 UGG 2.9 UGG
v	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Analysis Date	22 - 86 - 82 - 82 - 82 - 82 - 82 - 82 -
Prep Date	28-AUG-92 28-AUG-92 28-AUG-92 31-AUG-92
Lab Number	
Test Name	PPDDD PPDDD PPDDD PPDDT PYR 124/FEN 126/LB 130CLB 1450CLB 245/FCP 246/TCP 240MP
Lot	AES AEET AAET AAET AAET AAET AAET AAET A
USATHAMA Method Code	18 8

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

e Units		į
Value	ដន់ដង្គមិនិទ្ធបន្ទាន់ក្រស់របស់ក្នុងខិត្តមិន្តិក្នុងមិនិទ្ធ	:
v 1	 V V V V V V V V V V V V V V V V V V	
Analysis Date	22	
Prep Date	31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92	
Lab Number		
Test Name	ACLOAN ACLOAN ACLOAN ANAPUE ANAPUE ANAPUE BZCLFE CARBAZ CHRY CLGF CLGF CLGF CLGF CLGF CLGF CLGF CLGF	
Ę	A A E E E E E E E E E E E E E E E E E E	
USATHAMA Method Code	8	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Value Units	5.5.3 UGG 5.5.3 UGG 5.5.3 UGG 5.5.3 UGG 5.5.3 UGG 5.5.3 UGG 5.5.4 UGG 5.5.5 UGG 5.5.5 UGG 5.5.7 UGG 5.5.8 UGG 5.5.9 UGG 6.5.9 UGG
V	
Analysis Date	21. 86-92 21. 86
Prep Date	31-Aug-92 31-Aug-92
Lab F Number C	. הוהו הו ה
Test Name	ENDRNA ENDRNA ENDRNA ENDRNA ENDRNA ENDRNA HCBD HCBD HPCL HPCL HPCL ICDPYR ISOPHR NNDNPA NNDNNDNPA NNDNNDNPA NNDNNDNPA NNDNNDNPA NNDNNDN
Lot t	A A BETT TAR A BETT TA
USATHAMA Method Code	2 E

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Value Units	990 9°	_	.11 Jee	_	_	.098 UGG	_	.17 UGG	_	_	_	Ξ.	_	_	_	.049 UGG	_	_	_	_	_	_	_	_	_	_	_	_	_	_	.33 UGG	_	.33 UGG	_
v	:	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	21-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92	14-SEP-92
Prep Date	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92
Lab Number																																		
Test Name	UNK649	1241CB	120CLB	120 H	130CLB	14DCLB	245TCP	246TCP	24DCLP	24DMPN	24DNP	24DNT	26DNT	2CLP	2CNAP	ZMNAP	SE SE	SNANIL	ZNP	33DCBD	SNANIL	46DN2C	4BRPPE	4CANIL	4cr3c	4CLPPE	4MP	4NAN1L	4NP	ABHC	ACLDAN	AENSLF	ALDRN	ANAPNE
Lot	AET	¥	¥E0	Æ	Æ	AEU	Æ	AEU	AEU	Æ	Æ	Æ	AEU	Æ	AEU	Æ	AEU	AEU	AEU	AEU	AEU	AEU	AEU	AEU	AEU	AEU	Æ	ΑEU	AEU	ΑĒŪ	ΑĒŪ	AEU	AEU	AEU
USATHAMA Method Code	LM18																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Units	; ;
Value	888.848.444.444.448.484.444.444.444.444
v	
Analysis Date	
Prep Date	31-446-92 31-446-92
Lab Number	
Test Name	ANATC ANATC BZCIPE BZCIPE BZCIPE BZCIPE BZCIPE BZCIPE BZCIPE BZCIPE BZCIPE BZCIPE BBHC BBHC BBHC BBHC BBHC CL6CP DNDP ENDRNA
Lot	
USATHAMA Method Code	E

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

USATHAMA Method Code	Į.	Test	Lab	Prep Date	Analysis Date	•	ou lev	lnits.
×12	AFIL	FANT		71-AIIC.02	1%.eep.02	!	970	
2	2			20 20 20 20 20 20 20 20 20 20 20 20 20 2	14. 35. 75	,	3	9 5
	ב ב	LKE		31-AUG-92	14-SEP-92	~	.055	990
	Æ	GCLDAN		31-AUG-92	14-SEP-92	v	.33	ន
	Æ	HCB0		31-AUG-92	14-SEP-92	v	.23	99
	AEU	#PCL		31-AUG-92	14-SEP-92	~	.13	99
	AEU	HPCLE		31-AUG-92	14-SEP-92	v	ĸ.	3
	AEU	ICDPYR		31-AUG-92	14-SEP-92	v	53.	250
	AEU	ISOPHR		31-AUG-92	14-SEP-92	v	.033	990
	AEU	LIN		31-AUG-92	14-SEP-92	v	.27	250
	AEU	MEXCLR		31-AUG-92	14-SEP-92	v	.33	250
	AEU	NAP		31-AUG-92	14-SEP-92	v	.037	990
	AEU	9		31-AUG-92	14-SEP-92	v	.045	99
	Æ	NNDMEA		31-AUG-92	14-SEP-92	v	.14	99
	AEU	NNDNPA		31-AUG-92	14-SEP-92	v	5.	99
	Æ	NNDPA		31-AUG-92	14-SEP-92	~	.19	89
	AEU	PCB016		31-AUG-92	14-SEP-92	v	1.4	99n
	Æ	PCB221		31-AUG-92	14-SEP-92	v	1.4	99 20
	Æ	PCB232		31-AUG-92	14-SEP-92	v	1.4	8
	AEU	PCB242		31-AUG-92	14-SEP-92	v	1.4	<u>8</u>
	AEU	PCB248		31-AUG-92	14-SEP-92	v	7	<u> </u>
	Æ	PCB254		31-AUG-92	14-SEP-92	v	2.3	8
	ΑĒŪ	PCB260		31-AUG-92	14-SEP-92	v	5.6	<u>8</u>
	ΑĒΠ	PCP		31-AUG-92	14-SEP-92	v	1.3	ဗ္ဗ
	ΨEΩ	PHANTR		31-AUG-92	14-SEP-92	y	.033	9 9
	Æ	PHENOL		31-AUG-92	14-SEP-92	v	Ξ.	<u>ფ</u>
	AEU	PPDDD		31-AUG-92	14-SEP-92	v	.27	99 20
	AEU	PPDDE		31-AUG-92	14-SEP-92	v	.31	8
	AED	PPDDT		31-AUG-92	14-SEP-92	v	.31	990
	AEU	PYR		31-AUG-92	14-SEP-92	v	.033	8
	AEU	TXPHEN		31-AUG-92	14-SEP-92	v	5.6	99n
LM19	AUK	111TCE		31-AUG-92	31-AUG-92	v	700	990
	AJN	112TCE		31-AUG-92	31-AUG-92	v	500	990
	AUN	110CE		31-AUG-92	31-AUG-92	v	90.	18

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Units		2
Value U	2002 U U 2003 U U 1000 U U 1000 U U 1000 U 1	
>		!
•	;	
Analysis Date	31-AUG-92 31-AUG-92	1
Prep Date	31-Aug-92 31-Aug-92	1
Lab Number		
Test Name	11000000000000000000000000000000000000	
Lot	; - N	
USATHAMA Method Code	LM 3	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	•	Value	Units
LM19	ASN	TRCLE		31-AUG-92	31-AUG-92		.003	: : : : : :
	AJN	XYLEN		31-AUG-92	31-AUG-92	v	.002	ဗ္ဗ
	AJO	111TCE		03-SEP-92	03-SEP-92	v	.0	8
	AJO	112TCE		03-SEP-92	03-SEP-92	~	200.	99 290
	A Jo	110CE		03-SEP-92	03-SEP-92	~	96	250
	AJO	11DCLE		03-SEP-92	03-SEP-92	•	.002	3
	A Jo	120CE		03-SEP-92	03-SEP-92	~	.003	9
	AJO	120CLE		03-SEP-92	03-SEP-92	v	.00	8
	AJO	12DCLP		03-SEP-92	03-SEP-92	v	.003	990
	P 30	2CLEVE		03-SEP-92	03-SEP-92	~	2	9
	AJO	ACET		03-SEP-92	03-SEP-92	~	.017	8
	AJO	ACROLN		03-SEP-92	03-SEP-92	~	٦.	99 290
	AJO	ACRYLO		03-SEP-92	03-SEP-92	v	Τ.	990
	AJO	BRDCLM		03-SEP-92	03-SEP-92	v	9	8
	AJO	C130CP		03-SEP-92	03-SEP-92	~	.00	99 0
	AJO	CZAVE		03-SEP-92	03-SEP-92	~	.003	99 100
	AJO	C2H3CL		03-SEP-92	03-SEP-92	v	8.	<u> </u>
	AJO	C2H5CL		03-SEP-92	03-SEP-92	~	.012	ဗ္ဗ
	A 30	C6H6		03-SEP-92	03-SEP-92	v	.00	ဗ္ဗာ
	A.30	CCL3F		03-SEP-92	03-SEP-92	v	900.	8
	AJO	CCL4		03-SEP-92	03-SEP-92	v	-007	99
	AJO	CH2CL2		03-SEP-92	03-SEP-92	v	.012	9
	A50	CH3BR		03-SEP-92	03-SEP-92	v	90.	99
	AJO	CH3CL		03-SEP-92	03-SEP-92	v	<u>6</u>	<u>8</u>
	AJO	CHBR3		03-SEP-92	03-SEP-92	v	200.	9
	AJO	CHCL3		03-SEP-92	03-SEP-92		.005	990
	AJO	CL282		03-SEP-92	03-SEP-92	v	٦.	9 9
	AJO	CLC6H5		03-SEP-92	03-SEP-92	v	1	550
	AJO	CS2		03-SEP-92	03-SEP-92	v	.00	990
	AJO	DBRCLM		03-SEP-92	03-SEP-92	v	.003	99 20
	AJO	ETC6H5		03-SEP-92	03-SEP-92	v	-005	99 0
	A.30	MEC6H5		03-SEP-92	03-SEP-92	v	6	35 100
	AJO	景		03-SEP-92	03-SEP-92	~	-02	<u>8</u>
	AJO	MIBK		03-SEP-92	03-SEP-92	v	.027	99 1

e Units		3 5															ngg	990	nge	990	99 0	99n	990	990	990	99N	990	990	990	990	000 0	99 0	3
Value	.032	500	95	.00	.003	.002	90	- 005	.004	.002	.003	.002	.003	<u>.</u>	.017	-	۲.	.003	.003	.003	900.	.012	.002	800.	200.	.012	900.	.009	200.	.00	٦.	.001	.00
v :	i . v [.] !	· ·	· •	•	v	•	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v		v	v	v	v	v		v	v	v
Analysis Date	03-SEP-92	03-SEP-92	03-SEP-92	03-SEP-92	03-SEP-92	03-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92														
Prep Date	03-SEP-92	03-SEP-92	03-SEP-92	03-SEP-92	03-SEP-92	03-SEP-92	05-SEP-92		05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92	05-SEP-92											
Lab Number																																	
Test Name	MNBK	1130CP	TCLEA	TCLEE	TRCLE	XYLEN	111TCE	1121CE	110CE	11DCLE	1200	120CLE	120CLP	2CLEVE	ACET	ACROLN	ACRYLO	BRDCLM	C130CP	CZAVE	CZH3CL	CZHSCL	C6H6	CCL3F	ככר ל	CH2CL2	CH3BR	CH3CL	CHBR3	CHCL3	CL 282	CLC6H5	ZZ
Ę	A 30	P P P P P P P P P P	AJO	AJO	A 30	A 30	A de	¥.	A JP	A JP	A.	Α'n	Α'n	ΑJP	ΑJP	AJP	ΑJP	ΑJP	Α'n	ΑJP	A.	AJP	AJP	ΑJP	AJP	ΑŊ	ΑD	ΑD	ΑJP	ΑJP	A JP	A.P	A.P
USATHAMA Method Code	LM19																																

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Value Units	
•	
Analysis Date	66.58p-92 66.58p-92
Prep Date	66. SEP-92
Lab Number	
Test Name	DBRCLM ETC645 MEC645 MIRK MIRK MIRK MIRK MIRK MIRK MIRK MIRK
Lot	
USATHAMA Method Code	E 24 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Units	
_	
Value	999
•	
Analysis Date	26. 26. 26. 26. 26. 26. 26. 26. 26. 26.
Prep Date	25.25.25.25.25.25.25.25.25.25.25.25.25.2
Lab Number	
Test Name	CHBR3 CHCL3 CHCL3 CHCL3 CHCL3 CHCBS CHCBS CHCBS CHCBS CHCBS CHCBHS CHCBH
Lot Lot	ALL REAL REAL REAL REAL REAL REAL REAL R
USATHAMA Method Code	LM19

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Value Units	25	488 UGG 488 UGG 496 UGG 456 UGG 454 UGG 424 UGG 424 UGG 524 UGG 524 UGG 524 UGG
Val	900.000.000.000.000.000.000.000.000.000	वंबंबंबंबंबंबंबंगणण ।
V !		
Analysis Date	29-86-92 20-92 20-	10-SEP-92 10-SEP-92 10-SEP-92 10-SEP-92 10-SEP-92 10-SEP-92 10-SEP-92 10-SEP-92
Prep Date	29-82-82-82-82-82-82-82-82-82-82-82-82-82-	02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92
Lab Number		
Test Name	CCL3F CCL4 CH2CL2 CH3RR CH3RC CHCL3 CL2BZ	135TNB 135TNB 135NB 135NB 246TNT 246TNT 245NT 245NT 265NT 265NT 265NT
Ęŏţ	A A LIN A	ARL ARL ARL ARL ARL ARL ARL
USATHAMA Method Code	M19	LW12

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Value Units		.243 UGL .243 UGL	6.99 UGL 6.99 UGL	3.2 UGL 1.26 UGL
•	; . v v v v v v v v v v v v v v v v v v v	v v	v v	•
Analysis Date	10-SEP-92 10-SEP-92 10-SEP-92 10-SEP-92 10-SEP-92 10-SEP-92 10-SEP-92 10-SEP-92 11-SEP-92 15-SEP	29-AUG-92 08-OCT-92	14-0CT-92 30-0CT-92	14-0CT-92 22-0CT-92
Prep Date	02-SEP-92 02-SEP	28-AUG-92 08-0CT-92	01-SEP-92 12-0CT-92	01-SEP-92 12-0CT-92
Lab Number				
Test	24460T HMX HMX NB NG NG NG NG NG TETRY 135TNB 135TNB 145TNB 246TNT 26DNT HMX NG NG NG NG NG NG NG NG NG NG NG NG NG	무모	겉겉	88 88
Lot	ARL ARL ARL ARL ARL ARM ARM ARM ARM ARM ARM ARM ARM	APF APM	ZKD	ZUR
USATHAMA Method Code	LW12	SB01	800s	sp20

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Units	; ; e e	لداد ا		
		별	털털	
Value	3.02	2.54	3.03	25.000
•	: . v v :	v v	v v	******
Analysis Date	23-0CT-92 14-0CT-92	14-0CT-92 23-0CT-92	22-0CT-92 26-0CT-92	02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92 02-SEP-92 07-001-92 07-001-92 07-001-92 07-001-92
Prep Date	12-0CT-92 01-SEP-92	01-SEP-92 12-0CT-92	01-SEP-92 14-0CT-92	31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 31-Aug-92 05-OCT-92 05-OCT-92 05-OCT-92
Lab Number	; 1 4 1 1 1 1			
Test Name	% %	AS AS	88 88	SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS
Lot	AZE	AAT A	33	
USATHAMA Method Code	SD21	\$022	SD28	SS10

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

s, e								
Units	ਭੁੱਭ ਭੁੱਤ ਭੁੱਤ ਭੁੱਤ ਭੁੱਤ ਭੁੱਤ		펄펄	뒄펄	힑	혈혈혈혈	ਭ ਭ ਭ ਭ ਭ ਭ ਭ ਭ ਭ ਭ	
Value	8.08 38.8 375 500 2.75	34.3 38 81.4 11 21.1	55	<u>8</u> 1	13.3	2120 10000 2120 10000	55555555	
v :	* * * * * *	· · · · · ·	v . v	~ ~	v	* * * *	* * * * * * * * * *	
Analysis Date	07-0C1-92 07-0C1-92 07-0C1-92 07-0C1-92 07-0C1-92	07-0C1-92 07-0C1-92 07-0C1-92 07-0C1-92 07-0C1-92	19-0CT-92 17-SEP-92	10-SEP-92 15-SEP-92	03-SEP-92	09-SEP-92 09-SEP-92 06-0CT-92 06-0CT-92	09-SFP-92 09-SEP-92 09-SFP-92 09-SFP-92 09-SFP-92 10-SFP-92 10-SFP-92	
Prep Date	05-0C1-92 05-0C1-92 05-0C1-92 05-0C1-92 05-0C1-92	05-0C1-92 05-0C1-92 05-0C1-92 05-0C1-92 05-0C1-92	19-0CT-92 17-SEP-92	10-SEP-92 15-SEP-92	03-SEP-92	09- SEP-92 09- SEP-92 06-0CT-92 06-0CT-92	28-AUG-92 28-AUG-92 28-AUG-92 28-AUG-92 28-AUG-92 28-AUG-92 01-SEP-92	
Lab Number								
Test Name	라면 노염을	Z V T L BB II A	TIN	NZKJEL NZKJEL	P 04	% 50, 80, 80,	PCB016 PCB221 PCB232 PCB242 PCB248 PCB254 PCB254 PCB016 PCB016	
Lot	7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.		8YA XXV	SKD SKD	ZCF	AKG AKK AKK	999999999	
USATHAMA Method Code	ss10		1F22	1F26	TF27	1110	UH02	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Value Units	2666665556666 36666655566666666666666666	.039 UG. .075 UG. .023 UG. .024 UG. .025 UG. .027 UG. .027 UG. .027 UG. .027 UG. .037 UG. .037 UG.
V		
Analysis Date	10-sep-92 10-sep-92 10-sep-92 110-sep-92 110-sep-92 10-sep-92 05-001-92 05-001-92 05-001-92 05-001-92	10-SE-92 10-SE-92
Prep Date	01-SEP-92 01-SEP-92 01-SEP-92 01-SEP-92 01-SEP-92 29-SEP-92 29-SEP-92 29-SEP-92 29-SEP-92 29-SEP-92 29-SEP-92	01-SEP-92 01-SEP-92
Lab Number		
Test Name	PCB232 PCB248 PCB248 PCB254 PCB256 PCB221 PCB221 PCB232 PCB242 PCB248 PCB248 PCB254	ABHC ACLDAN AENSLF AENSLF BBHC BBHC BBHC BBHC BBHC BBHC BBHC BBH
Lot	402 402 403 403 403 403 403 403 403 403 403 403	884A 884A 884A 884A 884A 884A 884A 884A
USATHAMA Method Code	UH02	UH13

_	: : ॼॼॼॼॼॼॼॼॼॼॼॼॼॼॼॼॼॼॼॼॼॼॼॼ :
Value	1.35 2.02 2.02 2.02 2.02 2.03 2.03 2.03 2.03
v	. ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
Analysis Date	07-061-92 07-061-92
Prep Date	29-SEP-92 29-SEP
Lab Number	
Test Name	TXPHEN ABLC ABLC ABLC BENSLF BBHC BBHC BBHC BBHC BBHC BBHC BCDBN ENDRN ABCLDAN HPCLE HPCLE HPCLE HPCLE HPCLE HPCLE HPCLE HPCLE HPCLE BBCDD BBHC BBHC BBHC BBHC BBHC BBHC BBH
Lot	BAA BAG BAG BAG BAG BAG BAG BAG BAG BAG
USATHAMA Method Code	13. The state of t

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Units	; : ಠಠಠಠಠಠಠಠಠಠ	
Value	073 075 075 055 051 057 023 034	#:- 1-1.0.450. 4.5
•		
Analysis Date	09-8E-92 09-8E-92 09-8E-92 09-8E-92 09-8E-92 09-8E-92 09-8E-92 09-8E-92 09-8E-92	08-SEP-92
Prep Date	28-Aug-92 28-Aug-92 28-Aug-92 28-Aug-92 28-Aug-92 28-Aug-92 28-Aug-92 28-Aug-92	31-Au6-92 31-Au6-92 31-Au6-92 31-Au6-92 31-Au6-92 31-Au6-92 31-Au6-92 31-Au6-92 31-Au6-92 31-Au6-92 31-Au6-92 31-Au6-92 31-Au6-92 31-Au6-92 31-Au6-92
Lab Number		
Test Name	ESFSO4 GCLDAN HPCL HPCLE 1 SODR 1 I SODR MEXCLR PPDDD PPDDE PPDDE	1247CB 120CLB 130CLB 1430CLB 1430CLB 245TCP
Lot	YRZ YRZ YRZ YRZ YRZ YRZ YRZ	AVC AVC AVC AVC AVC AVC
USATHAMA Method Code	UH13	NA18

USATHAMA Method	-	Test	Lab	Prep	Analysis		:	
Code	֓֞֝֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	Name	Number	Date	Date	; • •	Value	Units
UM18	AVC	4CANIL		31-AUG-92	08-SEP-92	v	7.3	ner
	AVC	4c13c		31-AUG-92	08-SEP-92	v	4	털
	AVC	4CLPPE		31-AUG-92	08-SEP-92	v	5.1	폌
	AVC	4MP		31-AUG-92	08-SEP-92	v	.52	털
	AVC	4NANIL		31-AUG-92	08-SEP-92	v	5.2	rg Ng
	AVC	4NP		31-AUG-92	08-SEP-92	v	12	ց
	AVC	ABHC		31-AUG-92	08-SEP-92	v	4	폌
	AVC	ACLDAN			08-SEP-92	•	۲.	뎔
	AVC	AENSLF		31-AUG-92	08-SEP-92	v	9.5	널
	AVC	ALDRN		31-AUG-92	08-SEP-92	v	4.7	멸
	AVC	ANAPNE		31-AUG-92	08-SEP-92	v	1.7	폌
	AVC	ANAPYL		31-AUG-92	08-SEP-92	v	'n	폌
	A	ANTRC		31-AUG-92	08-SEP-92	v	'n.	폌
	AVC	BZCEXM		31-AUG-92	08-SEP-92	v	1.5	폌
	AVC	B2CIPE		31-AUG-92	08-SEP-92	v	5.3	ם
	AVC	BZCLEE		31-AUG-92	08-SEP-92	v	1.9	ig ig
	AVC	BZEHP		31-AUG-92	08-SEP-92	v	4.8	ם
	AVC	BAANTR		31-AUG-92	08-SEP-92	v	1.6	널
	AVC	BAPYR			08-SEP-92	v	4.7	폌
	AVC	BBFANT		31-AUG-92	08-SEP-92	v	5.4	펄
	AVC	BBHC	٠	31-AUG-92	08-SEP-92	v	4	ם
	AVC	BBZP		31-AUG-92	08-SEP-92	v	3.4	널
	AVC	BENSLF		31-AUG-92	08-SEP-92	v	9.5	널
	AVC	BENZID		31-AUG-92	08-SEP-92	v	9	널
	AVC	BENZOA		31-AUG-92	08-SEP-92	v	5	덩
	AVC	BGHIPY		31-AUG-92	08-SEP-92	v	6.1	널
	AVC	BKFANT		31-AUG-92	08-SEP-92	v	.87	덩
	AVC	BZALC		31-AUG-92	08-SEP-92	v	2.	헗
	AVC	CARBAZ		31-AUG-92	08-SEP-92	v	ī.	宫
	AVC	CHRY		31-AUG-92	08-SEP-92	v	2.4	덩
	AVC	CL682		31-AUG-92	08-SEP-92	v	1.6	널
	AVC	CL6CP		31-AUG-92	08-SEP-92	v	8.6	털
	A	CL6ET		31-AUG-92		v	7.5	털
	AVC	DBAHA		31-AUG-92	08-SEP-92	v	6.5	ց

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Value Units	4 UGL	1.7 UGL	2 UGL	4.7 UGL	1.5 UGL	3.7 UGL	15 Jeg	7.6 UGL	8 Ng Ng	න න	~	3.3 UGL		5.1 UGL	7	2 NGF	5 UGL	_	_	_	5.1 UGL	.5 UGL	.s 190	න 2	4.4 UGL	_	21 UG,	21 UG.	21 UG.	_	_	36 UGL	36 UGL	18 UGL
v	; . v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92	08-SEP-92								
Prep Date	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92	31-AUG-92								
Lab																																		
Test Name	DBHC	DBZFUR	DEP	DLDRN	OWD O	DNBP	PNOP	ENDRN	ENDRNA	ENDRNK	ESFS04	FANT	FLRENE	GCLDAN	HCBD	₽CL	HPCLE	ICOPYR	ISOPHR	LIN	MEXCLR	NAP	9	NNDMEA	NNDNPA	NNDPA	PCB016	PCB221	PCB232	PCB242	PCB248	PCB254	PCB260	PCP
Lot	AVC	ΑÇ	AVC	AVC	AVC	AC	AVC	Ac	A	AVC	Avc	AVC	AVC	Avc	A V	A	ΑÇ	ΑÇ	AC	Š	AVC	AVC	AVC	AVC	A	AVC								
USATHAMA Method Code	UM18																																	

USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	•	Value	Uni ts
UM18	AVC	PHANTR			08-SEP-92	· •	ī	명
	AVC	PHENOL			08-SEP-92	v	9.5	널
	AVC	PPDDD			08-SEP-92	~	4	Jg Ng
	AVC	PPDDE		31-AUG-92	08-SEP-92	~	4.7	텀
	AVC	PPDDT			08-SEP-92	v	9.5	lg Ng
	AVC	PYR			08-SEP-92	~	8.8	명
	AVC	TXPHEN		31-AUG-92	08-SEP-92	•	36	ig ig
	Ş	124TCB			16-SEP-92	v	.8	힘
	ş	12DCLB		•	ÄP-	v	1.7	털
	Ş	120PH		•	16-SEP-92	v	7	UGE
	₽ S	13DCLB		•	16-SEP-92	~	1.7	ם
	Ş	14DCLB		•	16-SEP-92	v	1.7	UGL
	ş	245TCP			16-SEP-92	~	5.2	멸
	¥9	246TCP		•	16-SEP-92	v	4.2	ם
	¥9	24DCLP		•	16-SEP-92	~	5.9	rg Tg
	¥9	24DMPN		•	16-SEP-92	v	5.8	폌
	Α	24DNP		01-SEP-92	16-SEP-92	~	2	គ្ន
	ş	24DNT		•	16-SEP-92	v	4.5	ם
	ş	26DNT		01-SEP-92	16-SEP-92	v	8	뒄
	Ş	2CLP		01-SEP-92	16-SEP-92	v	8.	ם
	Α	2CNAP		01-SEP-92	16-SEP-92	v	٠.	Je Ner
	ş	ZMNAP		01-SEP-92	16-SEP-92	v	1.7	폌
	Ş	Z₩.		•	16-SEP-92	v	3.9	뎔
	ş	ZNANIL		•	16-SEP-92	v	4.3	폌
	ş	SNP NP		01-SEP-92	16-SEP-92	v	3.7	폌
	ş	330CBD		01-SEP-92	16-SEP-92	v	12	멸
	Ş	3NAN1L		•	16-SEP-92	•	4.9	폌
	§	46DN2C			16-SEP-92	v	17	텀
	Ş	4BRPPE			16-SEP-92	v	4.5	ם
	ş	4CANIL		01-SEP-92	16-SEP-92	~	7.3	Je Ne
	ş	4CL3C		01-SEP-92	16-SEP-92	~	4	ם
	8	4CLPPE		01-SEP-92	16-SEP-92	~	5.1	ם
	g:	4MP		01-SEP-92	16-SEP-92	v	.52	면
	₽	4NANIL		01-SEP-92	16-SEP-92	v	2,	195

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Lot Bo	Test Name 4NP	Lab Number	Prep Date 01-SFP-92	Analysis Date	v : v	Value 12	Units
	ABHC		01-SEP-92	16-SEP-92	, v	<u> </u>	불멸
_	ACLDAN		01-SEP-92	16-SEP-92	v	5.1	털
6	AENSLF		01-SEP-92	16-SEP-92	v	9.2	폌
e	ALDRN		01-SEP-92	16-SEP-92	v	4.7	널
e	ANAPNE			16-SEP-92	v	1.7	궠
e	ANAPYL		01-SEP-92	16-SEP-92	v	'n	ם
e	ANTRC		01-SEP-92	16-SEP-92	v	'n.	펄
e	BSCEXM			16-SEP-92	v	7.5	폌
e	82CIPE		01-SEP-92	16-SEP-92	v	5.3	폌
e	BZCLEE		01-SEP-92	16-SEP-92	v	1.9	힑
e	B 2EHP			16-SEP-92	v	4.8	힘
8	BAANTR		01-SEP-92	16-SEP-92	v	1.6	폌
8	BAPYR		01-SEP-92	16-SEP-92	v	4.7	ם
8	BBFANT		01-SEP-92	16-SEP-92	v	5.4	ם
8	BBHC		01-SEP-92	16-SEP-92	v	4	털
s	BBZP		01-SEP-92	16-SEP-92	v	3.4	占 S
9	BENSLF		01-SEP-92	16-SEP-92	v	9.5	널
9	BENZID		01-SEP-92	16-SEP-92	v	5	널
₽	BENZOA		01-SEP-92	16-SEP-92	v	13	폌
9	BGHIPY		01-SEP-92	16-SEP-92	v	6.1	д N
9	BKFANT		ï	16-SEP-92	v	.87	형
8	BZALC			16-SEP-92	v	2.	멸
9	CARBAZ		01-SEP-92	16-SEP-92	v	'n.	널
9	CHRY			16-SEP-92	v	2.4	병
9	CL68Z			16-SEP-92	v	1.6	널
9	CL6CP		•	16-SEP-92	v	8.6	널
9	CL6ET		01-SEP-92	16-SEP-92	v	1.5	힘
9	DBAHA		01-SEP-92	16-SEP-92	v	6.5	덤
ş	DBHC		01-SEP-92	16-SEP-92	v	4	털
9	DBZFUR		01-SEP-92	16-SEP-92	v	1.7	ы П
ş	DEP		01-SEP-92	16-SEP-92	v	7	널
ş	DLDRN		•	16-SEP-92	v	4.7	널
9	DMD		01-SEP-92	16-SEP-92	v	1.5	ց

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Value Units	7.7.7 8.8.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2
v	; ;
Analysis Date	6-8F-92 6-8F-9
Prep Date	01.86-92 01.
Lab Number	
Test Name	DNBP DNOP ENDRNA INDRP HCB
Lot	
USATHAMA Method Code	E

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	•	Value	Units
UM18	§ §	PYR		01-SEP-92	16-SEP-92	: . v	2.8	
	₽ P	TXPHEN		01-SEP-92	띯	v	36	텀
	¥.	124TCB		29-SEP-92	ᇊ	v	8	ը Ig
	A.	120CLB		29-SEP-92	13-0CT-92	~	1.7	ig ig
	Α	120PH		29-SEP-92	13-0CT-92	v	~	J D
	٩٨I	13DCLB		29-SEP-92	13-0CT-92	v	1.7	ց
	AVI	14DCLB		29-SEP-92	13-0CT-92	v	1.7	폌
	٩٨I	245TCP		29-SEP-92	13-0CT-92	v	5.2	텀
	٩٨I	246TCP		29-SEP-92	13-0CT-92	•	4.5	널
	٩	24DCLP		29-SEP-92	13-0CT-92	v	5.9	럴
	٩	24DMPN		29-SEP-92	13-0CT-92	•	ۍ ش	럵
	AVI	24DNP		29-SEP-92	13-0c1-92	v	2	털
	٩	24DNT		29-SEP-92	13-0CT-92	,	4.5	펄
	AVI	26DNT		29-SEP-92	13-0CT-92	•	۶.	폌
	٨	2CLP		29-SEP-92	13-0CT-92	v	8.	폌
	٨	2CNAP		29-SEP-92	13-0CT-92	~	ι	폌
	٩	SMNAP		29-SEP-92	13-0CT-92	v	1.7	폌
	٩	SMP SMP		29-SEP-92	13-oct-92	v	3.9	펄
	٩	SNANIL		29-SEP-92	13-0CT-92	v	4.3	펄
	٨	2NP		29-SEP-92	13-0CT-92	•	3.7	펄
	٩	330CBD		29-SEP-92	13-0CT-92	v	12	힘
	٩	SNANIL		29-SEP-92	13-0CT-92	v	6.4	벌
	۸.	46DN2C		29-SEP-92	13-0CT-92	v	17	펄
	AVI	4BRPPE		29-SEP-92	13-0CT-92	٧,	4.2	털
	٩٨I	4CANIL		29-SEP-92	13-0CT-92	v	7.3	폌
	¥	4cL3c		29-SEP-92	13-0CT-92	v	4	UG.
	٩	4CLPPE		29-SEP-92	13-0CT-92	v	5.7	폌
	₩	4 ₩b		29-SEP-92	13-0CT-92	v	.52	털
	¥.	4NAN1L		29-SEP-92	13-0CT-92	v	5.2	폌
	٩٨I	4NP		29-SEP-92	13-0CT-92	v	12	헠
	A I	ABHC		29-SEP-92	13-0CT-92	v	4	ಶ
	A V	ACLDAN		29-SEP-92	13-0CT-92	v	5.1	힘
	¥.	AENSLF		29-SEP-92	13-0CT-92	v	2.0	펄
	A	ALDRN	-	29-SEP-92	13-0CT-92	v	4.7	럵

_	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
Value	
•	
Analysis Date	13-01-92 13-01-92 13-01-92 13-01-92 13-01-92 13-01-92 13-01-92 13-01-92 13-01-92 13-01-92 13-01-92 13-01-92 13-01-92 13-01-92 13-01-92 13-01-92 13-01-92 13-01-92
Prep Date	29.25.25.25.25.25.25.25.25.25.25.25.25.25.
Lab Number	
Test Name	ANAPYL ANAPYL ANAPYL ANTRC BZCEXM BZCIPE BZCIPE BZCIPE BZCIPE BZCIPE BZCIPE BZCIPE BZCIPE BZANT BZANT BZALC CARBAZ CARBAZ CARBAZ CL6CT CL6CT CL6CT CL6CT CL6CT CL6CT CL6CT CL6CT CLNY CL6CT CLNY CL6CT CLNY CL6CT CLNY CLNY CLNY CLNY CLNY CLNY CLNY CLNY
	A A VIIII A VIIII A VIIII A VIIII A A VIIII
USATHAMA Method Code	\$\frac{\pi}{2}\$

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

AV: C	Test Name ESFSO4 FANT	Lab Number	Prep Date 29-SEP-92 29-SEP-92	Analysis Date 13-0CT-92 13-0CT-92	v i v v	Value 9.2 3.3	
	FLRENE		29-SEP-92 29-SEP-92	13-0CT-92 13-0CT-92	v v ·	× 5.0	멸멸
	E E E		29-SEP-92 29-SEP-92 29-SEP-92	13-0C1-92 13-0C1-92	v v v	ა 4. თ დ	털털
	ICOPYR ISOPHR		29-SEP-92 29-SEP-92	13-0CT-92 13-0CT-92	v v	8.4 8.8	털털
	LIN		29-SEP-92 29-SEP-92	13-0CT-92 13-0CT-92	v v	5.1	펄펄
	NB P		29-SEP-92 29-SEP-92	13-0CT-92 13-0CT-92	v v	เง๋าง๋	털털
	NNDMEA NNDNPA		29-SEP-92 29-SEP-92	13-0CT-92 13-0CT-92	v v	7.4	털털
	NNDPA PCB016		29-SEP-92 29-SEP-92	13-0CT-92 13-0CT-92	v v	23	털
	PCB221 PCB232		29-SEP-92 29-SEP-92	13-0CT-92 13-0CT-92	v v	72	털
	PCB242 PCB248		29-SEP-92 29-SFP-92	13-0CT-92	v v	i R F	털
	PCB254		29-SEP-92	13-0CT-92	•	8	널
	PC8260		29-SEP-92 29-SEP-92	13-0CT-92 13-0CT-92	v v	38 28	털털
	PHANTR		29-SEP-92	13-0CT-92	v	r.j.	널
	PPDDD		29-SEP-92	13-0CI -92	v v	y 5 4	털털
	PPDDE		29-SEP-92	13-0CT-92	v	4.7	널
	7. F		29-SEP-92	13-0CI -92	~	2.6	를 를 등
	TXPHEN		29-SEP-92	5	•	36	털
ATN	111TCE 112TCE		03-SEP-92 03-SEP-92	03-SEP-92 03-SEP-92	v v	z. <u>c.</u>	형형

Method		Test	Lab	Prep	Analysis			
Code	<u>ن</u> ا	Name	Number	Date	Date	v :	Value	Units
UM20	ATN	11DCE		03-SEP-92	03-SEP-92	· •	7.	
	ATN	110CLE		03-SEP-92	03-SEP-92	v	8	널
	ATR	120CE		03-SEP-92	띯	v	'n.	헠
	ATN	120CLE		03-SEP-92	03-SEP-92	v	z.	헑
	ATN	120CLP		03-SEP-92	03-SEP-92	v	₹.	폌
	ATN	2CLEVE		03-SEP-92	03-SEP-92	v	۲.	벍
	ATN	ACET		03-SEP-92	03-SEP-92	v	13	ig N
	ATN	ACROLN		03-SEP-92	03-SEP-92	v	100	힘
	ATR	ACRYLO		03-SEP-92	03-SEP-92	v	100	명
	ATN	BRDCLM		03-SEP-92	03-SEP-92	v	.59	멸
	ATR	C130CP		03-SEP-92	03-SEP-92	v	85	ۊ
	ATN	CZAVE		03-SEP-92	03-SEP-92	v	8.3	폌
	ATN	C2H3CL		03-SEP-92	03-SEP-92	v	5.6	폌
	ATN	CZHSCL		03-SEP-92	03-SEP-92	v	1.9	힘
	ATN	C6H6		03-SEP-92	03-SEP-92	v	ī.	형
	ATN	CCL3F		03-SEP-92	03-SEP-92	v	1.4	병
	ATN	ככור ל		03-SEP-92	03-SEP-92	v	-58	펄
	ATA	CH2CL2		03-SEP-92	03-SEP-92	v	2.3	ם
	AIN	CH3BR		03-SEP-92	03-SEP-92	v	5.8	폌
	Z Z	CH3CL		03-SEP-92	03-SEP-92	v	3.2	펄
	AT N	CHBR3		03-SEP-92	03-SEP-92	v	5.6	폌
	ATN	CHCL3		03-SEP-92	03-SEP-92		٤.	폌
	ATA	CL282		03-SEP-92	03-SEP-92	v	10	ner Ner
	Z	CLC6H5		03-SEP-92	03-SEP-92	v	'n	폌
	A I	CS2		03-SEP-92	03-SEP-92	v	ō.	ց
	N N	DBRCLM		03-SEP-92	03-SEP-92	v	.67	렇
-	ATN	ETC6H5		03-SEP-92	03-SEP-92	v	'n.	형
	ATR	MEC6H5		03-SEP-92	03-SEP-92	v	'n	ng.
	Y X	五		03-SEP-92	03-SEP-92	v	7.9	병
•	N N	¥18X		03-SEP-92	03-SEP-92	v	M	멸
•	AT	WBK		03-SEP-92	03-SEP-92	v	3.6	폌
•	N I	STYR		03-SEP-92		v	'n	ց
	N i	1130CP		03-SEP-92		v	۲.	덩
-	N	TCLEA		03-SEP-92	03-SEP-92	v	.51	ner

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

Value Units	2.5.2.8.5.5.5.8.5.5.5.5.5.5.5.5.5.5.5.5.
Val	เล้าเห็นนี้กับสังกับนั้น เกียบกับ เล้า เล้า เล้า เล้า เล้า เล้า เล้า เล้า
•	· · · · · · · · · · · · · · · · · · ·
Analysis Date	03-88-92 03-88-92 03-88-92 03-88-92 03-88-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92
Prep Date	03-SEP-92 03-SEP-92 03-SEP-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92
Lab Number	
Test Name	TCLEE TRCLE TRCLE 1117CE 1117CE 110CE 110CCE 120CLE
Lot	APARAXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
USATHAMA Method Code	22

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1992 SI Groups 2,7

USATHAMA Method		Test	4	Card	Analyeis			
Code	Fot	Name	Number	Date	Date	v	Value	Units
UMZO	ATA A	MIBK MNBK STYR 1130CP TCLEA TCLEE TRCLE		06-0CT-92 06-0CT-92 06-0CT-92 06-0CT-92 06-0CT-92 06-0CT-92	06-001-92 06-001-92 06-001-92 06-001-92 06-001-92 06-001-92		3.6 1.5 1.5 1.5 2.7	; :
UM19	X X X X X	NG PETN NG PETN		31-AUG-92 31-AUG-92 28-SEP-92 28-SEP-92	09-SEP-92 09-SEP-92 01-0CT-92 01-0CT-92	* * * *	2828	현현병
UM32	AFO AFO AFO AFO AFO AFY AFY AFY AFY	1351NB 13DNB 2461NT 246NT 26DNT 26DNT HMX NB RDX TETRYL 1351NB 13DNB 2461NT 246NT 26DNT 26DNT 26DNT 26DNT RBX NB		31-AUG-92 31-AUG-92 31-AUG-92 31-AUG-92 31-AUG-92 31-AUG-92 31-AUG-92 28-SEP-92 28-SEP-92 28-SEP-92 28-SEP-92 28-SEP-92 28-SEP-92 28-SEP-92 28-SEP-92 28-SEP-92 28-SEP-92	17. SEP-92 17. SEP-92 17. SEP-92 17. SEP-92 17. SEP-92 17. SEP-92 17. SEP-92 17. SEP-92 17. SEP-92 19-001-92 19-001-92 19-001-92 19-001-92	V V V V V V V V V V V V V V V V V V V	2.49 2.49 2.49 2.49 2.49 2.49 2.49 2.49	<u>ॼॼॼॼॼॼॼॼॼॹज़ज़ज़ज़</u>



Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

ķ			
Units	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	<u> </u>	펄펄펄펄
Value	28.7 28.7 5000 1000 1000 1000 1000 1000	28.7 4000 4000 7000 7000 360 360 360 360 171 171	0000 0000 0000 0000
•	***	*************	* * * *
sis	232222222222222222222222222222222222222	222222222222222222222222222222222222222	25.45
Analysis Date	13-JA 15-AU 17-AU 17-AU 17-AU 17-AU 17-AU 17-AU 17-AU 17-AU 18-AU	19-Aug-95 27-SEP-93 27-SEP-93 06-0c1-93 11-0c1-93 11-0c1-93 11-0c1-93 11-0c1-93 11-0c1-93 11-0c1-93 11-0c1-93 11-0c1-93 11-0c1-93 11-0c1-93 11-0c1-93 11-0c1-93	02-FEB-94 27-JAN-94 31-JAN-94 03-FEB-94
	xxxxxxxxxx xx	វដ្ឋជន្តិក្នុងក្នុងក្នុងក្នុងក្នុងក្នុងក្នុងក្នុង	***
요 화	3- JAN-93 9- JAN-93 9- JAN-93 9- JAN-93 7- AUG-93 0- AUG-93 00- AUG-93 11- AUG-93 11- AUG-93 12- SEP-93	19-Aug-95 27-SEP-93 26-0c1-93 06-0c1-93 06-0c1-93 11-0c1-93 11-0c1-93 113-0c1-93 113-0c1-93 113-0c1-93 113-0c1-93 113-0c1-93 113-0c1-93 113-0c1-93 113-0c1-93 113-0c1-93 113-0c1-93 113-0c1-93 113-0c1-93 113-0c1-93	02-FEB-94 27-JAN-94 31-JAN-94 03-FEB-94
Prep Date	\$6675688556866	\$29994444444449994	37.7.5
Lab Number			
Test Name	15S ALK 15S 15S 17S 17D 10C 10C 10C	158 158 158 158 158 158 158 158 158 158	22
Lot	CYI DFB GSJA GZCA GZCA GZCA HRIA HRIA HRAA HRAA	100KA 100KA 100KA 100KA 110KA 111KA 111KA 111KA 111KA 111KA 111KA 111KA 111KA 111KA	TEAH TEEG TELG TEMG
USATHAMA Method Code	8		1601

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

	펄	펄펄펄펄펄펄	ヺ ヺ゙ヺ	UGE	펄펄펄펄	ន្ទន	99 99 99 99 99 99 99 99 99 99 99 99 99	990	990
Value	12000	7000 4000 6000 5000 5000 5000	55E	72.	5000 6100 5 6.1	ខុខខុ	ស់ស <u>់</u> ស់	.61 .329 .369	53:
v	; ; ;	v v v	* * *	•	v v	v v v	~ ~ ~		v
Analysis Date	25-JAN-94	25-JAN-94 01-FEB-94 01-FEB-94 04-FEB-94 31-JAN-94 04-FEB-94 04-FEB-94	18-FEB-94 21-FEB-94 15-FEB-94	26-JAN-93	19-JAN-93 19-JAN-93 27-SEP-93 27-SEP-93	26-AUG-93 27-SEP-93 13-0CT-93	07-0CT-93 15-0CT-93 03-NOV-93	30-SEP-93 13-OCT-93 02-NOV-93	01-0CT-93
Prep Date	25-JAN-94	25-JAN-94 01-FEB-94 01-FEB-94 31-JAN-94 04-FEB-94 04-FEB-94	18-FEB-94 21-FEB-94 15-FEB-94	26-JAN-93	19- JAN-93 19- JAN-93 27- SEP-93 27- SEP-93	26-AUG-93 27-SEP-93 13-0CT-93	05-0CT-93 07-0CT-93 18-0CT-93	15-SEP-93 07-0CT-93 18-0CT-93	15-SEP-93
Lab Number									
Test Name	TDS	155 155 155 155 155 155 155	TPHC TPHC TPHC	皇	ALK HCO3 ALK HCO3	운 문 문	888	222	AS
Ę	TEZF	1ECG 1EKG 1EKG 1EQG 1EQG 1ESG 1ESG	TET	8	CYP CYP 1.JYA 1.JYA	FLZA HEHA HEMA	EDXA HHDA HHTA	FOR A P	GKNA
USATHAMA Method Code	1601	1602	4181	7470	8	JB01	JD15	JD 17	JD 19

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Units	990	990	990	
	: 33	355	555	
Value	ห่ห	ហំហំហំ	1.09	288 288 255 27.7 27.7 27.0 27.0 27.0 27.0 27.0 27.0
•	~ ~	* * *	* * *	v v v v v v v v v v
Analysis Date	14-0CT-93 04-NOV-93	01-0CT-93 18-0CT-93 02-NOV-93	19-0CT-93 05-NOV-93 11-0CT-93	99-58-93 99-58-93 99-58-93 99-58-93 99-58-93 99-58-93 99-58-93 99-58-93 99-58-93 99-58-93 99-58-93 99-58-93 99-58-93 99-58-93 99-58-93 98-58-93 98-58-93
Prep Date	07-0CT-93 18-0CT-93	15-SEP-93 07-0CT-93 18-0CT-93	11-0CT-93 18-0CT-93 05-0CT-93	02.58P-93 03.58P-93 03.58P-93 04.58P-93 04.58P-93 05.58P-93 05.58P-93 06.58P-93 06.58P-93 06.58P-93 07.58P
Lab Number				
Test Name	AS AS	222	8 8 8 8	CGR8A622 < 11 x x x x x x CCCCCCCCCCCCCCCCCCCCCC
Lot	GKUA	GGFA GGJA GGLA	HICA HIGA ZMY	EXVA EXVA EXVA EXVA EXVA EXVA EXVA EXVA
USATHAMA Method Code	1019	JD24	JD25	1516 1516

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

ø		
_	991 991 991 991 991 991 991 991 991 991	990 990 990 990
Value	23.7 23.7 23.7 23.7 21.7 21.7 21.7 25.5 25.5 26.5 26.5 27.7 27.5 27.5 27.5 27.5 27.5 27.5 27	.00907 .005 .00602 .00729
v	! . v v v v v v v v v v v v v v v v v v v	* * * * *
Analysis Date	28-SFP-93 28-SFP	08-SEP-93 08-SEP-93 08-SEP-93 08-SEP-93 08-SEP-93
Prep Date	24.58P-93 24.58P-93 24.58P-93 24.58P-93 24.58P-93 24.58P-93 24.58P-93 24.58P-93 24.58P-93 24.58P-93 24.58P-93 24.58P-93 24.58P-93 24.58P-93 26.001-93 26.001-93 26.001-93 26.001-93 26.001-93 26.001-93 26.001-93 26.001-93	10-AUG-93 10-AUG-93 10-AUG-93 10-AUG-93
Lab Number		
Test Name	S-riamaracssamasas-riamars-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-	ABHC ACLDAN AENSLF ALDRN BBHC
Lot	HULA HULA HULA HULA HULA HULA HULA HULA	100A 100A 100A 100A
USATHAMA Method Code	91st	CH10

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

FUOA BENSE FOR TO AUG-93 08-SEP-93 COT PLOA BENSE FUOA BENSE FOR TO AUG-93 08-SEP-93 COT PLOA BENSE FUOA BURNA TO AUG-93 08-SEP-93 COT PLOA BENSE FUOA ENDRINA TO AUG-93 08-SEP-93 COT PLOA BENSE FUOA ENDRINA TO AUG-93 08-SEP-93 COT PLOA BENSE FUOA BENSE FUOA HPCLE TO AUG-93 08-SEP-93 COT PLOA HPCLE TO AUG-93 08-SEP-93 TO AUG-93 COT PLOA HPCLE TO AUG-93 COT PLOA HPCLE TO AUG-93 PLOA HPCLE TO A	USATHAMA Method Code	Ę	Test Name	Lab Number	Prep Date	Analysis Date	~	Value	Units	
FUOA BERCOALON NO. AUG-93 08-SEP-93 CEUCA BUDRN 10-AUG-93 08-SEP-93 CEUCA ENDRIN 10-AUG-93 08-SEP-93 CEUCA ENDRIN 10-AUG-93 08-SEP-93 CEUCA ENDRINK 10-AUG-93 08-SEP-93 CEUCA ENDRINK 10-AUG-93 08-SEP-93 CEUCA HPCL 10-AUG-93 08-SEP-93 CEUCA PDDD 10-AUG-93 08-SEP-93 CEUCA PDDD 10-AUG-93 08-SEP-93 CEUCA PDDD 10-AUG-93 08-SEP-93 CEUCA PDDD 10-AUG-93 08-SEP-93 CEUCA TYPHEN 10-AUG-93 08-SEP-93 CEUCA-93 CEUCA TYPHEN 10-AUG-93 08-SEP-93 15-OCT-93 CEUCA TYPHEN 10-AUG-93 08-SEP-93 15-OCT-93 CEUCA TYPHEN 10-AUG-93 08-SEP-93 15-OCT-93 CEUCA TYPHEN 10-AUG-93 CEUCA-93 CEUCA	H10	Ē	RENCE		10-Alic-03	08-CED-03	: \	00663		
DLDRN 10-AUG-93 08-SEP-93 C ENDRNA 10-AUG-93 08-SEP-93 C ENDRNA 10-AUG-93 08-SEP-93 C ENDRAL 10-AUG-93 08-SEP-93 C GCLDAN 10-AUG-93 08-SEP-93 C GCLDAN 10-AUG-93 08-SEP-93 C HPCL 10-AUG-93 08-SEP-93 C HPCL 10-AUG-93 08-SEP-93 C I SOOR 10-AUG-93 08-SEP-93 C PPDDD 10-AUG-93 08-SEP-93 C PPDDD 10-AUG-93 08-SEP-93 C PPDDD 10-AUG-93 08-SEP-93 C ABHC 23-SEP-93 13-OCT-93 C ALDRN 23-SEP-93 15-OCT-93 C ALDRN 23-SEP-93 15-OCT-93 C BBHC 23-SEP-93 15-OCT-93 C BUDR 23-SEP-93 15-OCT-93 C CLDAN 23-SEP-93 15-OCT-93	<u>:</u>	FUOA	DBHC		10-AUG-93	08-SEP-93	· •	00555	3 5	
ENDRN HOLE HORNA HO-40G-93 HOLE HOLE HOLE HOLE HOLE HOLE HOLE HOLE		FUOA	DLDRN		10-AUG-93	08-SEP-93	v	.00629	18	
ENDRNA HOLDAN HOLDAN HOLL HOLL HOLL HOLL HOLL HOLL HOLL HOL		FUOA	ENDRN		10-AUG-93	08-SEP-93	v	.00657	9	
ESFSO4. 10-AUG-93 OB-SEP-93 CCLOAN 10-AUG-93 OB-SEP-93 CCCLOAN 10-AUG-93 OB-SEP-93 CCCLOAN 10-AUG-93 C		FJOA	ENDRNA		10-AUG-93	08-SEP-93	v	.024	99	
ESFSO4 HDCLAN HDC-MUG-93 GCLAN HDCL HDCL HDCL HDCLE HDCLG HDC-93 GB-SEP-93 CB-93 CB-		FUGA	ENDRNK		10-AUG-93	08-SEP-93	v	.024	99	
GCLDAN HPCL HPCL HPCL HPCL HPCL HPCL HPCL HPCL		5. A	ESFS04		10-AUG-93	08-SEP-93	v	.00763	ဗ္ဗ	
HPCL 10-AUG-93 0B-SEP-93 HPCLE 10-AUG-93 0B-SEP-93 HPCLE 10-AUG-93 0B-SEP-93 LIN 10-AUG-93 0B-SEP-93 HEXCLR 10-AUG-93 0B-SEP-93 PPDDD 10-AUG-93 0B-SEP-93 PPDDD 10-AUG-93 0B-SEP-93 PPDDT 10-AUG-93 0B-SEP-93 ACLDAN 23-SEP-93 15-OCT-93 ACLDAN 23-SEP-93 15-OCT-93 ACLDAN 23-SEP-93 15-OCT-93 BENSL 23-SEP-93 15-OCT-93 		FUOA	GCLDAN		10-AUG-93	08-SEP-93	v	.005	99 20	
HPCLE 10-AUG-93 0B-SEP-93 ISOOR 10-AUG-93 0B-SEP-93 ISOOR 10-AUG-93 0B-SEP-93 MEXCLR 10-AUG-93 0B-SEP-93 PPDDD 10-AUG-93 0B-SEP-93 		FUGA	HPCL		10-AUG-93	08-SEP-93	v	.00618	3 2 3	
ISOOR 10-AUG-93 08-SEP-93 LIN 10-AUG-93 08-SEP-93 PDDD 10-AUG-93 08-SEP-93 PDDD 10-AUG-93 08-SEP-93 PDDD 10-AUG-93 08-SEP-93 PDDD 10-AUG-93 08-SEP-93 PDDT 10-AUG-93 08-SEP-93 ACLDAN 23-SEP-93 15-OCT-93 ACLDAN 23-SEP-93 15-OCT-93 ALDRN 23-SEP-93 15-OCT-93 BENSL 23-SEP-93 15-OCT-93 DLDRN 23-SEP-93 15-OCT-93 DLDRN 23-SEP-93 15-OCT-93 ENDRN 23-SEP-93 15-OCT-93 ENDRN 23-SEP-93 15-OCT-93 ENDRN 23-SEP-93 15-OCT-93 ENDRN 23-SEP-93 15-OCT-93 GCLDAN 23-SEP-93 15-OCT-93 </td <td></td> <td>50 A</td> <td>HPCLE</td> <td></td> <td>10-AUG-93</td> <td>08-SEP-93</td> <td>v</td> <td>.0062</td> <td><u>8</u></td> <td></td>		50 A	HPCLE		10-AUG-93	08-SEP-93	v	.0062	<u>8</u>	
LIN 10-AUG-93 0B-SEP-93 MEXCLR 10-AUG-93 0B-SEP-93 PPDDD 10-AUG-93 0B-SEP-93 PPDD 10-AUG-93 0B-SEP-93 PPDD 1 10-AUG-93 0B-SEP-93 PPDD 1 10-AUG-93 0B-SEP-93 PPDD 1 10-AUG-93 0B-SEP-93 ABHC 23-SEP-93 15-OCT-93 ALDRN 23-SEP-93 15-OCT-93 ALDRN 23-SEP-93 15-OCT-93 BBHC 23-SEP-93 15-OCT-93 BBHC 23-SEP-93 15-OCT-93 BBHC 23-SEP-93 15-OCT-93 		FUGA	ISODR		10-AUG-93	08-SEP-93	v	.00461	<u>ფ</u>	
MEXCLR 10-AUG-93 08-SEP-93 PPDDD 10-AUG-93 08-SEP-93 PPDDE 10-AUG-93 08-SEP-93 PPDDT 10-AUG-93 08-SEP-93 ABHC 23-SEP-93 15-DCT-93 ABHC 23-SEP-93 15-DCT-93 ALDRN 23-SEP-93 15-DCT-93 ALDRN 23-SEP-93 15-DCT-93 BBHC 23-SEP-93 15-DCT-93 BBHC 23-SEP-93 15-DCT-93 DLDRN 23-SEP-93 15-DCT-93 DLDRN 23-SEP-93 15-DCT-93 ENDRN 23-SEP-93 15-DCT-93 ENDRN 23-SEP-93 15-DCT-93 ENDRN 23-SEP-93 15-DCT-93 ENDRN 23-SEP-93 15-DCT-93 HPCL 23-SEP-93 15-DCT-93 HPCL 23-SEP-93 15-DCT-93 <td></td> <td>5 8</td> <td>LIN</td> <td></td> <td>10-AUG-93</td> <td>08-SEP-93</td> <td>v</td> <td>.00638</td> <td><u> </u></td> <td></td>		5 8	LIN		10-AUG-93	08-SEP-93	v	.00638	<u> </u>	
PPDDD 10-AUG-93 0B-SEP-93 PPDDD 10-AUG-93 0B-SEP-93 PPDDD 10-AUG-93 0B-SEP-93 PPDDT 10-AUG-93 0B-SEP-93 PPDDT 10-AUG-93 0B-SEP-93 PPDDT 10-AUG-93 0B-SEP-93 15-OCT-93 PPDT 10-AUG-93 0B-SEP-93 15-OCT-93 PPDT 10-AUG-93 0B-SEP-93 15-OCT-93 PPDT 10-AUG-93 (PPDT 10-AUG-93 PPDT 10-AUG-93 (PPDT 10-AUG-93 PPDT 10-AUG-9		₹ 8	MEXCLR		10-AUG-93	08-SEP-93	v	.0711	ജ	
PPDDE 10-AUG-93 0B-SEP-93 PPDDE 10-AUG-93 0B-SEP-93 PPDDT 10-AUG-93 0B-SEP-93 PPDDT 10-AUG-93 0B-SEP-93 SEP-93 SEP-93 15-OCT-93 ABHC 23-SEP-93		₽ 8	PPDDD		10-AUG-93	08-SEP-93	v	.00826	99 1	
PPDDT 10-AUG-93 0B-SEP-93 < TXPHEN 10-AUG-93 0B-SEP-93 < ABHC 22-SEP-93 15-OCT-93 < ACLOMN 22-SEP-93 15		5 8	PPODE		10-AUG-93	08-SEP-93	v	.00765	8	
ABHC 23-8EP-93 0B-8EP-93 ABHC 23-8EP-93 15-0CT-93 AENSLR 23-8EP-93 15-0CT-93 ALDRN 23-8EP-93 15-0CT-93 ALDRN 23-8EP-93 15-0CT-93 BBHC 23-8EP-93 15-0CT-93 BBHC 23-8EP-93 15-0CT-93 DLORN 23-8EP-93 15-0CT-93 ENDRN 23-8EP-93 15-0CT-93 		FUOA	PPDDT		10-AUG-93	08-SEP-93	v	.00700	99 1	
ABHC 23-5EP-93 15-0CT-93 ACLOAN 23-5EP-93 15-0CT-93 ACLOAN 23-5EP-93 15-0CT-93 ALDR ALDR<		FUO A	TXPHEN		10-AUG-93	08-SEP-93	v	777	99 29	
ACLDAN ACLDAN ACLDAN ACROST AC		IAFA	ABHC		23-SEP-93	15-0CT-93	v	2000.	99	
AENSLF 22-SEP-93 15-0CT-93 ALDRN 23-SEP-93 15-0CT-93 BENSLF 23-SEP-93 15-0CT-93 BENSLF 23-SEP-93 15-0CT-93 DLDRN 23-SEP-93 15-0CT-93 BLORN 23-SEP-93 15-0CT-93 ENDRN 23-SEP-93 15-0CT-93 ENDRN 23-SEP-93 15-0CT-93 ESFSO4 23-SEP-93 15-0CT-93 GCLDAN 23-SEP-93 15-0CT-93 GCLDAN 23-SEP-93 15-0CT-93 HPCL 23-SEP-93 15-0CT-93 LIN 23-SEP-93 15-0CT-93 		IAFA	ACLDAN		23-SEP-93	15-0CT-93	v	.005	<u> </u>	
ALDRN 22-SEP-93 15-0CT-93 < BENK 23-SEP-93 15-0CT-93 < BENK 23-SEP-93 15-0CT-93 < DBLC 23-SEP-93 15-0CT-93 < DBLC 23-SEP-93 15-0CT-93 < DLDRN 24-SEP-93 15-0CT-93 < DLDRN		IAFA	AENSLF		23-SEP-93	15-0CT-93	v	.00602	99	
BBHC 22-SEP-93 15-0C1-93 BENSLF 23-SEP-93 15-0C1-93 DBHC 23-SEP-93 15-0C1-93 DLDRN 23-SEP-93 15-0C1-93 ENDRN 23-SEP-93 15-0C1-93 ENDRN 23-SEP-93 15-0C1-93 ENDRN 23-SEP-93 15-0C1-93 ESFSOA 23-SEP-93 15-0C1-93 GCLDAN 23-SEP-93 15-0C1-93 HPCL 23-SEP-93 15-0C1-93 1500R 23-SEP-93 15-0C1-93 LIN 23-SEP-93 15-0C1-93 LIN 23-SEP-93 15-0C1-93 LIN 23-SEP-93 15-0C1-93 LIN 23-SEP-93 15-0C1-93 LIN 23-SEP-93 15-0C1-93 CA-0C1-9		IAFA	ALDRN		23-SEP-93	15-oct-93	v	.00729	<u>8</u>	
BENSLF 22-SEP-93 15-0G1-93 DBHC 23-SEP-93 15-0G1-93 BINDRN 23-SEP-93 15-0G1-93 ENDRN 23-SEP-93 15-0G1-93 ENDRN 23-SEP-93 15-0G1-93 ENDRNK 23-SEP-93 15-0G1-93 ESFSO4 23-SEP-93 15-0G1-93 GCLOAN 23-SEP-93 15-0G1-93 HPCL 23-SEP-93 15-0G1-93 ISOOR 23-SEP-93 15-0G1-93 LIN 24-SEP-93 15-0G1-93 LIN 24-SEP-94 15-0G1-93 LIN 24-SEP-94 15-0G1-93 LIN 24-SEP-95		IAFA	BBHC		23-SEP-93	15-0CT-93	v	.00257	<u>3</u>	
DBHC 22-SEP-93 15-0CT-93 DLDRN 23-SEP-93 15-0CT-93 ENDRN 23-SEP-93 15-0CT-93 ENDRN 23-SEP-93 15-0CT-93 ENDRNK 23-SEP-93 15-0CT-93 ESFSO4 23-SEP-93 15-0CT-93 ESFSO4 23-SEP-93 15-0CT-93 HPCL 23-SEP-93 15-0CT-93 ISOOR 23-SEP-93 15-0CT-93 ISOOR 23-SEP-93 15-0CT-93 ISOOR 23-SEP-93 15-0CT-93 ISOOR 23-SEP-93 15-0CT-93 IN 24-SEP-93 15-0CT-93 IN 24-SE		IAFA	BENSLF		23-SEP-93	15-0CT-93	v	.00663	99	
DLDRN 22-SEP-93 15-0C1-93 ENDRN 23-SEP-93 15-0C1-93 ENDRN 23-SEP-93 15-0C1-93 ENDRN 22-SEP-93 15-0C1-93 ESFSO4 22-SEP-93 15-0C1-93 GCLDAN 22-SEP-93 15-0C1-93 HPCL 23-SEP-93 15-0C1-93 ISODR 23-SEP-93 15-0C1-93 LIN 24-SEP-93 15-0C1-93 LIN 24-SEP-94 15-0C1-93 LIN 24-SEP-95 15-0C1-93 LIN 24-SEP-95 15-0C1-93 LIN 24-SEP-95 15-0C		IAFA	DBHC		23-SEP-93	15-0CT-93	v	.00555	9	
ENDRN 23-SEP-93 15-0C1-93 ENDRNK 23-SEP-93 15-0C1-93 ENDRNK 23-SEP-93 15-0C1-93 ESFSOG 23-SEP-93 15-0C1-93 GCLDAN 23-SEP-93 15-0C1-93 HPCL 23-SEP-93 15-0C1-93 1500R 23-SEP-93 15-0C1-93 LIN 24-SEP-93 15-0C		IAFA	DLDRN		23-SEP-93	15-0CT-93	v	.00629	99	
ENDRNA 23-SEP-93 15-0CT-93 ENDRNK 22-SEP-93 15-0CT-93 ESFSO4 23-SEP-93 15-0CT-93 GCLDAN 23-SEP-93 15-0CT-93 HPCL 23-SEP-93 15-0CT-93 ISOOR 23-SEP-93 15-0CT-93 LIN 24-SEP-94 15-0CT-		IAFA	ENDRN		23-SEP-93	15-0CT-93	v	.00657	9	
ESFSO4 23-SEP-93 15-0C1-93 < ESFSO4 22-SEP-93 15-0C1-93 < GCLDAN 23-SEP-93 15-0C1-93 < HPCL 23-SEP-93 15-0C1-93 < HPCLE 23-SEP-93 15-0C1-93 < ISOOR 23-SEP-93 15-0C1-93 < IIN 23-SEP-93 15-0C1-93 <		IAFA	ENDRNA		23-SEP-93	15-0CT-93	v	.024	99	
ESFSO4 23-SEP-93 15-0C1-93 < GCLDAN 22-SEP-93 15-0C1-93 < HPCL 23-SEP-93 15-0C1-93 < ISON 23-SEP-93 15-0C1-93 < ISON 23-SEP-93 15-0C1-93 < ISON 23-SEP-93 15-0C1-93 <		IAFA	ENDRNK		23-SEP-93	15-0CT-93	v	.024	99	
GCLDAN 23-SEP-93 15-0CT-93 < HPCL 23-SEP-93 15-0CT-93 < ISON 23-SEP-93 15-0CT-93 < IS		IAFA	ESFS04		23-SEP-93	15-oct-93	v	.00763	99 2	
HPCL 23-SEP-93 15-0CT-93 < HPCLE 23-SEP-93 15-0CT-93 < ISOOR 23-SEP-93 15-0CT-93 < LIN 23-SEP-93 15-0CT-93 <		IAFA	GCLDAN		23-SEP-93	15-0CT-93	v	-005	99	
HPCLE 23-SEP-93 15-0CT-93 < 1500R 23-SEP-93 15-0CT-93 < 1		IAFA	HPCL		23-SEP-93	15-0CT-93	v	.00618	55	
I SOOR 23-SEP-93 15-0C1-93 <		IAFA	HPCLE		23-SEP-93	15-oct-93	v	.0062	99 29	
LIN 23-SEP-93 15-0CT-93 <		IAFA	ISODR		23-SEP-93	15-0CT-93	v	.00461	<u>8</u>	
		IAFA	LIN		23-SEP-93		v	.00638	99	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

ς γ	!		
Units	99999		
Value	.0711 .00826 .00765 .00707	86. 889. 889. 889. 889. 889. 889. 889. 8	41-41-86-7-1865-1868
•		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Analysis Date	15-001-93 15-001-93 15-001-93 15-001-93	06-SEP-93 06-SEP-93 06-SEP-93 06-SEP-93 06-SEP-93 06-SEP-93 16-001-93 16-001-93 16-001-93 16-001-93 16-001-93	23-AUG-93
Prep Date	23-8EP-93 23-8EP-93 23-8EP-93 23-8EP-93 23-8EP-93	10-AUG-93 10-AUG-93 10-AUG-93 10-AUG-93 10-AUG-93 10-AUG-93 23-SEP-93 23-SEP-93 23-SEP-93 23-SEP-93 23-SEP-93 23-SEP-93 23-SEP-93 23-SEP-93	12-AUG-93 12-AUG-93 12-AUG-93 12-AUG-93 12-AUG-93 12-AUG-93 12-AUG-93 12-AUG-93 12-AUG-93 12-AUG-93
Lab Number			
Test Name	MEXCLR PPDDD PPDDE PPDDT TXPHEN	PCB016 PCB221 PCB232 PCB242 PCB248 PCB254 PCB210 PCB232 PCB232 PCB248 PCB248 PCB248	1241CB 120CLB 120PH 130CLB 140CLB 245TCP 245TCP 245TCP 240MPN 240MPN 240MP 240MP 240MT 240MT
Lot	IAFA IAFA IAFA IAFA	DHZA DHZA DHZA DHZA DHZA HBQA HBQA HBQA HBQA HBQA HBQA	FUNA FUNA FUNA FUNA FUNA FUNA FUNA FUNA
USATHAMA Method Code	LH10	LH16	LM18

e Units	
Value	\$\$\$\$\$4£46888\$4444988888885669666666666666666666666666
V	
Analysis Date	24 446-93 24 446-93 25 446-93 26 446-93 26 446-93 27 446-93
Prep Date	12-Aug-93 12-Aug-93
Lab Number	
Test Name	ZUNAP ZWNANIL ZNP ZSNP ZSNCBD ZSNCBD ZSNCBD ZRANIL 46DNZC 4CLZC 4CLZC 4CLPFE 4CLZC 4CLPFE 4NANIL 4NANIL 4NANIL 4NANIL 4NANIL 8BCCLEE BZCIPE BZCIPE BZCIPE BZCIPE BBRCNT
Lot	EMA EMA EMA EMA EMA EMA EMA EMA EMA EMA
USATHAMA Method Code	₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	2. 2 Ues	_
•		v
Analysis Date	23.486.3 24.486	25-AUG-93
Prep Date	12- Aug-93 12- Aug-93 12- Aug-93 12- Aug-93 12- Aug-93 12- Aug-93 12- Aug-93 10- Aug-93	10-AUG-93
Lab Number		
Test	MNDPA PCB232 PCB232 PCB248 PCB254 PCB254 PCB254 PCB254 PCB256 PCB256 PCB266 PCB266 PCB266 PCB266 PCB26	2NP
Lot	FUMA FUMA FUMA FUMA FUMA FUMA FUMA GUBA GUBA GUBA GUBA GUBA GUBA GUBA GUB	GUBA
USATHAMA Method Code	8 8	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units		٠ ا	-	_	S UGG	_			55 UGG		_	_	_	_								.21 UGG				.85 UGG					.1 UGG	12 UGG
Val	6.3	4. I			8.			7. ,		, ,	· ·	r:		·	· ·			·	.	.17	٠٠.	٠,	٠,	`.	٠.	~.	۰ 9	χ. Σ	ĕ.	`.	v	`. v
Analysis Date	25-AUG-93	VIC-93	25-AUG-93	AUG-93 <	VIC-93 <	VIC-93 <	VUG-93	4UG-93	25-AUG-93	× 26-93	AUG-93	VIC-93 *	* 26-501 *	* 26-90 ************************************	* 26-91 *	40G-93 <	4UG-93 <	* 26-50\	4UG-93 ·	4UG-93	4UG-93 *	4UG-93 .	4UG-93 *	4UG-93	4UG-93	AUG-93 .	AUG-93 .	AUG-93 .	AUG-93 .	AUG-93	AUG-93 .	AUG-93
Anal) Date																				- - .												93
Prep ir Date	10-AUG-93	10-AUG-93	10-AUG-97	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-95	10-AUG-95	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG	10-AUG	10-AUG	10-AUG	10-AUG	10-AUG	10-AUG	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG	10-AUG-93	10-AUG-93	10-AUG	10-AUG-93	10-AUG	10-AUG-93	10-AUG-93	10-AUG-
Lab		.,	• • •							-						-	ш	ш		~		_			ıL	0	ℯ	>	-		2	
Test t Name		SUBA SNANIL			BA 4CL3C			_	GUBA 4NP											_	_	_	_			GUBA BENZID			_		_	SUBA CHRY
USATHAMA Method Code Lot		3 5	3 2	8	ਡੋ	ਡੋ	3	3	3 8	3 3	ਡੋ	ਡੋ	ਡ	귱	귱	귱	3	귱	귱	공 :	귱	귱	귱	귱	귱	귱	귱	귱	귱	ਛ	ਰ	ਫ

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994, SSI Groups 2,7

Uni ts	: : : : : : : :	99 0	99 090	99	25	8	20	990	200	<u>5</u>	990	99	990	99 1	99n	990	99 0	99 0	000 0	<u> </u>	99n	99 N	99	990	990	990	990	ဗ္ဗ	990	990	990	990	ngg	ngg
Value	.033	6.2	.15	٤.	.27	.035	.24	.31	.17	.061	.19	.45	.53	.53	-62	890.	.033	.33	<u>ن</u>	.13	.33	52.	.033	.27	.33	.037	.045	.14	۲.	.19	1.4	1.4	1.4	1.4
•	! !	v	v	v	v	v	v	~	v	~	~	~	~	~	v	v	~	~	v	v	v	v	v	~	v	v	v	v	v	v	~	v	v	v
Analysis Date	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93	25-AUG-93
Prep Date	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93	10-AUG-93
Lab Number	: : : : : : :																							•										
Test	CL6BZ	CL6CP	CL6ET	DBAHA	DBHC	DBZFUR	DEP	DLDRN	OMP	DNBP	PNOP	ENDRA	ENDRNA	ENDRNK	ESFS04	FANT	FLRENE	GCLDAN	HCBO	님	HPCLE	ICOPYR	SOPHR	N.	MEXCLR	NAP	8	NNDMEA	NNDNPA	NNDPA	PCB016	PCB221	PCB232	PCB242
Lot	GUBA	GUBA GUBA	SG BA	GUBA	GUBA	€UBA	60BA	60BA	GUBA	SUBA BA	GUBA	SUBA BA	S S	GUBA	GUBA	eus BA	SUBA BA	GUBA	SUBA BA	SUBA SUBA	SUBA	GUBA	GUBA	GUBA	608 608	eu BA	GUBA BA	GUBA	608 84	GUBA GUBA	GUBA	6UBA	GUBA	GUBA
USATHAMA Method Code	LM18																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994, SSI Groups 2,7

ts	1
Units	
Vatue	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
•	
Analysis Date	25-ALG-93 25-ALG-93 25-ALG-93 25-ALG-93 25-ALG-93 30-ALG-93
Prep Date	10-AUG-93 10-AUG-93 10-AUG-93 10-AUG-93 10-AUG-93 10-AUG-93 10-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93
Lab Number	
Test Name	PCB248 PCB264 PCB264 PCB266 PCB266 PCB266 PCB266 PCB266 PPDDT PPDDE PPDDT PPDDE PPDDT PPDDE PPDDT PPDDE PPDDT PPDDE PPDDT PPDT PP
Lot	GURA GURA GURA GURA GURA GURA GURA GURA
USATHAMA Method Code	2 2 3 3 3 3 3 3 3 3 3 3

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

ğ	9 ;			_																															
- Inite	5 2	5		3	9	9	9	9	9	9	9	99	99	5	9	5	20	9	5	9	99	5	9	SBU	9	9	99	9	25	250	990	9	99	25	뿔
ou ley		20.0		42.	.41	1.4	.27	.33	.62		.036	.033	.033	.059	'n	.033	3.	.17	52.	.21	.27	.17	.62	ج	6.1	٠. ئ	990.	.19	٦.	.12	.033	6.2	5.	۲.	.27
•	; ; ; \ ; ;	, ,	v ·	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	ZO. ALC. 02		20-AUG-93	20-AUG-92	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93
Prep Date	16-416-03	14.00	16-AUG-95	CK-50K-01	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93
Lab Number																~																			
Test Name	J£ 1J7	/CI DDC	44114E	-	4NANIL	4NP	ABHC	ACLDAN	AENSLF	ALDRN	ANAPNE	ANAPYL	ANTRC	BZCEXM	B2CIPE	BZCLEE	В2ЕНР	BAANTR	BAPYR	BBFANT	BBHC	BBZP	BENSLF	BENZID	BENZOA	BGHIPY	BKFANT	BZALC	CARBAZ	CHRY	CL682	CL6CP	CL6ET	DBAHA	DBHC
Lot	Z E	1		5	3	8	SE B	SE B	뎚	GUHA	SG FA	SE SE	₹ E	SE E	SE B	쯢	SCHA SCHA	SG HA	SE E	SE E	SE SE	₽ E	£ GH¥	83	₹	SE E	즲		SCHA SCHA	즲	£ EH Bell	₹	₹	S S	₽¥
USATHAMA Method Code	M18)																																	

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

4 H 4 G								
Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	•	Value	Units
LM18	GUHA	DBZFUR		16-AUG-93	30-AUG-93	: :	.035	: : 99
	묤	DEP		16-AUG-93	30-AUG-93	~	77.	8
	GUHA	DLDRN		16-AUG-93	30-AUG-93	v	<u>ب</u>	990
	GUHA	OMD		16-AUG-93	30-AUG-93	•	.17	35
	GUHA	DNBP		16-AUG-93	30-AUG-93	v	.05	99
	GUHA	DNOP		16-AUG-93	30-AUG-93	•	9	990
	GUHA	ENDRN		16-AUG-93	30-AUG-93	•	.45	3
	GUHA	ENDRNA		16-AUG-93	30-AUG-93	v	.53	990
	GUHA	ENDRNK		16-AUG-93	30-AUG-93	v	ĸ.	990
	SCHA PA	ESFSO4		16-AUG-93	30-AUG-93	~	.62	990
	SE EHA	FANT		16-AUG-93	30-AUG-93	~	890	9
	£ B H	FLRENE		16-AUG-93	30-AUG-93	v	.033	3
	GUHA	GCLDAN		16-AUG-93	30-AUG-93	v		99
	GUH A	HCBO		16-AUG-93	30-AUG-93	v	<u>ب</u>	99
	60.HA	₽CL		16-AUG-93	30-AUG-93	v	.13	990
	GUHA	HPCLE		16-AUG-93	30-AUG-93	v	.33	ജ
	g ¥	ICDPYR		16-AUG-93	30-AUG-93	v	٤	990
	GUHA	ISOPHR		16-AUG-93	30-AUG-93	v	.033	990
	SO HA	LIN		16-AUG-93	30-AUG-93	v	.27	99 090
	GUHA	MEXCLR		16-AUG-93	30-AUG-93	~	.33	990
	GUHA	NAP		16-AUG-93	30-AUG-93	v	.037	990
	SE H	88		16-AUG-93	30-AUG-93	~	.045	99 199
	SE HA	NNDWEA		16-AUG-93	30-AUG-93	v	14	<u>8</u>
	SE B	NNDNPA		16-AUG-93	30-AUG-93	v	۲.	8
	GUHA	NNDPA		16-AUG-93	30-AUG-93	v	9	8
	£ GH¥	PCB016		16-AUG-93	30-AUG-93	v	1.4	ဗ္ဗ
	GUHA	PCB221		16-AUG-93	30-AUG-93	v	1.4	ဗ္ဗ
	GUHA	PCB232		16-AUG-93	30-AUG-93	v	1.4	8
	SE SE	PCB242		16-AUG-93	30-AUG-93	v	1.4	<u>8</u>
	SG EA	PCB248		16-AUG-93	30-AUG-93	v	~	g
	£ GE¥	PCB254		16-AUG-93	30-AUG-93	v	2.3	9
	£ E¥	PCB260		16-AUG-93	30-AUG-93	v	5.6	99
	SE FA	PCP		16-AUG-93	30-AUG-93	v	7.3	99 29
	즲	PHANTR		16-AUG-93	30-AUG-93	v	.033	8

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	•	Value	Units
.M18	GUHA :	PHENOL		16-AUG-93	30-AUG-93		.11	
	GUHA	PPDDD		16-AUG-93	30-AUG-93	· •	.27	88
	GUHA	PPDDE		16-AUG-93	30-AUG-93	v	Į.	550
	GUHA	PPDDT		16-AUG-93	30-AUG-93	v	Ę.	290
	GUHA	PYR		16-AUG-93	30-AUG-93	v	.033	990
	£ E	TXPHEN		16-AUG-93	30-AUG-93	v	5.6	99 0
	HZFA	124TCB		21-SEP-93	01-0CT-93	v	9.	99 090
	HZFA	120CLB		21-SEP-93	01-0CT-93	v	Ξ.	ဗ္ဗ
	HZFA	120PH		21-SEP-93	01-0CT-93	v	7.	99 199
	HZFA	130CLB		21-SEP-93	01-0CT-93	v	.13	8
	HZFA	14DCLB		21-SEP-93	01-0CT-93	v	860.	9
	HZFA	245TCP		21-SEP-93	01-0CT-93	v	٦.	<u>8</u>
	HZFA	246TCP		21-SEP-93	01-0CT-93	v	.17	100
	HZFA	24DCLP		21-SEP-93	01-0CT-93	v	₽.	Sen
	HZFA	24DMPN		21-SEP-93	01-0CT-93	v	69.	99 1
	HZFA	24DNP		21-SEP-93	01-0CT-93	v	1.2	99 29
	HZFA	24DNT		21-SEP-93	01-0CT-93	v	.1	99 29
	HZFA	26DNT		21-SEP-93	01-0CT-93	v	88	9 9
	HZFA	2CLP		21-SEP-93	01-0CT-93	v	ş.	<u>8</u>
	HZFA	SCNAP		21-SEP-93	01-0CT-93	v	.036	990
	HZFA	ZWINAP		21-SEP-93	01-0CT-93	v	0,0	99 20
	HZFA	d N		21-SEP-93	01-0CI-93	v	.029	ဒ္ဌ
	HZFA	ZNANIL		21-SEP-93	01-0CT-93	v	.062	ဋ္ဌ
	HZFA	SNP		21-SEP-93	01-0CT-93	v	.14	9
	HZFA	330CB0		21-SEP-93	01-0CT-93	v	6.3	99 090
	HZFA	SNANIL		21-SEP-93	01-0CT-93	v	.45	9
	HZFA	46DN2C		21-SEP-93	01-0CT-93	v	:S	99 199
	HZFA	4BRPPE		21-SEP-93	01-0CT-93	~	.033	99 1
	HZFA	4CANIL		21-SEP-93	01-0CT-93	v	<u>છ</u>	99 199
	HZFA	4cr3c		21-SEP-93	01-0CT-93	v	8	99 1
	HZFA	4CLPPE		21-SEP-93	01-0CT-93	v	.033	99 0
	HZFA	4MP		21-SEP-93	01-0CT-93	v	. 5	990
	HZFA	4NANIL		21-SEP-93	01-0CT-93	v	7.	<u>5</u>
	HZFA	4NP		21-SEP-95	01-0CT-93	v	7.	9

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

A ABHC Date Value A ACLDAN 21-SEP-93 01-OCT-93 . 27 A ALDRA 21-SEP-93 01-OCT-93 . 33 A ALDRA 21-SEP-93 01-OCT-93 . 62 A ALDRA 21-SEP-93 01-OCT-93 . 62 A ALDRA 21-SEP-93 01-OCT-93 . 62 A ANAPYL 21-SEP-93 01-OCT-93 . 62 A BECLE 21-SEP-93 01-OCT-93 . 62 A BEANTR 21-SEP-93 01-OCT-93 . 62 A BEANTR 21-SEP-93 01-OCT-93 . 62 A BERAL 21-SEP-93 01-OCT-93 . 62 A BENZOA	USATHAMA Method	:	Test	Lab	Prep	Analysis	,	-	
HZFA ABHC 21-SEP-93 01-OCT-93 . 27 HZFA ACLDAN 21-SEP-93 01-OCT-93 . 33 HZFA ALOBAN 21-SEP-93 01-OCT-93 . 35 HZFA ALOBAN 21-SEP-93 01-OCT-93 . 33 HZFA ALORAPUL 21-SEP-93 01-OCT-93 . 033 HZFA ALORAPUL 21-SEP-93 01-OCT-93 . 033 HZFA BZCLEE 21-SEP-93 01-OCT-93 . 033 HZFA BZCLEE 21-SEP-93 01-OCT-93 . 059 HZFA BZCLEE 21-SEP-93 01-OCT-93 . 059 HZFA BZCLEE 21-SEP-93 01-OCT-93 . 059 HZFA BZCLE 21-SEP-93 01-OCT-93 . 059 HZFA BBAT 21-SEP-93 01-OCT-93 . 059 HZFA BBAT 21-SEP-93 01-OCT-93 . 052 HZFA BBAT 21-SEP-93 01-OCT-93 . 052 HZFA BBAT 21-SEP-93 01-OCT-93 . 052 HZFA BENZL 21-SEP-93 01-OCT-93 . 054 HZFA BENZL 21-SEP-	ode	<u>ة</u> :	Name	Number	Date	Date	· !	Value	
ACLDAN 21-SEP-93 01-0CT-93 < .35 AENSL F 21-SEP-93 01-0CT-93 < .62	M18	HZFA	ABHC		21-SEP-93	01-0CT-93	•	.27	nge
AENSLF 21-SEP-93 01-0CT-93 62 ALDRN 21-SEP-93 01-0CT-93 62 ANAPYL 21-SEP-93 01-0CT-93 63 ANAPYL 21-SEP-93 01-0CT-93 63 ANAPYL 21-SEP-93 01-0CT-93 63 BECKIPE 21-SEP-93 01-0CT-93 65 BZCIPE 21-SEP-93 01-0CT-93 65 BAANT 21-SEP-93 01-0CT-93 62 BAANT 21-SEP-93 01-0CT-93 25 BAANT 21-SEP-93 01-0CT-93 27 BAANT 21-SEP-93 01-0CT-93 27 BENZIA 21-SEP-93 01-0CT-93 27 CARBA 21-SEP-93 01-0CT-93 27		HZFA	ACLDAN		21-SEP-93	01-0CT-93	v	.33	990
ALDRN 21-SEP-93 01-0CT-93		HZFA	AENSLF		21-SEP-93	01-0CT-93	v	.62	<u>9</u>
ANAPNE 21-SEP-93 01-0CT-93 .033 ANAPYL 21-SEP-93 01-0CT-93 .033 BAUTRC 21-SEP-93 01-0CT-93 .059 BZCLE 21-SEP-93 01-0CT-93 .059 BZCLE 21-SEP-93 01-0CT-93 .059 BZCLE 21-SEP-93 01-0CT-93 .052 BZCLE 21-SEP-93 01-0CT-93 .033 BANTR 21-SEP-93 01-0CT-93 .25 BBL 21-SEP-93 01-0CT-93 .27 BBL 21-SEP-93 01-0CT-93 .27 BBL 21-SEP-93 01-0CT-93 .27 BCALC 21-SEP-93 01-0CT-93 .27 BCALC 21-SEP-93 01-0CT-93 .27 BCARAC 21-SEP-93 01-0CT-93 .27 CARBAC 21-SEP-93 01-0CT-93 .27		HZFA	ALDRN		21-SEP-93	01-0CT-93	~	.33	99
ANAPYL 21-SEP-93 01-0CT-93 . 033 ANTRC 21-SEP-93 01-0CT-93 . 059 BZCEKH 21-SEP-93 01-0CT-93 . 059 BZCIPE 21-SEP-93 01-0CT-93 . 059 BZCHP 21-SEP-93 01-0CT-93 . 033 BZCHP 21-SEP-93 01-0CT-93 . 052 BAANTR 21-SEP-93 01-0CT-93		HZFA	ANAPNE		21-SEP-93	01-0CT-93	v	.036	ဗ္ဗာ
ANTRC 21-SEP-93 01-0CT-93 .059 BZCIPE 21-SEP-93 01-0CT-93 .059 BZCIE 21-SEP-93 01-0CT-93 .059 BZCIE 21-SEP-93 01-0CT-93 .033 BZCIE 21-SEP-93 01-0CT-93 .052 BAANT 21-SEP-93 01-0CT-93 .17 BAPYR 21-SEP-93 01-0CT-93 .25 BARAIT 21-SEP-93 01-0CT-93 .27 BBC 21-SEP-93 01-0CT-93 .27 BENZA 21-SEP-93 01-0CT-93 .27 BENZA 21-SEP-93 01-0CT-93 .25 BKANI 21-SEP-93 01-0CT-93 .25 BKANI 21-SEP-93 01-0CT-93 .25 CL6E 21-SEP-93 01-0CT-93 .25 CL6C 21-SEP-93 01-0CT-93 .21		HZFA	ANAPYL		•	01-0CT-93	v	.033	990
BZCEXM 21-SEP-93 01-0CT-93 2 BZCLEE 21-SEP-93 01-0CT-93 2 BZCHE 21-SEP-93 01-0CT-93 62 BAANT 21-SEP-93 01-0CT-93 62 BAANT 21-SEP-93 01-0CT-93 25 BBAANT 21-SEP-93 01-0CT-93 25 BBAANT 21-SEP-93 01-0CT-93 25 BBAANT 21-SEP-93 01-0CT-93 27 BBAC 21-SEP-93 01-0CT-93 27 BGHIPY 21-SEP-93 01-0CT-93 37 BGHIPY 21-SEP-93 01-0CT-93 37 BGALE 21-SEP-93 01-0CT-93 35 CARBA 21-SEP-93 01-0CT-93 17 CLGAR 21-SEP-93 01-0CT-93 17 CLGAR 21-SEP-93 01-0CT-93		HZFA	ANTRC		•	01-0CT-93	v	.033	990
BZCIPE 21-SEP-93 01-0CT-93 BZCLEE 21-SEP-93 01-0CT-93 BZCLEE 21-SEP-93 01-0CT-93 BAANTR 21-SEP-93 01-0CT-93 BAPYR 21-SEP-93 01-0CT-93 BBAPY 21-SEP-93 01-0CT-93 BBAP 21-SEP-93 01-0CT-93 BBAP 21-SEP-93 01-0CT-93 BENZIF 21-SEP-93 01-0CT-93 BGHIPY 21-SEP-93 01-0CT-93 BGAIRPY 21-SEP-93 01-0CT-93 BGAIRPY 21-SEP-93 01-0CT-93 BCARAC 21-SEP-93 01-0CT-93 CARBAC 21-SEP-93 01-0CT-93 CLGEZ 21-SEP-93 01-0CT-93 CLGEZ 21-SEP-93 01-0CT-93 CLGEZ 21-SEP-93 01-0CT-93 <td></td> <td>HZFA</td> <td>BZCEXM</td> <td></td> <td>_</td> <td>01-001-93</td> <td>~</td> <td>.059</td> <td>990</td>		HZFA	BZCEXM		_	01-001-93	~	.059	990
BZCLEE 21-SEP-93 01-0CT-93 .62 BZRHP 21-SEP-93 01-0CT-93 .62 BAANTR 21-SEP-93 01-0CT-93 .62 BAPAR 21-SEP-93 01-0CT-93 .25 BBFANT 21-SEP-93 01-0CT-93 .25 BBFANT 21-SEP-93 01-0CT-93 .27 BBAC 21-SEP-93 01-0CT-93 .27 BBAZ 21-SEP-93 01-0CT-93 .27 BENZID 21-SEP-93 01-0CT-93 .25 BKAAL 21-SEP-93 01-0CT-93 .25 BKAAL 21-SEP-93 01-0CT-93 .25 CARBA 21-SEP-93 01-0CT-93 .25 CLEAP 21-SEP-93 01-0CT-93 .17 DBAHA 21-SEP-93 01-0CT-93 .12 CLEAP 21-SEP-93 01-0CT-93 .12		HZFA	B2CIPE			01-0CT-93	v	۲.	990
BZEHP 21-SEP-93 01-0CT-93 .62 BAANTR 21-SEP-93 01-0CT-93 .17 BRANT 21-SEP-93 01-0CT-93 .25 BBANT 21-SEP-93 01-0CT-93 .27 BBL 21-SEP-93 01-0CT-93 .27 BBAP 21-SEP-93 01-0CT-93 .27 BENZID 21-SEP-93 01-0CT-93 .62 BENZID 21-SEP-93 01-0CT-93 .61 BENZID 21-SEP-93 01-0CT-93 .61 BCHIPY 21-SEP-93 01-0CT-93 .25 BKANT 21-SEP-93 01-0CT-93 .25 CARBAC 21-SEP-93 01-0CT-93 .17 CLGEZ 21-SEP-93 01-0CT-93 .17 CLGCP 21-SEP-93 01-0CT-93 .17 DBAH 21-SEP-93 01-0CT-93 .17		HZFA	BZCLEE		21-SEP-93	01-0CT-93	v	.033	990
BAANTR 21-SEP-93 01-0CT-93 < .17		HZFA	BZEHP		21-SEP-93	01-0CT-93	v	.62	<u>5</u> 90
BAPYR 21-SEP-93 01-0CT-93 <21 BBFANT 21-SEP-93 01-0CT-93 <21 BBHC 21-SEP-93 01-0CT-93 <27 BENZID 21-SEP-93 01-0CT-93 <27 BENZID 21-SEP-93 01-0CT-93 <62 BENZID 21-SEP-93 01-0CT-93 <62 BGHIPY 21-SEP-93 01-0CT-93 <61 BGHIPY 21-SEP-93 01-0CT-93 <61 BCARC 21-SEP-93 01-0CT-93 <19 CARBA 21-SEP-93 01-0CT-93 <10 CLGR 21-SEP-93 01-0CT-93 <15 CLGR 21-SEP-93 01-0CT-93 <15 CLGG 21-SEP-93 01-0CT-93 <12 CLGG 21-SEP-93 01-0CT-93 <12 DBAIH 21-SEP-93 01-0CT-93 <17 DBAIC 21-SEP-93 01-0CT-93 <27 DBAIC 21-SEP-93 01-0CT-93 <27 </td <td></td> <td>HZFA</td> <td>BAANTR</td> <td></td> <td></td> <td>01-0CT-93</td> <td>v</td> <td>.17</td> <td>990</td>		HZFA	BAANTR			01-0CT-93	v	.17	990
BBFANT 21-SEP-93 01-0CT-93 . 27 BBHC 21-SEP-93 01-0CT-93 . 27 BENZI 21-SEP-93 01-0CT-93 . 27 BENZI 21-SEP-93 01-0CT-93 . 6.1 BENZIO 21-SEP-93 01-0CT-93 . 6.1 BENZIO 21-SEP-93 01-0CT-93 . 6.1 BGHIPY 21-SEP-93 01-0CT-93 . 6.1 BGALC 21-SEP-93 01-0CT-93 . 6.1 CARBAC 21-SEP-93 01-0CT-93 . 6.1 CARBAC 21-SEP-93 01-0CT-93 . 6.1 CHRY 21-SEP-93 01-0CT-93 . 6.1 CLGEZ 21-SEP-93 01-0CT-93 . 17 DBAH 21-SEP-93 01-0CT-93 . 17 DBAH 21-SEP-93 01-0CT-93 . 6.2 CLGF 21-SEP-93 01-0CT-93 . 6.2 DBAH 21-SEP-93 01-0CT-93 . 2.2 DBAH 21-SEP-93 01-0CT-93 . 2.2 DBAH </td <td></td> <td>HZFA</td> <td>BAPYR</td> <td></td> <td></td> <td>01-0CT-93</td> <td>•</td> <td><u>ب</u></td> <td>99n</td>		HZFA	BAPYR			01-0CT-93	•	<u>ب</u>	99n
BBHC 21-SEP-93 01-0CT-93 .27 BBZP 21-SEP-93 01-0CT-93 .17 BBLSL 21-SEP-93 01-0CT-93 .17 BENZOA 21-SEP-93 01-0CT-93 .6.1 BENZOA 21-SEP-93 01-0CT-93 .6.1 BKFANT 21-SEP-93 01-0CT-93 .2.5 BKALC 21-SEP-93 01-0CT-93 .2.5 CARRAC 21-SEP-93 01-0CT-93 .12 CHRY 21-SEP-93 01-0CT-93 .12 CL6RZ 21-SEP-93 01-0CT-93 .12 CL6FZ 21-SEP-93 01-0CT-93 .12 DBAHA 21-SEP-93 01-0CT-93 .21 DBAHA 21-SEP-93 01-0CT-93 .27 DBAH 21-SEP-93 01-0CT-93 .27 DBAH 21-SEP-93 01-0CT-93 .27		HZFA	BBFANT			01-0CT-93	~	۲۶:	990
BRZP 21-SEP-93 01-0CT-93 . 17 BENSIF 21-SEP-93 01-0CT-93 . 62 BENZID 21-SEP-93 01-0CT-93 . 6.1 BGHIPY 21-SEP-93 01-0CT-93 . 6.1 BGHIPY 21-SEP-93 01-0CT-93 . 25 BKANT 21-SEP-93 01-0CT-93 . 25 BKALC 21-SEP-93 01-0CT-93 . 25 CARBAZ 21-SEP-93 01-0CT-93 . 19 CHRY 21-SEP-93 01-0CT-93 . 10 CL6SZ 21-SEP-93 01-0CT-93 . 12 CL6CP 21-SEP-93 01-0CT-93 . 033 CL6CP 21-SEP-93 01-0CT-93 . 033 CL6CT 21-SEP-93 01-0CT-93 . 033 DBAH 21-SEP-93 01-0CT-93 . 21 DBAH 21-SEP-93 01-0CT-93 . 21 DEP 21-SEP-93 01-0CT-93 . 23 DLDR 21-SEP-93 01-0CT-93 . 23 DLDR		HZFA	BBHC			01-0CT-93	~	.27	990
BENSLF 21-SEP-93 01-0CT-93 < .62 BENZID 21-SEP-93 01-0CT-93 < .85 BENZID 21-SEP-93 01-0CT-93 < .86 BGHIPY 21-SEP-93 01-0CT-93 < .25 BKFANT 21-SEP-93 01-0CT-93 < .25 BXALC 21-SEP-93 01-0CT-93 < .25 BALC 21-SEP-93 01-0CT-93 < .19 CARBAZ 21-SEP-93 01-0CT-93 < .15 CHERZ 21-SEP-93 01-0CT-93 < .15 CLGEZ 21-SEP-93 01-0CT-93 < .033 CLGEZ 21-SEP-93 01-0CT-93 < .033 DBARA 21-SEP-93 01-0CT-93 < .21 DBAR 21-SEP-93 01-0CT-93 < .27 DBAR 21-SEP-93 01-0CT-93 < .27 <t< td=""><td></td><td>HZFA</td><td>BBZP</td><td></td><td>21-SEP-93</td><td>01-0CT-93</td><td>v</td><td>.17</td><td>990</td></t<>		HZFA	BBZP		21-SEP-93	01-0CT-93	v	.17	990
BENZID 21-SEP-93 01-0CT-93 < .85 BENZOA 21-SEP-93 01-0CT-93 6.1 BGHIPY 21-SEP-93 01-0CT-93 .25 BKAL 21-SEP-93 01-0CT-93 .25 BZALC 21-SEP-93 01-0CT-93 .19 CARBAZ 21-SEP-93 01-0CT-93 .19 CHRY 21-SEP-93 01-0CT-93 .12 CLGRZ 21-SEP-93 01-0CT-93 .03 CLGF 21-SEP-93 01-0CT-93 .03 DBAH 21-SEP-93 01-0CT-93 .03 DBAH 21-SEP-93 01-0CT-93 .15 DBAH 21-SEP-93 01-0CT-93 .27 DBAH 21-SEP-93 01-0CT-93 .27 DBAR 21-SEP-93 01-0CT-93 .27 DBAR 21-SEP-93 01-0CT-93 .27 DL		HZFA	BENSLF		21-SEP-93	01-0CT-93	~	.62	99 199
BENZOA 21-SEP-93 01-0CT-93 6.1 BGHIPY 21-SEP-93 01-0CT-93 .25 BCALC 21-SEP-93 01-0CT-93 .19 CARBAZ 21-SEP-93 01-0CT-93 .19 CARBAZ 21-SEP-93 01-0CT-93 .19 CLARY 21-SEP-93 01-0CT-93 .11 CLAGR 21-SEP-93 01-0CT-93 .12 CLAGR 21-SEP-93 01-0CT-93 .12 CLAGR 21-SEP-93 01-0CT-93 .03 DBAHA 21-SEP-93 01-0CT-93 .21 DBAR 21-SEP-93 01-0CT-93 .27 DBAR 21-SEP-93 01-0CT-93 .27 DBAR 21-SEP-93 01-0CT-93 .27 DLDN 21-SEP-93 01-0CT-93 .27 DLDN 21-SEP-93 01-0CT-93 .27 DMP 21-SEP-93 01-0CT-93 .27 DNP 21-SEP-93 01-0CT-93 .27 DNP 21-SEP-93		HZFA	BENZID		21-SEP-93	01-0CT-93	v	æ.	95 D
BGHIPY 21-SEP-93 01-OCT-93 <25 BKFANT 21-SEP-93 01-OCT-93 <066		HZFA	BENZOA		21-SEP-93	01-0CT-93	v	6.1	99 20
BKCANT 21-SEP-93 01-0CT-93 < 066 BZALC 21-SEP-93 01-0CT-93 < 19		HZFA	BGHIPY			01-0CT-93	٧.	<u>ئ</u>	990
BZALC 21-SEP-93 01-0CT-93 < .19 CARBAZ 21-SEP-93 01-0CT-93 < .11 CLABZ 21-SEP-93 01-0CT-93 < .12 CLAGZ 21-SEP-93 01-0CT-93 < .033 CLGET 21-SEP-93 01-0CT-93 < .033 CLGET 21-SEP-93 01-0CT-93 < .21 DBAHA 21-SEP-93 01-0CT-93 < .21 DBAC 21-SEP-93 01-0CT-93 < .21 DBAC 21-SEP-93 01-0CT-93 < .27 DEP 21-SEP-93 01-0CT-93 < .27 DLDR 21-SEP-93 01-0CT-93 < .27 DLDR 21-SEP-93 01-0CT-93 < .27 DLDR 21-SEP-93 01-0CT-93 < .27 DMP 21-SEP-93 01-0CT-93 < .24 DNP 21-SEP-93 01-0CT-93 < .24 DNP 21-SEP-93 01-0CT-93 < .24 DNP 21-SEP-93 01-0CT-93 < .24 STACHA		HZFA	BKFANT			01-0CT-93	v	99.	990
CARBA2 21-SEP-93 01-0CT-93 < .1 CHRY 21-SEP-93 01-0CT-93 < .12 CL6B2 21-SEP-93 01-0CT-93 < .12 CL6CF 21-SEP-93 01-0CT-93 < .033 CL6CF 21-SEP-93 01-0CT-93 < .033 DBAHA 21-SEP-93 01-0CT-93 < .15 DBAHC 21-SEP-93 01-0CT-93 < .27 DBAHC 21-SEP-93 01-0CT-93 < .27 DBAHC 21-SEP-93 01-0CT-93 < .27 DLDR 21-SEP-93 01-0CT-93 < .27 DLDR 21-SEP-93 01-0CT-93 < .27 DLDR 21-SEP-93 01-0CT-93 < .37 DNAP 21-SEP-93 01-0CT-93 < .37 DNAP 21-SEP-93 01-0CT-93 < .37		HZFA	BZALC		21-SEP-93	01-oct-93	•	.19	99 090
CLGRY 21-SEP-93 01-0CT-93 < .12 CLGG 21-SEP-93 01-0CT-93 < .033 CLGCF 21-SEP-93 01-0CT-93 < .033 CLGET 21-SEP-93 01-0CT-93 < .15 DBAHA 21-SEP-93 01-0CT-93 < .15 DBAC 21-SEP-93 01-0CT-93 < .27 DBAC 21-SEP-93 01-0CT-93 < .27 DBAC 21-SEP-93 01-0CT-93 < .27 DLDR 21-SEP-93 01-0CT-93 < .27 DLDR 21-SEP-93 01-0CT-93 < .27 DNP 21-SEP-93 01-0CT-93 < .31 DNP 21-SEP-93 01-0CT-93 < .31 DNB 21-SEP-93 01-0CT-93 < .31		HZFA	CARBAZ		21-SEP-93	01-0CT-93	v	٦.	99 0
CL682 21-SEP-93 01-0CT-93 < .033 CL6CP 21-SEP-93 01-0CT-93 < .6.2 CL6CT 21-SEP-93 01-0CT-93 < .0.5 CL6CT 21-SEP-93 01-0CT-93 < .15 DBAHA 21-SEP-93 01-0CT-93 < .21 DBAHC 21-SEP-93 01-0CT-93 < .27 DBFHR 21-SEP-93 01-0CT-93 < .27 DLORN 21-SEP-93 01-0CT-93 < .27 DLORN 21-SEP-93 01-0CT-93 < .31 DNP 21-SEP-93 01-0CT-93 < .31 DNP 21-SEP-93 01-0CT-93 < .31		HZFA	CHRY				v	.12	95 25 25
CLGCP 21-SEP-93 01-0CT-93 < 6.2 CLGET 21-SEP-93 01-0CT-93 < .15 DBAHA 21-SEP-93 01-0CT-93 < .21 DBAC 21-SEP-93 01-0CT-93 < .27 DBZFUR 21-SEP-93 01-0CT-93 < .27 DEP 21-SEP-93 01-0CT-93 < .27 DLDRN 21-SEP-93 01-0CT-93 < .27 DLDRN 21-SEP-93 01-0CT-93 < .27 DMP 21-SEP-93 01-0CT-93 < .31 DMP 21-SEP-93 01-0CT-93 < .31 DNBP 21-SEP-93 01-0CT-93 < .37		HZFA	CF68Z			형	v	.033	99 0
CLGET. 21-SEP-93 01-0CT-93 < .15 DBANA 21-SEP-93 01-0CT-93 < .21 DBAC 21-SEP-93 01-0CT-93 < .27 DBZFUR 21-SEP-93 01-0CT-93 < .27 DEP 21-SEP-93 01-0CT-93 < .24 DLDRN 21-SEP-93 01-0CT-93 < .24 DMP 21-SEP-93 01-0CT-93 < .34 DMP 21-SEP-93 01-0CT-93 < .37		HZFA	CL6CP			엉	v	6.2	990
DBAHA 21-SEP-93 01-0CT-93 .21 DBHC 21-SEP-93 01-0CT-93 .27 DBZFUR 21-SEP-93 01-0CT-93 .27 DEP 21-SEP-93 01-0CT-93 .24 DLDR 21-SEP-93 01-0CT-93 .24 DDR 21-SEP-93 01-0CT-93 .34 DMP 21-SEP-93 01-0CT-93 .31 DNB 21-SEP-93 01-0CT-93 .37		HZFA	CL6ET.		21-SEP-93	01-oct-93	v	5.	99 N
DBHC 21-SEP-93 01-0CT-93 . 27 DBZFUR 21-SEP-93 01-0CT-93 . 035 DEP 21-SEP-93 01-0CT-93 . 24 DLDR 21-SEP-93 01-0CT-93 . 31 DMP 21-SEP-93 01-0CT-93 . 31 DNB 21-SEP-93 01-0CT-93 . 17 DNBP 21-SEP-93 01-0CT-93 . 39		HZFA	DBAHA		21-SEP-93	01-0CT-93	~	۲.	99 29
DBZFUR 21-SEP-93 01-OCT-93 .035 DEP 21-SEP-93 01-OCT-93 .24 DLDRN 21-SEP-93 01-OCT-93 .31 DMP 21-SEP-93 01-OCT-93 .17 DNBP 21-SEP-93 01-OCT-93 .17 DNBP 21-SEP-93 01-OCT-93 .39		HZFA	DBHC		21-SEP-93		v	.27	200
DEP 21-SEP-93 01-0CT-93 < .24 DLDRN 21-SEP-93 01-0CT-93 < .31 DMP 21-SEP-93 01-0CT-93 < .17 DNBP 21-SEP-93 01-0CT-93 < .39		HZFA	DBZFUR		21-SEP-93	01-0CT-93	v	.035	9 90
DLDRN 21-SEP-93 01-0CT-93 < .31 DMP 21-SEP-93 01-0CT-93 < .17 DNBP 21-SEP-93 01-0CT-93 .39		HZFA	DEP		21-SEP-93	01-0CT-93	v	.24	99 1
DMP 21-SEP-93 01-0CT-93 < .17 U		HZFA	DLDRN		21-SEP-93	ģ	v	.3	99
DNBP 21-SEP-93 01-0CT-93 .39 U		HZFA	DMD.		21-SEP-93	ģ	v	.17	990
		HZFA	DNBP		21-SEP-93	-00-		.3	99

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	v	Value	_
LM18	HZFA	DNOP	: : : : :	21-SEP-93	01-0CT-93	: :	.19	
	HZFA	ENDRN		21-SEP-93	01-0CT-93	v	.45	99
	HZFA	ENDRNA		21-SEP-93	01-0CT-93	v	.53	990
	HZFA	ENDRNK		21-SEP-93	01-0CT-93	V	.53	990
	HZFA	ESFSO4			01-0CT-93	v	.62	990
	HZFA	FANT		21-SEP-93		v	890.	990
	HZFA	FLRENE				v	.033	990
	HZFA	GCLDAN		21-SEP-93	01-0CT-93	v	.33	8
	HZFA	HCBD		21-SEP-93	01-0CT-93	v	:	ဗ္ဗ
	HZFA	HPCL		21-SEP-93	01-0CT-93	v	.13	99
	HZFA	HPCLE		21-SEP-93	01-0CT-93	v	.33	8
	HZFA	ICDPYR		21-SEP-93	01-0CT-93	v	62.	8
	HZFA	ISOPHR		21-SEP-93	01-0CT-93	v	.033	990
	HZFA	LIN		21-SEP-93	01-0CT-93	v	.27	99 20
	HZFA	MEXCLR		21-SEP-93	01-0CT-93	v	.33	ဗ္ဗ
	HZFA	NAP		21-SEP-93	01-0CT-93	v	.037	ဗ္ဗ
	HZFA	9		21-SEP-93		v	.045	990
	HZFA	NNDWEA		21-SEP-93	01-0CT-93	v	.14	990
	HZFA	NNDNPA		21-SEP-93		v	۲.	200
	HZFA	NNDPA		21-SEP-93	01-0CT-93	v	.19	39 20
	HZFA	PCB016		21-SEP-93	헏	v	1.4	33
	HZFA	PCB221		21-SEP-93	01-0CT-93	v	1.4	99 1
	HZFA	PCB232		21-SEP-93		v	1.4	9
	HZFA	PCB242		21-SEP-93		v	1.4	50
	HZFA	PCB248		•		•	7	8
	HZFA	PCB254			01-0CT-93	v	2.3	8
	HZFA	PCB260		•	01-0CT-93	v	5.6	ဗ္ဗ
	HZFA	P.C.			헏	v	1.3	8
	HZFA	PHANTR		21-SEP-93		v	.033	<u>8</u>
	HZFA	PHENOL		•	01-0CT-93	v	-1	39 18
	HZFA	PPDDD		21-SEP-93	힏	v	.27	99 0
	HZFA	PPDDE		21-SEP-93	-0CT	v	.31	99 N
	HZFA	PPDDT		21-SEP-93	٦.	v	.31	99 29
	HZFA	PYR		21-SEP-93	01-0CT-93	v	.033	99 0

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

< Value Units	 2.6 UGG .04 UGG .11 UGG .14 UGG
Analysis Date	01-0CT-93 10-0CT-93 10-0CT-93 10-0CT-93
Prep ber Date	21-SEP-93 22-SEP-93 22-SEP-93 22-SEP-93
Test Lab Name Number	TXPHEN 124TCB 120CLB 120PH
Lot	HZFA HZKA HZKA
USATHAMA Method Code	LM18

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	2.2.3.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2
v	
Analysis Date	10-001-33 10-001-33
Prep Date	### ### ##############################
Lab Number	
Test Name	ANATIC ANATIC ANATIC BECEXM BECLEE BE
Lot	######################################
USATHAMA Method Code	E

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	333 USB
•	: · · · · · · · · · · · · · · · · · · ·
Analysis Date	10-0cr-3s 10-0cr
Prep Date	22.22.22.22.22.22.22.22.22.22.22.22.22.
Lab Number	
Test Name	FLRENE GCLDAN HCBD HCBD HCBD HCBD HCCLE ICOPUR ISOPHR ISOPHR ISOPHR NNDMEA NNDMEA NNDMEA NNDMEA NNDMEA NNDMEA NNDMEA NNDMEA NDDA PCB232 PCB232 PCB248 PCB248 PCB248 PCB248 PCB248 PCB248 PCB248 PCB254 PCB254 PCB254 PCB260 PCB260 PCP PCB260 PC
Lot	12
USATHAMA Method Code	LA 18

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

USATHAMA Method		Test	Lab	Prep	Analysis			
Code	Lot	Name	Number	Date	Date	•	Value	Units
LM18	HZSA	14DCLB		27-SEP-93	13-0CT-93	. v	860.	
	HZSA	245TCP		27-SEP-93	13-0CT-93	v	-	990
	HZSA	246TCP		27-SEP-93	13-0CT-93	v	.17	<u>8</u>
	HZSA	24DCLP		27-SEP-93	13-0CT-93	v	.18	<u>8</u>
	HZSA	24DMPN		27-SEP-93	13-0CT-93	v	69.	990
	HZSA	24DNP		27-SEP-93	13-0CT-93	v	1.2	250
	HZSA	24DNT		27-SEP-93	13-oct-93	v	7.	9
	HZSA	26DNT		27-SEP-93	13-0CT-93	v	.085	<u>9</u>
	HZSA	2CLP		27-SEP-93	13-0CT-93	v	%	8
	HZSA	2CNAP		27-SEP-93	13-0CT-93	v	.036	99 100
	HZSA	SMNAP		27-SEP-93	13-oct-93	v	.049	<u>8</u>
	HZSA	5		27-SEP-93	13-0CT-93	v	.029	99 1
	HZSA	2NANIL		27-SEP-93	13-0CT-93	v	.062	ន្ទ
	HZSA	2NP		27-SEP-93	13-0CT-93	v	.14	99
	HZSA	33DCBD		27-SEP-93	13-0CT-93	v	6.3	8
	HZSA	3NAN IL		27-SEP-93	13-0CT-93	v	.45	99 20
	HZSA	46DN2C		27-SEP-93	13-0CT-93	v	.55	99 0
	HZSA	4BRPPE		27-SEP-93	13-0CT-93	v	.033	ဗ္ဗ
	HZSA	4CAN1L		27-SEP-93	13-0CT-93	v		3
	HZSA	4cr3c		27-SEP-93	13-0CT-93	v	.095	8
	HZSA	4CLPPE		27-SEP-93	13-0CT-93	v	.033	3
	HZSA	4MP		27-SEP-93	13-0CT-93	v	.24	190
	HZSA	4NANIL		27-SEP-93	13-oct-93	v	.41	<u>9</u> 90
	HZSA	4NP		27-SEP-93	13-0CT-93	v	1.4	8
	HZSA	ABHC		27-SEP-93	13-0CT-93	v	.27	<u>8</u>
	HZSA	ACLDAN		27-SEP-93	13-0CT-93	v	.33	99
	HZSA	AENSLF		27-SEP-93	13-0CT-93	v	.62	990
	HZSA	ALDRN		27-SEP-93	13-0CT-93	v	.33	8
	HZSA	ANAPNE		27-SEP-93	13-0CT-93	v	.036	99
	HZSA	ANAPYL		27-SEP-93	13-0CT-93	v	.033	99
	HZSA	ANTRC		27-SEP-93	13-0CT-93	v	.033	9
	HZSA	B2CEXM		27-SEP-93	13-0CT-93	v	.059	990
	HZSA	B2CIPE		27-SEP-93	5	v	۲.	ဗ္ဗ
	HZSA	BZCLEE		27-SEP-93	13-0CT-93	v	.033	990

Chemical quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	2.25 UGG 2.27 UGG 2.2
v	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Analysis Date	13-001-93 13-001-93
Prep Date	27-SEP-93 27-SEP-93
Lab Number	
Test Name	BZEHP BANTR BAPYR BAPYR BBHC BBHC BBHC BBCHIPY BENZID BENZID BCHIPY CHRY CHRY CL66P CL66P CL66T DBHC DBHC CL66T DBC CL6CT DNBP DIONP DNBP DNBP DNBP DNBP DNBP TERENE ENDRN ENDRN ENDRN ENDRN ENDRN HCBD HPCL
Lot	HESA HESA HESA HESA HESA HESA HESA HESA
USATHAMA Method Code	LM 18

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

< Value Units				_	Τ	_		× .14 UGG		. 19 UGG	_	_	_	- 1.4 UGG												 2.3 UG6 2.6 UG6 3.3 UG6 3.1 UG6 3.1 UG6 3.3 UG6 3.3 UG6 3.3 UG6 3.1 UG6 2.6 UG6 							
Analysis Date	13-0CT-93	13-0CT-93	13-0CT-93	13-0CT-93	13-0CT-93	13-0CT-93	13-0CT-93	13-0CT-93	13-0CT-93	13-0CT-93	13-0CT-93	13-oct-93	13-oct-93	13-oct-93	13-oct-93	!	13-oct-93	13-0CT-93 13-0CT-93	13-0CT-93 13-0CT-93 13-0CT-93	13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93	13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93	13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93	13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93	13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93	13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93	13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93	13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93	13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 10-0d-93	13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 09-Au6-93	13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 09-Au6-93 09-Au6-93	13-0ct - 93 13-0ct - 93 09-Aug- 93 09-Aug- 93 09-Aug- 93	13-0ct - 93 13-0ct - 93 09-Au6-93 09-Au6-93 09-Au6-93	13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 09-Au6-93 09-Au6-93 09-Au6-93
Prep Date	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SED-03	֭֡֜֝֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜	27-SEP-93	27-SEP-93 27-SEP-93	27-SEP-93 27-SEP-93 27-SEP-93	27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93	27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93	27- SEP-93 27- SEP-93 27- SEP-93 27- SEP-93 27- SEP-93	27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93	27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93	77777777	27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93	27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93	27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 09-AuG-93	27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 09-Aug-93	27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 27-SEP-93 09-AuG-93 09-AuG-93	27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 09-Aug-93 09-Aug-93	27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 09-AuG-93 09-AuG-93 09-AuG-93	27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 27-58P-93 09-AuG-93 09-AuG-93 09-AuG-93 09-AuG-93
Lab Number	: : : : : :	•																															
Test Name	HPCLE	ICDPYR	I SOPHR	LIN	MEXCLR	NAP	88	NNDMEA	NNDNPA	NNDPA	PCB016	PCB221	PCB232	PCB242	0/000	700740	PCB254	PCB254 PCB254 PCB260	PCB254 PCB254 PCB260	PCB254 PCB254 PCB260 PCP	PCB246 PCB256 PCP PHANTR PHENOL	PCB249 PCB254 PCP PHANTR PHENOL	PCB240 PCB254 PCB PCP PHANTR PPENDL PPDDD	PCB246 PCB254 PCB260 PCP PHANTR PPDDD PPDDE	PCB240 PCB260 PCP PHANTR PHENDL PPDDD PPDDE PPDDT	PCB254 PCB260 PCP PHANTR PHENOL PPDDD PPDDT PYR TXPHEN	PCB249 PCB260 PCP PHANTR PHENOL PPDDD PPDDT PPDDT PYR TXPHEN	PCB245 PCB254 PCB260 PCP PHENOL PPDDE PPDDE PPDDT PYR TXPHEN	PCB245 PCB254 PCB260 PCP PPDDD PPDDD PPDD PPDD PYR TXPHEN	PCB245 PCB260 PCP PCB PHANTR PHENOL PPDDD PPDD PPDD PPDD PPDD PPDD PPDD PP	PCB245 PCB254 PCB260 PCP PPENOL PPENOL PPENOL PPENOL TYPHEN TYPHEN TYPHEN	PUBCE PRESCA PRESCA PRESCA PRESCA PRODE PRODE PRODE PRODE TYR TYPEN TYPE	PCB245 PCB260 PCP PCB260 PCB260 PCB260 PPDDDD PPDDDD PPDDDD PPDDD PPDDD PPDDD PPDDD PPDDD PPDDD PPDDD PPDDDD PPDDD PPDDD PPDDD PPDDD PPDDD PPDDD PPDDD PPDDDD PPDDDD PPD
Lot	HZSA	HZSA	HZSA	HZSA	HZSA	HZSA	HZSA	HZSA	HZSA	HZSA	HZSA	HZSA	HZSA	HZSA	H7CA	207	HZSA	HZSA HZSA HZSA	HZSA HZSA HZSA	HZSA HZSA HZSA HZSA HZSA	HZSA HZSA HZSA HZSA HZSA	HZSA HZSA HZSA HZSA HZSA HZSA	HZSA HZSA HZSA HZSA HZSA HZSA HZSA	HZSA HZSA HZSA HZSA HZSA HZSA HZSA	HZSA HZSA HZSA HZSA HZSA HZSA HZSA HZSA	HZSA HZSA HZSA HZSA HZSA HZSA HZSA HZSA	HZSA HZSA HZSA HZSA HZSA HZSA HZSA HZSA	HZSA HZSA HZSA HZSA HZSA HZSA HZSA HZSA	HZSA HZSA HZSA HZSA HZSA HZSA HZSA HZSA	HESA HESA HESA HESA HESA HESA HESA HESA	HZSA HZSA HZSA HZSA HZSA HZSA HZSA HZSA	HESA HESA HESA HESA HESA HESA HESA HESA	HZSA HZSA HZSA HZSA HZSA HZSA HZSA HZSA
USATHAMA Method Code	LM18																										H	LM19	LM19	LM19	P# 9	LM19	LM19

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

USATHAMA Method Code	Lot	Test	Lab Number	Prep Date	Analysis Date	•	Value	Units
LM19	GARA	ACET		09-AUG-93	09-AUG-93	; • •	710.	nec
	GARA	ACROLN		09-AUG-93	09-AUG-93	v	٦.	8
	GARA	ACRYLO		09-AUG-93	09-AUG-93	v	۲.	99
	GARA	BRDCLM		09-AUG-93	09-AUG-93	v	.0029	99
	GARA	C130CP		09-AUG-93	09-AUG-93	v	.0032	990
	GARA	C2AVE		09-AUG-93	09-AUG-93	v	.032	SSU
	GARA	C2H3CL		09-AUG-93	09-AUG-93	v	.0062	99
	GARA	C2H5CL		09-AUG-93	09-AUG-93	v	.012	990
	GARA	C6116		09-AUG-93	09-AUG-93	v	.0015	99
	GARA	CCL3F		09-AUG-93	09-AUG-93	v	.0059	99
	GARA	CCL4		09-AUG-93	09-AUG-93	v	200.	<u>5</u>
	GARA	CH2CL2		09-AUG-93	09-AUG-93	v	.012	990
	GARA	CH3BR		09-AUG-93	09-AUG-93	v	.0057	<u>9</u>
	GARA	CH3CL		09-AUG-93	09-AUG-93	v	.0088	990
	GARA	CHBR3		09-AUG-93	09-AUG-93	v	6900.	99 199
	GARA	CHCL3		09-AUG-93	09-AUG-93	v	78000.	990
	GARA	CL282		09-AUG-93	09-AUG-93	v	۲.	180
	GARA	CLC6H5		09-AUG-93	09-AUG-93	v	98000.	8
	GARA	CS2		09-AUG-93	09-AUG-93	v	.0044	9 9
	GARA	DBRCLM		09-AUG-93	09-AUG-93	v	.0031	99
	GARA	ETC6H5		09-AUG-93	09-AUG-93	v	.0017	33
	GARA	MEC6H5		09-AUG-93	09-AUG-93	v	.00078	8
	GARA	Æ		09-AUG-93	09-AUG-93	v	20.	8
	GARA	MIBK		09-AUG-93	09-AUG-93	v	.027	000 000
	GARA	MNBK		09-AUG-93	09-AUG-93	v	.032	9
	GARA	STYR		09-AUG-93	09-AUG-93	v	.0026	990
	GARA	T130CP		09-AUG-93	09-AUG-93	v	.0028	පු
	GARA	TCLEA		09-AUG-93	09-AUG-93	v	.0024	990
	GARA	TCLEE		09-AUG-93	09-AUG-93	v	.00081	99
	GARA	TRCLE		09-AUG-93	09-AUG-93	v	.0028	<u>8</u>
	GARA	XYLEN		09-AUG-93	09-AUG-93	v	.0015	99
	GASA	111TCE		10-AUG-93	10-AUG-93	v	700,	99
	GASA	112TCE		10-AUG-93	10-AUG-93	v	.0054	990
	GASA	11DCE		10-AUG-93	10-AUG-93	v	.0039	990

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Units	990 990 990 990 990 990 990 990 990 990
Value	
v :	· · · · · · · · · · · · · · · · · · ·
Analysis Date	10-AUG-93 10-AUG-93
Prep Date	10-AUG-93 10-AUG-93
Lab Number	
Test Name	110CLE 12DCE 12DCE 2CLEVE 2CLEVE 2CLEVE C13DCP C2ASCL C2H5CL C2H5CL C2H5CL C2H5CL CH2CL CH2CL CH2CL CH2CL CH2CL CH2CL CH2CL CH2CL CH2CL CH2CL CH2CL CH2CL CH3CL CH2CL CH3CL CH2CL CH3C CH3C
Lot	GASA GASA GASA GASA GASA GASA GASA GASA
USATHAMA Method Code	LM19

Chemical quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Units	990 990 990 990 990 990 990 990 990 990	990
Vatue	200.29 200.39	.027
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	: . v v v v v v v v v v v v v v v v v v v	•
Analysis Date	10-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93	11-AUG-93
Prep Date	10-AUG-93 10-AUG-93 11-AUG-93	11-AUG-93
Lab Number		
Test Name	TRCLE XYLEN 1111GE 1111GE 1110CE 110CE 110CE 120CE C2NE C2NE C2NE C2NE C2NE C2NE C2NE C2	_
Lot	GASA GASA GATA GATA GATA GATA GATA GATA	GATA
USATHAMA Method Code	E 2 3 9	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Units	g	Q	Ğ	Ġ	Ö	Ģ	ä	Ö	Ğ	ä	ä	ä	Ģ	ភ	ģ	ä	ä	ä	ä	ä	35	ä	ä	ä	ä	ģ	æ	ģ	ä	я	ä	ង	ä	ģ
5 ;	99	9	3	5	5	ຮ	5	5	5	ອ	ຮ	ອ	ວິ	ອ	ອ	ຮ	ອ	ອ	ຮ	3	2	ž	3	ອ									ĭ	ž
Value	.032	.002	.0028	.0024	.00081	.0028	.0015	.0044	.0054	.0039	.0023	.003	.0017	.0029		.017	۲.	۲.	.0029	.0032	.032	.0062	.012	.0015	.0059	.007	.012	.0057	.0088	6900"	.00087	٠.	.0008	.0044
v :	v	Y	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	11-AUG-93	16-AUG-93																																
Prep Date	11-AUG-93	16-AUG-93																																
Lab Number																																		
Test Name	MBK	STYR	T130CP	TCLEA	TCLEE	TRCLE	XYLEN	111TCE	112TCE	11DCE	11DCLE	120CF	12DCLE	12DCLP	2CLEVE	ACET	ACROLN	ACRYLO	BRDCLM	C130CP	CZAVE	C2H3CL	C2H5CL	сен6	CCL3F	ככר ל	CH2CL2	CH3BR	CH3CL	CHBR3	CHCL3	CL28Z	CLC6H5	cs2
Lot	GATA	GATA	GATA	GATA	GATA	GATA	GATA	GAWA	GAMA	GAWA	GAMA	GAMA	GAWA	GAWA	GAMA	GAMA	GAWA	GAHA	GAMA	GAWA	GAWA													
USATHAMA Method Code	LM19																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994, SSI Groups 2,7

ø,	,																																
Units	88	38	8	8	8	20	<u>පු</u>	පු	9	2	200	8	뿔	ន្ទ	ဒ္ဌ	2	<u>ප</u>	9	8	200	물	9	දු	පු	පු	3	පු	8		9	99	5	ဋ္ဌ
Value	.0031	82000	20.	.027	.032	.0026	.0028	.0024	.00081	.0028	.0015	7,00.	.0054	.0039	.0023	.003	.0017	.0029	<u>.</u>	.017	۲.	۲.	.0029	.0032	.032	.0062	.012	.0015	.0059	200.	.012	.0057	9800
v		/ v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93							
Prep Date	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93							
Lab Number																																	
Test Name	DBRCLM	MEC6H5	荒	MIBK	MNBK	STYR	T130CP	TCLEA	TCLEE	TRCLE	XYLEN	111TCE	112TCE	110ce	110CLE	120CE	120CLE	12DCLP	2CLEVE	ACET	ACROLN	ACRYLO	BRDCLM	C13DCP	CZAVE	C2H3CL	C2H5CL	С6Н6	CCL3F	CCL4	CH2CL2	CH3BR	CH3CL
Lot	GAWA	§ §	GAWA	GAMA	GAWA	GAMA	GAMA	GAMA	GAMA	SE SE	SA PA	GAXA	GAXA	GXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA	GAXA
USATHAMA Method Code	LM19																		٠														

USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	v (Value	Units
LM19	GAXA	CHBR3		17-AUG-93	17-AUG-93	· • •	.0069	99
	EAXA GAXA	CHCL3		17-AUG-95	17-AUG-95	v v	, mus	3 5
•	GAXA	CL C6H5		17-AUG-93	17-AUG-93	, v	98000	3 8
	GAXA	CS2		17-AUG-93	17-AUG-93	v	.0044	990
	GAXA	DBRCLM		17-AUG-93	17-AUG-93	v	.0031	99
	BAX S	ETC6H5		17-AUG-93	17-AUG-93	۷,	.0017	8 5
	\$ \$	MECONO		17-AUG-93	17-AUG-93	/ v		3 5
	88	MIBK		17-AUG-93	17-AUG-93	· •	.027	38
	GXA	MNBK		17-AUG-93	17-AUG-93	v	.032	990
	GAXA	STYR		17-AUG-93	17-AUG-93	v	.0026	99
	8 S	T130CP		17-AUG-93	17-AUG-93	v	.0028	ဗ္ဗ
	GAXA	TCLEA		17-AUG-93	17-AUG-93	v	.0024	990
	GAXA	TCLEE		17-AUG-93	17-AUG-93	v	.00081	99
	GAXA	TRCLE		17-AUG-93	17-AUG-93	v	.0028	<u>8</u>
	GAXA	XYLEN		17-AUG-93	17-AUG-93	v	.0015	9 2
	IBAA	111TCE		17-SEP-93	17-SEP-93	v	7007	9
	IBAA	112TCE		17-SEP-93	17-SEP-93	v	.0054	3
	IBAA	110CE		17-SEP-93	17-SEP-93	v	.0039	<u>9</u>
	IBAA	11DCLE		17-SEP-93	17-SEP-93	v	.0023	8
	IBAA	120CE		17-SEP-93	17-SEP-93	v	.003	99
	IBAA	120CLE		17-SEP-93	17-SEP-93	v	.0017	5
	IBAA	120CLP	•	17-SEP-93	17-SEP-93	v	.0029	99
	IBAA	2CLEVE		17-SEP-93	17-SEP-93	v	<u>.</u>	99
	IBAA	ACET		17-SEP-93	17-SEP-93	v	.017	ဗ္ဗာ
	IBAA	ACROL'N		17-SEP-93	17-SEP-93	v	٦.	9
	IBAA	ACRYLO		17-SEP-93	17-SEP-93	v	Ξ.	<u>ფ</u>
	IBAA	BRDCLM		17-SEP-93	17-SEP-93	v	.0029	990
	IBAA	C130CP		17-SEP-93	17-SEP-93	v	.0032	ജ
	IBAA	CZAVE		17-SEP-93	17-SEP-93	v	.032	ဗ္ဗ
	IBAA	C2H3CL		17-SEP-93	17-SEP-93	v	.0062	99 180
	IBAA	CZHSCL		17-SEP-93	17-SEP-93	v	2012	8
	IBAA	COHO		17-SEP-95	17-SEP-93	v	cruo.	990

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

JSATHAMA 4ethod 2ode Lot		Test Name	Lab Number	Prep Date	Analysis Date	•	Value	Units
	BAA	CCL3F		17-SEP-93	17-SEP-93		.0059	
•	BAA	ככר ל		17-SEP-93	17-SEP-93	~	200.	9 9
≤	BAA	CH2CL2		17-SEP-93	17-SEP-93	~	.012	<u>8</u>
≲	BAA	CH3BR		17-SEP-93	17-SEP-93	~	.0057	99
≲	BAA	CH3CL		17-SEP-93	17-SEP-93	v	8800.	99
₩	5	CHBR3		17-SEP-93	17-SEP-93	v	6900.	990
S	BAA	CHCL3		17-SEP-93	17-SEP-93	v	.00087	99
₽¥	\$	CL 28Z		17-SEP-93	17-SEP-93	v	٣.	99 090
S	BAA	CLC6H5		17-SEP-93	17-SEP-93	v	98000.	<u>8</u>
8	5	CS2		17-SEP-93	17-SEP-93	v	.0044	8
2	BAA	DBRCLM		17-SEP-93	17-SEP-93	v	.0031	ဗ္ဗ
8	BA	ETC6H5		17-SEP-93	17-SEP-93	v	.0017	990
₽¥	\$	MEC6H5		17-SEP-93	17-SEP-93	v	82000	9
BA	5	弄		17-SEP-93	17-SEP-93	~	.07	<u>9</u>
8	BAA	MIBK		17-SEP-93	17-SEP-93	v	.027	9
8	BAA	MNBK		17-SEP-93	17-SEP-93	~	.032	8
8	BAA	STYR		17-SEP-93	17-SEP-93	٧	.0026	සු
æ	BAA	T130CP		17-SEP-93	17-SEP-93	~	.0028	8
8	BAA	TCLEA		17-SEP-93	17-SEP-93	v	.0024	<u>9</u>
æ	BAA	TCLEE		17-SEP-93	17-SEP-93	~	.00081	<u>9</u>
8	BAA	TRCLE		17-SEP-93	17-SEP-93	v	.0028	99
<u>@</u>	\$	XYLEN		17-SEP-93	17-SEP-93	v	2100	25
齒	8	111TCE		20-SEP-93	20-SEP-93	v	7,00.	99 0
8	æ	112TCE		20-SEP-93	20-SEP-93	v	.0054	990
8	8	11DCE		20-SEP-93	20-SEP-93	V	.0039	99
薑	æ	110CLE		20-SEP-93	20-SEP-93	v	.0023	990
8	BBA	120CE		20-SEP-93	20-SEP-93	v	.003	99 29
8	BBA	120CLE		20-SEP-93	20-SEP-93	v	.0017	990
霻	BBA	120CLP		20-SEP-93	20-SEP-93	v	.0029	8
薑	BBA	2CL.EVE		20-SEP-93	20-SEP-93	v	<u>.</u>	3
噩	BBA	ACET		20-SEP-93	20-SEP-93	v	.017	3
噩	BBA	ACROLN		20-SEP-93	20-SEP-93	~	۲.	<u>9</u>
霻	BA	ACRYLO		20-SEP-93	20-SEP-93	v	۲.	99 0
<u>=</u>	BBA	BRDCLM		20-SEP-93	20-SEP-93	v	.0029	99

USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	•	Value	Units
LM19	188A	C130CP	! ! ! ! !	20-SEP-93	20-SEP-93	i ·	.0032	990
	IBBA	CSAVE		20-SEP-93	20-SEP-93	v	.032	පු
	IBBA	C2H3CL		20-SEP-93	20-SEP-93	v	.0062	8
	IBBA	C2H5CL		20-SEP-93	20-SEP-93	v	.012	8
	IBBA	с6н6		20-SEP-93	20-SEP-93	v	.0015	S S
	188A	CCL3F		20-SEP-93	20-SEP-93	v	.0059	జ్ఞ
	IBBA	ככור		20-SEP-93	20-SEP-93	v	200.	89
	IBBA	CH2CL2		20-SEP-93	20-SEP-93	v	.012	9 9
	IBBA	CH3BR		20-SEP-93	20-SEP-93	v	.0057	8
	IBBA	CH3CL		20-SEP-93	20-SEP-93	v	8800.	ဗ္ဗ
	IBBA	CHBR3		20-SEP-93	20-SEP-93	v	6900.	35 25 25
	IBBA	CHCL3		20-SEP-93	20-SEP-93	v	.00087	8
	188A	CL 282		20-SEP-93	20-SEP-93	v	٦.	000 000
	188A	CLC6H5		20-SEP-93	20-SEP-93	v	98000.	8
	IBBA	CS2		20-SEP-93	20-SEP-93	v	.0044	<u>8</u>
	IBBA	DBRCLM		20-SEP-93	20-SEP-93	v	.0031	ജ
	IBBA	ETC6H5		20-SEP-93	20-SEP-93	v	.0017	<u>8</u>
	188A	MEC6H5		20-SEP-93	20-SEP-93	v	82000.	9 9
	IBBA	XIIX		20-SEP-93	20-SEP-93	v	.07	99 190
	IBBA	MIBK		20-SEP-93	20-SEP-93	v	.027	99
	IBBA	MNBK		20-SEP-93	20-SEP-93	v	.032	990
	IBBA	STYR		20-SEP-93	20-SEP-93	v	.0026	<u>8</u>
	IBBA	T130CP		20-SEP-93	20-SEP-93	v	.0028	<u>8</u>
	IBBA	TCLEA		20-SEP-93	20-SEP-93	v	.0024	99n
	IBBA	TCLEE		20-SEP-93	20-SEP-93	v	.00081	990
	IBBA	TRCLE		20-SEP-93	20-SEP-93	v	.0028	99 28 29
	188A	XYLEN		20-SEP-93	20-SEP-93	v	.0015	35 0
	IBEA	111TCE		21-SEP-93	21-SEP-93	v	.0044	99
	IBEA	112TCE		21-SEP-93	21-SEP-93	v	.0054	<u>9</u>
	IBEA	11DCE		•	21-SEP-93	v	.0039	<u>9</u>
	IBEA	110CLE		21-SEP-93	21-SEP-93	٧	.0023	<u>8</u>
	IBEA	120CE		21-SEP-93	21-SEP-93	v	.003	ဒ္ဌ
	IBEA	120CLE			-	v	.0017	990
	IBEA	120CLP		21-SEP-93	21-SEP-93	v	.0029	990

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

ya ı																																
Units	99 29 20	8	ន្ទ	8	3	<u>8</u>	3 5	3 5	9	25	3	2	9	9	පු	ဗ္ဗ	9	දු	990	9	200	3	2	9	99	990	25	990	99	9	55	99
Value	.0.	τ.	۲.	.0029	.0032	25.03	2000.	2.0	.0059	200.	.012	.0057	8800.	6900.	.00087	٣.	98000.	.0044	.0031	.0017	.00078	-02	.027	.032	.0026	.0028	.0024	.00081	.0028	.0015	.0044	.0054
· ;	~ ~	v	v	v	v	v	v	v v	· •	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	21-SEP-93 21-SEP-93	21-SEP-93	22-SEP-93	22-SEP-93																												
Prep Date	21-SEP-93 21-SEP-93	21-SEP-93	21-SEP-93	21-SEP-93		21-SEP-93	•	21-SEP-93	-SEP-	22-SEP-93																						
Lab Number																						•										
Test Name	2CLEVE ACFT	ACROLN	ACRYLO	BRDCLM	C130CP	C2AVE	CZH3CL	CZHSCL	CC 3F	ככרל	CH2CL2	CH3BR	CH3CL	CHBR3	CHCL3	CL282	CLC6H5	CS2	DBRCLM	ETC6H5	_	弄	_	¥NBK	•	•	_	_	•	×	111TCE	112TCE
Lot	1BEA 1RFA	IBEA	IBEA	IBEA	IBEA	IBEA	IBEA	18EA	IBEA	IBEA	IBEA	IBEA	1BEA	IBEA	18EA	IBEA	IBGA	IBGA														
USATHAMA Method Code	LM19																															

c/																																			
Units		990	9	9	<u> </u>	DGG	990	990	990	99 0	99	99	9	990	990	8	9	55	8	9	9	9	ဒ္ဌ	99	9	99 N	25	D90	5	990	9	9	99	8	99
Value		.0039	.0023	.003	.0017	.0029	<u>.</u>	.017	τ.	Ψ.	.0029	.0032	.032	.0062	.012	.0015	.0059	200.	.012	.0057	.0088	6900	.00087	۲.	.0008	.0044	.0031	.0017	8,000.	20.	.027	.032	.0026	.0028	.0024
v	; ; ;	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	232	22-SEP-93	22-SEP-93	22-SEP-93	22-SEP-93																														
Prep Date		22-SEP-93	22-SEP-93	22-SEP-93	22-SEP-93																														
Lab Number																																			
Test	2	11DCE	110CLE	120CE	120CLE	120CLP	2CL.EVE	ACET	ACROLN	ACRYLO	BRDCLM	C130CP	CZAVE	C2H3CL	C2H5CL	9Н9Э	CCL3F	CCL4	CH2CL2	CH3BR	CH3CL	CHBR3	CHCL3	CL2BZ	CLC6H5	CS2	DBRCLM	ETC6H5	MEC6H5	픴	MIBK	ENBK	STYR	T130CP	TCLEA
ţ	:	18GA	18GA	1864	IBGA	1BGA	IBGA	IBGA	18GA	IBGA	IBGA	IBGA	IBGA	IBGA	IBGA	18GA	IBGA	IBGA	18GA	18GA															
USATHAMA Method Code	2	LM19																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

40		
Units	999 999 999 999 999 999 999 999 999 99	
Value		
v	; ,	
Analysis Date	22-86-93 24-86-93	
Prep Date	22-SP-93 24-SP-93	
Lab Number		
Test Name	TCLEE TRCLE 1117CE 1117CE 1110CE 1120CLE 120CLE 120CLP ACCIT CC13CC CCASCL CC13C CC1	
Lot	IBGA IBGA IBGA IBBNA IBN	
USATHAMA Method Code	PH 10	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

ķ,	•																																	
Units	පු	20	ន្ទ	9	200	2	25	9	3	9	9	2	99	200	9	200	200	ន្ទ	2	2	9	9	ဒ္ဌ	9	පු							9		250
Value	.027	.032	.0026	.0028	.0024	.00081	.0028	.0015	-0044	.0054	.0039	.0023	.003	.0017	.0029	<u>.</u>	.017	τ.	٦.	.0029	.0032	.032	.0062	.012	.0015	.0059	200.	.012	.0057	.0088	6900.	.00087	-	98000.
v :	, , ,	v	v	v	v	٧	v	v	v	v	v	v	v	v	v	~	٧	v	v	v	v	v	v	v	٧	v	٧	٧	٧	٧	٧	v	v	v
Analysis Date	24-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93														
Prep Date	24-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93	30-SEP-93														
Lab Number																																		
Test Name	M. M.	MNBK	STYR	T130CP	TCLEA	TCLEE	TRCLE	XYLEN	111TCE	112TCE	110CE	110CLE	120CE	12DCLE	12DCLP	2CLEVE	ACET	ACROLN	ACRYLO	BRDCLM	C130CP	CZAVE	C2H3CL	CZHSCL	С6Н6	CCL3F	ככרל	CH2CL2	CH3BR	CH3CL	CHBR3	CHCL3	CL2BZ	CLC6H5
Lot	IBNA	180A	180A	180A	1B0A	IBOA	IBQA	180A	180A	IBOA	IBOA	IBQA	IBQA	IBOA	180A	IBOA	IBOA	IBOA	IBOA	IBQA	IBQA	180A	IBOA	IBQA	1B0A	IBOA	180A							
USATHAMA Method Code	LM19																																	

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

s	1	
Units		
Value	.0044 .0037 .0037 .07 .07 .037 .032 .0026 .0028 .0028 .0028 .0028 .0028 .0028	488 456 456 456 456 458 458 458 458 458 458 458 458 458 458
v	; ,	* * * * * * * * * * * * * * * * * * *
Analysis Date	30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93	07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 29-SEP
Prep Date	30-86-93 30-86-93 30-86-93 30-86-93 30-86-93 30-86-93 30-86-93 30-86-93 30-86-93	10-AUG-93 10-AUG
Lab Number		
Test Name	CS2 DBRCLM ETCH5 ETCH5 MECCH5 MEK MIBK MNBK STYR T13DCP T11E TCLEE TRCLE	1351NB 2461NI 2461NI 246NI 266NI HMX NG NG NG RDX NG RDX 1351NB 1351NB 1351NB 2461NI 266NI 266NI 266NI 266NI RMX NB
Lot	180A 180A 180A 180A 180A 180A 180A 180A	6PHA 6PHA 6PHA 6PHA 6PHA 6PHA 6PHA 16EA 16EA 16EA 16EA
USATHAMA Method Code	EM19	LM12

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Prep Date Control of the Prep Date Date Control of the Prep Date Control of the Prep Date Control of the Prep Control of the P
Analysis Date 29-SEP-93 29-SEP-93 12-0CT-93 12-0CT-93 14-FEB-94 11-NOV-93
Analysis Date 29-SEP-93 29-SEP-93 12-0CT-93 15-0CT-93 16-NOV-93 14-FEB-94 11-NOV-93 14-FEB-94 14-FEB-94 11-NOV-93 15-NOV-93 11-NOV-93 11-FEB-94 11
Analysis Date 29-SEP-93 29-SEP-93 12-OCT-93 15-OCT-93 14-FEB-94 14-FEB-94 14-FEB-94 14-FEB-94 14-FEB-94 14-FEB-94 15-NOV-93 15-NOV-93 15-NOV-93 15-NOV-93 16-NOV-93 16
Analysis Date 29-SEP-93 < 29-SEP-93 < 12-OCT-93 < 15-OCT-93 < 15-OCT-93 < 16-FEB-94 < 14-FEB-94 < 15-NOV-93 < 17-NOV-93 < 17-FEB-94 < 17-FEB-94 < 17-FEB-94 < 17-FEB-94 < 17-NOV-93 < 17-N
Analysis Date 29-SEP-93 29-SEP-93 12-OCT-93 15-OCT-93 14-FEB-94 15-NOV-93 17-NOV-93
Analysis Date 29-SEP-93 29-SEP-93 12-OCT-93 12-OCT-93 14-FEB-94 11-NOV-93 14-FEB-94 11-NOV-93 14-FEB-94 11-NOV-93
Analysis Date 29-SEP-93 < 29-SEP-93 < 12-OCT-93 < 12-OCT-93 < 14-FEB-94 < 14-FEB-94 < 11-NOV-93 < 11-NOV-93 < 14-FEB-94 < 14-FEB-94 < 14-FEB-94 < 14-FEB-94 < 14-FEB-94 < 14-FEB-94 < 15-NOV-93 <
Analysis Date 29-SEP-93 < 29-SEP-93 < 12-OCT-93 < 15-OCT-93 < 15-OCT-93 < 16-NOV-93 < 11-NOV-93 < 14-FEB-94 < 14-F
Analysis Date 29-SEP-93 < 29-SEP-93 < 12-OCT-93 < 15-OCT-93 < 14-FEB-94 < 18-FEB-94 < 14-FEB-94 < 11-NOV-93 < 11-NOV-93 < 14-FEB-94 < 14-F
Analysis Date 29-SEP-93 < 29-SEP-93 < 12-OCT-93 < 12-OCT-93 < 14-FEB-94 < 14-FEB-94 < 11-NOV-93 < 11-NOV-93 < 14-FEB-94 < 14-F
Analysis Date 29-SEP-93 < 29-SEP-93 < 30-AUG-93 < 15-OCT-93 < 16-OCT-93 < 16-OCT-93 < 16-OCT-93 < 16-CCT-93 < 16-CCT-93 < 16-CCT-93 < 14-FEB-94 < 11-NOV-93 < 14-NOV-93 < 14-FEB-94 <
Analysis Date 29-SEP-93 < 29-SEP-93 < 12-OCT-93 < 12-OCT-93 < 14-FEB-94 < 14-FEB-94 < 11-NOV-93 < 11-NOV-93 < 14-FEB-94 <
Analysis Date 29-SEP-93 < 29-SEP-93 < 12-OCT-93 < 12-OCT-93 < 14-FEB-94 < 14-FEB-94 < 18-FEB-94 < 11-NOV-93 < 11-NOV-93 < 14-FEB-94 <
Analysis Date 29-SEP-93 < 29-SEP-93 < 12-OCT-93 < 12-OCT-93 < 14-COCT-93 < 14-FEB-94 < 14-FEB-94 < 18-FEB-94 < 11-NOV-93 < 11-NOV-93 < 11-NOV-93 <
Analysis Date 29-SEP-93 < 29-SEP-93 < 120-CIT-93 < 15-OCT-93 < 16-OCT-93 < 16-OCT-93 < 16-OCT-93 < 14-FEB-94 < 18-FEB-94 < 11-NOV-93 < 11-NOV-93 <
Analysis Date 29-SEP-93 < 29-SEP-93 < 12-OCT-93 < 15-OCT-93 < 14-FEB-94 < 14-FEB-94 < 18-FEB-94 < 18-F
Analysis Date 29-SEP-93 < 29-SEP-93 < 12-0CT-93 < 15-0CT-93 < 14-FEB-94 < 18-FEB-94 <
Analysis Date 29-SEP-93 < 29-SEP-93 < 12-OCT-93 < 15-OCT-93 < 16-OCT-93 < 16-OCT-93 < 16-OCT-93 < 18-FEB-94 < 18-F
Analysis Date 29-SEP-93 < 29-SEP-93 < 30-AUG-93 < 12-OCT-93 < 16-OCT-93 < 14-FEB-94 <
Analysis Date 29-SEP-93 < 29-SEP-93 < 12-0c1-93 < 15-0c1-93 < 15-0c1-93 < 08-NOV-93 <
Analysis bate 29-SEP-93 < 29-SEP-93 < 30-AUG-93 < 12-OCT-93 < 15-OCT-93 <
Analysis Date 29-SEP-93 < 29-SEP-93 < 30-AUG-93 < 12-OCT-93 <
Analysis Date 29-SEP-93 < 30-AUG-93 <
Analysis
Analysis Date < 1
sis

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

USATHAMA Method Code Lot		Test Name	Lab Number	Prep Date	Analysis Date	v	Value	Units
HONA	. ≤	AS	! ! ! !	02-NOV-93	12-NOV-93	! :	2.54	: 명
YCOA	s	AS		09-FEB-94	11-FEB-94	v	2.54	폌
ŽĢ.	⋖	AS		14-FEB-94	21-FEB-94	v	2.54	<u>ප්</u>
FRDA	×	SB		16-SEP-93	28-SEP-93	v	3.03	Je Ne
FRTA	≤	SB		19-0CT-93	05-NOV-93	v	3.03	멸
FRUA	⋖	SB		03-NOV-93	16-NOV-93	v	3.03	曺
Ę.	5	SB		10-NOV-93	11-NOV-93	v	3.03	폌
NE	×	SB		08-FEB-94	15-FEB-94	v	3.03	ם
NFHA	≰	88		14-FEB-94	18-FEB-94	v	3.03	펄
812	N	AG		22-JAN-93	26-JAN-93	v	4.6	Je Ne
812	~	AL		22-JAN-93	26-JAN-93	v	141	널
812	N	BA		22-JAN-93	26-JAN-93	v	'n	ig ig
812	2	BE		22-JAN-93	26-JAN-93	v	'n	텀
812	N	5		22-JAN-93	26-JAN-93	v	200	년 N
812	7	8		22-JAN-93	26-JAN-93	v	4.01	널
BIZ	2	8		22-JAN-93	26-JAN-93	v	ĸ	멸
812	2	క		22-JAN-93	26-JAN-93	v	6.02	형
812	2	공		22-JAN-93	26-JAN-93	v	8.0	년 기
BIZ	2	쁘		22-JAN-93	26-JAN-93	v	38.8	펻
812	7	~		22-JAN-93	26-JAN-93	~	33 33	렇
81.	7	£		22-JAN-93	26-JAN-93	~	200	ց
81.	7	£		22-JAN-93	26-JAN-93	v	3	털
812	7	NA A		22-JAN-93	26-JAN-93	v	<u>5</u>	펄
81	7	¥		22-JAN-93	26-JAN-93	v	34.3	폌
81	7	>		22-JAN-93	26-JAN-93	v	=	폌
812	7	ZN		22-JAN-93	26-JAN-93	v	21.1	폌
EVTA	¥	AG		08-SEP-93	10-SEP-93	v	4.6	폌
EVTA	¥	٩٢		08-SEP-93	10-SEP-93	v	141	폌
EVTA	ĭ	BA		08-SEP-93	10-SEP-93	v	'n	ם
≧	EVTA	띪		08-SEP-93	10-SEP-93	v	'n	宫
Ē	¥	S C		08-SEP-93	10-SEP-93	v	200	멸
≧	EVTA	8		08-SEP-93	10-SEP-93	v	4.01	Jg Ng

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	2.5.3
-	
V :	:
Analysis Date	10-88-93 10-88-93 10-88-93 10-88-93 10-88-93 10-88-93 10-88-93 10-88-93 11-901-93
Prep Date	86-88-93 86-88-93 86-88-93 86-88-93 86-88-93 86-88-93 86-88-93 12-001-93 12-001-93 12-001-93 12-001-93 12-001-93 12-001-93 12-001-93 12-001-93 12-001-93 12-001-93 13-001-93 13-001-93 13-001-93 13-001-93 13-001-93 13-001-93 13-001-93 13-001-93 13-001-93 13-001-93 13-001-93 13-001-93 13-001-93 13-001-93 13-001-93 13-001-93
Lab Number	
Test Name	858872788888888888888888888888888888888
Lot	EUTA EUTA EUTA EUTA EUTA EUTA EUTA EUTA
USATHAMA Method Code	SS 10

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

ω .	1																																	
Units	힘	림	ց	폌	ng Ng	뎔	널	널	폌	ց	널	폌	폌	ם 기	ng N	털	덤	ց	폌	폌	百	ց	널	폌	덩	ם	ם	힘	ы П	펄	ng Tg	널	렬	ם
Value	25	6.02	8.09	38.8	375	200	2.73	200	34.3	=	21.1	200	373	200	4.6	141	Ŋ	Ŋ	200	4.01	5	6.02	8.09	38.8	373	200	2.73	200	34.3	=	21.1	4.6	141	Σ
v :	•	~	~	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v											
Analysis Date	20-0CT-93	20-0CI-93	20-0CT-93	20-0CT-93	14-NOV-93	14-NOV-93	14-NOV-93	08-NOV-93	10-FEB-94	10-FEB-94	10-FEB-94																							
Prep Date	18-0CT-93	18-oct-93	18-0CT-93	18-0CT-93	18-0CT-93	18-oct-93	18-oct-93	18-0CT-93	18-0CT-93	18-0CT-93	18-0CT-93	12-NOV-93	12-NOV-93	12-NOV-93	04-NOV-93	09-FEB-94	09-FEB-94	09-FEB-94																
Lab Number																																		
Test Name	8	క	3	Æ	¥	S.	¥	¥.	X	>	ZN	క	~	SE.	ΑG	٩٢	BA	띪	S	8	8	8	공	出	*	£	₹	¥	ï	>	ZN	AG	٩٢	BA
Lot	HXLA	XOA	¥	XOA	HXPA	2FQA	ZFQA	ZFQA																										
USATHAMA Method Code	ss10																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Units	<u>.</u>	_	_										-																				
	: <u>ឆ</u>	폌	폌	폌	걸	폏	ဌ	널	렬	펄	렬	렬	폌	폌	렬	렬	ള	ള	멸	폏	ਭ	ਭ	폏	를	ള	멸	ਭ	5	3	ਭ	ਭ	2	멸
Value	5	200	4.01	ĸ	6.02	8.09	38.8	373	200	2.73	200	34.3	Ξ	21.1	4.6	141	'n	Ŋ	200	4.01	IJ	6.02	8.09	55.9	373	200	2.73	200	34.3	Ξ	21.1	15	2
•	; , v !	v	v	v	v	v	v	v	v	v	v	v	v	v	v		v	v	v	v	v	v	v	~	· •								
Analysis Date	10-FEB-94	10-FEB-94	10-FEB-94	10-FEB-94	10-FEB-94	10-FEB-94	10-FEB-94	10-FEB-94	10-FEB-94	10-FEB-94	10-FEB-94	10-FEB-94	10-FEB-94	10-FEB-94	14-FEB-94	01-FFR-03	23-AUG-93																
Prep Date	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	09-FEB-94	01-FFR-93	23-AUG-93
Lab Number																																	
Test Name	HE HE	Š	8	8	క	3	罡	¥	Œ.	ž	NA A	I.	>	Z	AG	AL	BA	出	5	8	8	క	3	뿐	~	¥	¥	NA NA	Z	>	Z		N I
Lot	ZFQA	ZFQA	ZFQA	ZFQA	ZFQA	ZFQA	ZFOA	ZFQA	ZFOA	ZFOA	ZFOA	ZFOA	ZFQA	ZFQA	ZFUA	RYO	E S																
USATHAMA Method Code	ss10																															1F22	<u> </u>

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

ts																								_	_		
	절절	ತ	폌	털	멸	<u>ड</u>	5	5 5	멸	멸	흥	폏	5	ਭ	5	텀	흥	5	9	9	흥	흥	5	5	3	5	5
Value	55	183	13.3	2120	10000	1000	2120	0000	2120	1230	10000	2120	1230	10000	1.	.16	.16	.19	.19	.19	.19	.16	.16	.16	.19	.19	.19
v	·	•	•	v v	•	v	, ,	· ·	٧	٧	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	25-AUG-93 04-OCT-93	02-SEP-93	27-AUG-93	18-JAN-93 18-JAN-93	18-JAN-93	23-AUG-93	23-AUG-93	23-AUG-93	31-AUG-93	31-AUG-93	31-AUG-93	28-SEP-93	28-SEP-93	28-SEP-93	19-JAN-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93	30-AUG-93						
Prep Date	25-AUG-93 04-OCT-93	02-SEP-93	26-AUG-93	18- JAN-93 18- JAN-93	18-JAN-93	23-AUG-93	23-AUG-93	23-AUG-93	31-AUG-93	31-AUG-93	31-AUG-93	28-SEP-93	28-SEP-93	28-SEP-93	12-JAN-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93						
Lab Number																											
Test Name	TIN	NZKJEL	P04	ᆸᇤ	. \$ <u>0</u>	88	ರ .	. 30°	្ន		S 04	ರ	u.	20 4	PCB016	PCB221	PCB232	PCB242	PCB248	PCB254	PCB260	PCB016	PCB221	PCB232	PCB242	PCB248	PCB254
Lot	EOLA	SKW	ZCO	AK2	AKZ	DEUA	DEUA	OF CA	DEVA	DEVA	DEVA	10AA	IOAA	IOAA	딤	띰	딤	딩	딢	띡	딩	DPXA	DPXA	DPXA	DPXA	PXA	DPXA
USATHAMA Method Code	TF22	1F26	TF27	1110											UH02												

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	<i>\$</i> \$.039 UGL .075 UGL .023 UGL .092 UGL
v	; ;	* * * *
Analysis Date	30-ALG-93 01-SEP-93 01-SEP-93 01-SEP-93 01-SEP-93 01-SEP-93 01-SEP-93 29-001-93 20-001	20-JAN-93 20-JAN-93 20-JAN-93 20-JAN-93
Prep Date	11-Aug-93 17-Aug-93 17-Aug-93 17-Aug-93 17-Aug-93 17-Aug-93 17-Aug-93 20-0c1-93 20-0c1-93 20-0c1-93 20-0c1-93 26-JAN-94 26-JAN-94 26-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94	12- JAN-93 12- JAN-93 12- JAN-93 12- JAN-93
Lab Number		
Test Name	PCB260 PCB216 PCB221 PCB242 PCB242 PCB248 PCB246 PCB242 PCB242 PCB248 PCB248 PCB248 PCB242	ABHC ACLDAN AENSLF ALDRN
Lot	DPXA DPXA DPXA DPXA DPXA DPXA HCUA HCUA HCUA HCUA HCUA SDQA SDQA SDQA SDQA SDQA SDQA SDQA SDQ	8888
USATHAMA Method Code	2011	UH13

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS. 1993-1994 SSI Groups 2,7

/alue Units	.023 Ust .027 Ust .023 Ust .023 Ust .023 Ust .023 Ust .023 Ust .025 Ust .02	.0562 UGL
>		199
v :	V V V V V V V V V V V V V V V V V V V	, v v
Analysis Date	20-JAN-93 20-JAN	23-AUG-93 23-AUG-93
Prep Date	12- JAN-93 12- JAN-93 12- JAN-93 12- JAN-93 12- JAN-93 12- JAN-93 12- JAN-93 12- JAN-93 12- JAN-93 11- JAN-93	11-AUG-93 11-AUG-93
Lab Number		
Test Name	BBHC BENSIF BENSIF BLINDRN ENDRNA ENDRNA ESTSO4 GCLDAN HPCL HPCL HPCL HPCL HPCL HPCL HPCL HPCL HPCL HPCL ACLDAN ABHC ACLDAN BHC BHC BHC BHC BHC BHC BENSIF BHC BENSIF BHC BHC BHC BENSIF BHC BENSIF BHC BENSIF BHC BENSIF BHC BHC BHC BHC BHC BHC BHC BHC	HPCLE 1SOOR
Lot	CXB CXB CXB CXB CXB CXB CXB CXB CXB CXB	FBZA FBZA
USATHAMA Method Code	2	

USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	V	Value	Units
UH13	FBZA FBZA	LIN		11-AUG-93 11-AUG-93	23-AUG-93 23-AUG-93	v v	.0507 .057	형성
	FBZA	PPDDD		11-AUG-93	23-AUG-93	•	.0233	펄
	FBZA	PPDDE		11-AUG-93	23-AUG-93	v	.027	펄
	FBZA	PPDDT		11-AUG-93	23-AUG-93	v	92	털 :
	FBZA	TXPHEN		11-AUG-93	23-AUG-93	v	1.35	를 :
	5 CA	ABHC		17-AUG-95	21-SEP-93	٧ ،	5 6 6	<u> </u>
	\$ 5 5 5 5	AFNSI F		17-Alig-93	21-SEP-93	, ,	20.	함
	S S S S	ALDRN		17-AUG-93	21-SEP-93	•	.0918	널
	GVCA	BBHC		17-AUG-93	21-SEP-93	•	.024	ig J
	GVCA	BENSLF		17-AUG-93	21-SEP-93	v	.02	ם
	GVCA	DBHC		17-AUG-93	21-SEP-93	v	.0293	널
	GVCA	DLDRN		17-AUG-93	21-SEP-93	v	.024	털
	GVCA	ENDRN		17-AUG-93		~	.0238	멸
	GVCA	ENDRNA		17-AUG-93	21-SEP-93	v	.0285	펄
	GVCA	ENDRNK		17-AUG-93	21-SEP-93	v	.0285	폌
	GVCA	ESFS04		17-AUG-93	21-SEP-93	v	.078	럴
	GVCA	GCLDAN		17-AUG-93	21-SEP-93	v	(2)	널
	GVCA	₩CL		17-AUG-93	21-SEP-93	v	25	털
	GVCA	HPCLE		. 17-AUG-93	21-SEP-93	v	.0245	럴
	GYCA	ISODR		17-AUG-93	21-SEP-93	v	.0562	럴
	GVCA	LIN		17-AUG-93	21-SEP-93	v	.0507	렬 :
	GVCA	MEXCLR		17-AUG-93	21-SEP-93	v	750.	를 :
	GVCA	PPDDD		17-AUG-93	21-SEP-93	v	.0233	령 :
	GVCA	PPDDE		17-AUG-93	21-SEP-93	v	.027	렬
	GVCA	PPDDT		17-AUG-93	21-SEP-93	v	.034	ց
	GVCA	TXPHEN		17-AUG-93	21-SEP-93	v	.3 5	널
	IPGA	ABHC		20-0CT-93	01-NOV-93	•	.0385	털
	IPGA	ACLDAN		20-0CT-93	01-NOV-93	v	5	폌
	IPGA	AENSLF		20-0CT-93	01-NOV-93	v	2 0.	헐
	IPGA	ALDRN		20-0CT-93	01-NOV-93	v	.0918	펄
	IPGA	BBHC		20-0CT-93	01-NOV-93	v	.024	털 :
	IPGA	BENSLF		20-0CT-93	01-NOV-93	v	.023	<u> </u>

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994, SSI Groups 2,7

Value Units	
,	
Analysis Date	01-NOV-93 01-NOV
Prep Date	20-0CT-93 20-0CT
Lab Number	•
Test Name	DBHC DLDRN ENDRNK ESPSO4 ENDRNK ESPSO4 ENDRNK ESPSO4 ENDRNK ESPSO4 ENDRNK HPCL I SODR I SODR I SODR I SODR PPDDE PPDDE PPDDE PPDDE PPDDE I SODR ENDRN
Lot	I PGA I PDUA I DUA I DUA
USATHAMA Method Code	UH13

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Units	<u> </u>	<u> </u>
Value U	0.0233 U 0.024 U 0.025	1.8 1.7 1.7 1.7 1.7 1.7 1.0 1.7 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0
v	******************	* * * * * *
Analysis Date	02-188-52 04-188-52 05-188-52	19- JAN-93 19- JAN-93 19- JAN-93 19- JAN-93 19- JAN-93 19- JAN-93
Prep Date	26-JAN-94 26-JAN-94 26-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94 31-JAN-94	14-JAN-93 14-JAN-93 14-JAN-93 14-JAN-93 14-JAN-93 14-JAN-93
Lab Number		÷
Test Name	PPDDDD PPDDDE PPDDDT TXPHEN AGLDAN ACLDAN ACLDAN AENSLF ALDRN BBHC BBHC BBHC BBHC DLORN ENDRN EN	124768 120018 120014 12EPCH 130018 140018
Lot	TDUA TDUA TDUA TDWA TDWA TDWA TDWA TDWA TDWA TDWA TDW	CKWA CKWA CKWA CKWA CKWA
USATHAMA Method Code	E 13	UM18

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994, SSI Groups 2,7

USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	v	Value	Units
UM18	CKMA	246TCP	1	14-JAN-93	19-JAN-93		4.2	-
	CKA	24DCLP		14-JAN-93	19-JAN-93	. v	2.9	평
	CKMA	24DMPN		14-JAN-93	19-JAN-93	v	5.8	폌
	CK	24DNP		14-JAN-93	19-JAN-93	v	2	펄
	CKO	24DNT		14-JAN-93	19-JAN-93	v	4.5	뎔
	CKIMA	26DNT		14-JAN-93	19-JAN-93	v	٤.	폌
	CKO	2CLP		14-JAN-93	19-JAN-93	v	8.	폌
	S	2CNAP		14-JAN-93	19-JAN-93	v	'n	폌
	CKA	ZMNAP		14-JAN-93	19-JAN-93	v	1.7	뎔
	SK SK SK SK SK SK SK SK SK SK SK SK SK S	<u>₹</u>		14-JAN-93	19-JAN-93	v	3.9	הפר הפר
	¥ S S S	2NANIL		14-JAN-93	19-JAN-93	v	4.3	펄
	₹	SNP		14-JAN-93	19-JAN-93	v	3.7	Jg Ng
	CKA	330CBD		14-JAN-93	19-JAN-93	~	12	멸
	CKA	3NAN1L		14-JAN-93	19-JAN-93	v	6.4	폌
	CKA	46DN2C		14-JAN-93	19-JAN-93	~	17	폌
	CKIMA	4BRPPE		14-JAN-93	19-JAN-93	v	4.2	평
	CKMA	4CANIL		14-JAN-93	19-JAN-93	v	7.3	평
	CKINA	4CL3C		14-JAN-93	19-JAN-93	v	4	널
	CKA	4CLPPE		14-JAN-93	19-JAN-93	v	5.1	널
	CKA	dw,		14-JAN-93	19-JAN-93	v	.52	형
	CKIMA	4NAN1L		14-JAN-93	19-JAN-93	v	5.2	령
	CKMA	4NP		14-JAN-93	19-JAN-93	v	12	널
	CKA	ABHC		14-JAN-93	19-JAN-93	v	4	렬
	CKA	ACLDAN		14-JAN-93	19-JAN-93	v	5.1	뎔
	CKA	AENSLF		14-JAN-93	19-JAN-93	v	9.5	펄
	CKA	ALDRN		14-JAN-93	19-JAN-93	v	4.7	폌
	CKA	ANAPNE		14-JAN-93	19-JAN-93	v	1.7	Net Net
	CKWA	ANAPYL		14-JAN-93	19-JAN-93	v	'n	폌
	SKA	ANTRC		14-JAN-93	19-JAN-93	v	'n	텀
	CKIMA	BZCEXM		14-JAN-93	19-JAN-93	v	1.5	폌
	CKA	82CIPE		14-JAN-93	19-JAN-93	v	5.3	폌
	CKA	BZCLEE		14-JAN-93	19-JAN-93	v	6.	펄
	CKA	BZEHP		14-JAN-93	19-JAN-93	v	4.8	병
	CKA	BAANTR		14-JAN-93	19-JAN-93	v	1.6	널

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	v	Value	Units
UM18	CKIM	BAPYR	! ! ! ! ! !	14-JAN-93	19-JAN-93	· •	4.7	NG.
	X	BBFANT		14-JAN-93	19-JAN-93	v	5.4	ם
	CKA	BBHC		14-JAN-93	19-JAN-93	~	4	뎔
	CKA	BBZP		14-JAN-93	19-JAN-93	~	3.4	UGL
	CKA	BENSLF		14-JAN-93	19-JAN-93	v	9.5	UG!
	CKMA	BENZID		14-JAN-93	19-JAN-93	~	9	UGF
	CKIMA	BENZOA		14-JAN-93	19-JAN-93	~	5	UGF
	CKMA	BGHIPY		14-JAN-93	19-JAN-93	v	6.1	NGL
	CKMA	BKFANT		14-JAN-93	19-JAN-93	~	.87	UG.
	CKIN	BZALC		14-JAN-93	19-JAN-93	~	2.	UG.
	CKA	CARBAZ		14-JAN-93	19-JAN-93	v	'n	UGF
	CKO	CHRY		14-JAN-93	19-JAN-93	v	5.4	UGF C
	CKA	CL68Z		14-JAN-93	19-JAN-93	v	1.6	GE CE
	CKMA	CL6CP		14-JAN-93	19-JAN-93	v	8.6	UGF
	CKA	CL6ET		14-JAN-93	19-JAN-93	v	7.5	UGF
	CKMA	DBAHA		14-JAN-93	19-JAN-93	v	6.5	Je Ne
	CKMA	DBHC		14-JAN-93	19-JAN-93	v	7	ng Ng
	CKMA	DBZFUR		14-JAN-93	19-JAN-93	v	1.7	NGL
	CKA	DEP		14-JAN-93	19-JAN-93	•	~	ng.
	CKA	DLDRN		14-JAN-93	19-JAN-93	~	4.7	GGL CGL
	CKA	DMP		14-JAN-93	19-JAN-93	v	.5	ng n
	CKA	DNBP		14-JAN-93	19-JAN-93	v	3.7	ner ner
	CKA	DNO		14-JAN-93	19-JAN-93	v	₽	ng.
	CKA	ENDRN		14-JAN-93	19-JAN-93	v	7.6	힘
	CKA	ENDRNA		14-JAN-93	19-JAN-93	v	∞	힘
	CKA	ENDRNK		14-JAN-93	19-JAN-93	v	∞	덛
	CKA	ESFS04		14-JAN-93	19-JAN-93	~	9.5	덛
	CKA	FANT		14-JAN-93	19-JAN-93	v	33	d Cer
	CKA	FLRENE		14-JAN-93	19-JAN-93	v	3.7	rg Cer
	CKIMA	GCLDAN		14-JAN-93	19-JAN-93	v	5.1	UG.
	CKA	HCBO		14-JAN-93	19-JAN-93	v	3.4	펄
	CKA	HPCL T		14-JAN-93	19-JAN-93	~	~	ם
	CKA	HPCLE		14-JAN-93	19-JAN-93	~	'n	UGF
	CKMA	ICDPYR		14-JAN-93	19-JAN-93	v	8.6	UGF.

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Units	털	펄	ᆏ	냂	넊	,,	ᆏ	냂	ᇊ	႕	႕	ᆏ	ᆏ	占	낽	占	占	평	占	ಠ	명	占	占	占	占	占	녕	占	占	님	<u>ا</u>	룍	덩	덕
Value U	8.4		<u>.</u> .	z. Z	λ. Ξ	⊃ ~	7.4 U		<u>ح</u> ≥	<u>۲</u>	<u>2</u>	3 28	5 8	⊡ 36	38 38	8 1	ri D	9.2 U	4				9	≏ %	 ∞.	I.7 U	~	J.7.	U 7.1	5.2		2.9 U	_	_
Š	7		L.				7											σ		4	~				•	•		•	•		7	•		
v :	· •	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v		v	v	v	v	v	v	v	v	v	v	v
Analysis Date	9-JAN-93	9-JAN-93	9-JAN-93	9-JAN-93	-JAN-93	19-JAN-93	-JAN-93	-JAN-93	19-JAN-93	-JAN-93	19-JAN-93	19-JAN-93	19-JAN-93	-JAN-93	19-JAN-93	9-JAN-93	9-JAN-93	19-JAN-93	19-JAN-93	9-JAN-93	9-JAN-93	19-JAN-93	-JAN-93	-JAN-93	-SEP-93	-SEP-93	-SEP-93	'-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	'-SEP-93	'-SEP-93
Pa A	4	19	9	9	19	9	5	5	9	9	19	19	19	9	19	5	4	3	5	19	9	9	3	19	6	6	0	0	0	6	6	0	6	0
Prep Date	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	14-JAN-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93
Lab Number																																		
Test Name	I SOPHR	LIN	MEXCLR	NAP	82	NNDWEA	NNDNPA	NNDPA	PCB016	PCB221	PCB232	PCB242	PCB248	PCB254	PCB260	PCP	PHANTR	PHENOL	PPDDD	PPODE .	PPDDT	PYR	TCLEE	TXPHEN	124TCB	120CLB	120PH	13DCLB	14DCLB	245TCP	246TCP	24DCLP	24DMPN	24DNP
Lot	CKMA	쭚	CZ ₩	SA	CKA	CK ₩	¥	SA	¥ S S	SA	CON	CKA	CKA	CKA	CKWA	CKMA	CKA	CKINA	¥ ₩	ÇÇ.¥	CKA	CKMA	CKA	CKA	S S S	SCUA SCUA	SS SS	GC.A	gCL¥	SCLA SCLA	SC.	9 25 25	gg	GCUA
USATHAMA Method Code	UM18																																	

Units						,			_	_	_		_	_			_	_	ب	_	_	_	_		_	_	_		_	_		_	_
	99	널	5	흥	5	폏	3	5	5	3	9	5	5	5	5	5	9	3	5	5	ອ	5	3	3	3	5	5	5	ຮ	ອ	5	3	3
Value	. .δ	8	z.	1.7	3.9	4.3	3.7	12	6.4	17	4.2	7.3	4	5.1	.52	5.2	12	7	5.1	9.5	4.7	1.7	₹.	r.	1.5	5,3	1.9	6.7	1.6	4.7	5.4	7	3.4
v	· v v	· •	~	v	v	v	v	v	v	v	v	v	v	v	v	v	v	~	v	v	v	v	v	v	v	v	v		v	v	v	v	v
Analysis Date	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93		07-SEP-93
Prep Date	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93
Lab Number	,																																
Test Name	24DNT	2CLP	2CNAP	2MNAP	쮼	2NANIL	ZND	33DCBD	3NAN IL	46DN2C	4BRPPE	4CAN1L	4CL3C	4CLPPE	dw5	4NANIL	4NP	ABHC	ACLDAN	AENSLF	ALDRN	ANAPNE	ANAPYL	ANTRC	B2CEXM	BZCIPE	BZCLEE	BZEHP	BAANTR	BAPYR	BBFANT	BBHC	BBZP
	Y S		GCUA	eg.	GCUA	GCUA	€	GCUA	GCUA	SC A	SQ.	GCUA	GCUA	GCUA	GCUA	GCUA	GCUA	SCLA SCLA	GCUA	GCUA	GCUA	GCUA	GCUA	SCA	GCUA	SC.	GCUA	GCLA	SCUA SCUA	GCUA	SC.	SCUA SC	GCUA
USATHAMA Method Code	UM18																																

Value Units	9.2 UGL	13 UP.		.87 UGL		.s .g	2.4 UGL		8.6 UGL	1.5 UGL	6.5 UGL	79N 7	1.7 UGL	5 2	4.7 UGL	1.5 UGL	3.7 UGL	15 UGL	7.6 UGL	8 Ng	න න	٠.	3.3 UGL		5.1 UGL	4.	7 7 7		_	4.8 UGL	7 NGL	5.1 บณ	.5 UGL
v :	· • •	· •	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93	07-SEP-93		07-SEP-93
Prep Date	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93
Lab Number																																	
Test Name	BENSLF	BENZOA	BGHIPY	BKFANT	BZALC	CARBAZ	CHRY	CL682	CL6CP	CL6ET	DBAHA	DBHC	DBZFUR	DEP	DLDRN	DMD	DNBP	DNO	ENDRN	ENDRNA	ENDRNK	ESFS04	FANT	FLRENE	GCLDAN	HCBO	₽CL	HPCLE	ICDPYR	1SOPHR	LIN	MEXCLR	NAP
Lot	S S S S	S S	GCUA	ga¥	SCUA SCUA	GCUA	GCLA	GCLA	gg P	g	ggA	GCUA	GCUA	<u>S</u>	SCUA SCUA	GCUA	SCUA B	SCUA SCUA	SCUA PA	GCLA	GCUA	SG.	SCUA	SCUA S	SC SC	GCUA	GCUA	SE SE	SCUA SCUA	SC SC S	gg	GCUA	GCUA
USATHAMA Method Code	UM18																																

Value Units	2.5.2 2.2222888888.2.5.4 2.5.222288888.2.5.5.5.5.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6
; v ;	
Analysis Date	07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 07-SEP-93 10-SEP-93
Prep Date	11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93 16-AUG-93
Lab Number	
Test Name	NIDMEA NINDMEA
Lot	GCUA GCUA GCUA GCUA GCUA GCUA GCUA GCUA
USATHAMA Method Code	# E E E E E E E E E E E E E E E E E E E

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	3.9 UGL	4.3 UGL	3.7 UGL	12 UGL	4.9 UGL	17 UGL	4.2 UGL	7.3 UGL	79 NGF	5.1 UGL	.52 UGL	5.2 UGL	12 UGL	7 ner	5.1 UGL	9.2 UGL	4.7 UGL	1.7 UGL	.5 UGL	.5 UGL	1.5 UGL	5.3 UGL	1.9 UGL	.8 UGL	1.6 UGL	4.7 UGL	5.4 UGL	190 7				13 UGL	6.1 UGL	.87 UGL
•	v	v	•	v	•	v	~	v	v	v	•	v	v	v	v	v	~	v	~	v	v	~	v	v	v	v	v	v	v	v	~	v	~	v
Analysis Date	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	SEP	10-SEP-93
Prep Date	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93
Lab Number																																		
Test Name	훒	2NANIL	2NP	33DCBD	3NAN IL	46DN2C	4BRPPE	4CANIL	4cL3c	4CLPPE	₩	4NANIL	dN4	ABHC	ACLDAN	AENSLF	ALDRN	ANAPNE	ANAPYL	ANTRC	B2CEXM	B2CIPE	B2CLEE	BZEHP	BAANTR	BAPYR	BBFANT	BBHC	BBZP	BENSLF	BENZID	BENZOA	BGHIPY	BKFANT
Lot	GCWA	GCWA	GCMA	GCHA	GCHA	GCWA	GCWA	GCWA	GCWA	GCWA	GCMA	GCWA	GCWA	GCWA	GCWA	GCWA	GCWA	GCMA	GCMA	SCHA SCHA	GCWA	GCMA	GCWA	GCMA	GCWA	GCWA	GCWA	GCHA	GCWA	GCWA	GCHA	GCWA	GCMA	GCMA
USATHAMA Method Code	UM18																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV)

			1993-1	METHOD BLANKS 1993-1994 SSI Groups	s 2,7			
USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	v	Value	Units
2M18	GCUA GCUA GCUA GCUA GCUA GCUA GCUA GCUA	BZALC CARBAZ CLGRY CLGCP CLGCP CLGET DEATHA DBATEUR DBATEUR DBATEUR DBATEUR DNOP DNOP ENDRNA ENDRNA ENDRNA ENDRNA ENDRNA ENDRNA ENDRNA ENDRNA ENDRNA ICLD HPCL ICDPYR ISOPHR ISOPHR ISOPHR ISOPHR NAP NNDMEA		16-AUG-93 16-AUG-93	10- SEP-93 10- SEP-93	V V V V V V V V V V V V V V V V V V V	หัว เลือน ค. นาม ค. อนพ.พ.พ. 83 น. น. น. น. พ.พ.พ.พ.พ. 83 น. น. น. น. น. พ.พ.พ.พ.พ.พ.พ.พ.พ.พ.พ.พ.	<u>ਜ਼</u>

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994, SSI Groups 2,7

Value Units	21 UGL	ප් ප්	ස් ප් ල	년 8	56 UGL 86	% 186	18 UGL 8	.5 UGL	_	4 UGL				_	.8 UGL	.7 UGL	2 18	 UGL	.7 UGL			2.9 UGL			4.5 UGL			.5 UGL	7 UGL	_	.3 UGL	.7 UGL	12 UGL	.9 101
Val	21	N	M	ויא	m		_	•	9.5		4	Ġ.	2.8	Ε,	<u>,-</u> :			,		'n	4	C)	מ		4	•	`.		Ψ.	M	4	M		4
V :	*	٧	v	~	~	~	~	~	v	~	~	v	~	~	~	v	~	~	~	~	~	~	~	~	~	•	~	~	~	~	•	•	v	~
Analysis Date	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	10-SEP-93	18-0CT-93	18-0CT-93	18-0CT-93	18-0CT-93	18-0CT-93	18-0CT-93	18-0CT-93	18-0CT-93	18-oct-93	18-0CT-93										
Prep Date	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	16-AUG-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93	27-SEP-93
Lab Number																																		
Test Name	PCB221	PCB232	PCB242	PCB248	PCB254	PCB260	90 00	PHANTR	PHENOL	9P000	PPDDE	PPDDT	PYR	TXPHEN	124TCB	12DCLB	120PH	13DCLB	14DCLB	245TCP	246TCP		•••								•	•	• •	SNANIL
Lot	GCWA	SC.	GCM	GCWA	GCMA	GCWA	SCWA SCWA	SC.WA	GCWA	GCMA	SCHA	GCWA	SC.	GCHA	IFDA	IFDA	IFDA	IFDA	IFDA	IFDA	I FDA	IFDA	FDA	IFDA	IFDA	IFDA	IFDA	IFDA						
USATHAMA Method Code	UM18																																	

	Units	
	Value	- 44. R.
	,	
- 1 2	Analysis Date	18-0C1-93 18-0C1-93
77 37 di culto 57	Prep Date	27-88-93 27-88-93
	Lab Number	
	Test Name	46DNZC 4BRPPE 4CL3C 4CLPE 4CL3C 4CLPE 4CN1L 4CLPE 4MP 4NAN1L 4NP ABHC ABHC ABHC ABHC ABHC ABHC ABHC ABHC
	Lot	1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A
	USATHAMA Method Code	8 8 8

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	2.222222222222222222222222222222222222
v :	
Analysis Date	18-0c1-93 18-0c1-93
Prep Date	27. SEP-93 27. SEP-93
Lab Number	
Test Name	CL CET CL CET CL CET DBAHA DBHC DBAFUR DBCF DBCF DBCF DBCF DBCF DBCF DBCF DBCF
Lot	1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A 1100A
USATHAMA Method Code	8

USATHAMA Method		Test	rab	Prep	Analysis			
Code	Ę	Name	Number	Date	Date	,	Value	Units
UM18	IFDA	PCB260		27-SEP-93	18-0CT-93	v	38	UGL
	IFDA	5		27-SEP-93	18-0CT-93	v	18	병
	IFDA	PHANTR		27-SEP-93	18-0CT-93	v	'n	ם
	IFDA	PHENOL		27-SEP-93	18-0CT-93	v	9.5	평
	IFDA	PPDDD		27-SEP-93	18-oct-93	v	4	멸
	IFDA	PPDDE		27-SEP-93	18-0CT-93	v	4.7	럵
	IFDA	PPDDT		27-SEP-93	18-oct-93	v	9.2	S S
	IFDA	PYR		27-SEP-93	18-oct-93	v	2.8	멸
	IFDA	TXPHEN		27-SEP-93	18-0CT-93	v	38	널
	1 FEA	124TCB		28-SEP-93	15-oct-93	v	1.8	ց
	1 FEA	12DCLB		28-SEP-93	15-oct-93	v	1.7	폌
	IFEA	120PH		28-SEP-93	15-0CT-93	v	7	폌
	IFEA	13DCLB		28-SEP-93	15-0CT-93	v	1.7	멸
	IFEA	14DCLB		28-SEP-93	15-0CT-93	v	1.7	폌
	IFEA	245TCP		28-SEP-93	15-0CT-93	v	5.5	털
	IFEA	246TCP		28-SEP-93	15-0CT-93	v	4.2	털
	IFEA	24DCLP		28-SEP-93	15-0CT-93	v	2.9	널
	IFEA	24DMPN		28-SEP-93	15-0CT-93	v	5.8	폌
	IFEA	24DNP		28-SEP-93	15-0CT-93	v	21	폌
	1 FEA	24DNT		28-SEP-93	15-0CT-93	v	4.5	폌
	IFEA	26DNT		28-SEP-93	15-oct-93	v	ድ.	털
	IFEA	2CLP		28-SEP-93	15-oct-93	v	8.	덜
	IFEA	2CNAP		28-SEP-93	15-oct-93	v	ι	텀
	IFEA	ZMNAP		28-SEP-93	15-oct-93	v	1.7	폌
	IFEA	₩		28-SEP-93	15-0CT-93	v	3.9	폌
	I FEA	2NAN1L		28-SEP-93	15-oct-93	v	4.3	펄
	IFEA	2NP		28-SEP-93	15-oct-93	v	3.7	멸
	IFEA	33DCBD		28-SEP-93	15-oct-93	v	12	폌
	IFEA	3NANIL		28-SEP-93	15-0CT-93	v	6.4	폌
	IFEA	46DN2C		28-SEP-93	15-0CT-93	v	17	힘
	IFEA	4BRPPE		28-SEP-93	15-0CT-93	v	4.2	ם
	IFEA	4CANIL		28-SEP-93	15-0CT-93	v	7.3	ۊ
	IFEA	4cr3c		28-SEP-93	ģ	v	4	렇
	1 FEA	4CLPPE		28-SEP-93	15-oct-93	v	5.1	텀

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

USATHAMA Method	-	Test	Lab	Prep	Analysis	,		4
code	101	Name	NUMBER	Date		; '	value u	Units
UM18	IFEA	4MP		28-SEP-93	15-0CT-93	•	.52 U	덩
	IFEA	4NAN1L		28-SEP-93	15-0CT-93	•	5.2 U	덕
	IFEA	dN4		28-SEP-93	15-0CT-93	v	12 U	덕
	IFEA	ABHC		28-SEP-93	15-0CT-93	v	7	귤
	IFEA	ACLDAN		28-SEP-93	15-oct-93	v	5.1 U	뎔
	I FEA	AENSLF		28-SEP-93	15-0CT-93	v	9.2 U	폌
	IFEA	ALDRN		28-SEP-93	15-0CT-93	v	_	폌
	I FEA	ANAPNE		28-SEP-93	15-0CT-93	v	1.7 U	덜
	I FEA	ANAPYL		28-SEP-93	15-oct-93	v	٠ د.	덜
	IFEA	ANTRC		28-SEP-93	15-0CT-93	v	J. 5.	ם
	1 FEA	B2CEXM		28-SEP-93	15-0CT-93	v	1.5 U	뎔
	IFEA	B2CIPE		28-SEP-93	15-oct-93	v	5.3	귤
	IFEA	B2CLEE		28-SEP-93	15-0CT-93	~	1.9 L	널
	IFEA	BZEHP		28-SEP-93	15-0CT-93	~		뎍
	IFEA	BAANTR		28-SEP-93	15-0CT-93	v		ਫੁ
	IFEA	BAPYR		28-SEP-93	15-oct-93	v	~	펄
	IFEA	BBFANT		28-SEP-93	15-0CT-93	v	5.4 U	덕
	IFEA	BBHC		28-SEP-93	15-oct-93	v	7	덕
	IFEA	BBZP		28-SEP-93	15-0CT-93	v	3.4	덜
	IFEA	BENSLF		28-SEP-93	15-0CT-93	v	9.2 L	덕
	IFEA	BENZID		28-SEP-93	15-oct-93	v	5	덕
	IFEA	BENZOA		28-SEP-93	15-0CT-93	~	13 (덕
	IFEA	BGHIPY		28-SEP-93	15-0CT-93	•		덕
	IFEA	BKFANT	•	28-SEP-93	15-0CT-93	v	.87	뎍
	I FEA	BZALC		28-SEP-93	15-oct-93	v		덕
	I FEA	CARBAZ		28-SEP-93	15-oct-93	•	'n.	덕
	IFEA	CHRY		28-SEP-93	15-oct-93	v	2.4 ∟	덕
	IFEA	CL68Z		28-SEP-93	15-0CT-93	v		덕
	IFEA	_		28-SEP-93	15-oct-93	v	8.6 L	덜
	IFEA	_		28-SEP-93	15-0CT-93	v		덕
	IFEA			28-SEP-93	15-oct-93	v		력
	IFEA	DBHC		28-SEP-93	15-0CT-93	v	7	덕
	IFEA			28-SEP-93	15-0CT-93	v	1.7	ᇘ
	IFEA	DEP		28-SEP-93	15-0CT-93	v	2	럭

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	7.4.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	7.2 Oct.
v ;	· · · · · · · · · · · · · · · · · · ·	, ,
Analysis Date	5-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6	15-0CT-93
Prep Date	\$\frac{1}{2}\$\frac	28-SEP-93
Lab Number		
Test Name	DLDRN DMP DNBP DNBP ENDRN ENDRNA I SOPHR I SOPHR I SOPHR I SOPHR I SOPHR NNDNPA	PPDDD
Lot		I FEA
USATHAMA Method Code	8	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	7.5.2 8.5.7.7.7.5.3.8 8.5.7.7.7.7.5.8 8.5.7.8 8.5.7.8 8.5.7.8 8.5.7.8 8.5.7.8 8.5.7.8 8.5.7.8 8.5.7.8 8.6.7.8 8.6.7.8 8.6.7.8 8.6.7.8 8.6.7.8 8.6.7.8 8.6.7.8 8.6.7.8 8.6.7.8 8.6.7.8 8.7.8 8.7.8 8.
* :	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Analysis Date	15-041-93 15-041-93 15-041-93 15-041-93 22-041-93
Prep Date	28-SEP-93 26-0c1-93
Lab Number	
Test Name	PPDDE PPDDE PPDDT PPDDT PYR 11247CB 11247CB 1120PH 130CLB 2457CP 2467CP 2467CP 2450NP 246NP 240NP 260NT 260N
Lot	
USATHAMA Method Code	8 8 8

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	9.2 UGL	4.7 UGL	1.7 UGL	.5 UGL	.5 UG	1.5 UGL	5.3 UGL	1.9 UGL		_	4.7 UGL			3.4 UGL		10 UGL	_		.87 UGL	.72 UGL	.5 .0G	2.4 UGL	1.6 UGL	8.6 UGL	1.5 UGL	6.5 UGL	4 UGL	1.7 UGL	2 UGL	4.7 UGL	1.5 UGL	3.7 UGL	15 UGL	7.6 UGL
V (v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v						
Analysis Date	22-0CT-93	22-0C1-93	22-0CT-93																															
Prep Date	05-0CT-93	05-0C1-93	05-0CT-93	05-oc1-93	05-0CT-93	05-0CT-93	05-0CT-93	05-0CT-93	05-0CT-93	05-0C1-93	05-0CT-93	05-0C1-93																						
Lab Number																																		
Test Name	AENSLF	ALDRN	ANAPNE	ANAPYL	ANTRC	B2CEXM	B2CIPE	BZCLEE	82EHP	BAANTR	BAPYR	BBFANT	BBHC	BBZP	BENSLF	BENZID	BENZOA	BGHIPY	BKFANT	BZALC	CARBAZ	CHRY	CL6BZ	CL6CP	CL.6ET	DBAHA	DBHC	DBZFUR	DEP	DLDRN	OMD	DNBP	DNOP	ENDRN
Lot	IFIA																																	
USATHAMA Method Code	UM18																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	•	Value Un	Units
UM18	IFIA	ENDRNA	1	05-0CT-93	22-0CT-93			: :
	IFIA	ENDRNK		05-0CT-93	22-0CT-93	v		占
	IFIA	ESFSO4		05-0C1-93	22-0CT-93	v		占
	IFIA	FANT		05-0CT-93	22-0CT-93	v		占
	IFIA	FLRENE		05-0CI-93	22-0CT-93	v	_	덩
	IFIA	GCLDAN		05-0CT-93	22-0CT-93	v		占
	IFIA	HCBD		05-0C1-93	22-0CT-93	v	3.4 U	占
	IFIA	HPCL		05-0CT-93	22-0CT-93	v	5 ∼	占
,	IFIA	HPCLE		05-0CT-93	22-0CT-93	v		占
	IFIA	ICDPYR		05-0CT-93	22-0CT-93	v		명
	IFIA	1 SOPHR		05-0CT-93	22-0CT-93	v		ಠ
	IFIA	LIN		05-0CT-93	22-0CT-93	v		덩
	IFIA	MEXCLR		05-0CT-93	22-0CT-93	v	5.1 U	덩
	IFIA	NAP		05-0CT-93	22-0CT-93	v		占
	IFIA	WB.		05-0CT-93	22-0CT-93	v	٠. ت	占
	IFIA	NNDMEA		05-0CT-93	22-0CT-93	v	2	占
	IFIA	NNDNPA		05-0CT-93	22-0C1-93	v	0 4.4 0	귱
	IFIA	NNDPA		05-0CT-93	22-0CT-93	v		명
	IFIA	PCB016		05-0CT-93	22-0CT-93	v	21 U	명
	IFIA	PCB221		05-0CT-93	22-0CT-93	v		占
	IFIA	PCB232		05-0CT-93	22-0CT-93	v		ಠ
	IFIA	PCB242		05-0CT-93	22-0CT-93	v	∩ &	명
	IFIA	PCB248		05-0CT-93	22-0CT-93	v	⊃ &	명
	IFIA	PCB254		05-0CT-93	22-0CT-93	v		귱
	IFIA	PCB260		05-0CT-93	22-0CT-93	v	36 5	명
	IFIA	P C		05-0CI-93	22-0CT-93	v		님
	IFIA	PHANTR		05-0CT-93	22-0CT-93	v	⊃	널
	IFIA	PHENOL		05-0CT-93	22-0CT-93	v	9.2 U	덩
	IFIA	PPDDD		05-0CT-93	22-0CT-93	v		명
	IFIA	PPODE		05-0CT-93	22-0CT-93	v		덩
	IFIA	PPDDT		05-0CI-93	22-0CT-93	v		ಕ
	IFIA	PYR		05-0CT-93	22-0CT-93	v	2.8 U	ם
	IFIA	TXPHEN		05-0CT-93	22-0CT-93	v		귤
	IFLA	124TCB		11-0CT-93	21-0CT-93	v		널

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7
v (
Analysis Date	21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93 21-001-93
Prep Date	11-0c1-93 11-0c1-93
Lab Number	
Test Name	120.18 130.18 140.18 140.18 245.1CP 245.1CP 245.0NP 245.0NT 26.0NT 26.0NT 26.0NT 26.0NT 26.0NT 26.0NT 26.0NT 26.0NT 26.0NT 44.0NT 44.0NT 46.0NC 46.0N
Lot	
USATHAMA Method Code	0 <u>M18</u>

Value Units	5 UGL	3 18 18	9 UGL	8 UGL	190 9	7 UGL	4 UGL	4 UGL	4 UGL	,2 UGL	10 UGL	_	_		. 19N 22.			_				4 UGL	.7 UGL	2 UGF	.7 UGL	.5 USL	.7 UGL	15 UGL	.6 ugl	8 UGI	8	9.2 UGL	.3 UGL	.7 UGL
Val	-	'n	<u></u>	4.	-	4	'n		ĸ	o.		•	ø	۳.	'-	•	۸i		æί	_	•				4	_	M		2			٥	2	M
v	; • v	y	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93		21-0CT-93
Prep Date	11-0CT-93	11-oct-93	11-0CT-93	11-0CT-93	11-oct-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-ocT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0CT-93	11-0cT-93	11-0cT-93
Lab Number																																		
Test Name	B2CEXM	82CIPE	BZCLEE	BZEHP	BAANTR	BAPYR	BBFANT	BBHC	BBZP	BENSLF	BENZID	BENZOA	BGHIPY	BKFANT	BZALC	CARBAZ	CHRY	CL68Z	CL.6CP	CL6ET	DBAHA	DBHC	DBZFUR	DEP	DLDRN	OMD	DNBP	DNOP	ENDRN	ENDRNA	ENDRNK	ESFS04	FANT	FLRENE
Lot	IFLA	IFLA	IFLA	IFLA	IFLA	IFLA	IFLA	IFLA	IFLA	IFLA	IFLA	IFLA	IFLA	IFLA	IFLA	IFLA	IFLA																	
USATHAMA Method Code	UM18																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units		
· ·	; ,	,
Analysis Date	21-01-3 21-01-	;
Prep Date	11-0C1-93 11-0C1-93	2
Lab Number		
Test Name	GCLDAN HCBD HPCL HPCL HPCL ICDPYR ISOPHR LIN MAP NNDNFA NDDD PCB242 PCB243 PCB248 PCB248 PCB248 NDDD NDDD PCB248 NDDD PCB248 NDDD PCB248 NDDD PCB248 NDDD PCB248 NDDD NDD NDD NDD NDD NDD NDD NDD NDD N	-
Lot	THE TERM A STATE OF THE TE	5
USATHAMA Method Code	<u>8</u>	

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Units	펄	<u> </u>	를 :	를 :	ց	ց	털	UG.	ם	ם	ם	뎔	펄	UG.	ם	폌	덩	ng N	ց	털	텀	曺	털	폌	텀	널	널	텀	털	럴	럴	렬	털	5
Value	2.5	 	0.5	5	4.5	٤	8.	'n	1.7	3.9	4.3	3.7	7	6.4	17	4.2	7.3	4	5.1	.52	5.2	4	4	5.1	9.5	4.7	1.7	ı.	'n	7.5	5.3	6.	8.	9.
v	; • •	۷ ،	v ·	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	¥	v	v	v
÷	<u>ئ</u> د	5,5	S	<u>ئ</u> ا	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	1-93	-93	-93	-93	1-93	-93	-93
Analysis Date	29-0CT-93	25-0CI	3 5	- OCI	29-0CI	29-001	29-001	29-0CT	29-OCT	29-00	29-001	29-OCT	29-OCI	29-OCT	29-001	29-001	29-0CI	29-001	29-OC	29-00	29-OC	29-OC	29-00	29-OC	29-OC	29-00	29-0CI	29-0CT-93	20-62	28-02	3 8 8	28-0C	29-0CT-93	28-OC
~ C	!																																m	m
	13-0CT-93	5	֓֞֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֡֓֡֓֓֓֡֓֜֡֓֡֓֡֓֡֡֡֡֡֓֡֓֡֡֡֡֡֡	5 5	CT-93	C1-93	CT-93	CT-93	CT-92	3-0CT-93	3-0CT-93	3-0CT-93	CT-9	C1-9	CT-9	CT-9	CT-9	13-0CT-93	2CT-9	201-9	3-0CT-93	3-0CT-93	3-0CT-93	9-10C	2CT-9	9-10C	13-0CT-93	3-0CT-93	13-0CT-93	9-T00	13-0CT-93	3-0c1-93	3-0c1-9	9-130
Prep Date	13-0	55	7	13-0	13-0	13-0	13-0	<u>5</u>	13-0	13-0	13-0	13-0	<u> </u>	13-0	13-0	13-0	13-(13-0	13-(13-0	13-	13-(1 3-	13-(13-(13-(13-(13-(13-	<u> </u>	<u>13</u>	<u>5</u>	<u>.</u>	13-
Lab Number																																		
25	; ;																																	
و <u>ب</u>	46TCP	240CLP	N I	de l	¥	ž		CNAP	MAP		II N	돐	CB0	NI.)N2C	3PPE	ANIL	4CL3C	LPPE	۵.	FNANIL	Δ.	ABHC	ACLDAN	AENSLF	ALDRN	ANAPNE	ANAPYL	TRC TRC	CEXE	CIPE	SCLEE	BZEHP	SAANTR
Test Name	5,6	25	₹ ;	3	25	8	2CLP	ຊົ	烹	돐	•	•		•	_	_	-	_	-	-	•	•	_	_	_	_	_	_	_					_
Lot	IFMA	₩.	¥ :	¥	FF	IFMA	IFMA	IFMA	IFMA	IF B	IF	IFWA	IFMA	IFHA	IFMA	IFMA	IFWA	IFMA	IFMA	IFMA	IFMA	IFMA	IFMA	IFMA	IFWA	IFMA	IFMA	IFMA	IFMA	IFIKA	IFR	IFMA	I FMA	¥
USATHAMA Method Code	JM18																																	
	_																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Units	. J	펄	펄	펄	젹	펄	펄	펄	펄	펄	펄	펄	펄	펄	펄	펄	펄	절	펄	펄	펄	펄	면	펄	폌	덕	력	펄	덜	펄	펄	펄	덕	펵
Value (4.7		4	3.4	9.5	9	13	_	_	2	_	_	1.6	_	1.5	_	4	_	_	4.7	_	_	7	7.6	∞	∞	9.5	3.3	3.7	5.1	3.4	~	'n	9.6
v																	.,	.,	.,	.,			.,	.,	.,		.,	.,	.,	.,	.,	.,	.,	.,
•	. v	•	٧	•	۲	•	•	٧	•	•	•	٧	٧	٧	٧	•	•	•	•	٧	•	•	•	•	•	٠	•	•	•	٠	•	•	•	•
Analysis Date	29-0CT-93	29-0CI-93	29-0CT-93	29-0C1-93	29-0CT-93	29-0CT-93	29-0C1-93	29-0CT-93																										
Prep Date	13-0CT-93	13-0CT-93	13-oct-93	13-oct-93	13-0CT-93	13-0CT-93	13-oct-93	13-0CT-93	13-oct-93	13-oct-93	13-0CT-93	13-0CT-93	13-oct-93	13-oct-93	13-0CT-93	13-oct-93	13-0CT-93	13-oct-93																
Lab Number		•																																
Test Name	BAPYR	BBFANT	BBHC	BBZP	BENSLF	BEN21D	BENZOA	BGHIPY	BKFANT	BZALC	CARBAZ	CHRY	CL6BZ	CL6CP	CL6ET	DBAHA	DBHC	DBZFUR	DEP	DLDRN	DMD	DNBP	DNO	ENDRN	ENDRNA	ENDRNK	ESFS04	FANT	FLRENE	GCLDAN	HCBD	HPCL	HPCLE	ICDPYR
Lot	IFMA	IFMA	IFMA	I FMA	IFMA	IFMA	I FMA	IFMA	IFMA	FWA	IFMA	I FMA	IFMA	IFMA	I FMA	IFMA	IFMA	IFMA	IFMA	IFMA	IFMA	I FMA	I FWA	IFMA	IFMA	IFMA	IFMA							
USATHAMA Method Code	UM18																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994, SSI Groups 2,7

، دې																																	
Units	털	별	폌	폌	털	렬	렬	털	널	럴	럴	ց	털	렼	렬	멸	렬	렼	럴	럴	ց	럴	ց	털	멸	폌	폌	럴	폌	럴	ਭ	<u> </u>	ց
Value	8.4	5.1	ı.	'n	~	7.7	~	7	5	~	2	30	8	8	8	'n	6. 5	4	4.7	9.5	% %	%	<u>~</u> .∞	1.7	~	1.7	1.7	5.2	4.2	5.	ν 8	<u>'</u>	4.5
>																																	
	. .	, v	~	~	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
į					_	~	_	~	~	~	~	~	~	~	m	m	M	m	M	m	m	m	m	M	M	Ę,	Ñ	ŭ	M	E.	ω.	œ۱	ŭ
sis	29-0CT-93	29-0CT-93	CT-93	C1-93	<u>6</u>	<u>ام</u>	5 5 6	6- C1-	6-13	<u>6</u> -0	5	C1-9	6-5 5	<u>6</u> -5	C1-9	6-13	6-13	6-13	5-1-9	6-13	5	6-12	8	8	<u>6</u> -8	9-9	6-20	6 <u>-</u> 2	6-8	02-NOV-93	NOV-93	NOV-93	NOV-93
Analysis Date	29-02	36 36	5,0	29-0CT-93	29-0 28-0	٥ \$	5 28	29-0CT-93	9 58	2 2 3	0 82	0 62	0-62 82	29-0	29-0	200	9-0 28-0	29-0	29-0	29-0	8	29-0	02-N	05-k	05-k	05-1	8	02-1	2	05-1	8	8	- 05-
	MM	m	M	m	m	m	M	M	Į٩	M	M	Ñ	Б.	₽.	Ę.	M	ŭ	ы	ĸ	ŭ	ĸ	ĸ	ŭ	ŭ	ŭ	ĸ	ĸ	ĸ	ĸ	ኢ	ĸ	K.	55
	3-0CT-93	13-0CT-93	CT-9	CT-9	6-12	6-L2	6-5	3-0c1-93	3-0c1-93	6 - 10	6-12	25-5	21-9	21-9	5-12	201-9	13-0c1-93	5-15	25-5	3-0CT-93	3-0CT-93	5-13	25-130	<u>6</u>	9CT-5	2-130	9-T30	5	5-13	5-130	5	20-0CT-93	0CT-
Prep Date	55	<u> </u>	7	5	Š	5	<u>1</u>	5	13-0	7	7	7	5	13-	<u>₹</u>	<u>₹</u>	<u>5</u>	13-(<u>~</u>	<u>~</u>	<u>~</u>	5	ຂູ່	ຂໍ່	ģ	Ŕ	ద్ద	ຂູ່	ຂູ່	2	ຂູ່	ຂູ່	2
5																																	
Lab Number																																	
1	~	~	,		_	_		•		~	~	&	4	0		~						z		.	_	8	œ	بم	ېم	_	×	_	_
rest Vame	SOPHR	MEXCLR	ΑÞ	9		NNDNPA	NNDPA	PCB016	CB22	CB23	CB24	CB24	CB25	PCB260	<u>م</u>	HANT	PHENOL	PP009	혗	PPDDT	۲R	CYPHEN	124TCB	282	120PH	130CL	14DCLB	245TC	24610	24DCL	24DMPN	24DNP	24DNT
										F.		¥					FMA					•	FPA	¥.								FPA	FPA
Ę	IFMA	¥ ¥	IFW	=	Ē	IFMA	IFMA	IFMA	Ē	É	Ē	Ē	Ξ	Ξ	Ξ	Ξ	Ξ	三	Ξ	Ξ	Ξ	Ξ	=	=	=	=	-	=	=	-	<u></u>	=	=
JSATHAMA Method Sode	80																																
USATHA Method Code	UM18																																

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

t s	.																																	
Units	털	폌	폌	폌	럴	폌	폌	폌	폌	걸	폌	폌	폌	ם	렼	ဌ	폌	폌	폌	펄	폌	폌	폌	폌	를	폌	럴	널	렬	렬	폌	를	렼	폌
Value	8.	8;	ņ	1.7	٥. ک	4.3	3.7	12	4.9	1,	4.2	7.3	4	5.1	.25	5.2	12	4	۲.	9.5	4.7	1.7	'n.	ı.	<u>.</u>	5.3	.9	4.8	. 6	4.7	5.4	4	7.	9.5
v		v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
ŝ	-93	-93	-93	-93	<u>ئ</u>	-93	-93	-93	-93	-93	-93	-93	^ب ک	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	NOV-93	NOV-93	NOV-93	NOV-93	NOV-93	NOV-93	NOV-93	NOV-93	NOV-93	NOV-93	-93
Analysis Date	02-NOV-93	02-NOV-93)2-NOV	02-NOV-93	2-NOV	32-NOV)2-NOV	75-NOV	32-NOV	32-NOV)2-NOV	02-NOV-93	22-NOV)2-NOV)2-NOV	02-NOV-93)2-NOV	32-NOV)2-NOV	32-NOV	32-NOV)2-NOV	02-NOV-93	32-NO	22-NOV	32-NOV	22-NOV	02-NOV	32-NOV	32-NOV	32-NOV	02-NO	02-NO	02-NOV
																								_								_	_	_
	T-93	7-93	1-93	T-93	:1-93	:1-93	:I-93	:I-93	7-93	:I-93	1-93	:I-93	7-93	1-93	1-93	1-93	7-93	7-93	7-93	7-93	7-93	:1-93	7-93	:1-93	:1-93	:1-93	:I-93	1-93	:1-93	:I-93	7-93	20-0CT-93	20-0CT-93	:T-93
Prep Date	20-0CT-	20-0CT-93	20-02	20-02	8 8	20-02	8	8	20-02	20-02	20-02	8 8	8 8	8	20-02	20-0CT-93	20-02	20-02	20-02	20-02	5 2 2	20-02	20-02	50-0Z	, 20, 20,	20-02	50-0Z	20-02	50-0Z	20-02	20-02	8 8	20-02	20-0CT
, Ž																																		
Lab																																		
						_		_		ں	ш	_		ш					z	<u>.</u>		ш	_		Σ	ш	ш		<u>a</u>		_			L.
Test Name	26DNT	SCLP	2CNAP	2MNAP	훒	2NANII	ZND	33DCBD	3NANIL	46DNZ	4BRPP	4CANIL	4cL3c	4CLPPE	₹ F	4NANIL	4NP	ABHC	ACLDA	AENSLF	ALDRN	ANAPNE	ANAPYL	ANTRC	B2CEX	B2CIP	BZCLE	B2EHP	BAANTR	BAPYR	BBFANT	BBHC	BBZP	BENSLF
		•	•	FPA	ΡĀ	×	FPA				FPA	FPA				FPA					-	_	_					FPA		Α̈́	Α̈́	FPA	FPA	¥.
A Lot	: !	=	=	=	Ξ.	=	Ξ	Ξ	=	느	=	∺	=	=	۳	=	=	Ξ	=	Ξ	Ξ	≝	H	Ξ	∺	∺	=	Ξ	=	=	Ξ	=	=	Ξ
USATHAMA Method Code	UM 18																																	
ა ≨ ვ	3																																	

Value Units		6.1 UG.		 G	2.4 19.4 19.1	8.6 UGL	1.5 UGL	6.5 UGL	7 ,		명 2 ·			3.7 UGL		7.6 UGL	8 190		9.2 UG.		_	 	3.4 UGL	ଅ 2		8.6 UGL		7 7	5.1 Jon 1.5	5. 195	.s ug
v :	~	v v	v	v	v v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v						
Analysis Date	02-NOV-93 02-NOV-93	02-NOV-93 02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93		02-NOV-93
Prep Date	20-0CT-93 20-0CT-93	20-0CT-93 20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0C1-93	20-0CT-93	20-0C1-93	20-0C1-93	20-0CT-93	20-0C1-93	20-0C1-93
Lab Number	·																														
Test Name	BENZ ID BENZOA	BGHIPY	BZALC	CARBAZ	CHRY C1 687	CL6CP	CL6ET	DBAHA	DBHC	DBZFUR	DEP	DLDRN	OMD	DNBP	DNOP	ENDRN	ENDRNA	ENDRNK	ESFS04	FANT	FLRENE	GCLDAN	HCBD	HPCL	HPCLE	ICDPYR	ISOPHR	LIN	MEXCLR	NAP	뜆
Lot	IFPA IFPA	I FPA	IFPA	IFPA	I FPA	IFPA	IFPA	IFPA																							
USATHAMA Method Code	UM18																														

	Value Units	_	4.4 UGL				7. 12. 13.					_		9.2 UGL		4.7 UGL				1.8 ਜੂਨ		7 7 7	7 CE							4.5 UGL			 	
	v :	٧.	v	v	v	v	v	v	v ·	v	v	v	v	v	v	v	v	v	v	v	v	v		v [,]	v v	· •	v	v	v	v	v	v	v '	v
s 2,7	Analysis Date	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-95	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NOV-93	02-NDV-93	02-NOV-93	02-NOV-93	17-FEB-94	17-FEB-94	17-FEB-94	17-FEB-94	17-FEB-74	17-FEB-94	17-FFR-04	17-FEB-94	17-FEB-94	17-FEB-94	17-FEB-94	17-FEB-94	17-FEB-94	17-FEB-94	17-reb-94
1993-1994 SSI Groups	Prep Date	20-0CT-93	20-0C1-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0C1-95	20-0CT-93	20-0CI -95	20-0C1-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0CT-93	20-0C1-93	20-0CT-93	02-FEB-94	02-FEB-94	02-FEB-94	02-FEB-94	02-FEB-94	02-FEB-94	02-FFR-04	02-FEB-94	02-FEB-94	02-FEB-94	02-FEB-94	02-FEB-94	02-FEB-94	02-FEB-94	UZ-1EB-94
1993-1	Lab Number																																	
	Test Name	NNDMEA	NNDNPA	NNDPA	PCB016	PCB221	PCB232	PCB242	PCB248	PCB254	PCB260	PCP	PHANTR	PHENOL	PPDDD	PPDDE	PPDDT	PYR	TXPHEN	124TCB	120CLB	120PH	12EPCH	130CLB	14UCLB 2/5TCD	2/4TCD	Z4DCLP	24DMPN	24DNP	24DNT	26DNT	2CLP	SCNAP	ZMNAP
	Lot	IFPA	IFPA	IFPA	IFPA	IFPA	IFPA	IFPA	IFPA	IFPA	IFPA	IFPA	IFPA	IFPA	IFPA	IFPA	IFPA	IFPA	IFPA	FOBB	MDBB	F 088	2088	980	2088		408B	MDBB	4088	MD88	MDBB	MDBB	MD88	880
	USATHAMA Method Code	UM18																																

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	8.1.8.9.9.9.9.9.9.9.9.9.9.9.9.9.9.9.9.9.
v	···
Analysis Date	17- 788-94 17- 788-94
Prep Date	02-FB-94 02-
Lab Number	
Test Name	2MP 2NANIL 2NP 3NANIL 2NP 3NANIL 4NANIL 4CLPE 4CLNIL 4CLPE 4CLNIL 4NP ANANIL 4NP ANANIL 4NP ANANIL 4NP ANANIL 8BCCIPE 82CLEE 82CLEE 82CLEE 8BCCIPE
Ę	4088 4088 4088 4088 4088 4088 4088 4088
USATHAMA Method Code	1418 1418

Units	: : ਫ਼
Value	
,	 vvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvv
Analysis Date	77-FEB-92 77-FEB-92
Prep Date	02-188-94 03-188-94 03-188
Lab Number	
Test	BZALC CARBAZ CHRY CLGRZ CHRY CLGCP CLCGP CCCC CCCC
Lot	
USATHAMA Method Code	2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994, SSI Groups 2,7

USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	v	Value	Units
UM18	F D88	PCB016	1 1 1 1 1 1	02-FEB-94	17-FEB-94	•	22	혈
		PCB221		02-FEB-94	17-1-15-74	v	7 5	를 달
	980	PC8252		02-FEB-94	17-120-74	, ,	3 6	5 5
	288 28	PCB242		02-FEB-94	17-FEB-94	,	2 5	를 :
	2088	PCB248		02-FEB-94	17-FEB-94	v	₽;	ਰ ਹ
	F088	PCB254		02-FEB-94	17-FEB-94	v	8	털
	880	PCB260		02-FEB-94	17-FEB-94	~	%	둳
	MDBB	5		02-FEB-94	17-FEB-94	v	9	ց
	FDBB	PHANTR		02-FEB-94	17-FEB-94	,	'n	폌
	MDBB	PHENOL		02-FEB-94	17-FEB-94	v	9.5	널
	FDBB	PPDDD		02-FEB-94	17-FEB-94	v	4	펄
	208	PPDDE		02-FEB-94	17-FEB-94	~	4.7	LG.
	FDBB	PPDDT		02-FEB-94	17-FEB-94	v	9.5	렬
	FDBB	PYR		02-FEB-94	17-FEB-94	•	2.8	털
	M D88	TXPHEN		02-FEB-94	17-FEB-94	v	36	폌
	MOF B	124TCB		07-FEB-94	20-FEB-94	•	8.	宫
	S PB	120CLB		07-FEB-94	20-FEB-94	v	1.7	ց
	35	120PH		07-FEB-94	20-FEB-94	v	~	ᇹ
	5 0.58	12EPCH		07-FEB-94	20-FEB-94		-	널
	3	130CLB		07-FEB-94	20-FEB-94	v	1.7	널
	EDFB	14DCLB		07-FEB-94	20-FEB-94	v	1.7	럴
	ED FB	245TCP		07-FEB-94	20-FEB-94	v	2.5	널
	E O B	246TCP		07-FEB-94	20-FEB-94	~	4.2	널
	2 0 FB	24DCLP		07-FEB-94	20-FEB-94	v	2.9	럴
	E 038	24DMPN		07-FEB-94	20-FEB-94	v	5.8	펄
	8 0.8	24DNP		07-FEB-94	20-FEB-94	v	7	폌
	NO FB	24DNT		07-FEB-94	20-FEB-94	v	4.5	널
	ED FB	26DNT		07-FEB-94	20-FEB-94	v	٤.	널
	3	2CLP		07-FEB-94	20-FEB-94	~	8.	널
	E0.5	2CNAP		07-FEB-94	20-FEB-94	~	'n	걸
	SP GR	ZMNAP		07-FEB-94	20-FEB-94	v	1.7	털
	WO FB	SMP		07-FEB-94	20-FEB-94	v	9.0	널
	40 FB	2NANIL		07-FEB-94	20-FEB-94	v	4.3	럴
	W DFB	2NP		07-FEB-94	20-FEB-94	v	3.7	럴

Value Units	12 UGL	4.9 UGL	17 UGL	4.2 UGL	m	4 UGL	5.1 UGL	.52 UGL	5.2 UGL	12 UGL	4 UGL	_	۸.	_	1.7 UGL	.5 UGL	.5 GP	1.5 UGL				1.6 UGL		5.4 UGL	4 UGL	4	9.2 UGL	10 UGL				.72 UGL		2.4 UGL
_																																		
v	' '	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94
Prep Date	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94
Lab Number																																		
Test Name	330CBD	SNANIL	46DN2C	4BRPPE	4CANIL	4CL3C	4CLPPE	4MP	4NAN1L	4NP	ABHC	ACLDAN	AENSLF	ALDRN	ANAPNE	ANAPYL	ANTRC	BZCEXM	B2C1PE	BZCLEE	BZEHP	BAANTR	BAPYR	BBFANT	BBHC	BBZP	BENSLF	BENZID	BENZOA	BGHIPY	BKFANT	BZALC	CARBAZ	CHRY
Lot	15	30 FB	35 FB	WDF8	EDFB	3 5	FDFB	#DFB	W DFB	MDFB	ED FB	EDFB	3 078	3	EDFB	3 078	₩ FB	JOFB	5 0	#DFB	EDFB	#OFB	W DFB	WDFB	30	558	35	3	₩ EPB	W DFB	20 FB	E DFB	35	FOFB
USATHAMA Method Code	UM18																																	

Units	UGF	넘	폌	펄	뎔	폌	폌	멸	폌	텀	멸	폌	령	폌	덩	멸	평	폌	렬	ց	폌	폌	UG.	LE LE	멸	UGF.	Ngr	폌	명	ig Si	ng Ng	B N	ց	텀
Value	1.6	8.6	1.5	6.5	4	1.7	~	4.7	1.5	3.7	15	7.6	ထ	œ	9.5	3.3	3.7	5.1	3.4	~	'n	8.6	8.4	4	5.1	r.	'n	~	4.4	M	21	2	2	8
v	•	v	v	v	v	v	v	v	•	~	v	v	v	v	v	•	v	~	v	~	v	v	v	v	v	~	~	v	v	~	v	v	v	v
Analysis Date	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94	20-FEB-94
Prep Date	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94
Lab Number																																		
Test Name	CL6BZ	CL6CP	CL6ET	DBAHA	DBHC	DBZFUR	DEP	DLDRN	DMD	DNBP	DNOP	ENDRN	ENDRNA	ENDRNK	ESFSO4	FANT	FLRENE	GCLDAN	돈BQ	HPCL	HPCLE	ICDPYR	ISOPHR	LIN	MEXCLR	NAP	88	NNDMEA	NNDNPA	NNDPA	PCB016	PCB221	PCB232	PCB242
Lot	E 6	3	8 98	E	3	3	WDF8	3	#DFB	35	35	5	E	8 98	FDF8	EDFB	5 0FB	8 08	<u> </u>	MDFB	3 PB	3 5	3 6 8 9	25	¥9FB	FOFB BOTE	30 FB	5	20 FB	25	₩OFB	MO FB	3 5	3 0 FB
USATHAMA Method Code	UM18																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	8%% 8 ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	4.2 UGL
v :		′ ∨
Analysis Date	20.00 20	03-FEB-94
Prep Date	7. FEB -94 07-FEB -94	26-JAN-94
Lab Number		
Test Name	PCB264 PCB254 PCB256 PCB256 PCB256 PCB256 PCB266 PPDDDD PPDDDD PPDDDD PPDDDD PPDDD PPDDD PPDDDD PPDDD	4BRPPE
Lot	## ## ## ## ## ## ## ## ## ## ## ## ##	¥ QX
USATHAMA Method Code	818	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	だった。	ייי כייי
•		,
Analysis Date	03-FEB-94 03-FEB-94	
Prep Date	26- JAN-94 26- JAN-94	2
Lab Number		
Test Name	4CANIL 4CLPPE 4MP 4MP 4MP 4MP 4MP 4MP 4MP 4MP AALDRN AALDRN AALDRN AALDRN ANAPYL ANAPYL BECLEE CARBAZ CLEE CLEE CLEE CLEE CLEE CLEE BECLEE CLEE	ב ב
Lot	60000000000000000000000000000000000000	2
USATHAMA Method Code	818 81	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

(A) 1																																	
Units	펄	3 2 3	9 5	널	폌	힏	힠	럴	걸	털	덩	널	ם	ց	덩	헐	힘	폌	ց	널	널	림	널	폌	렬	UGP.	Д П	ទី	폌	UGF	힘	텀	걸
Value	4,	<u>:</u> ^	7.7		3.7	ħ	9.7	œ	ထ	9.5	۳. ا	3.7	 -	3.4	~	Ŋ	8.6	4.8	4	7	~	5.1	'n	'n	~	4.4	M	2	7	7	30	30	36
-																																	
\ V :		٧ ،	, ^	· •	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v			v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	03-FEB-94	03-FEB-94	03-FFR-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94	03-FEB-94
Prep Date	26-JAN-94	26-JAN-94	26-JAN-92	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94
Lab Number																																	
Test Name	DBHC	DBZFUR	Nacio	DMP	DNBP	DNO	ENDRN	ENDRNA	ENDRNK	ESFS04	FANT	FLRENE	GCLDAN	HCBD	HPCL	HPCLE	ICDPYR	ISOPHR	LIN	MEC6H5	MESTOX	MEXCLR	NAP	88	NNDMEA	NNDNPA	NNDPA	PCB016	PCB221	PCB232	PCB242	PCB248	PCB254
Ĺot	MDYA	MOY A		Z Z	MOYA.	FDYA	MDYA.	FDYA	MDYA	ΨQX	MOYA	MDYA.	MDYA	WDYA	MDYA.	MDYA.	WDYA	₩ V	WOYA	W DYA	MOYA	MOYA	MDYA.	MDYA	EDYA FDYA	₩ VA	MDYA	M DYA	MDYA.	MDYA.	MDYA	WDYA	M DYA
USATHAMA Method Code	UM18																																

Chemical quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

7 0																																		
Units	털	펄	텀	렇	널	폌	ם	털	털	렼	폌	ם	폌	ց	령	폌	폌	폌	널	폌	폌	폌	털	렬	폌	폌	폌	널	널	털	폌	폌	폌	ם
Vatue	×	8	'n	9.5	4	4.7	9.5	2.8	36	4	200	ī	1.8	1.7	~	9	1.7	1.7	5.2	4.2	5.9	5.8	2	4.5	٤.	M	4	8.	'n.	1.7	3.9	4.3	3.7	72
>				-		•	•																											
٧		v	v	v	~	v	v	•	v				v	v	v		v	v	v	v	v	v	v	v	v			v	v	v	v	v	v	v
.s	8	-5	4	-54	7	-54	-54	-94	-54	-54	-54	-54	-94	FEB-94	-94	FEB-94	-94	FEB-94	FEB-94	-94	FEB-94	-94	FEB-94	FEB-94	FEB-94	FEB-94	FEB-94	FEB-94	FEB-94	FEB-94	FEB-94	FEB-94	FEB-94	FEB-94
Analysis Date	03-FEB-94	03-FEB-94	3-FEB-94	3-FEB	3-FEB	3-FEB	3-FEB	3-FEB	3-FEB	3-FEB	03-FEB-94	03-FEB-94	05-FEB-94	5-FEB	5-FEB-94	05-FEB	5-FEB	05-FEB	05-FEB	05-FEB	05-FEB	05-FEB	05-FEB	05-FEB	5-FEB	5-FEB	5-FEB	5-FEB	5-FEB	05-FEB	05-FEB	05-FEB	1	35-FEB
₹ã		_											0	0	0	0	0	0	0	0	0	0	0	0	0								0	0
	76-N	7-4 1-24	7-94 N-94	76-N	14-94	76-N	76-N	76-N	76-N	76-N	14-94	76-N	N-94	14-N	N-94	1-JAN-94	18-94	1N-94	1N-94	14-94	76-NI	- JAN-94	JAN-94	JAN-94	- JAN-94	-JAN-94	18-94	14-N	18-94	18-94	1N-94	31-JAN-94	-JAN-94	-JAN-94
Prep Date	26-JAN-94	26-JAN-94	26-JA	26-JA	26-JA	26-JA	26-JA	26-JA	26-JA	26-JA	26-JAN-94	26-JAN-94	31-JAN-94	31-JA	31-JA	31-18	31-14	31-14	31-14	31-12	31-JAN-94	31-1/	31-12	31-1/	31-1/	31-1	31-1/	31-1/	31-1/	31-1/	31-1/	31-1/	31-1	31-J
<u>د</u>																																		
Lab Number																																		
											_								_	_	_	_					_							_
Test Name	PCB260	ည်	HANTR	PHENOL	2000	PPODE	PPDDT	ΥR	CXPHEN	JNK583	JNK 640	JNK642	124TCB	20CLB	2DPH	ZEPCH	3DCLB	4DCLB	245TCP	246TCP	24DCLP	MDW07	24DNP	Z4DNT	26DNT	CHE 1	2CHE 10	2CLP	2CNAP	ZMNAP	ğ	2NANI!	₹	330CBD
:		_	_	_	_	_	_		•	_	_	_	_	_	•	_	_	-	•	•••	· ·				•••	• -	• •	•			•••	•		DZA 3
Lot	MOYA.	₩	24	₩ W	₹	MOX.	MOYA	MDYA	MDYA	₩ Y	MOYA MOYA	₩	MDZA	ŝ	3	MD2A	3	3	3	ŝ	3	MDZA	MOZA	MOZA	3	3	3	ŝ	3	3	3	MDZA	MD2A	3
JSATHAMA Wethod Code	æ																																	
USATH Metho Code	UM18																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	 10 10 10 10 10 10 10 10 10 10 10 10 10	- 7 - 7 - 7	.3.1 UGL		_	.52 UGL	~ı	12 ug.	4 UGF	_	a	4.7 UGL	.7 190 /:	.5 UGL	.5 UGL	.5 UGL					_	5.4 UGL	7 NGL		9.2 UGL	10 UGL	13 UGL		.87 UGL		.5 UGL		.6 ugl
Va	7	7			<u></u>	•	<u>.</u>			L	<u>~</u>	7	•			•	u 1	•	7	•	7			1-1	.			•		•			•
v :	.	v v	· •	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	05-FEB-94	-FEB-	05-FEB-94
Prep Date	31-JAN-94	31-JAN-94 31-Jan-04	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94	31-JAN-94
Lab Number																																	
Test Name	SNANIL	46UNZC	4CANIL	4cL3c	4CLPPE	4MP	4NAN1L	4NP	ABHC	ACLDAN	AENSLF	ALDRN	ANAPNE	ANAPYL	ANTRC	B2CEXM	B2CIPE	BZCLEE	BZEHP	BAANTR	BAPYR	BBFANT	BBHC	BBZP	BENSLF	BENZID	BENZOA	BGHIPY	BKFANT	BZALC	CARBAZ	CHRY	CL68Z
Lot	MDZA.	M02A	MDZA	MDZA	AZ QA	MDZA	MDZA	MDZA	WDZA	MD2A	MDZA	MD2A	MD2A	MDZA	MDZA	MDZA	MDZA	MDZA	W DZA	MDZA	M DZA	MD2A	MDZA	FDZA	MDZA	MDZA							
USATHAMA Method Code	UM18																																

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

USATHAMA Method Code	Lot	Test Name	Lab Number	Prep Date	Analysis Date	•	Value	Units
UM18	MDZA.	CL6CP	! ! ! !	31-JAN-94	05-FEB-94	. •	8.6	LG.
	MDZA	CL6ET		31-JAN-94	05-FEB-94	v	1.5	폌
	MDZA	DBAHA		31-JAN-94	05-FEB-94	v	6.5	ց
	MDZA	DBHC		31-JAN-94	05-FEB-94	v	4	털
	MDZA	DBZFUR		31-JAN-94	05-FEB-94	v	1.7	펄
	MDZA	DEP		31-JAN-94	05-FEB-94	•	7	멸
	M 024	DLDRN		31-JAN-94	05-FEB-94	v	4.7	털
	MDZA	DMD		31-JAN-94	05-FEB-94	v	1.5	년 기
	MDZA	DNBP		31-JAN-94	05-FEB-94	v	3.7	털
	MDZA	DNO		31-JAN-94	05-FEB-94	v	5	형
	402A	ENDRN		31-JAN-94	05-FEB-94	v	7.6	형
	M 024	ENDRNA		31-JAN-94	05-FEB-94	v	∞	널
	MD2A	ENDRNK		31-JAN-94	05-FEB-94	v	∞	ց
	MDZA	ESFS04		31-JAN-94	05-FEB-94	v	9.5	ם
	MDZA	FANT		31-JAN-94	05-FEB-94	v	3.3	펄
	MDZA	FLRENE		31-JAN-94	05-FEB-94	v	3.7	털
	MDZA	GCLDAN		31-JAN-94	05-FEB-94	v	5.1	펄
	MDZA	HCBO		31-JAN-94	05-FEB-94	v	3.4	펄
	MDZA	HPC		31-JAN-94	05-FEB-94	v	7	펄
	MDZA	HPCLE		31-JAN-94	05-FEB-94	v	ī	폌
	MD2A	ICDPYR		31-JAN-94	05-FEB-94	v	8.6	멸
	MDZA	ISOPHR		31-JAN-94	05-FEB-94	v	4.8	널
	MDZA	LIN		31-JAN-94	05-FEB-94	v	4	널
	MDZA	MEXCLR		31-JAN-94	05-FEB-94	v	5.1	널
	WDZA	NAP		31-JAN-94	05-FEB-94	~	r.	널
	MDZA	9		31-JAN-94	05-FEB-94	v	ī.	털
	WDZA	NNDMEA		31-JAN-94	05-FEB-94	v	7	ց
	MDZA	NNDNPA		31-JAN-94	05-FEB-94	v	4.4	ց
	MDZA	NNDPA			05-FEB-94	v	M	펄
	MDZA	PCB016		•	05-FEB-94	v	21	렬
	MDZA	PCB221			05-FEB-94	v	21	널
	MDZA	PCB232			05-FEB-94	v	2	년 기
	MD2A	PCB242		31-JAN-94		v	30	펄
	MDZA	PCB248		31-JAN-94	05-FEB-94	v	8	걸

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1993-1994, SSI Groups 2,7

Units	를 함 함	털	털	함	펄	럴	텀	Jg Ng	폌	멸	ם	형	펄	형	펄	덩	ց	ց	털	ց	털	폌	털	뎔	펄	ם B	펄	텀	널	폌
Value	888	ō'n	8.5 7	4.7	9.5	ر 8	36	'n	1.2	'n	8	'n	'n	'n.	۲.	13	1 0	<u>8</u>	.29	.58	8.3	5.6	6.	'n	1.4	.58	2.3	5.8	3.2	5.6
_																														
v	: ·	, v	v v	· •	•	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	٧,	v	v	v	v	v	v	v	v	v
·s	7 75	5 5	7 5	\$	-94	-54	-94	-93	-93	- ب	-93	-93	-93	-93	-93	-93	-93	ا ا	-93	-93	-93	-93	-93	-93	-93	-93	-93	-93	- ا	-93
Analysis Date	05-FEB-94 05-FEB-94	5-5	5-FEB	7-F	5-FEB	5-FEB	5-FEB	13-JAN-93	3-JAN	3-JAN	3-JAN-93	3-JAN-93	3-JAN	3-JAN	3-JAN	3-JAN	3-JAN	13-JAN-93	3-JAN	3-JA	3-JA	3- JA	3-JAN	3-JAN	3-JAN	3-JAN	3-JAN	3-JAN	₹,	3-JAN
۷۵	!						0		-																				_	_
	JAN-94	31-JAN-94	AN-94	\$ -8	AN-94	AN-94	- JAN-94	13-JAN-93	AN-93	AN-93	AN-93	3-JAN-93	AN-93	AN-93	AN-93	13-JAN-93	AN-93	13-JAN-93	AN-93	AN-93	AN-93	AN-93	AN-93	AN-93	AN-93	AN-93	13-JAN-93	3-JAN-93	3-JAN-93	JAN-93
Prep Date	2 × ×	3-1	31-1	3. <u>1.</u>	31-1	3 1 -1	31-1	13-1	13-1	13-1	13-7	13-1	13-J	13-J	13-1	13-1	13-1	13-1	13-J	13-7	13-1	13-7	13-1	13-J	13-1	13-	13-1	13-1	13. L	13-7
Lab Number																				٠										
rab Mart																														
	7,2	Ξ.	럴	й	<u>-</u>		S	8	띩	щ	ᄪ	μ	쁜	ï.	۳		Ę	2	ĭ		ш	ದ್ದ	<u>ت</u>	٠.	بر		7,5	æ	<u>بر</u>	ŭ
Test	PCB254 PCB260	PHANTR	PHENOL	PPODE	PPDDT	PYR	TXPHEN	111TCE	112TCE	110CE	110CLE	120CE	120CLE	120CLP	2CLEVE	ACET	ACRO	ACRYLO	BRDC	<u>013</u>	C2AVE	CZ CZ	CZHZ	26 16 16 16 16 16 16 16 16 16 16 16 16 16	2	700	CH2CL2	CH3BR	CH3CL	3
Lot	4204 4024	1 A Z	829	525	F 02A	19 24	FDZA	₽	똣	왕		ş	Ş	몿	물	물	多	₹	Ş	Ş	롲	ş	물		옻		Ş	ş	ğ	
JSATHAMA Wethod Code	_							_																						
USATHA Method Code	UM18							UM20																						

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	1:6 v.
v	
Analysis Date	13-JAN-93 13-JAN-93
Prep Date	13- JAN-93 13- AUG-93 13- AUG-93
Lab Number	
Test Name	CHCL3 CLC6H5 CLC6H5 CLC6H5 CLC6H5 CLC6H5 MIBK MIBK MIBK MIBK MIBK MIBK MIBK MIDCE 1130CP 1110CE 110CE 120CP
Lot	CMO
USATHAMA Method Code	UM20

USATHAMA Method	1	Test	Lab	Prep	Analysis	,	<u> </u>	
e coe	, -	Name	Number	nate	Date		varue	S :::
UM20	GBKA	CCL4		13-AUG-93	13-AUG-93	v	<u>چ</u>	폌
	88 87	CH2CL2		13-AUG-93	13-AUG-93	v	2.3	렬
	GBKA	CH3BR		13-AUG-93	13-AUG-93	v	8	폌
	GBKA	CH3CL		13-AUG-93	13-AUG-93	v	3.2	폌
	GBKA	CHBR3		13-AUG-93	13-AUG-93	v	5.6	폌
	GBKA	CHCL3		13-AUG-93	13-AUG-93	•	'n	병
	GBKA	CL 28Z		13-AUG-93	13-AUG-93	v	9	폌
	GBKA	CLC6H5		13-AUG-93	13-AUG-93	v	'n	Jg Ng
	GBKA	CS2		13-AUG-93	13-AUG-93	v	'n	폌
	GBKA	DBRCLM		13-AUG-93	13-AUG-93	~	.67	힘
	GBKA	ETC6H5		13-AUG-93	13-AUG-93	~	'n	占 의
	GBKA	MEC6H5		13-AUG-93	13-AUG-93	v	'n	멸
	GBKA	五		13-AUG-93	13-AUG-93	v	6.4	텀
	GBKA	MIBK		13-AUG-93	13-AUG-93	~	m	텀
	GBKA	MNBK		13-AUG-93	13-AUG-93	~	3.6	털
	GBKA	STYR		13-AUG-93	13-AUG-93	v	ī.	털
	GBKA	T130CP		13-AUG-93	13-AUG-93	v	.7	ց
	GBKA	TCLEA		13-AUG-93	13-AUG-93	v	<u>.</u>	멸
	GBKA	TCLEE		13-AUG-93	13-AUG-93	v	1.6	펄
	GBKA	TRCLE		13-AUG-93	13-AUG-93	v	'n	폌
	GBKA	XYLEN		13-AUG-93	13-AUG-93	v	\$	털
	GBOA	111TCE		18-AUG-93	18-AUG-93	v	ı.	폌
	GBOA	112TCE		18-AUG-93	18-AUG-93	v	1.5	널
	GBOA	11DCE		18-AUG-93	18-AUG-93	v	'n	널
	GBOA	110CLE		18-AUG-93	18-AUG-93	v	&	ם
	GBOA	120CE		18-AUG-93	18-AUG-93	v	'n	펄
	GBOA	12DCLE		18-AUG-93	18-AUG-93	v	'n	힑
	GBOA	12DCLP		18-AUG-93	18-AUG-93	v	ī.	폌
	GBOA	2CLEVE		18-AUG-93	18-AUG-93	v	۲.	뎔
	GBOA	ACET		18-AUG-93	18-AUG-93	v	5	뎚
	GBOA	ACROLN		18-AUG-93	18-AUG-93	v	5	폌
	GBOA	ACRYLO		18-AUG-93	18-AUG-93	v	5	널
	GBOA	BRDCLM		18-AUG-93		v	53	널
	GBOA	C130CP		18-AUG-93	18-AUG-93	v	هر	폌

Chemical quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	8.3 UGL	.e G	명 6.	.s.	.4 UGL	58 UGL	교	.8 UGL	.2 UGL	.6 UGL	ક્	10 UGL	.5 UG		.67 UGL	.s .g		9.5 UGL	_	3.6 UGL	ය. මු				.s G			1.2 UGL	.s G	89. 191 191	.s. G	.5 UGL	.5 190	.71 UGL
Na Va	κ ό	~ ~	_	v	~	· ·	6	۰ م	∾	~	•	•	•	•	•	•	•	U.	•	٧.	v	v	·	·-	•	· •	•	·	v	v	v	•	v	v
Analysis Date	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93
Prep Date	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	18-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93
Lab Number																																		
Test Name	CZAVE	C2H3CL	C2H5CL	C6H6	CCL3F	7100	CH2CL2	CH3BR	CH3CL	CHBR3	CHCL 3	CL 28Z	CL C6H5					_		¥RK			_	•			111TCE				_	_		· (Q
Lot	¥089	GBOA	GBOA	GBOA	GBOA	GBOA	GBOA	68Q	GBOA	GBOA	GBOA	GBO	GBOA	GBOA	GBOA	GBOA	GBOA	GBO	GBOA	GBOA	GBOA	GBOA	GBOA	680	GBOA	GBO	680	CBO	GBO	680	GROA	GBOA	680	GBOA
USATHAMA Method Code	UM20																																	

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

so, s	!																																	
. Units	ց	<u>5</u>	占	널	폌	ם	힘	힘	힘	ם	폌	ם	ם	ց	ם	힑	힘	ם	털	ց	림	ם	럴	ם	ց	ם	텀	ם	림	ց	힘	힠	폌	럴
Value	13	9	8	.29	58	8.3	5.6	1.9	ī.	1.4	.58	2.3	5.8	3.5	5.6	ī.	9	'n	'n	.67	'n	ņ	6. 4	M	3.6	'n	.7	.5	1 .6	ī.	ģ	ņ	1.2	'n
V 1	' '	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	٧	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	01-SEP-93	01-SEP-93	01-SEP-93								
Prep Date	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	20-AUG-93	01-SEP-93	01-SEP-93	01-SEP-93								
Lab Number																																		
Test Name	ACET	ACROLN	ACRYLO	BRDCLM	C130CP	CZAVE	C2H3CL	C2H5CL	сене	CCL.3F	CCL4	CH2CL2	CH3BR	CH3CL	CHBR3	CHCL3	CL2BZ	CL C6H5	CS2	DBRCLM	ETC6H5	MEC6H5	Ж	MIBK	MBK	STYR	T130CP	TCLEA	TCLEE	TRCLE	XYLEN	111TCE	112TCE	110CE
Lot	GBQA	GBOA	680A	GBOA	GBOA	GBOA	GBOA	GBOA	GBQA	GBOA	GBQA	GBOA	GBOA	GBOA	GBOA	GBQA	GBOA	GBOA	GBOA	GBOA	GBOA	GBQA	GBOA	GBOA	GBOA	HKEA	HKEA	KEA						
USATHAMA Method Code	UM20																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	86.2.2.2.2.606.2.2.2.2.2.2.2.2.2.2.2.2.2.
v :	
Analysis Date	01-5EP-93 01-5EP-93
Prep Date	01-SEP-93 01-SEP-93
Lab Number	
Test Name	110CLE 120CLE 120CLP 2CLEVE ACROLN ACROLN ACROLN C130CP C2H5CL CCL3F CCL3F CCL3F CCL3F CCL3F CCL3F CCL4 CH8R3 CHCL3 CH2CL CH8R3 CHCL3 CH2CL CH3C
Lot	KEBA KEBA KEBA KEBA KEBA KEBA KEBA KEBA
USATHAMA Method Code	UM20

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	~%;;;;%;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;
v .	
Analysis Date	01.5E-93 17.5E-93
Prep Date	91-88-93 77-88-
Lab Number	
Test Name	TRCLE XYLEN 111TCE 110CE 110CLE 110CLE 12DCLE 12DCL
Lot	H H K K A H K K A H
USATHAMA Method Code	nwso

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Units	ց	털	폌	폌	덩	폌	폌	텀	ם	ם	펄	ם	ם	펄	ם	ם	펄	덩	폌	텀	털	텀	펄	폌	텀	털	ם	텋	널	널	를	널	폌	ց
Value	3.6	'n	۲.	۲.	9.	'n.	ş.	'n.	7.5	'n	8	'n	νį	'n	۲.	13	5	9	59	.58	8 7	5.6	6.	'n	1.4	85.	2.3	5.8	3.5	5.6	'n	9	'n	ιί
v ;	•	v	V	~	v	v	~	v	v	v	~	v	v	v	~	~	~	~	v	~	~	~	٧	v	~	v	~	v	v	~	v	v	v	V
Analysis Date	17-SEP-93	22-SEP-93																																
Prep Date	17-SEP-93	17-SEP-93	17-SEP-93																	22-SEP-93				22-SEP-93										
Lab Number																																		
Test Name	MNBK	STYR	•	TCLEA	•		^	_	112TCE		_	_	12DCLE	_	"					_		_	_	_	_	_	_	CH3BR				_		_
Lot	HKV	ĦZ	Ηζ	HKV	ĦZ	HKVA	HKVA	ICCA	ICCA	ICCA	ICCA	CCA	ICCA																					
USATHAMA Method Code	UM20																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994, SSI Groups 2,7

Value Units	66. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.
,	; ,
Analysis Date	22-86-93 22-86-93 22-86-93 22-86-93 22-86-93 27-86-
Prep Date	22-86-93 23-86-93 23-
Lab Number	
Test Name	DBRCLM ETC645 MECKH5 MIBK MIBK MIBK MIBK MIBK MIBK MIDCE 1130CP 1120CE 1120CE 1120CE 120CE 120CE 120CE 120CE CCH5C
Lot	00000000000000000000000000000000000000
USATHAMA Method Code	UM20

Value Units	%: るいもいいないがない。 をはいればいれば、 をはいれば、	.5 UG.
v :	~ · · · · · · · · · · · · · · · · · · ·	v
Analysis Date		01-0CT-93
Prep Date	27-SEP-93 27-SEP	01-0CT-93
Lab Number		
Test Name	CHRR3 CHCL3 CLC6H5 CLC6H5 CS2 DBRCLM ETC6H5 MEC6H5 MEC6H5 MEC6H5 MEC6H5 TCLEE TCCE TCC	6H6
Ę	1001A 44 44 44 44 44 44 44 44 44 44 44 44 44	ICJA
USATHAMA Method Code	0450	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	1.4 UGL 58 1.0	2.3 UGL	5.8 UGL	3.2 UGL	2.6 UGL	 	10 UGL	.5 UGL		.67 UGL	.5 UGL		6.4 UGL				 UGF		_	.s ug		.s.	1.2 UG.		. 88 ug	.5 UGL	.5 UGL	.5 UGL				100 UGL	
v ;	; • • •	· •	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v		v	v	v
Analysis Date	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-oct-93	04-0CT-93		04-0CT-93									
Prep Date	01-0CT-93	01-0C1-93	01-oct-93	01-0CT-93	01-0CT-93	01-oct-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	01-oct-93	01-0CT-93	01-oc1-93	01-0CT-93	01-0CT-93	01-0CT-93	01-oct-93	01-0CT-93	01-0CT-93	01-0CT-93	01-0CT-93	04-0CT-93	04-0CT-93	04-0CT-93	04-0CT-93	04-0CT-93	04-0CT-93	04-0C1-93	04-0CT-93	04-0CT-93	04-0C1-93	04-0CT-93	04-0CT-93
Lab Number																																	
Test Name	CCL3F	CHZCL2	CH3BR	CH3CL	CHBR3	CHCL3									MNBK					•							12DCLE			_	_		BRDCLM
Ę	25 25	1 N	1CJA	1CJA	ICJA	ICLA																											
USATHAMA Method Code	UM20																																

	Value Units	8.8.5. 8.6.5.
	v	; , v v v v v v v v v v v v v v v v v v v
rol Report ns, MA (DV) S os 2,7	Analysis Date	04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93
Chemical Quality Control Report Stallation: Fort Devens, MA (DV METHOD BLANKS 1993-1994 SSI Groups 2,7	Prep Date	04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93
Chemical Quality Installation: Fort METHOD 1993-1994 SSI	Lab Number	
	Test Name	C130cP C248c C243c C243c C243c C42c2 C43c C43c C43c C43c C43c C43c C43c C43c
	Lot	WAS A STATE OF THE
	USATHAMA Method Code	UM20

Value Units		1
v :	; ;	
Analysis Date	04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93 04-001-93	:
Prep Date	04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93	
Lab Number		
Test Name	ACROLM ACROLM ACROLM C130CP C2H5CL C2H5CL CCH5C CCH5 CCH5 CH2CL CH3RR CH3RR CH3RR CH2CL CH2CL CH2CL CH3RR CH2CL CH2C CH2C	!
Lot	CON A COUNTY OF	
USATHAMA Method Code	T450	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	2.89.		.5 UGL	.5 UGL	.71 UGL	_			.59 UGL	_	_	2.6 UGL	_	.5 Ugi			2.3 UG.				.5 Jei	10 UGL	.5 UGL		.67 UGL	.5 Jen		4.4 UGL		_			190 I.C.
*	• • •	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	07-0C1-93 07-0C1-93	07-0CT-93	07-0CT-93	07-0CT-93	07-0CT-93	07-0CT-93	07-0C1-93	07-0CT-93	07-oct-93	07-0CT-93	07-0C1-93	07-0CT-93	07-001-95																				
Prep Date	07-0CT-93 07-0CT-93	07-0CT-93	07-0C1-93	07-0CT-93	07-0CT-95																												
Lab Number																																	
Test Name	110CE	120CE	120CLE	120CLP	2CLEVE	ACET	ACROLN	ACRYLO	BRDCLM		_	C2H3CL	_				CHZCLZ									_	_	_	Ξ		٠,		1 TCLEA
Ę	ICNA	CNA	ICNA	¥ S	ICNA	ICN	CN	ICN	ICNA	ICN																							
USATHAMA Method Code	UM20																																

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	5.0.% 6.0.% <td< th=""></td<>
V :	; ,
Analysis Date	7-07-93 7-07-93 7-07-93 11-07-93
Prep Date	7-07-05 07-07-93 11-07-93
Lab Number	
Test	TCLEE TRCLE 111TCE 110CE 110CE 12CCE
Lot	CONA CONA CONA CONA CONA CONA CONA CONA
USATHAMA Method Code	n#30

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS : 1993-1994 SSI Groups 2,7

ICPA MIBK 11-0CT-9 ICPA MIBK 11-0CT-9 ICPA TGLE IC	Method Code	ot	Test Name	Lab Number	Prep Date	Analysis Date	v :	Value	Units
MNBK STYR 1130CP TCLEA TCLEA TCLEA TCLEA TTLEA TTLEA TTLEA TTLEA TTLEA TOCE TDCLE TD	-	CPA	MIBK		11-0CT-93	11-0CT-93	. •	м	펄
STR 11300 111300 TCLEA TCLEA TCLEA TCLEA TITOCE 1100CE 1100CE 1100CE 120CE	_	CPA	MNBK		11-0CT-93	11-0CT-93	v	3.6	덩
1130cP 17130cP 17CLEE 17CLEE 11170c 11170c 1100cE 120cLE 1	_	G B	STYR		11-0CT-93	11-0CT-93	v	ī.	멸
TCLEA TCLEE XYLEN T11TCE 111DCE 11DCE 11DCE 12DCLE	_	GA	T130CP		11-0c1-93	11-0CT-93	v	.7	폌
TCLE TRCLE TRCLE T11TGE 111TGE 11DGE 11DGE 12DGE	_	CPA	TCLEA		11-0CT-93	11-0CT-93	v	.5	폌
TRCLE XYLEN 111TGE 110CLE 110CLE 120CLE	_	CPA	TCLEE		11-0cT-93	11-0CT-93	v	1.6	형
XYLEN 111TGE 11DGE 11DGE 12DGE 12DGE 12DGLE	_	CPA	TRCLE		11-0CT-93	11-0CT-93	v	'n.	년 N
1111CE 112TCE 110CE 110CE 12DC		CP A	XYLEN		11-0CT-93	11-0CT-93	v	ş.	텀
112TG 11DGE 11DGE 12DGE 12DGE 12DGLE	-	CRA	111TCE		14-0CT-93	14-0CT-93	v	'n	펄
110CE 110CLE 120CE 120CLE 120CLE 2CLEVE AGET AGET AGET AGET C130CP C2NSCL C2NSC	_	SA	112TCE		14-0CT-93	14-0CT-93	v	1.2	털
110CLE 120CE 120CE 120CLE 120CLE 2CLEVE AGROLN AGROLN AGROLN C130CP C2AVE C2AVE C2AVE C2ASCL CCLS CCL CCLS CCL CCLS CCL CCLS CCL CCLS CCL CCLS CCL CCLS CCL CCL CASCL CCL CASC	_	CRA	110CE		14-0CT-93	14-0CT-93	v	'n.	폌
12DCE 12DCLE 12DCLP 2CLEVE 2CLEVE ACROLN ACROLN C13DCP C2AVE C2AVE C2AVE CC13 F CC14 CC13 F CC14 CC14 CC13 F CC14 CC13 F CC14 CC12 F CC14 CC12 F CC14 CC12 F CC14 CC12 F CC14 CC12 F CC14 CC14 CC12 F CC14 CC12 F CC14 CC12 F CC14 CC12 F CC14 CC14 CC12 F CC14 CC12 F CC14 CC12 F CC14 CC12 F CC14 CC12 F CC14 CC12 F CC14 CC14 CC14 CC14 CC14 CC14 CC14 CC1	_	CR R	11DCLE		14-0CT-93	14-0CT-93	v	89.	멸
120CLE 120CLP 2CLEVE ACET ACRILO RRDCLM C130CP C2H5CL C2H5CL CCL3F CCL4 CCL3F CCL4 CHRS3 CHCL2 CHSCL2 CHSR3 CHCL3 CHSCL2 CHSCL3	-	CRA	120CE		14-0CT-93	14-0CT-93	~	'n.	ց
120CLP 2CLEVE AGRIN AGRYLO AGRYLO C130CP C2HSCL C2HSCL CCL3F CCL3F CCL4 CH2CL CH3CL CH3CL CH3CL CH3CL CH3CL CH2CL CH3CL CH2CL CH3CL CH2CL CH3CL CH2CL CH3CL CH2CL CH2CL CH2CL CH3CL CH2CL CH2CL CH2CL CH3CL CH2CL CH3C CH3C	_	8	12DCLE		14-0CT-93	14-0CT-93	v	'n	펄
2CLEVE AGET ACROLN ACRYLO BRDCLM C130CP C2AVE C2AVE C2ASCL C2H5CL C6H6 CCL3F CCL4 CH2CL CH3C CH3C		S.A	120CLP		14-0CT-93	14-0CT-93	v	ī.	텀
ACET ACROLN ACROLN ACROLN BROCLN C130CP C2AVE C2H3CL C2H5CL C6H6 CCL3F CCL3F CCL4 CH2CL2 CH3CL CH3CL CH3CL CH2CL2 CH2CL CH3CL CH3CL CH3CL CH2CL	_	S	2CLEVE		14-0CT-93	14-0CT-93	v	۲.	펄
ACROLN ACRYLO ACRYLO C130CP C2AVE C2H3CL C2H5CL C6H6 CCL3F CCL4 CH2CL CH3CL CH3CR CH3CL CH3CR CH2CR CCCR	_	CRA	ACET		14-0CT-93	14-0CT-93	v	5	펄
ACRYLO BRDCLM CZASC CZASC CZHSCL CZHSCL CCL3F CCL4 CHSCL2 CHSR3 CHCL3 CHCL3 CHCL3 CLCR2 CLCR2	_	SB	ACROLN		14-0CT-93	14-0CT-93	v	90	펄
8RDCLM C130CP C2AVE C2H5CL C2H5CL C6H6 CCL3F CCL4 CH2CL CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL CH2CL3 CHCL3	_	8	ACRYLO		14-0CT-93	14-0CT-93	v	100	펄
C130CP C2AVE C2ASC C2H5CL C6H6 CCL3F CCL4 CH2CL2 CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL	_	CRA	BRDCLM		14-0CT-93	14-0CT-93	v	.59	펄
C2AVE C2H3C1 C2H5C1 C6H6 CCL3F CCL4 CH2CL2 CH3CL CH3CL CHC13 CHC13 CLCN2		CRA	C130CP		14-0CT-93	14-0CT-93	v	.58	펄
C2R3C1 C2R5C1 C6L8F CCL3F CCL4 CR2CL2 CR3CL CR3CL CR3CL CR3CL CR3CL CR2CL3 CCCL3	_	CRA	CZAVE		14-0CT-93	14-0CT-93	v	8.3	폌
C2H5CL CCL3F CCL4 CCL4 CH2CL CH3CL CH3CL CH3CL CH3CL CH2CL CH8R3 CHCL3	_	CRA	C2H3CL		14-0CT-93	14-0CT-93	v	5.6	폌
C646 CCL3F CCL4 CH2CL2 CH3CL CH3CL CH3CL CH2CL3 CHCL3 CLCBC	_	CRA	C2H5CL		14-0CT-93	14-0CT-93	~	1.9	덬
CCL3F CCL4 CH2CL2 CH3BR CH3CL CHBR3 CHCL3 CHCL3	_	CRA	049		14-0CT-93	14-0CT-93	v	ī.	폌
CCL4 CM2CL2 CM3CR CM3CL CMB3 CMCL3 CMCL3 CL2B2		CRA	CCL.3F		14-0CT-93	14-0CT-93	v	1.4	ig S
CH2CL2 CH38R CH3CL CHB3 CHCL3 CLCB2		CRA	ככר ל		14-0CT-93	14-0CT-93	v	.58	폌
CH36R CH8R3 CHBR3 CL2R2 CLCAS		CRA	CH2CL2		14-0CT-93	14-0CT-93	v	2.3	명
CH3CL CHBR3 CHCL3 CL2BZ CLC6H5		SB	CH3BR		14-0CT-93	14-0CT-93	v	5.8	ᇋ
CHBR3 14-0CT-CHCL3 14-0CT-CL2BZ 14-0CT-CLCBZ 14-0CT-CLCH5 14-0CT-CLCCH5		ICRA	CH3CL		14-0CT-93	14-0CT-93	v	3.2	털
CHCL3 14-0CT- CL282 14-0CT- CLC6H5 14-0CT-	- "•	ICRA	CHBR3		14-0CT-93	14-0CT-93	v	5.6	털
CL 28Z 14-0CT-1		8	CHCL3		14-0CT-93	14-0CT-93	v	2,	널
CLCOH5		CR CR	CL28Z		14-0CT-93	14-0CT-93	v ⁻	₽,	털 :
		CK A	CLCOHS		14-001-93	14-001-93	v	Ų.	털

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	.5 UGL	_	.5 UGL	_	6.4 UGL	_	3.6 UGL	_	_	.51 UGL	1.6 UGL	_	190 78.	.5 Ug	1.2 UGL	.5 Ug	.68 UGL	.5 UGL	.5 UGL •	.5 บด.	_		100 UGL	_			8.3 UGL	<u> </u>	1.9 UGL	.5 190 25	1.4 UGL	.58 UGL	2.3 UGL	5.8 UGL
v	· •	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	•	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	14-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0C1-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93												
Prep Date	14-0CT-93	22-0CT-93	22-0CT-93	22-0CT-93	22-0C1-93	22-0CT-93	22-0CT-93	22-0CT-93		22-0CT-93																								
Lab Number																																		
Test Name	CS2	DBRCLM	ETC6H5	MEC6H5	黑	MIBK	MNBK	STYR	T130CP	TCLEA	TCLEE	TRCLE	XYLEN	111TCE	112TCE	11DCE	11DCLE	12DCE	12DCLE	12DCLP	2CLEVE	ACET	ACROLN	ACRYLO	BRDCLM	C130CP	C2AVE	C2H3CL	C2H5CL	C6H6	CCL3F	ככרל	CH2CL2	CH3BR
Lot	ICRA	ICRA	ICR A	ICRA	ICRA	ICRA	ICRA	ICRA	ICRA	1CRA	ICRA	ICRA	ICRA	ICXA	ICX	ICX	ICXA	ΩX	ICXA	ICX	ICXA	ICX	ICX	S	CXA	IÇ X	Ιζ	SX	ICXA	ICXA	ICX	ΩX	ICXA	ICX
USATHAMA Method Code	UM20																																	

Value Units	1.	_
		· ~
Analysis Date	22-01-93 22-01-93 22-01-93 22-01-93 22-01-93 22-01-93 22-01-93 22-01-93 22-01-93 22-01-93 22-01-93 22-01-93 22-01-93 22-01-93 22-01-93 22-01-93 22-01-93 23-01-93 23-01-93 23-01-93 23-01-93 23-01-93 23-01-93 23-01-93 23-01-93 23-01-93 23-01-93 23-01-93 23-01-93 23-01-93 23-01-93 23-01-93	25.77.0
	001-93 001-93 001-93 001-93 001-93 001-93 001-93 001-93 001-93 001-93 001-93 001-93 001-93	20-7
Prep Date	22-01-33 23-01-33 23-01-33 23-01-33 23-01-33 23-01-33	3 6
Lab Number		
Test Name	CH3CL CH8R3 CH8R3 CLC8L5 CLC6H5 CS2 CLC6H5 CS2 CC6H5 CLC6H5 MNBK MNBK MNBK MNBK MNBK T130CP TCLE TTCLE	ביינים היינים
Lot	10XA 10XA 10XA 10XA 10XA 10XA 10XA 10XA	
USATHAMA Method Code	nw50	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	2.4.8.2.8.2.8.2.2.2.2.2.2.2.2.2.2.2.2.2.	
\ \ !		· · · · · · ·
Analysis Date	25-64-32 25-64-	25-JAN-94 25-JAN-94 25-JAN-94 25-JAN-94 25-JAN-94 25-JAN-94
Prep Date	25-01-33 25-01-	25- JAN-94 25- JAN-94 25- JAN-94 25- JAN-94 25- JAN-94 25- JAN-94 25- JAN-94
Lab Number		
Test Name	C646 CCL3F CCL4 CCH3RR CH3RR CH3CL CH8R3 CHCL3 CHCL3 CLC645 CCC8S CCC8S CCC645	120CE 120CLE 120CLP 2CLEVE ACET ACROLN ACRYLO
Lot	102A 102A 102A 102A 102A 102A 102A 102A	88888888888888
USATHAMA Method Code	n m so	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

s i)																																	
Units	널	털	<u> </u>	3 3	3 5	3	널	털	럴	ց	텀	널	g	ց	ց	ם 기	ng Ng	ם	ם	n N	ם	덩	령	ם	ց	ם	д П	ם	뎐	ษ	폌	UGL	百	ם
Value	8.5	, č	9.0	9.0	<u>.</u>	ָרָ יִ	1.4	82	2.3	5.8	3.5	5.6	'n	2	'n	'n	.67	'n	'n	6.4	M	3.6	'n	.7	5.	1.6	'n.	쳜	'n	1.2	'n	8	ι	'n
v :	· •	٧ ،	, ,	v '	٧ ١	•	٧	v	v	٧	v	V	V	٧	v	~	v	v	v	v	v	V	v	v	v	v	~	v	v	v	v	~	٧	v
Analysis Date	25-JAN-94	25-JAN-24	10 - CAN - 74	2-N-0	22-JAN-94	CO-CAN-V4	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	25-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94
40																																		4
Prep Date	25-JAN-94	25-CAN-52	7 - NAU -	2 - NAU -	22- JAN-25	- NAU-	- JAN-92	-JAN-9	-JAN-9	-JAN-9	25-JAN-94	25-JAN-94	-JAN-9	-JAN-9	-JAN-9	25-JAN-94	- JAN-9	-JAN-9	- JAN-9	9-NAU-	9-NAU-	9-NAU-6	9-NAL-9	25-JAN-94	9-JAN-9	9-JAN-9	9-NAU-5	9- JAN-9	5-JAN-9	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94
g S	ស	O F	0 5	O F	QK	0	ĸ	ĸ	Ю	ß	ស	ស	ß	ĸ	ĸ	ĸ	ĸ	ĸ	ະນ	₩,	₩	芯	₩	ĸ	≈	2	N	≈	≈	≈	ñ	≈	∾	Ñ
Lab Number																																		
Test Name	BRDCLM	C130CP	CZAVE	CZHSCL	CZHSCL	55	CCL3F	ככרל	CH2CL2	CH3BR	CH3CL	CHBR3	CHCL3	CL2BZ	CLC6H5	CS2	DBRCLM	ETC6H5	MEC6H5	ÆK	MIBK	MNBK	STYR	T130CP	TCLEA	TCLEE	TRCLE	XYLEN	111TCE	112TCE	110CE	11DCLE	120CE	12DCLE
Lot	89 CR	890	9 E	850	85 G	XOCE	X 068	890 X	89 OX	890 X	85QX	8 50X	XDG8	8 008	850X	850X	850X	XDG8	XDGB	XDGB	XDGB	XDGB	XDG8	850X	8 50X	XDGB	XDGB	XOGB			SE SE SE SE SE SE SE SE SE SE SE SE SE S	SE C	줮	XDHB
USATHAMA Method Code	UM20		,																															

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	.5 UGL	.71 UGL				.59 ug.		8.3 UGL	2.6 UGL	1.9 UGL	.5 UGL	1.4 UGL	.58 UGL	2.3 UGL			_	.5 UGL	10 UGL	.5 UG		.67 UGL	.5 UGL	.5 UGL		3 UGL	_	.5 UGL	_		1.6 UGL		25.	.5 UGL
v :	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Analysis Date	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	₹	•	28-JAN-94							
Prep Date	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	28-JAN-94							
Lab Number																																		
Test Name	12DCLP	2CLEVE	ACET	ACROLN	ACRYLO	BRDCLM	C13DCP	CZAVE	C2H3CL	C2H5CL	C6H6	CCL3F	ככר ל	CH2CL2	CH3BR	CH3CL	CHBR3	CHCL3	CL28Z	CLC6H5	CS2	DBRCLM	ETC6H5	MEC6H5	ÆK	MIBK	MNBK	STYR	T130CP	TCLEA	TCLEE	TRCLE	XYLEN	111TCE
Lot	異見	웢	윉	S H S	윘	쥦	名語	XOHB HB	SO HB	SO HB	S H O		XO HB	SO HB	XO HB	S S S S S S S S S S S S S S S S S S S	SO HB	SO SE	贸	XOHB	贸里	SO HB	었	異反	贸	と語	욧	윉	SE SE	名語	윉	SO HB	윉	
USATHAMA Method Code	UMZ0																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

USATHAMA Method Code	Fo	Test Name	Lab Number	Prep Date	Analysis Date	v	Value	Units
UM20	. S. S.	112TCE		28-JAN-94	28-JAN-94	: : •	1.2	 명
	8 08	110CE		28-JAN-94	28-JAN-94	v	'n.	널
	85 QX	11DCLE		28-JAN-94	28-JAN-94	v	&	펄
	87 QX	129CE		28-JAN-94	28-JAN-94	v	'n.	털
	8 0	120CLE		28-JAN-94	28-JAN-94	v	'n	UG!
	S Q	120CLP		28-JAN-94	28-JAN-94	v	λ.	Tg Cer
	贸	2CLEVE		28-JAN-94	28-JAN-94	~	Σ.	평
	8 0	ACET		28-JAN-94	28-JAN-94	v	5	폌
	85 OX	ACROLN		28-JAN-94	28-JAN-94	•	5	멸
	80 Q	ACRYLO		28-JAN-94	28-JAN-94	~	5	Ę S
	85 QX	BRDCLM		28-JAN-94	28-JAN-94	v	5.	UGF UGF
	S Q	C130CP		28-JAN-94	28-JAN-94	v	58	J J
	SD OX	CZAVE		28-JAN-94	28-JAN-94	v	8	Jg Ng
	S OX	C2H3CL		28-JAN-94	28-JAN-94	v	5.6	ng.
	B OX	CZHSCL		28-JAN-94	28-JAN-94	v	1.9	폌
	80 Q	C6H6		28-JAN-94	28-JAN-94	v	r.	宫
	87 QX	CCL3F		28-JAN-94	28-JAN-94	v	7.	NGF N
	S Q	נכרי		28-JAN-94	28-JAN-94	~	85	GE CE
	XO.JB	CH2CL2		28-JAN-94	28-JAN-94	v	2.3	ng.
	SO JB	CH3BR		28-JAN-94	28-JAN-94	•	5. 8.	펄
	SO JB	CH3CL		28-JAN-94	28-JAN-94	v	3.5	림
	SO JB	CHBR3		28-JAN-94	28-JAN-94	v	5.6	UG.
		CHCL3		28-JAN-94	28-JAN-94	v	'n	ᇋ
	图象	CL2BZ	•	28-JAN-94	28-JAN-94	v	9	먑
	8 0	CLC6H5		28-JAN-94	28-JAN-94	v	ī.	ם
	8 9 8	CS2		28-JAN-94	28-JAN-94	v	'n	ם
	別の	DBRCLM		28-JAN-94	28-JAN-94	v	.67	UGL
	SO JB	ETC6H5		28-JAN-94	28-JAN-94	v	'n	ם
	8 00	MEC6H5		28-JAN-94	28-JAN-94	v	'n	먑
	8 9	픴		28-JAN-94	28-JAN-94	v	6.4	ner Ner
	8 8 8	_		28-JAN-94	28-JAN-94	v	m	ng.
	罗 及	MVBK		28-JAN-94	28-JAN-94	~	3.6	ng N
	S S	STYR		28-JAN-94	28-JAN-94	~	'n.	GE
	S C C	T130CP		28-JAN-94	28-JAN-94	v	.7	ց

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS. 1993-1994 SSI Groups 2,7

ø i	1																																	
Units	펄	널	걸	ם	헠	ם	걸	폌	Ы П	힑	ы	ᅙ	ց	폌	ם	ց	힘	ם	ПGF	ם	폌	占 I	덤	텀	ց	폌	텀	ם	S S	힘	цg	GE	힑	NG.
Value	.51	9.	'n	ģ	'n	1.2	'n	8	'n	'n	'n	۲.	13	90	9	.59	.58	8.3	5.6	6.	'n	1.4	.58	2.3	5. 8	3.2	5.6	'n	9	'n	'n	.67	'n	ιċ
v (· •	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	٧	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	•
ŝ	-54	7	-54	-94	-94	-64	-94	-94	-94	-54	-94	-64	-94	-64	-94	-84	1-94	-94	-94	-94	-84	-94	-94	-94	-64	-54	-54	-5	-64	-94	-54	-94	-64	-94
Analysis Date	28-JAN-94	₩-8	₹F-8	%-7¥	₹7-6:	W-6:	19-JAN	W-0:	MY-6:	N - 6	186	18-9:	₹ -6	AP - 6:	₩-6	MY -6	₹Y-6	₩-6	₩-6	18-9:	₩-6:	.9-JA	₩-6i	₩-6i	₹7-6:	₩-6	A - 6	AL-9:	4AL-9	AL-9	18-9:	19-JA	18-18	₩-6;
₹ 0																																		
	28-JAN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94	AN-94
Prep Date	28-1	- 82	7-8X	- 8	- &	7-62 7-62	5 8	62	29-J	- 62	29-J	- 62	62	29-J	7-62 7-62	7-62 7-62	۲- 8	8	-62 -7	29-J	5 2	29- J	29- -	29-J	, 8	2	-62 -	29-J	29-J	29- 1	8	29- T	5 2	% -
Lab Number		•																																
2 E																																		
	×	ابيا	ų	z	띵	빙	μi	쁘	μį	۳	ı.	Æ		Z	<u>,,</u>	Ξ.	ن	m	ದ	ದ್ದ		Ļ		7	œ	ب.	M	W	Z	뚠		E,	£	£
Test	TCLEA	TCLEE	TRCL	XYLEN	111TCE	112TCE	110CE	110CLE	120CE	120	12DCLP	2CLEVE	ACET	ACRO	ACRY	BRDCLM	C13D	C2A	C2H3	CSES	C6H6	CCL3F	ככרל	CHSC	CH3B	CH30	CHBR	몽	CL2BZ	CLC6H5	CS2	DBRCLM	ETC6H5	MEC6H5
Lot	XD JB	9 P	野 Q	罗贝	S S S S S S	XOKB	X X X X X	X X X X X	X	S S S S S	XXX	XX XX XX	8 S S S S S	XX	XOKB	XOKB	XOKB	XOKB	XOKB	XOKB	XOKB	XOKB	X D K B	XOKB	XOK8	XOKB	X X X X X X	XDK8	8 S S R B	XOKB	XOK8	XOKB	XOKB	XOKB
JSATHAMA fethod code	_																							•										
USATHA Method Code	UM20																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

Value Units	2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2
*	 vvvvvvvvvvvvvvvvvvvvvvvvvvvvvv
Analysis Date	23- JAN-95 23- JAN-95
Prep Date	29- JAN-94 29- JAN-94 201- FEB-94 01- FEB-94
Lab Number	
Test Name	MEK MIBK STYR 1130CP 101EE 101EE 110CE 111TCE 110CE 110CE 120CE 120CE 120CE 120CL 12
Lot	
USATHAMA Method Code	UM 20

Chemical Quality Control Report Installation: Fort Devers, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

e Units	평		_	펄	_	_	_			_	럴	_	_	_				_	Ξ.	, UGF														ఠ
Value	וּיִיוּ	'n,	.67	'n.	r.	9 -9	P 1	3.6	r.			1.6	'n	% .	ĸ,	1.5	r,	89.	u;	.	":	۲.	2	5	5		.58	8.3	2.0	1.9	-:	1.4	ŭ	9.9
v :	' ' V	v	v	v	v	v	v	v	v	v	٧	v	v	v	v	v		v	v	v	v	v	v	v	v	V	v							
Analysis Date	01-FEB-94	01-FEB-94	01-FEB-94	01-FEB-94	01-FEB-94	01-FEB-94	01-FEB-94	01-FEB-94	01-FEB-94	01-FEB-94	01-FEB-94	01-FEB-94	01-FEB-94	01-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94
Prep Date	01-FEB-94	01-FEB-94	•	01-FEB-94	•		01-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94	04-FEB-94							
Lab Number																																		
Test Name	CLC6H5	CS2	DBRCLM	ETC6H5	MEC6H5	黑	MIBK	MNBK	STYR	T130CP	TCLEA	TCLEE	TRCLE	XYLEN	111TCE	112TCE	11DCE	110CLE	12DCE	12DCLE	120CLP	2CLEVE	ACET	ACROLN	ACRYLO	BRDCLM	C13DCP	CZAVE	C2H3CL	C2H5CL	C6H6	CCL3F	ככרל	CH2CL2
Lot	XDLB	XOLB	S S S	XDLB	XDLB	XDLB	XOLB	XDLB	XDLB	XDLB	XDLB	XOLB	XOLB	XOLB	800X	X008	800X	XD08	800X	800X	X008	XDOB	800X	800%	800X	800X	X008	800X	800X	800X	800X	XDOB	X 008	X008
USATHAMA Method Code	UM20																																	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

25.5 26.5 27.5	
alay เล่นระการการการการการการการสู่เก็บเลือบการการการการการการการการการการการการการก	5
	;
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	,
[5] Sis	1
Analysis Od-fiel-94 Od	
}	>
Prep 04-FEB-94 04-FEB-94 04-FEB-94 04-FEB-94 04-FEB-94 04-FEB-94 04-FEB-94 04-FEB-94 08-FEB-94	,
Prep 04-FEB-94 04-FEB-94 04-FEB-94 04-FEB-94 04-FEB-94 04-FEB-94 04-FEB-94 04-FEB-94 04-FEB-94 06-FEB-94 08-FE	
1	•
Number	
Test Name CH38R CH38R CH38C CH38C CHC43 CHC13 CHC64S CHC64	2
Lot	Ş
JSATHAMA lethod code 	
USATHA Code Code UM20	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

	Units	ם	렿	폌	널	널	폌	렬	널	폌	폌	폌	렬	렬	렬	렬	폌	폌	널	렬	널	폌	렬	펄	덜	Je Net	폌	폌	폌	폌	럴	털	렬	ց
	Value	0.	_	7.	_		5.8	Ξ.	_	r.	_ 은	~. _		- 29	'n.		7.9	_	_	_		<u>.</u>	_			9	2	9	2	9	ಜ	2	ខ	9
	<u>_</u>	_			-:	œ	'n	M	~					•			9		M			•	_		•									
	v :	٧	٧	v	v		v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	V	٧	v	v	v	v	v	v	v	v	٧
w		56	2	4	25	3 5	8	75	25	35	3 5	5	8	8	3	8	75	8	4	4	7,	75	\$	75	24	93	23	8	8	8	2	75	3	8
Analysis		08-FEB-94	8	鲁	<u>-8</u>	FB-	FEB-	EB	FB-	8	8	ė	8	鲁	æ	떒	뗦	먪	題	뗦	8	盟	FEB-94	볊	FEB	AUG-	Ą	Ş	ĄÜG-	늉	ġ	26-JAN-94	ş	ė
Ana	Date	8	8	8	8	ဗွ	쓩	8	8	8	8	ဗွ	8	8	8	8	8	8	8	송	ဆွ်	ဗ္ဗ	80	8	Ŕ	ξ,	Ŕ	ż	Ŕ	స్ట	Ŕ	\$	ģ	<u>ė</u>
		y.	.	4	4	≱	<u> </u>	_	.	<u>_</u>	_+	4	₹	±	4	*	4	*	*	*	*	*	¥	7	7.	2	ĸ	ĸ	ĸ	ŭ	ጀ	*	*	*
		EB-9	EB-9	E8-9	EB-9	E8-9	EB-9	EB-9	EB-9	EB-9	6-83	EB-9	EB-9	5-83	E8-5	5-83	EB-5	E8-5	EB-5	£8-5	EB-5	EB-5	. EB-5	EB-2	FEB-5	5-9D	9	5-90 0-00	9	5-5	5-12	26-JAN-94	JAN-94	9
Prep	Date	08-FEB-94	-8 0	98-F	8	8	8	8	8	8	8	8	8	8	8	8	8-	80	8	8	8	8	8	8	8	12-7	12	1-7	17-1	2	7	5 6-	8	2
	ا ي																																	
de de	Number																																	
_	2																																	
		ದ		<u></u>	_	7	~	ہے	2	w	2	芜		₹	꽃	丢		J	J	~	Š	*	щ	щ	<u></u>		7		_		2		z	
Test	Name	C2H5CI	26H6	CCL'3F	CCF4	CHZ	CH3E	E	CHBR3	꿄	273	27	CS2	DBR	ETC	NEW YEAR	弄	E	MBK	STX	T13DCP	걸	TCLEE	IRC	XYLEN	Š	H	<u> </u>	PET	2	PET	¥	ם	일
	ی	8	8	8	8	8	8	8	8	8	8	8	8	<u>8</u>	<u>B</u>	8	PB	8	8	8	<u>8</u>	<u>8</u>	8	8	XDPB	MTA	Ā	ş	ş	¥Χ	ΜX	LHAA	≨	돧
4	Lot	2	욧	Ø	8	9	8	×	×	S	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	Ē	5	6	<u> </u>	ᆵ	ᆷ		_	
USATHAMA Method	او	0																								2	:							
USA Met	Code	UM20																								5	5							

Chemical Quality Control Report Installation: Fort Devens, MA (DV) METHOD BLANKS 1993-1994 SSI Groups 2,7

so i																															
Units	펄펄	ם	ם	털	렬 :	g =	₫ =	널	ց	폌	렬	널	럴	럴	폌	널	폌	를	럴	럴	털	를 :	5	렬 :	털	렬	ց	널	널	널	털
Value	22	8	677	.61 1	55.	\$ 8	7	5,5	1.17	5.49	677	.611	.635	.0637	.0738	904.	1.21	\$5	1.17	1.56	677	! !	65	.0637	.0738	1.2	35	1.17	1.56	449	.611
· .	v v	•	v	v	v	٧ ،	, v	· •	v	~	v	v	~	v	v	v	v	v	v												
Analysis Date	16-FEB-94 22-JAN-93	22-JAN-93	13-JAN-93	13-JAN-93	13-JAN-93	15-JAN-95	14- IAN-03	13-JAN-93	13-JAN-93	13-JAN-93	20-AUG-93	29-AUG-93	29-AUG-93	29-AUG-95	29-AUG-93	29-AUG-93	29-AUG-93	29-AUG-93	29-AUG-93	29-AUG-93	13-NOV-93	13-NOV-93									
Prep Date		02-JAN-93	12-JAN-93	12-JAN-93	12-JAN-93	12-JAN-95	12-JAN-03	12-JAN-93	12-JAN-93	12-JAN-93	10-AUG-93	17-AUG-93	17-AUG-93	17-AUG-95	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	17-AUG-93	21-0CT-93	21-0CT-93									
Lab Number																															
Test Name	PETN	PETN	135TNB	13DNB	246TNT	24DNT	N N	9	RDX	TETRYL	135TNB	13DNB	246TNT	24DNT	26DNT	ZNT	H	88	RDX	TETRYL	135TNB	130NB	246TNT	24DNT.	26DNT	¥	9	RDX	TETRYL	135TNB	13DNB
Lot	LHDA X2X	ΧZΧ	CZA	ζŻ	ξŻ	ZZ ZZ	55	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	CZA	CZA	FXQA	FXQA	FXQA	FXQA	FXQA	FXOA	FXQA	FXQA	FXQA	FXQA	FXTA	HTSA	HTSA								
USATHAMA Method Code	UW19		UN32																												

ø.																								
Units	널	털	령	헏	렬	널	널	럴	폌	폌	폌	폌	폌	폌	폌	폌	폌	펄	폌	널	렬	털	널	덩
Value	.635	.0738	1.21	.645	1.17	1.56	677	.611	.635	.0637	.0738	1.21	.645	1.17	1.56	677	.611	.635	.0637	.0738	1.21	.645	1.17	1.56
v	. v \	/ v	v	v	v	v	v	v	v	v	~	v	~	~	v	v	٧	~	٧	v	v	v	v	v
Analysis Date	13-NOV-93	13-NOV-93	13-NOV-93	13-NOV-93	13-NOV-93	13-NOV-93	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	07-FEB-94	08-FEB-94								
Prep Date	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	21-0CT-93	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	26-JAN-94	01-FEB-94								
Lab Number																								
Test Name	246TNT	260NT	HMX	9	RDX	TETRYL	135TNB	13DNB	246TNT	24DNT	26DNT	¥	8 8	RDX	TETRYL	135TNB	13DNB	246TNT	24DNT	26DNT	HMX	92	RDX	TETRYL
Lot	HTSA	HTSA	HTSA	HTSA	HTSA	HTSA	¥ E	¥ H H	THWA	THW	THA	THM	THWA	THWA	THWA	THYA								
USATHAMA Method Code	UM32																							

Table 10 Detections In Field Blanks	Source Water From South Post Waterpoint Well D-1 1991 - 1994
--	--

	Field Sample ID	D-1	D-1-1	D-1-2	MXD101X1	D-1-1	D-1-2
	Sample date	5/16/91	4/07/92	4/07/92	3/03/93	2/25/94	2/25/94
Chemical Class	Analyte						
Inorganics	Arsenic	< 3.09	3.80	4.56	< 2.54	2.43	2.47
	Barium	2.12	< 5.00	< 5.00	< 5.00	< 2.82	< 2.82
	Calcium	6200	5510	5480	6040	4760	4730
	Copper	6.73	< 8.09	< 8.09	< 8.09	< 18.8	< 18.8
***************************************	Iron	125	186	188	113	131	115
	Lead	< 4.74	2.17	4.23	< 1.26	< 4.47	< 4.47
	Magnesium	1600	1560	1570	1760	1410	1420
	Manganese	< 6.88	3.18	3.61	4.02	< 9.67	< 9.67
	Potassium	268	662	1370	1210	< 1240	< 1240
	Sodium	< 4900	2560	2470	2640	2460	2440
	Zinc	40.5	< 21.1	< 21.1	< 21.1	< 18	< 18
VOCs	Chloroform		< 0.500	< 0.500	1.7	< 1.0	< 1.0
SVOCs	2-Ethyl-1-hexanol				10.0		
	Bis (2-ethylhexyl)phthalate	< 32.0	10.0	53.0	< 4.80	< 7.7	< 7.7
	Hexanedioic acid dioctyl ester			9.00			
Pesticides	Endosulfan Sulfate	0.260	< 0.079	< 0.079	6/0.0 >		
	Endosulfan, B	0.006	< 0.023	< 0.023	< 0.023		
Miscellaneous	Alkalinity		28000	27000		14000	15000
	Chloride	2290	< 2120	< 2120		1020	1100
	HCO3		34200	32900			
	Hardness		24000	18000	20000	17000	17000
	Nitrate	550					
	Nitrogen, NO2/NO3		710	530		260	550
	Sulfate	4360	< 10000	< 10000		4180	4180

Chemical Quality Control Report Installation: Fort Devens, MA (DV) RINSATE BLANKS 1992 SI Groups 2,7

Lab Number	DV2M*354 DV2M*315 DV2M*361 OV2M*354 DV2M*361 DV2M*314	DV2W*314 DV2W*314) DV24#361 DV24#314 DV24#354	DV2W*314	DV2W*314	DV2W*314	DVZh*314 DVZh*314 DVZh*314 DVZh*314 DVZh*314 DVZh*314 DVZh*314 DVZh*314 DVZh*314 DVZh*314 DVZh*314 DVZh*314 DVZh*314 DVZh*314
IRDMIS Site ID	SBK-92-307 SBK-92-310		SBK-92-310				
Value Units	; ;	de ne	5 5 6	UGF	UGL	NG.	<u> </u>
Value	200 200 200 200 200 200 200	.243	3.36 2.6 1.26	3.02	2.54	3.03	4.6 141.6 14
. .	;	v v	•	•	•	•	******
Spike Value	00000	0 0	000	0	0	0	000000000000000
Sample Date	17-SEP-92 26-Aug-92 22-SEP-92 17-SEP-92 22-SEP-92 26-Aug-92	26-AUG-92 26-AUG-92	22-SEP-92 26-AUG-92 17-SEP-92	26-AUG-92	26-AUG-92	26-AUG-92	26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92
Lot	BCY BCY BNM BNM AYX	APF ZKP	BJC ZUR ZUY	ZGX	AAM	YWH	222222222222222222222222222222222222222
Test	201 201 201 201 201 201 201 201 201 201	9 1	888	SE	AS	88	N-IINERTERSOCORREAR
IRDMIS Field Sample Number	SBK92307 SBK92303 SBK92310 SBK92307 SBK92310 SBK92310	SBK92302 SBK92302	SBK92310 SBK92302 SBK92307	SBK92302	SBK92302	SBK92302	SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302
USATHAMA Method Code	00	SB01	SD20	SD21	SD22	SD 28	ss10
Method Description		HG IN WATER BY CVAA TL IN WATER BY GFAA	PB IN WATER BY GFAA PB IN WATER BY GFAA PB IN WATER BY GFAA	SE IN WATER BY GFAA	AS IN WATER BY GFAA	SB IN WATER BY GFAA	METALS IN WATER BY ICAP

Chemical Quality Control Report Installation: Fort Devers, MA (DV) RINSATE BLANKS 1992 SI Groups 2,7

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value <	IRDMIS Value Units Site ID	Lab Number
	UHO2	SBK92302	PCB016	8	26-AUG-92	v ·	.16 UGL	DV24*314
		SBK92502 cBr02302	PC8221	a a	26-AUG-92 26-AUG-92	v v		0V2W7314
		SRK92302	PC8242	4	26-AUG-92	, , , ,		DV2W*314
		SBK92302	PCB248	Ş	26-AUG-92	· v		DV2W*314
		SBK92302	PCB254	æ	26-AUG-92	v 0		DV24*314
		SBK92302	PCB260	æ	26-AUG-92	v 0		DV24*314
	UH13	SBK92302	ABHC	BAA	26-AUG-92	0	.039 UGL	DV24*314
		SBK92302	ACLDAN	BAA	26-AUG-92	v 0	_	DV2W*314
		SBK92302	AENSLF	BAA	26-AUG-92	v 0	_	DV2W*314
		SBK92302	ALDRN	BAA	26-AUG-92	v 0		DV2W*314
		SBK92302	BBHC	BAA	26-AUG-92	v 0	_	DV2W*314
		SBK92302	BENSLF	BAA	26-AUG-92	v 0	_	DV2W*314
		SBK92302	DBHC	BA S	26-AUG-92	v 0 (DV24*314
		SBK92302	DLDRN	BA	26-AUG-92	v 0 '		DV2W-514
		SBK92302	ENDRN	BA	26-AUG-92	v '		DVZW*314
		SBK92302	ENDRNA	8AA	26-AUG-92	v ·		DVZW 514
		SBK92302	ENDRNK	BA BA	26-AUG-92	v ·		DVZ4#314
		SBK92302	ESFS04	BA	26-AUG-92	v -		DV2W=514
		SBK92302	GCLDAN	₩:	26-AUG-92	v '		DVZW*514
		SBK92502	HPCL.	8	26-AUG-92	> 0		DVZW SI4
	•	SBK92502	HPCLE	₹	26-AUG-92	v v		DV2W*514
		SBK92302	1500X	¥ 8	26-AUG-92	/ v		0V2U#314
		SBK92302	MEXCLR	BAA	26-AUG-92	, v	.057 UGL	DV2W*314
		SBK92302	PPDDD	BAA	26-AUG-92	v 0		DV2W*314
		SBK92302	PPDDE	BAA	26-AUG-92	v 0		DV2W*314
		SBK92302	PPDDT	BAA	26-AUG-92	v		DV2W*314
		SBK92302	TXPHEN	BAA	26-AUG-92	v 0	1.35 UGL	DV24*314
BNA'S IN WATER BY GC/MS	UM18	SBK92302	124TCB	Ş	26-AUG-92	0		DV2W*314
WATER BY		SBK92302	12DCLB	Ş	26-AUG-92	v 0		DV2W*314
æ		SBK92302	120PH	A/O	26-AUG-92			DV2W*314
WATER BY		SBK92302	13DCLB	8	26-AUG-92	-		DV2M*514
BNA'S IN WATER BY GC/MS		SBK92502	14DCLB 245TrP	8 8	26-AUG-92 26-AHG-02	v v	5.7 UGL	0V2W714
		SPATEGOR	5	ć	1, 20, 1	,		

Chemical Quality Control Report Installation: Fort Devens, MA (DV) RINSATE BLANKS 1992 SI Groups 2,7

Lab Number	715-4720 715-47
IRDMIS Units Site ID	
Value	400 4; w 4 w 4 + 4 r v v 24 + + v - 4 + 4 v v v 24 + + v - 4 + 4 v v v v v v v v v v v v v v v v v
Spike Value <	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Sample Date	26-Aug-92
Lot	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Test Name	246TCP 24DNP 24DNP 24DNT 26DNT
IRDMIS Field Sample Number	SBK92302 SBK
USATHAMA Method Code	E
Method Description	BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) RINSATE BLANKS 1992 SI Groups 2,7

Lab Number	DV24*314
IRDMIS Value Units Site ID	
Value U	9, 6. 8. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9.
Spike Value <	**************************************
Sample Date	26-AUG-92
Lot	A A A A A A A A A A A A A A A A A A A
Test Name	BERSLF BERNZID BENZOA BERNZOA BERNZOA BCHIPY BCARBAZ CHRY CLGGP CLGGCP CLGGCP CLGGCP CLGGCP CLGGCP CLGGCP CLGGCP CLGGCP CLGGCP CLGCCP CLGCCC CARBAZ DBACC CLGCCC CARBAZ DBACC CLGCCC CARBAZ DBACC CLGCCC CARBAZ DNOP CNOP CNOP CNOC CLCCC CLGCCC CLGCCC CLGCCC CLGCCC CLGCCC CLCCC CLGCCC CLCCC CCCC CCCC CCCC CCCC CCCC CCCC CCCC CCCC
IRDMIS Field Sample Number	SBK92302 SBK92302
USATHAMA Method Code	E 2 2 3 3 3 3 3 3 3 3 3 3
Method Description	BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) RINSATE BLANKS 1992 SI Groups 2,7

Lab Number	0V2h*314 0V2h*314 0V2h*314 0V2h*314 0V2h*314 0V2h*314 0V2h*314 0V2h*314 0V2h*314 0V2h*314 0V2h*314	0V2W314 0V2W354 0V2W3514 0V2W3514 0V2W3514 0V2W354 0V2W354 0V2W354 0V2W354 0V2W354 0V2W354 0V2W354 0V2W354 0V2W354
IRDMIS Site ID		
Value Units	22.2 LG	<i>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</i>
Spike Value <	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	v v v v v v v v v v v v v v v v v v v
Sample Date	26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92	26-Aug-92 17-SEP-92 22-SEP-92 22-SEP-92 17-SEP-92 17-SEP-92 17-SEP-92 17-SEP-92 26-Aug-92 26-Aug-92 17-SEP-92 26-Aug-92 17-SEP-92 26-SEP-92 17-SEP-92 17-SEP-92 17-SEP-92 17-SEP-92
Lot	A S S S S S S S S S S S S S S S S S S S	ATS ATT ATT ATT ATT ATT ATT ATT ATT ATT
Test Name	PC8016 PC8221 PC8232 PC8248 PC8248 PC8260 PCP PCBCPC PCBCP P	1116 1116 1116 1116 1116 1116 1116 111
IRDMIS Field Sample Number	SBK(92302 SBK(92302 SBK(92302 SBK(92302 SBK(92302 SBK(92302 SBK(92302 SBK(92302 SBK(92302 SBK(92302 SBK(92302 SBK(92302 SBK(92302 SBK(92302	SBK92302 SBK92310 SBK92310 SBK92310 SBK92302 SBK92307 SBK92307 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307
USATHAMA Method Code	84 8	UM20
Method Description	BNA'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) RINSATE BLANKS 1992 SI Groups 2,7

Lab Number	DV24*314 DV24*361 DV24*361 DV24*361 DV24*361 DV24*364 DV24*354	DV2W*514
IRDMIS Value Units Site ID	ĽĽĽĽĽ 56666666666668888888888888888888888888	
Spike Value <	vvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvv	v
Sample Date	26-AUG-92 22-SEP-92 22-SEP-92 22-SEP-92 26-AUG-92 27-SEP-92 22-SEP-92	26-AUG-92
Lot	ATT	ATR
Test Name	2CLEVE 2CLEVE ACET ACET ACET ACRYLO ACRYLO ACRYLO ACRYLO ACRYLO ACRYLO ACRYLO ACRYLO ACRYLO ACRYLO CCHSCL CCHSC C	CHZCLZ
IRDMIS Field Sample Number	SBK92302 SBK92310 SBK92307 SBK92302 SBK92302 SBK92307 SBK92310 SBK92307	SBK92302
USATHAMA Method Code	02 M	
Method Description	S IN WATER BY GG S IN WATER BY G S IN WATER	IN WATER

Chemical Quality Control Report Installation: Fort Devens, MA (DV) RINSATE BLANKS 1992 SI Groups 2,7

Lab Number	DV2#*514 DV2#*354	DV2W*361
IRDMIS Units Site ID	<u>ਫ਼</u>	JGL
Value U	๛๛๛๛๛๛๛ ฅ๎ฅ๎ฅ๎๚๎๚๎๚๎๛๎๛๎๛๎๛๎๛๎฿฿฿๛๛๎๛๎๛๎๛๎๛๎๛๎๛๎๛๎๛๎๛	_
Spike Value <	v v v v v v v v v v v v v v v v v v v	v 0
Sample Date	26-Aug-92 22-SEP-92 17-SEP-92 26-Aug-92 27-SEP-92 28-Aug-92	22-SEP-92
Lot	A TINN A	ATT
Test Name	CH38R CH38R CH3CL CH3CL CHCL3 CHCL3 CHCL3 CHCL3 CHCCAS CHC	MNBK
IRDMIS Field Sample Number	SBK92302 SBK92310 SBK92307	SBK92310
USATHAMA Method Code	CARSO	
Method Description	VOC'S IN WATER BY GC/MS VOC'S	'S IN WATER BY G

Chemical Quality Control Report Installation: Fort Devens, MA (DV) RINSATE BLANKS 1992 SI Groups 2,7

Lab Number	DV2M*314 DV2M*314 DV2M*314 DV2M*314 DV2M*314 DV2M*314 DV2M*314 DV2M*314 DV2M*361 DV2M*361 DV2M*361 DV2M*361 DV2M*361 DV2M*361 DV2M*361 DV2M*361 DV2M*361	DVZW*314 DVZW*314 DVZW*314 DVZW*314 DVZW*314 DVZW*314 DVZW*314 DVZW*314 DVZW*314
IRDMIS Value Units Site ID	** ** <th>10 UGL 20 UGL .449 UGL .611 UGL .635 UGL .054 UGL 1.21 UGL 1.21 UGL 1.17 UGL 2.49 UGL</th>	10 UGL 20 UGL .449 UGL .611 UGL .635 UGL .054 UGL 1.21 UGL 1.21 UGL 1.17 UGL 2.49 UGL
Spike Value <	· · · · · · · · · · · · · · · · · · ·	vv vvvvvvvv oo ooooooo
Sample Date	26-Aug-92 26-Aug-92 26-Aug-92 26-Aug-92 26-Aug-92 26-Aug-92 27-SEP-92 27-SEP-92 27-SEP-92 27-SEP-92 27-SEP-92 27-SEP-92 27-SEP-92 27-SEP-92 27-SEP-92 27-SEP-92 28-Aug-92 28-Aug-92 28-P2	26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92
Lot	ATT.	XZL XZL XZL AFO AFO AFO AFO AFO AFO
Test Name	NNBK STYR STYR STYR STYR 1130CP 1130CP 10LEA 10LEE 10LEE TRCLE TRCLE TRCLE TRCLE TRCLE	NG PETN 135TNB 13DNB 246TNT 24DNT 26DNT 126DNT HMX NB RDX RDX TETRYL
IRDMIS Field Sample Number	SBK92302 SBK92310 SBK92307 SBK92307 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92307 SBK92310 SBK92310	SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302 SBK92302
USATHAMA Method Code	UM 20	UM32
Method Description	VOC'S IN MATER BY GC/MS	PETN/NG IN WATER BY HPLC EXPLOSIVES IN WATER

Chemical Quality Control Report Installation: Fort Devens, MA (DV) RINSATE BLANKS 1993-1994 SSI Groups 2,7

Method Description	USATHAWA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	v	Value	Units	IRDMIS Site ID	Lab Number
	00	SBK93686 SBK93686 SBK93721 SBK93686	ALK HARD TPHC TSS	GZVA IDZA ITHA GZBA	11-AUG-93 11-AUG-93 21-SEP-93 11-AUG-93	0000	~~~	5000 1000 178 4		SBK-93-686 SBK-93-686 SBK-93-721 SBK-93-686	
HG IN WATER BY CVAA HG IN WATER BY CVAA	SB01	SBK93686 SBK93124	9 9 9 9	FOOA	11-AUG-93 23-SEP-93	00	v v	.243 .243	절	SBK-93-686 SBK-93-124	DV2W*686 DV3W*649
TL IN WATER BY GFAA TL IN WATER BY GFAA	600s	SBK93686 SBK93124	# #	GWCA	11-AUG-93 23-SEP-93	00	v v	%. %.	펄펄	SBK-93-686 SBK-93-124	DV24*686 DV34*649
PB IN WATER BY GFAA PB IN WATER BY GFAA PB IN WATER BY GFAA	2050	SBK93686 SBK93124 SBK93721	8 8 8	EWOA INGA WCAA	11-AUG-93 23-SEP-93 21-SEP-93	000	, , ,	1.28 1.28 1.28	<u> </u>	SBK-93-686 SBK-93-124 SBK-93-721	DV24*686 DV34*649 DV24*721
SE IN WATER BY GFAA SE IN WATER BY GFAA	sp21	SBK93686 SBK93124	S S	EFYA HNMA	11-AUG-93 23-SEP-93	00	v v	3.02	형형	SBK-93-686 SBK-93-124	DVZW*686 DV3W*649
AS IN WATER BY GFAA AS IN WATER BY GFAA	SD22	SBK93686 SBK93124	AS AS	ESVA HOKA	11-AUG-93 23-SEP-93	00	v v	2.54	형	SBK-93-686 SBK-93-124	DV24*686 DV34*649
SB IN WATER BY GFAA SB IN WATER BY GFAA	SD28	SBK93686 SBK93124	8 88 88	FRDA FRTA	11-AUG-93 23-SEP-93	00	v v	3.03	ng Ng	SBK-93-686 SBK-93-124	DV24*686 DV34*649
METALS IN WATER BY ICAP	SS10	SBK93124 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93124 SBK93124 SBK93124 SBK93124 SBK93124 SBK93124 SBK93124 SBK93124	00000000000000000000000000000000000000	HXIA EVTA EVTA EVTA EVTA HXIA HXIA HXIA	23-SEP-93 11-Aug-93 11-Aug-93 11-Aug-93 11-Aug-93 11-Aug-93 23-SEP-93 11-Aug-93 23-SEP-93 11-Aug-93 23-SEP-93 23-SEP-93	000000000000	· · · · · · · · · · · · · · · · · · ·	255 255 255 255 255 255 255 255 255 255	<u> </u>	SBK-93-124 SBK-93-686 SBK-93-124 SBK-93-124 SBK-93-124 SBK-93-124 SBK-93-124 SBK-93-124 SBK-93-124 SBK-93-124 SBK-93-124 SBK-93-124 SBK-93-124 SBK-93-124 SBK-93-124 SBK-93-124	DV34*649 DV24*686 DV24*686 DV24*686 DV24*686 DV24*686 DV34*649 DV34*649 DV34*649 DV34*649 DV34*649 DV34*649

Chemical Quality Control Report Installation: Fort Devens, MA (DV) RINSATE BLANKS 1993-1994 SSI Groups 2,7

		1-686 DVZIII-686		- 124 DV3W-049	124 DV34*649		1-686 DV2W*686	3-686 DV2W*686	5-124 DV3Wr649	5-686 DVZW-686	7-124 DV3W"049	2-12/ N/ZURK/0	-686 DV24#686			5-124 DV3W*649		8-686 DV2W*686	SBK-93-686 DV24#686	SBK-93-686 DVZW*686	SBK-93-686 DV2W*686	SBK-93-686 DV24#686 SBK-93-686 DV24#686	5-686 DVZH*686 5-686 DVZH*686 5-686 DVZH*686 5-686 DVZH*686 5-686 DVZH*686 5-686 DVZH*686 5-686 DVZH*686
IRDMIS Site ID	SBK-93-124	SBK-93-686	26K-700	SBK-73-124	SBK-93	SBK-93	SBK-93	SBK-93	SBK-9	28K-92	26K-702	SPK-02	SRY-9	SRK-0	SBK-93-686	SBK-93-124	SBK-93-124	SBK-93-686	SBK-9	SBK-9	SBK-9	SBK-9	SBK-93-686 SBK-9
. Units	널	ಶ ಶ	3 5	3 5	_	_	_	_			3 5			=	널	ם	펄	ց	형	UGL	UGL	형형	ਭ ਭ ਭਭਭਭ
Value	6.02	6.02	600	60.0	38.8	3310	373	200	200	5. 1.	2.73	86	34.3	2 72	;=	11	21.1	21.1	10	183	13.3	2120 10000	5556666
V	; • •	v ,	· \	/ .	v		v	~	v	,	, ,	/ \	, v	v	· •	v	v	•	•	•	•	v v	* * * * * * *
Spike Value	0	0	-	.	0	0	0	0	0	0	-	-		. ~	0	0	0	0	0	0	0	00	000000
Sample Date	23-SEP-93	11-AUG-95	24-806-93	11-AIR-03	23-SEP-93	23-SEP-93	11-AUG-93	11-AUG-93	23-SEP-93	11-AUG-93	11-416-02	24-CED-03	11-416-93	24-SED-03	11-AUG-93	23-SEP-93	23-SEP-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93	11-AUG-93 11-AUG-93	11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93
Lot	HXIA	EVIA	T > 1	FVTA	XX	HXIA	EVTA	EVTA	HXIA	EVIA	ATVE ATVE	Z 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	FVTA	HXIA	EVIA	HXIA	HXIA	EVTA	EGLA	SKH	200	DEVA DEVA	0PZA 0PZA 0PZA 0PZA 0PZA 0PZA
Test Name	8	ž 7	3 5	3 11	. W	¥	¥	呈	<u>.</u>	₹ :	Z 2	X X	£ =	=	: >	>	NZ	NZ	H	NZKJEL	2 0	20° 80¢	PCB016 PCB221 PCB232 PCB242 PCB248 PCB254
IRDMIS Field Sample Number	SBK93124	SBK93686	58KY3000	SBK93124	SBK93124	SBK93124	SBK93686	SBK93686	SBK93124	SBK93686	25K73 24	SBK73000	SBK93686	SRK03124	SBK93686	SBK93124	SBK93124	SBK93686	SBK93686	SBK93686	SBK93686	SBK93686 SBK93686	SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686
USATHAMA Method Code	ss10																		TF22	1F26	TF27	1110	UHOZ
Nethod Description	IN WATER BY I	IN WATER BY I	IN WATER BY I	METALS IN WATER BY ICAP	IN WATER BY I	IN WATER	WATER BY I	IN WATER BY I	IN WATER BY I	IN WATER BY I		IN UATED BY 1	IN MATER BY I	IN UATER BY	IN WATER BY I	BY I	S IN WATER BY I	METALS IN WATER BY ICAP	NO2, NO3 IN WATER	NZKJEL IN WATER	TOT. PO4 IN WATER	SO4 IN WATER SO4 IN WATER	

Chemical Quality Control Report Installation: Fort Devers, MA (DV) RINSATE BLANKS 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	v	Value (Units	MIS e ID	Lab Number
	UH13	SBK93686	ABHC	GVCA	11-AUG-93	0		0385	: : ::::::::::::::::::::::::::::::::::	SBK-93-686	DV2W*686
		SBK93686	ACLDAN	SVCA	11-AUG-93	0	•	103	텀	SBK-93-686	DV2W*686
		SBK93686	AENSL F	S S S	11-AUG-93	0	~	.020	덕	SBK-93-686	DV2W*686
		SBK93686	ALDRN	GVCA	11-AUG-93	0	•	918		SBK-93-686	DV24*686
		SBK93686	BBHC	SVCA	11-AUG-93	0	~	.024	텀	SBK-93-686	0V2W*686
		SBK93686	BENSLF	GVCA	11-AUG-93	0	~			SBK-93-686	DV2W*686
		SBK93686	DBHC	SYCA	11-AUG-93	0	•				0V2W*686
		SBK93686	DLDRN	SCA	11-AUG-93	0	~				DV2W*686
		SBK93686	ENDRN	S S S S	11-AUG-93	0 (•				DV24*686
		56KY3080	ENORNA	۲ ک	11-AUG-95	-	•				DV247686
		SBK93686	ENDRNK FORGO	5 CA	11-AUG-93	0	•	0285	5	SBK-93-686	DV2W*686
		20K72000	20000	5 c	11-AUG-93	> 0	•				DV2W*686
		SBK93080	GCLDAN	3 6	11-AUG-93	> 0		25		SBK-93-686	DVZI#*686
		30K73000	7 2 2	5 5	11-AUG-73	> 0	•				DVZWOSO
		58KY3060	#PCLE	۲ و و	11-AUG-93	> (•				DVZW*686
		SBK93686	SOOR	evc.	11-AUG-93	0 (•	0562		SBK-93-686	DV2W*686
		SBK95686	LIN	3	11-AUG-93	0	•	_			DV2W*686
		SBK93686	MEXCLR	S	11-AUG-93	0	v	_	털	SBK-93-686 I	0V2W*686
		SBK93686	PPDDD	S	11-AUG-93	0	•	_			DV24*686
		SBK93686	PPODE	S	11-AUG-93	0	v	.027	털		DV24*686
		SBK93686	PPDDT	S	11-AUG-93	0	v	_	력	_	0V2W*686
		SBK93686	TXPHEN	₹ 6	11-AUG-93	0	v	_	널	SBK-93-686 I	DV2W*686
S IN WATER BY	UM18	SBK93686	124TCB	GCWA	11-AUG-93	0	v		2	SBK-93-686 I	00/24#686
S IN WATER BY		SBK93686	120CLB	GCWA	11-AUG-93	0	~	1.7	2		0.V2U*686
S IN WATER BY		SBK93686	120PH	GCWA	11-AUG-93	0	v				0V2W*686
S IN WATER BY		SBK93686	130CLB	GCWA	11-AUG-93	0	v	1.7		SBK-93-686	0V2\r*686
S IN WATER BY		SBK93686	14DCLB	GCWA	11-AUG-93	0	v				DV24*686
S IN WATER BY		SBK93686	245TCP	GCMA	11-AUG-93	0	v				DVZW*686
IN WATER BY		SBK93686	246TCP	GCWA	11-AUG-93	0	v	_			DV2W*686
S IN WATER BY		SBK93686	24DCLP	GCMA	11-AUG-93	0	v				0V2W*686
S IN WATER BY		SBK93686	24DMPN	GCWA	11-AUG-93	0	v	_		SBK-93-686 I	0V2W*686
IN WAIER BY		SBK93686	Z4DNP	¥ 50 50 50 50 50 50 50 50 50 50 50 50 50	11-AUG-95	0		_	털		0V2W*686
N WAIEK BY		58KY2000	ZEUNI Zent		11-AUG-73	> 0	· ,			SBK-93-686 I	0VZW#686
BNA'S IN WATER BY GC/MS		SBK93686 SBK93686	1800X	¥ 5	11-AUG-93 11-AUG-03	> C	. .	R:8			0VZI#*686
IN WATER BY		SBK93686	2CLF 2CMAD	¥ 5	11-806-93	> C	٠,			000-CK- Y9S	000-M7/
S IN WATER BY		SBK93686	2MNAP	A P	11-AUG-73	-	, ,		, 1		0V2W*000
			: :		200	,	,				~~~ ~~

Chemical Quality Control Report Installation: Fort Devens, MA (DV) RINSATE BLANKS 1993-1994 SSI Groups 2,7

Lab Number		DVZI+686 DVZI+686 DVZI+686 DVZI+686
IRDMIS Site ID	 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	SRC-93-686 SRC-93-686 SRC-93-686 SRC-93-686 SRC-93-686 SRC-93-686
Value Units	2.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13
Spike Value <	, , , , , , , , , , , , , , , , , , ,	v v v v v v
Sample Date		11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93
Lot		
Test Name	2AANIL 2ND 3350CBD 3350CBD 3350CBD 330CBD 46CBC 4CLPE 4CLPE 4MP 4CLPE 4MP 4CLPE 4MP 4NANIL 4NANIL 4NANIL 4NANIL 8BCIPE 8B	BENZOA BGHIPY BKFANT BZALC CARBAZ CHRY CL68Z
IRDMIS Field Sample Number	SBK93686 SBK93686	SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686
USATHAMA Method Code		
Method Description	BNA'S IN WATER BY GC/MS	S IN WATER BY

Chemical Quality Control Report Installation: Fort Devens, MA (DV) RINSATE BLANKS 1993-1994 SSI Groups 2,7

<u>.</u>	3333333333333333333333333333333333333
Lab Number	'
IRDMIS Site ID	88.4.3.4.8888888.88.4.3.4.8888888888888
Units	; ਫ਼
Value	8-0 - 4-0 r 9 8 8 9 8 8 9 8 9 9 9 9 9 9 9 9 9 9 9
Spike Value <	
Spi Val	
Sample Date	11-Aug-93 11-Aug-93
Lot	6004 A KANA A GEOVA A
Test Name	CL GEP CL GET CL GET DBAHC DBAFC DI DNP DI DNP DI DNP DI DNP ENDRIN HCL HPCL HPCL HPCL HPCL HPCL HPCL HPCL
IRDMIS Field Sample Number	SBK93686 SBK93686
USATHAMA Method Code	8 8
Method Description	BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) RINSATE BLANKS 1993-1994, SSI Groups 2,7

Lab Number	DV24*686 DV24*686 DV24*686 DV24*686 DV24*686	DV24*686 DV24*721 DV24*721 DV24*686 DV24*686		DV2#*721 DV2#*686 DV2#*686 DV2#*721 DV2#*721 DV2#*721 DV2#*686 DV2#*686 DV2#*686 DV2#*686 DV2#*686
IRDMIS Site ID	SBK-93-686 SBK-93-686 SBK-93-686 SBK-93-686 SBK-93-686 SBK-93-686	SBK-93-688 SBK-93-721 SBK-93-721 SBK-93-686 SBK-93-721 SBK-93-686	SBK-93-68K SBK-93-68K SBK-93-68K SBK-93-68K SBK-93-72I SBK-93-72I SBK-93-68K	88-3-721 88-3-721 88-3-721 88-3-721 88-3-721 88-3-721 88-3-721 88-3-721 88-3-721 88-3-721 88-3-721 88-3-721 88-3-721 88-3-721
Value Units	9.2 UG 4.7 UG 9.2 UG 2.8 UG 36 UG			2.5.59 2.5.59 2.5.59 2.5.59 2.5.59 2.50 2.
Spike Value <	v v v v v	v v v v v	· v v v v v v	· · · · · · · · · · · · · · · · · · ·
Sample Date	11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93	11-AUG-93 21-SEP-93 21-SEP-93 11-AUG-93 11-AUG-93 21-SEP-93	11-AUG-93 21-SEP-93 11-AUG-93 11-AUG-93 21-SEP-93 11-AUG-93	21-SEP-93 11-AUG-93 11-AUG-93 21-SEP-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 21-SEP-93 11-AUG-93 11-AUG-93
Lot	GCUA GCUA GCUA GCUA GCUA	GBOA 1CFA 1CFA 1CFA 1CFA 1CFA 1CFA	GB0A GB0A ICFA ICFA GB0A GB0A	105A 105A 105A 105A 105A 105A 105A 105A
Test Name	PHENOL PPODD PPODE PPODT PYR TXPHEN	1117CE 1127CE 1127CE 110CE 110CE	1866 1866 1866 1866 1866 1866	2CLEVE 2CLEVE 2CLEVE ACET ACET ACROLN ACROLN ACROLN ACROLN C130CP C130CP C2AVE C2AVE C2H3CL
IRDMIS Field Sample Number	SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686	SBK93686 SBK93721 SBK93721 SBK93721 SBK93721 SBK93721 SBK93721	SBK93686 SBK93721 SBK93721 SBK93721 SBK93721 SBK93721 SBK93721	SBK93721 SBK93686 SBK93721 SBK93721 SBK93721 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686
USATHAMA Method Code	UM18	UM20		
Method Description	BNA'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	IN WATER BY GIN WA	

Chemical Quality Control Report Installation: Fort Devers, MA (DV) RINSATE BLANKS 1993-1994 SSI Groups 2,7

Lab Number	686 DV2#*686 686 DV2#*686 687 DV2#*721 686 DV2#*686 687 DV2#*721 688 DV2#*686 688 DV2#*686
IRDMIS Site ID	88.43-68. 88.43-68. 88.43-68. 88.43-68. 88.43-72. 88.43-72. 88.43-72. 88.43-72. 88.43-72. 88.43-72. 88.43-72. 88.43-72. 88.43-88. 88.43-88. 88.43-88. 88.43-88. 88.43-88. 88.43-88. 88.43-88. 88.43-88. 88.43-88. 88.43-88. 88.43-88. 88.43-88. 88.43-88. 88.43-88. 88.43-88.
Value Units	
Spike Value <	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Sample Date	21-86-93 11-86-93
Lot	1000A
Test Name	CH5C CH5C CCL3F CCL3F CCL3F CCC2F CCC2F CCC4F CH3RR CH3RR CH3CC CCC4F CCC4F CCC4F CCC4F CCC6F CC
IRDMIS Field Sample Number	SRY33686 SRK93721 SRK93721 SRK93686 SRK93686 SRK93721 SRK93721 SRK93721 SRK93721 SRK93721 SRK93721 SRK93721 SRK93721 SRK93721 SRK93686 SRK93721 SRK93721 SRK93721 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721 SRK93686 SRK93721
USATHAMA Method Code	UM20
Method Description	VOC'S IN WATER BY GC/MS VOC'S

Chemical Quality Control Report Installation: Fort Devens, MA (DV) RINSATE BLANKS 1993-1994 SSI Groups 2,7

IRDMIS Lab Value Units Site ID Number	.7 UGL SBK-93-721 DVZM*721 .51 UGL SBK-93-686 DVZM*686 .51 UGL SBK-93-721 DVZM*721 1.6 UGL SBK-93-721 DVZM*721 .5 UGL SBK-93-686 DVZM*686 .5 UGL SBK-93-686 DVZM*686 10 UGL SBK-93-721 DVZM*721 .84 UGL SBK-93-721 DVZM*721	10 UGL SBK-93-686 DVZW*686 20 UGL SBK-93-686 DVZW*686 .4149 UGL SBK-93-686 DVZW*686 .635 UGL SBK-93-686 DVZW*686 .0637 UGL SBK-93-686 DVZW*686 .0738 UGL SBK-93-686 DVZW*686 1.21 UGL SBK-93-686 DVZW*686 1.25 UGL SBK-93-686 DVZW*686 1.15 UGL SBK-93-686 DVZW*686 1.15 UGL SBK-93-686 DVZW*686
Spike Value <	· · · · · · · · · · · · · · · · · · ·	vv vvvvvvv oo ooooooo
Sample t Date	74 21-SEP-93 74 21-SEP-93 74 21-SEP-93 75 21-SEP-93 76 21-SEP-93 76 21-SEP-93 76 21-SEP-93 77 21-SEP-93	MUA 11-AUG-93 MUA 11-AUG-93 XTA 11-AUG-93 XTA 11-AUG-93 XTA 11-AUG-93 XTA 11-AUG-93 XTA 11-AUG-93 XTA 11-AUG-93 XTA 11-AUG-93 XTA 11-AUG-93
Test Name Lot	1130CP 1CFA 1CLEA GBOA 1CLEE ICFA 1CLEE GBOA 1CLEE GBOA 1RCLE GBOA 1RCLE GBOA 1RCLE GBOA XYLEN ICFA	NG PETN [1357NB 1357NB 1357NB 1350NB 2467NT 2467NT 2460NT HMX NB RDX TETRYL
IRDMIS USATHAMA Field Method Sample Code Number	20 SSK93721 SSK93721 SSK93721 SSK93721 SSK93721 SSK93721 SSK93721 SSK93721 SSK93721 SSK93721 SSK93721	99 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686 SBK93686
USA Met Method Description Cod	VOC'S IN WATER BY GC/MS	PETN/NG IN WATER BY HPLC EXPLOSIVES IN WATER

IRDMIS Value Units Site ID	5. UG. TRK-92-213 7. UG. TRK-9
Va	
•	
Analysis Date	02-86-92-92-92-92-92-92-92-92-92-92-92-92-92-
Prep Date	25. 25. 25. 25. 25. 25. 25. 25. 25. 25.
Sample Date	26-Aug-92 27-Aug-92 28-Aug-92 28-Aug-92 28-Aug-92 27-Aug-92 28-Aug-92
Lab Number	VIRP*112 VIRP*113 VIR
IRDMIS Field Sample Number	DVTRP112 DVTRP113 DVTRP113 DVTRP113 DVTRP1112 DVTRP1113 DVTRP1113 DVTRP112 DVTRP112 DVTRP112 DVTRP113
Test Name	11176 11176 11276 11276 1106 1106 1106 1106 1106 1206 1206 120
Lot	
USATHAMA Method Code	1

Chemical Quality Control Report Installation: Fort Devens, MA (DV) TRIP BLANKS 1992 SI Groups 2,7.

IRDMIS Site ID	TBK-92-213	TBK-92-211	TBK-92-212	TBK-92-213	TBK-92-211	TBK-92-212	TBK-92-213	TBK-92-211	TBK-92-212	TBK-92-213	TBK-92-211	TBK-92-212	TBK-92-213	TBK-92-211	TBK-92-212	TBK-92-213	TBK-92-211	TBK-92-212	TBK-92-213	TBK-92-211	TBK-92-212	TBK-92-213	TBK-92-211									
Value Units	명	널	뎔	폌	널	ց	털	렬	널	폌	폌	널	렇	벍	폌	ם	펄	폌	ם	펄	릭	폌	널	ig J	펄	펄	털	널	ם	폌	털	널
Value	100	.59	.59	.59	.58	.58	.58	8.3	8.3	8.3	5.6	5.6	5.6	1.9	1.9	1.9	'n	'n	'n	1.4	1.4	1.4	.58	.58	.58	2.3	2.3	2.3	5.8	5.8	5. 8.	3.2
v	. v !	v	v	v	٧	V	v	v	v	v	v	v	٧	v	v	٧	v	v	v	V	v	Y	v	v	٧	v	V	v	v	V	v	v
Analysis Date	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92													
Prep Date	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92													
Sample Date						•••								1 26-AUG-92	2 27-AUG-92	\$ 28-AUG-92				1 26-AUG-92				2 27-AUG-92	3 28-AUG-92		2 27-AUG-92			2 27-AUG-92		1 26-AUG-92
Lab Number	VTRP*113	VTRP*111	VTRP*112	VTRP*113	VTRP*111	VTRP*112	VTRP*113	VTRP*111	VTRP*112	VTRP*113	VTRP*111	VTRP*112	VTRP*113	VTRP*111	VTRP*112	VTRP*113	VTRP*111	VTRP*112	VTRP*113	VTRP*111	VTRP*112	VTRP*113	VTRP*111									
IRDMIS Field Sample Number	DVTRP113	DVTRP111	DVTRP112	DVTRP113	DVTRP111	DVTRP112	DVTRP113	DVTRP111	DVTRP112	DVTRP113	DVTRP111	DVTRP112	DVTRP113	DVTRP111	DVTRP112	DVTRP113	DVTRP111	DVTRP112	DVTRP113	DVTRP111	DVTRP112	DVTRP113	DVTRP111									
Test Name	ACRYLO	BRDCLM	BRDCLM	BRDCLM	C130CP	C130CP	C130CP	CZAVE	CZAVE	CZAVE	C2H3CL	C2H3CL	C2H3CL	C2H5CL	C2H5CL	C2H5CL	C6H6	C6H6	249 2	CCL3F	CCL3F	CCL3F	CCL4	CCL4	CCL4	CH2CL2	CH2CL2	CH2CL2	CH3BR	CH3BR	CH3BR	CH3CL
Lot	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM													
USATHAMA Method Code	UMZO																															

IRDMIS Site ID	TBK-92-212	TBK-92-213	TBK-92-211	TBK-92-212	TBK-92-213	TBK-92-211	TBK-92-212	TBK-92-213	TBK-92-211	TBK-92-212	TBK-92-213	TBK-92-211	TBK-92-212	TBK-92-213																		
Units	z ugr	_	ם	펄	ց	폌										ց	ᇘ	폌	털	ם		5 191	2 190 2	2 06 2	2 UG.	5 Ugl				_	3 ner	3 UGL
Value	3.2	m	2.	2.		-•		-•	_	_	_	-•	- .	-•	-•	-•		9.	.67	9.	-•		-•		-•	-•	9	•	9	M		
V		v	V	V	v	v	v	v	v	v	V	v	٧	v	V	٧	v	٧	v	٧	v	v	٧	v	v	٧	v	V	v	v	v	V
Analysis Date	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92																						
Prep Date	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92	02-SEP-92																						
Sample Date	27-AUG-92	28-AUG-92	26-AUG-92	27-AUG-92	28-AUG-92				•			26-AUG-92	27-AUG-92	28-AUG-92																		
Lab Number	VTRP*112	VTRP*113	VTRP*111	VTRP*112	VTRP*113	VTRP*111	VTRP*112	VTRP*113	VTRP*111	VTRP*112	VTRP*113	VTRP*111	VTRP*112	VTRP*113																		
IRDMIS Field Sample Number	DVTRP112	DVTRP113	DVTRP111	DVTRP112	DVTRP113	DVTRP111	DVTRP112	DVTRP113	DVTRP111	DVTRP112	DVTRP113	DVTRP111	DVTRP112	DVTRP113																		
Test Name	CH3CL	CH3CL	CHBR3	CHBR3	CHBR3	CHCL3	CHCL3	CHCL3	CL.282	CL 28Z	CL282	CLC6H5	CLC6H5	CLC6H5	CS2	CS2	CS2	DBRCLM	DBRCLM	DBRCLM	ETC6H5	ETC6H5	ETC6H5	MEC6H5	MEC6H5	MEC6H5	픺	픺	품	MIBK	¥18K	MIBK
Lo T	ATM	ΑT	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM																				
USATHAMA Method Code	UM20																															

IRDMIS B Units Site ID	UG. 18K-92-211 UG. 18K-92-213
Value	พ.พ. ล่อล่งน่นนะระหน่านั้น จัดลีกับเหลี่ ซู่ ซู่ นั้น เลือน เก๋ เรา เก๋
v :	. v v v v v v v v v v v v v v v v v v v
Analysis Date	CS-SEP-92 CS-SEP
Prep Date	0.5- SEP-92 0.5- S
Sample Date	26-AUG-92 28-AUG-92 27-AUG-92 27-AUG-92 26-AUG-92 28-AUG-92 28-AUG-92 27-AUG-92 27-AUG-92 27-AUG-92 27-AUG-92 27-AUG-92 27-AUG-92 27-AUG-92 27-AUG-92 27-AUG-92 27-AUG-92 27-AUG-92 27-AUG-92 27-AUG-92 27-AUG-92 27-AUG-92 317-SEP-92 317-SEP-92 317-SEP-92 317-SEP-92 317-SEP-92 317-SEP-92 317-SEP-92 317-SEP-92 317-SEP-92 317-SEP-92 317-SEP-92 317-SEP-92
Lab Number	VIRPA1112 VIRPA1113 VIRPA1113 VIRPA113 VIRPA113 VIRPA113 VIRPA113 VIRPA113 VIRPA113 VIRPA113 VIRPA113 VIRPA114 VIRPA118 VIRPA113 VIRPA118 VIRPA118 VIRPA118 VIRPA118 VIRPA118 VIRPA118 VIRPA118 VIRPA118 VIRPA118 VIRPA118 VIRPA118 VIRPA118 VIRPA118 VIRPA118
IRDMIS Field Sample Number	DVTRP111 DVTRP113 DVTRP113 DVTRP1112 DVTRP1113 DVTRP1112 DVTRP1113 DVTRP1113 DVTRP1113 DVTRP1113 DVTRP1113 DVTRP1113 DVTRP1113 DVTRP113 DVTRP113 DVTRP113 DVTRP113 DVTRP113 DVTRP113 DVTRP113 DVTRP118
Test Name	MNBK MNBK STYR STYR STYR STYR T130CP T1130CP T1130CP T1130CP T1120CE T10CE T111CE T111CE T110CE T10CCE T20CLE T20CLE T20CLE
Lot	ATTM ATTM ATTM ATTM ATTM ATTM ATTM ATTM
USATHAMA Method Code	n 420

USATHAMA Method		Test	IRDMIS Field Sample	Гар	Sample	Prep	Analysis			IRDMIS	
Code	۲ŏ	Name	Number	Number	Date	Date	Date	v	Value Units	its Site ID	
UM20	ATS	BRDCLM	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92		. –	_1	
	ATS	C130CP	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v	_		
	ATS	CZAVE	DVTRP118	VTRP*118	_	24-SEP-92	24-SEP-92	v	_		
	ATS	C2H3CL	DVTRP118	VTRP*118	•	24-SEP-92	24-SEP-92	v	2.6 UG		
	ATS	CZHSCL	DVTRP118	VTRP*118	-	24-SEP-92	24-SEP-92	v	_		
	ATS	2449 2449	DVTRP118	V1RP*118	-	24-SEP-92	24-SEP-92	v	_	_	
	ATS	CCL3F	DVTRP118	VTRP*118	-	24-SEP-92	24-SEP-92	v	1.4 UG		
	ATS	ככר	DVTRP118	VTRP*118		24-SEP-92	24-SEP-92	v	_		
	ATS	CH2CL2	DVTRP118	VTRP*118		24-SEP-92	24-SEP-92	v	_		
	ATS	CH38R	DVTRP118	VTRP*118		24-SEP-92	24-SEP-92	v	5.8 UG		
	ATS	CH3CL	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v	_		
	ATS	CHBR3	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v	_		
	ATS	CHCL3	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v			
	ATS	CL 2BZ	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v	10 UG		
	ATS	CLC6H5	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v	.5 UG		
	ATS	CS2	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v	_		
	ATS	DBRCLM	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v	.67 UG		
	ATS	ETC6H5	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v	.s.		
	ATS	MEC6H5	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v	_		
	ATS	黑	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v	6.4 UG		
	ATS	MIBK	DVTRP118	VTRP*118	↽	24-SEP-92	24-SEP-92	v	_		
	ATS	MBK	DVTRP118	VTRP*118	_	24-SEP-92	24-SEP-92	v	_		
	ATS	STYR	DVTRP118	VTRP*118	•	24-SEP-92	24-SEP-92	v	.5 G		
	ATS	T130CP	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v	_		
	ATS	TCLEA	DVTRP118	VTRP*118	•	24-SEP-92	24-SEP-92	v	.51 UG		
	ATS	TCLEE	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v	_		
	ATS	TRCLE	DVTRP118	VTRP*118	•	24-SEP-92	24-SEP-92	v	.5 E		,
	ATS	XYLEN	DVTRP118	VTRP*118	17-SEP-92	24-SEP-92	24-SEP-92	v	₹. 9		
	ATM	111TCE	DVTRP121	VTRP*121	23-SEP-92	02-0CT-92	02-0CT-92	v	.5 U		
	ATM	112TCE	DVTRP121	VTRP*121	23-SEP-92	02-0CT-92	02-0CT-92	v	1.2 UGL		
	ATK	11DCE	DVTRP121	VTRP*121	23-SEP-92	02-0CT-92	02-0CT-92	v	_		
	AIM	110CLE	DVTRP121	VTRP*121	23-SEP-92	02-0CT-92	02-oct-92	v	_		

Chemical Quality Control Report Installation: Fort Devens, MA (DV) TRIP BLANKS 1992 SI Groups 2,7

IRDMIS Site ID	
Units	<u>ਫ਼</u>
Value	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
v	
Analysis Date	02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92 02-04-92
Prep Date	02-0C1-92 02-0C1-92
Sample Date	23.56.22 23.56.
Lab Number	VTRP*121 VTRP*121
IRDMIS Field Sample Number	DVTRP121 DVTRP121
Test Name	120CE 120CE 120CE 120CLP 2CLEVE AGET AGET AGET C130CP C2AVE C2H3CL C6H6 CCH3R CHCL3 CHCH5 CHCH6 CHCH5 CHCH6 CHCH6 CHCH7
Lot	ATTU ATTU ATTU ATTU ATTU ATTU ATTU ATTU
USATHAMA Method Code	nwso

IRDMIS Value Units Site ID	1.6 UG. 1.6 UG
Val	5
~	
Analysis Date	02-01-92 06-
Prep Date	02-07-92 06-071-92
Sample Date	\$
Lab Number	VIRP*121 VIRP*1221 VIRP*124 VI
IRDMIS Field Sample Number	DVTRP121 DVTRP124 DVT
Test Name	TCLEE TRCLE TRCLE T1110E T110CE T10CE T10CE T10CE T20CE T20C
Lot	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
USATHAMA Method Code	CM20

Chemical Quality Control Report Installation: Fort Devens, MA (DV) TRIP BLANKS 1992 SI Groups 2,7

		S	TBK-92-223									
		Value Units	: 명	텀	렇	텀	털	텀	텀	펄	럵	럵
		Value	'n	4.9	M	3.6	'n	.7	.51	1.6	'n	ģ
		v	: :	v	v	v	v	v	~	v	v	v
	Analysis	Date	06-0CT-92									
	Prep	Date	06-0CT-92									
	Sample	Date	25-SEP-92									
	Lab	Number	VTRP*124	VTRP*124 ;	VTRP*124							
IRDMIS Field	Sample	Number	DVTRP124									
	Test	Name	MEC6H5	黑	MIBK	MNBK	STYR	T130CP	TCLEA	TCLEE	TRCLE	XYLEN
		Ę	ATX									
USATHAMA	Method	Code	UMZO									



IRDMIS Value Units Site ID	3.5 UGL TRP-93-400 3.5 UGL TRP-93-035 1.2 UGL TRP-93-035 3.5 UGL TRP-93-035 3.6 UGL TRP-93-035 3.5 UGL TRP-93-035 3.1 UGL TRP-93-035 3.0 UGL TRP-93-035	
•	·	
Analysis Date	13-AUG-93 14-AUG-93	
Prep Date	13-AUG-93 13-AUG-93	
Sample Date	06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93	
Lab Number	DVTRP*61 DVTRP*62 DVTRP*62 DVTRP*62 DVTRP*62 DVTRP*62 DVTRP*62 DVTRP*63 DVT	
IRDMIS Field Sample Number	DVTRP150 DVTRP150 DVTRP150 DVTRP150 DVTRP150 DVTRP150 DVTRP150 DVTRP682	
Test Name	11176 11276 11276 1106 1106 1106 1206 1206 1206 1206 120	
Lot	88888888888888888888888888888888888888	
USATHAMA Method Code	OWEN	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) TRIP BLANKS 1993-1994 SSI Groups 2,7

11S 10	TRP-93-400
IRDMIS Site ID	
Units	: : ਫ਼
Value	៳៶៶៹៹៵៵៵៶៸៶៰៷៷៳៴៰៸ ៳៶៶៹៹៵៵៵៶៸៲៵៵៵៶៸៶៸៰៸៰៶៶៶៶៶៶៶៶៶៶៶៶៶៶៶៶៶៶៶៶៹៹៶៷៷
v	 v v v v v v v v v v v v v v v v v
Analysis Date	13-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 15-AUG-93 15-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93 14-AUG-93
Prep Date	13-Aug-93 13-Aug-93
Sample Date	04-AUG-93 06-AUG-93
Lab Number	DVTRP#61 DVTRP#61 DVTRP#62 DVTRP#62 DVTRP#62 DVTRP#62 DVTRP#62 DVTRP#63
IRDMIS Field Sample Number	DVTRP150 DVTRP482
Test Name	CG 56
Lot	88744444444444444444444444444444444444
USATHAMA Method Code	CM 20

IRDMIS Site ID	TRP-93-400 TRP-93-6035 TRP-93-138
Units	
Value	មក ភភពលក្រក់ដៃភភពលង្ខំនុំលល់កូកូលលំខំនំលល់លល់លក់ដែនន
v	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
Analysis Date	13-Aug-93 14-Aug-93 14-Aug-93 14-Aug-93 14-Aug-93 14-Aug-93 14-Aug-93 14-Aug-93 14-Aug-93 13-Aug
Prep Date	13-Aug-93 13-Aug-93 13-Aug-93 13-Aug-93 13-Aug-93 13-Aug-93 13-Aug-93 13-Aug-93 13-Aug-93 20-Aug-93
Sample Date	06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 06-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93 11-AUG-93
Lab Number	DVTRP*61 DVTRP*62 DVTRP*62 DVTRP*61 DVTRP*61 DVTRP*61 DVTRP*62 DVTRP*62 DVTRP*62 DVTRP*63 DVTRP*63 DVTRP*64 DVTRP*65
IRDMIS Field Sample Number	DVTRP 150 DVTRP 682 DVTRP 682 DVTRP 150 DVTRP 150 DVTRP 150 DVTRP 682 DVTRP 682 DVTRP 682 DVTRP 682 DVTRP 683 DVTRP 685
Test	MNRK NNRK STYR STYR STYR 1130CP 1130CP 110CE 1111CE 1111CE 1111CE 1110CE 110CE 110CE 120CE 120CE 120CE 120CE 120CE 120CE 120CE 120CE 120CE 120CE 120CE 120CE 120CE 120CE 120CE
Lot	66899999999999999999999999999999999999
USATHAMA Method Code	200

Chemical Quality Control Report Installation: Fort Devens, MA (DV) 1993-1994 SSI Groups 2,7

;	138	138	138	138	138	138	138	138	138	138	1 <u>38</u>	138	138	138	138	138	138	138	138	138	138	138	138	138	138	138	138	138	138	138	138	138
IRDMIS Site ID	TRP-93-138	-93	-93-	-93-	-93-	-53	-93-	-63-	-93-	-93-	-93-	-93-	-93-	-63-	-93-	-93-	-93-	P-93-	-93	P-93	P-93-	P-93-	P-93-	P-93-	P-93-	P-93-	P-93	P-93-	P-93-	IRP-93-138	TRP-93-1	P-93
	2		¥	¥	¥	¥	Ī	TR	IR	18	Ī	IR	IR	Z	I	I	18	2	₹	₽	<u> </u>	포	포	1	≆	IZ.	₽	R	IR	<u>~</u>	<u> </u>	X
Units	멸	<u> </u>	털	폌	널	렬	ם	ם	ទ	널	널	ց	털	ಕ್ರ	널	ם	텀	널	렬	폌	ц Б	림	펄	걸	ם	ם	폌	널	힘	궠	ց	렼
Value	9	2	2	5	.29	.59	.58	82	8.3	8.3	5.6	9.2	6.	1.9	'n	'n	1.4	1.4	82	.58	7	3.3	5. 8	ۍ 8	3.2	3.2	5.6	5.6	۳.	'n	9	9
v (•	V	V	v	v	~	٧	V	V	V	V	٧	٧	V	v	٧	v	V	v	~			V	v	~	٧	~	v		~	٧	v
ŝ	8	5	-93	-93	-93	-93	-93	-93	1-93	1-93	1-93	-93	-93	1-93	-93	-93	3-93	1-93	3-93	3-93	3-93	-93	3-93	-93	3-93	3-93	3-93	3-93	3-93	3-93	3-93	3-93
Analysis Date	20-AUG-93	O-AUC	- AUG	9-AC	O-AUG	O-AUC	0-AUC	O-AUC	O-AUC	O-AUC	:0-AUC	O-AUC	20-AUC	O-AUC	20-AUC	20-AUC	20-AUC	20-AUK	20-AU	20-AU	20-AU	20-AU	20-AU	20-AU	20-AU	20-AUR	20-AU	20-AU	20-AU	20-Æ	20-AUG-93	20-AU
▼ □	:																															
_	20-AUG-93	ng-93	56-93 08-93	NG-93	<u> </u>	DG-93	NG-93	10-93	<u> 06-93</u>	<u> 10-93</u>	NG-93	10-93°	16-5n	10G-90	10G-90	10G-90	10G-90	16-50 100-93	NG-93	16-9n	16-5n	NG-92	16-9n	16-9n	16-50N	10G-9U	(G-50)	6-9N	16-9U	MG-9	(NG-9	WG-90
Prep Date	20-A	7-02 7-02	20-A	20-A	20-A	20-A	20-A	20-A	20-A	20-A	20-A	20-A	20-A	20-A	20-A	20-A	20-A	20-A	20-A	20 - 4	5 0- 7	20 -	20 - 4	20-2	20 - 4	20-	5 0-7	20	2	5 0-7	, 2	-02 -02
	8	23	23	<u>ي</u>	83	53	23	83	93	ξ,	8	8	53	8	Ŕ	Ŗ,	Ķ	ا	53	93	8	55	8	8	-93	52	-93	Ŕ	<u>ن</u> 5	င်	5	5
Sample Date	1-AUG-93	1-AUG-93	1-AUG-93	1-AUG-93	-AUG-	11-AUG-93	-AUG-	-AUG-	-AUG	-AUG-	-AUG	-Aug	-AUG	-AUG-	-AUG	-AUG	-AUG	AUG	11-AUG-93	-AUG	-AUG	-AUG	-AUG	I-AUG	I-AUG-93	1-AUG-93	I-AUG-93	I-AUG-93	I-AUG-93	I-AUG-93	1-AUG-93	1-AUG-93
:	~	_ '	_	•	•	65 1	<u>\$</u>	65 11	<u>\$</u>	65 11	\$ =	65 11	8 1	65 11	\$ 1	65 11	2 7	65 11	2	55	65 1	<u>\$</u>	<u>2</u>	65 1,	₹	65 11	₹ `	i65 1,	65 1	₹ ÷	~	_
Lab Number	VTRP*64	VTRP#65	JVTRP*64	OVTRP*65	DVTRP*64	VTRP*65	VTRP*	VTRP*	VTRP*	VTRP*	VTRP*	VTRP*	VTRP*	VTRP*	VTRP*	VTRP*	VIRP*	VIRP*	VTRP*	VTRP*	VTRP*	VTRP*	VTRP*	VTRP*	VTRP*	VTRP*	VTRP	VTRP*	VTRP*	DVTRP*64	VTRP	OVTRP*65
ŽŽ			_	_	_																											_
RDMIS ield sample lumber	VTRP685	VTRP685	VTRP685	JVTRP685	RP68	RP68	RP68	RP68	RP68	IRP68	IRP68	IRP68	rrP68	IRP68	IRP68	rrp68	IRP68	rrp68	DVTRP685	IRP68	IRP68	IRP68	TRP68	IRP68	TRP68	TRP68	DVTRP685	VTRP685	VTRP685	VTRP685	DVTRP685	DVTRP685
San San N	2	2	Σ	2	2	2	2	۵	2	δ	≧	2	≧	≧	۵	≧	≧	≥	≧	≥	2	2	2	≥	≧	≧	2	≥	≧	2	≥	2
	3	2	2	2	Ξ.	E	င္	ن	ш	ш	ದ	ದ್ದ	ದ್ದ	ದ್ದ			¥	.	. •		7.5	7,5	×	ž	ಚ	<u>ب</u>	S S	ñ	2	M	32	32
Test Name	ACROLN	ACROLN	ACR	ACRY	BRDC	BRDC	<u>に</u> 8	C138	82	ź	CZH	C2H3	C2.15	CZHS	¥93	₩ 2	S	2	כבר	ככר	CH2C	Z C#25	CH3	CES	CHI	CH3	巴巴	罗艺	몽	CHCL3	CL2	כרק
Lot	GBQA	680 680	689 689	GB _Q A	GBOA	GBOA	G80A	GBOA	GBQA	GBOA	GBOA	GBOA	GBOA	GBOA	GBQA	GBOA	GBOA	GBOA	GBQA	GB0A	GBOA	GBOA	GBQA	680 A	GBQA	GBQA	GB0A	GBQA	GBOA	GBOA	GBOA	GB _Q A
USATHAMA Method Code	UM20																															

IRDMIS Site ID	TRP-93-704
Units	<u> </u>
Value	ณ์ พ.พ.พ.พ.พ.พ.พ.พ.พ.พ.พ.พ.พ.พ.พ.พ.พ.พ.พ.
v :	· · · · · · · · · · · · · · · · · · ·
Analysis Date	02- SEP -93 03- SE
Prep Date	01-SEP-93 01-SEP-93
Sample Date	26-AUG-93 26-AUG-93
Lab Number	DVTRP*36 2
IRDMIS Field Sample Number	DVTRP136
Test Name	120CE 120CLE 120CLE 2CLEVE ACRTIO ACRTIO ACRTIO C130CP CC135C CC135 CC135C CC136 CC136 CC138 CC128 CC282 CC2
Lot	KEEA KEEA KEEA KEEA KEEA KEEA KEEA KEEA
USATHAMA Method Code	n 450

IRDMIS Site ID	TRP-53-75 TRP-53
Units	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
Value	ล์เปลี่นวีเปลี่นนกับนับบิธีอีซีซีซีซีซีซีซีซีซีซีซีซีซีซีซีซีซีซี
v	
Analysis Date	20.58
Prep Date	01.89-93 17.89-93
Sample Date	28-Aug-92 28-Aug-92 28-Aug-92 28-Aug-92 28-Aug-92 28-P-92
Lab	DVTRP*36 DVTRP*36 DVTRP*36 DVTRP*38 DVTRP*78
IRDMIS Field Sample Number	DVTRP136
Test Name	TCLEE TRCLE 1111CE 1111CE 110CE 110CE 110CE 120CLE
Lot	######################################
USATHAMA Method Code	250

IRDMIS Value Units Site ID	5. UGL TRP-93-715 3.6 UGL TRP-93-715 3.6 UGL TRP-93-715 5. UGL TRP-93-717 6. UGL TRP-93-717 6. UGL TRP-93-717 71. UGL TRP-93-717
v	
Analysis Date	22.56.93 22.
Prep Date	17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 22-SEP-93
Sample Date	15-88-93 15-88-93 15-88-93 15-88-93 15-88-93 17-88-93
Lab Number	DVTRP*78 DVTRP*78 DVTRP*78 DVTRP*78 DVTRP*78 DVTRP*78 DVTRP*79
IRDMIS Field Sample Number	DVTRP136 DVTRP136 DVTRP136 DVTRP136 DVTRP136 DVTRP136 DVTRP136 DVTRP129
Test Name	MECGAS MIBK MIBK MIBK MIBK MIBK MIBK MIBK MITOLE 1130CP 110CE 110CE 110CE 110CE 120CP CCLSC CCCLSC CCLSC CCCLSC CCC CC
Lot	100A HKVA HKVA HKVA HKVA HKVA HKVA HKVA HKV
USATHAMA Method Code	

IRDMIS Site ID	TRP-93-717 TRP-93-720 TRP-93-720 TRP-93-720 TRP-93-720 TRP-93-720 TRP-93-720 TRP-93-720 TRP-93-720 TRP-93-720
Units	
Value	៹ ៱៷៰៶៸៶៸៹៶៸៹៶៸៹៶៸៹៶៸៹៶៸៹៶៸៹៶៸៶៸៶៸៶៸៰៸៰៸៶៸៶៸៶៸៵៵៵៵៶៸៶៸៶
v :	*********************
Analysis Date	22.56.69.35.
Prep Date	\$\frac{1}{2}\$\frac
Sample Date	77.7.7.7.7.7.8.8.9.9 7.7.7.7.8.8.9.9 7.7.7.8.8.9.9 7.7.8.8.9.9 7.7.8.8.9.9 7.7.8.8.9.9 7.8.8.9.9 7.8.8.9.9 7.8.8.9.9 7.8.8.9.9 7.8.8.9.9 7.8.8.9.9 7.8.8.9.9 7.8.8.9.9 7.8.8.9.9 7.8.8.9.9 7.8.8.9.9 7.8.8.9.9 7.8.8.9.9 7.8.8.9.9 7.8.8.9.9
Lab Number	DVTRP*30 DVT
IRDMIS Field Sample Number	DVTRP129 DVTRP132 DVTRP141 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1433 DVTRP1433
Test Name	CEBR3 CLC2BZ CLC2BZ CLC2BZ CSC CSC CSC CSC MRC6AS M
Lot	00000000000000000000000000000000000000
USATHAMA Method Code	0 m m m m m m m m m m m m m m m m m m m

IRDMIS Units Site ID	TRP-93-720 TRP-93-141 TRP-93-141 TRP-93-141 TRP-93-143	
Value	សល់សស់ស្រុកប្រជាជាប្រជុំ	
V		, ,
Analysis Date	27.7.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2 27.2	27-SEP-93
Prep Date	27-SE-93 27-	27-SEP-93
Sample Date	22	4 23-SEP-93
Lab Number	DVTRP*80 VTRP*154 DVTRP*82 DVTRP*82 DVTRP*82 DVTRP*82 DVTRP*82 DVTRP*83 UTRP*154 DVTRP*82 DVTRP*83 DVT	VTRP*15
IRDMIS Field Sample Number	DVTRP132 DVTRP143 DVTRP143 DVTRP143 DVTRP142 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP143	DVIRP152 DVTRP141
Test Name	120CLE 120CLE 120CLP 120CLP 120CLP 2CLEVE 2CLEVE 2CLEVE ACET ACET ACET ACET ACET ACET ACET ACE	
Lot		ICFA
USATHAMA Method Code	UM20	

IRDMIS Site ID	TRP-93-143 TRP-93-143 TRP-93-143 TRP-93-143 TRP-93-143 TRP-93-141	TRP-93-720
Units		
Value	្តែ 	ı.
•		•
Analysis Date	27-589-93 27-589	27-SEP-93
Prep Date	27-SEP-93 27-SEP	27-SEP-93
Sample Date	######################################) 22-SEP-93
Lab Number	DVTRP*82 DVTRP*82 DVTRP*82 DVTRP*82 DVTRP*83 DVTRP*83 DVTRP*82 DVTRP*83	DVTRP*8(
IRDMIS Field Sample Number	DVTRP143 DVTRP143 DVTRP143 DVTRP143 DVTRP144 DVTRP145 DVTRP145 DVTRP145 DVTRP145 DVTRP145 DVTRP145 DVTRP147 DVTRP147 DVTRP147 DVTRP147 DVTRP147 DVTRP147 DVTRP147 DVTRP147 DVTRP147 DVTRP147 DVTRP147 DVTRP147 DVTRP147 DVTRP147	DVTRP132
Test Name	CC15CL CG46 CG46 CG13F CC13F CC13F CC13F CC13F CC14 CC14 CC14 CC14 CC14 CC14 CC14 CC1	CS2
Lot	22222222222222222222222222222222222222	ICFA
USATHAMA Method Code	UM20	

	7. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	3
IRDMIS Site ID	TRP-93-143	IKF-Y2
Units	: ! ਫ਼	
Value	หน่ง เร่า เล่า เล่า เล่า เล่า เล่า เล่า เล่า เล	<u>.</u>
v		,
Analysis Date	27-58-93 27-	CL_3CL_72
Prep Date	27- SEP-93 27- SEP-93	C/-3Er-73
Sample Date	24.5 24.5 24.5 24.5 24.5 24.5 24.5 24.5	
Lab Number	UTRP*154 2 UVTRP*82 2 UVTRP*82 2 UVTRP*82 2 UVTRP*83 2 UVTRP*83 2 UVTRP*84 3 UVTRP*	DVIKPTOR
IRDMIS Field Sample Number	DVTRP141 DVTRP141 DVTRP141 DVTRP1432 DVTRP1432 DVTRP141 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP1432 DVTRP14332 DVTRP14332 DVTRP14332 DVTRP14332 DVTRP143332 DVTRP14333	DVIKE 145
Test Name	CS2 CS2 CS2 CS2 CS2 CS4 ETC645	ברב
Lot	100744444444444444444444444444444444444	17
USATHAMA Method Code	02	

CFA	Test Name TRCLE	Sample Number DVTRP132	Lab Number DVTRP*80	Sample Date	Prep Date	Analysis Date	v . v	Value	Units	IRDMIS Site ID
	TRCLE	DVTRP141	VTRP*154	23-SEP-93 23-SEP-93 23-SEP-93	27-SEP-93 27-SEP-93 27-SEP-93	27-SEP-93 27-SEP-93 27-SEP-93	v v v	บ่เก๋ณ	털털털	TRP-95-720 TRP-93-141 TPP-03-143
	XYLEN	DVTRP132	DVTRP*80	22-SEP-93	27-SEP-93	27-SEP-93	· • •	; इं	a 함	TRP-93-7
CFA	XYLEN	DVTRP143	DVTRP*82	23-SE-53	27-SEP-93	27-SEP-93	/ v	ġġ,	당 당 당 당 당 당 당 당 당 당 당 당	TRP-93-1
	112TGE	DVIRP723 DVTRP723	DVIRP*83	28-SEP-93 28-SEP-93	01-0C1-93 01-0C1-93	01-0CT-93 01-0CT-93	. .		털털	TRP-93-1 TRP-93-1
	110CE	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-0CT-93	v ,	rJ 6	널	TRP-93-1
	186 186 187	DVTRP723	DVTRP*83	28-SEP-93	01-0C1-93	01-0c1-93	, v	81.	불벌	TRP-93-1
	120CLE	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-0CT-93	•	'n	펄	TRP-93-1
	120CLP	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-0CT-93	v '	ı, t	털	TRP-93-1
	ACET	DVTRP723	DVIRP*83	28-SEP-93 28-SEP-93	01-0C1-93 01-0CT-93	01-0CI-93 01-0CI-93	, ,	÷.Ε	털털	TRP-93-1 TRP-93-1
	ACROLN	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-0CT-93	v	5	le le	TRP-93-1
	ACRYLO Brdci M	DVTRP723	DVTRP*83	28-SEP-93 28-SEP-93	01-0CT-93	01-0CT-93	v v	5 ℃	털	TRP-93-1
	C130CP	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-0CT-93	· •	. 85.	털	TRP-93-1
	C2AVE	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-0CT-93	•	8.3	ם	TRP-93-1
	C2H3CL	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-0CT-93	v	5.6	ց	TRP-93-1
	CZHSCL	DVTRP 723	DVTRP*83	28-SEP-93 28-SEP-93	01-0CT-93	01-0CT-93	v v	6. 0. r.	털	TRP-93-1
	CCL3F	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-0CT-93	· •	7	병병	TRP-93-1
	ככר ל	DVTRP723	DVTRP*83	28-SEP-93	01-oct-93	01-0CT-93	~	.58	멸	TRP-93-1
	CH2CL2	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-0CT-93		8.4	ug.	TRP-93-1
	CH3BR	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-0CT-93	•	5.8	폌	TRP-93-1
	CH3CL	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-oct-93	v	3.5	형	TRP-93-1
	CHBR3	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-oct-93	v	5.6	폌	TRP-93-1
	CHCL3	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-0CT-93	v	ī.	폌	TRP-93-1
CJA	CL2BZ	DVTRP723	DVTRP*83	28-SEP-93	01-0CT-93	01-0CT-93	v	5	별	TRP-93-1
	CLC6H5	DVTRP723	DVTRP*83	Ŕ	01-0CT-93	01-0CT-93	v	u	=	TDD-03-1

Chemical Quality Control Report Installation: Fort Devens, MA (DV) TRIP BLANKS 1993-1994 SSI Groups 2,7

IRDMIS Site ID	TRP-93-142
	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Units	<u>ਭ ਤ ਤ ਤ ਤ ਤ ਤ ਤ ਤ ਤ ਤ ਤ ਤ ਤ ਤ ਤ ਤ ਤ ਤ ਤ</u>
Value	๛ <i>ั</i> ผ่านว่า ผู้ เก๋
v :	
Analysis Date	01-0c1-93 01-0c1-93 01-0c1-93 01-0c1-93 01-0c1-93 01-0c1-93 01-0c1-93 07-0c1-93 07-0c1-93 07-0c1-93 07-0c1-93 07-0c1-93 07-0c1-93 07-0c1-93 07-0c1-93
Prep Date	01-0c1-93 01-0c1-93 01-0c1-93 01-0c1-93 01-0c1-93 01-0c1-93 01-0c1-93 01-0c1-93 07-0c1-93 07-0c1-93 07-0c1-93 07-0c1-93 07-0c1-93 07-0c1-93 07-0c1-93 07-0c1-93 07-0c1-93
Sample Date	28 - SEP - 93 28 - SEP - 93 30 - S
Lab Number	DVTRP*83 2 DVTRP*84 2
IRDMIS Field Sample Number	DVTRP723 DVTRP723 DVTRP723 DVTRP723 DVTRP723 DVTRP723 DVTRP723 DVTRP724
Test Name	CS2 DBRCLM ETC645 MEC645 MEC645 MIBK MIBK MIBK MIBK MIBK MIBK MIBK MIBK
Lot	CONA CONA CONA CONA CONA CONA CONA CONA
USATHAMA Method Code	UM20

IRDMIS Site ID	TRP-93-142	TRP-93-729	TRP-93-142	TRP-93-729	TRP-93-142	TRP-93-729	TRP-93-142	TRP-93-729	IRP-95-142	TRP-93-729	TRP-93-142	1KP-93-729	1KP-93-142	TED 02 1/3	TPD-03-720	TRP-93-142	TRP-93-729	TRP-93-142	TRP-93-142	TRP-93-729	TRP-93-729	TRP-93-142	TRP-93-729								
	: 평	덩	털	펄	ఠ	폌	널	를 :	털 :	털 :	ತ ತ	3 5	3 5		₫ <u>2</u>	를 등	널	텀	ם	널	털	렬	털	펄	럴	걸	ם	폌	펄		
Value	100	5	5	ŗΫ́	.59	ij	.58 .58	20.0	200	9.0	7.		-	•	-	1.4	ij	īš.	-	0	~.	in i	×.	m	2.0	2.0	-;	-:	7	=	-:
•	. v :	~	~	~	v	v	v	v	v '	v '	v 1	,	' '	/ \	′ ∨	v	*	~			v	~	V	~	v	v	v	٧	v	~	v
Analysis Date	07-0CT-93	07-0CI-93	07-001-93	07-001-93	07-0CI-93	07-061-93	07-0CI-93	07-0CT-02	07-0CT-93	07-0CT-93	07-0CT-93	07-0CT-93	07-0CT-93	07-0CT-93	07-0CT-95	07-0CT-93	07-0CT-93	07-0CT-93	07-0CT-93	07-0CT-93	07-oct-93	07-0CT-93	07-0CT-93	07-0CT-93	07-0CT-93						
Prep Date	07-0CT-93	07-0CT-93	07-0CT-93	07-0C1-93	07-0CT-93	07-0CT-93	07-0CT-93	07-0CI-95	07-00-70	07-001-93	07-0CI -93	07-00-70	07-00-70	07-0CT-02	07-0CT-93	07-0CT-93	07-0CT-93	07-0CT-93	07-0CT-93	07-0CT-93	07-0CI-95	07-0CT-93	07-0CI-95	07-0CT-93	07-0C1-93						
Sample Date					30-SEP-93		. 30-SEP-93	20-00-02	00-05-73 05-054-93	20-05-02	05-051-93	30-CEP-03	05-0CT-03	30-CED-03	05-0CT-93	30-SEP-93	05-0CT-93	30-SEP-93	30-SEP-93			50-SEP-93	25-00-c0	30-SEP-93	05-0CT-93	30-SEP-93	05-0CT-93	30-SEP-93	05-0CT-93	30-SEP-93	05-0CT-93
Lab Number	DVTRP*84	DVTRP*86	DVTRP*8	DVTRP*86	DVTRP*8	DVTRP*86	DVTRP*84	DVIKP 80	DVIRPOR	DVIKP 00	DVIRP OF	DVIRT 00	DVTBD*88	DVTDD*82	DVTRP*86	DVTRP*84	DVTRP*86	DVTRP*84	DVTRP*84	DVTRP*86	DVIRP	DVIRP*84	DVIRP 80	DVTRP*84	DVTRP*86	DVTRP*84	DVTRP*86	DVTRP*84	DVTRP*86	DVTRP*84	DVTRP*86
IRDMIS Field Sample Number	DVTRP724	DVTRP148	DVTRP724	DVTRP148	DVTRP724	DVTRP148	DVTRP724	DV 187 140	DV-IRP C4	DVIKP140	DVIRP124	DVIRF 140	DVIRT 24	DVTPP724	DVTRP148	DVTRP724	DVTRP148	DVTRP724	DVTRP724	DVTRP148	DV IKP 148	DVIRP724	DVIKP 148	DVTRP724	DVTRP148	DVTRP724	DVTRP148	DVTRP724	DVTRP148	DVTRP724	DVTRP148
Test Name	ACROLN	ACRYLO	ACRYLO	BRDCLM	BRDCLM	C150CP	C130CP	CZAVE	ייבאגני	בייביי	בלווט האציו	לילולט האלים	7 7 7 7	2449 2449	CCL3F	CCL3F	CCL4	CCL4	CHZCLZ	CHZCLZ	ZHO S	CHORY	ביים ביים	CHSCL	CHBR3	CHBR3	CHCL3	CHCL.3	CLZBZ	CLZBZ	CLC6H5
Lot	ICNA	CNA	CN	CN	¥.	CNA	S S	¥ 5			2 2	A D	I CNA	I CN	CNA	ICNA	ICNA	CNA	CN	¥ :	¥ :	¥ :	¥ :	CNA	S	S S	CNA	¥ U	CNA	CNA	CNA
USATHAMA Method Code	UM20																														

IRDMIS Units Site ID	UG. TRP-93-142 UG. TRP-93-142 UG. TRP-93-1729 UG. TRP-93-168
Value U	ก่งเก๋ผู้ผู้เก๋งเก๋งฺจ๋จ๋ พพ ออบบบบบบบบบบบบบบบบบบบบบบบบบบบบบบบบบบ
v ;	· · · · · · · · · · · · · · · · · · ·
Analysis Date	07-0c1-93 07-0c1-93
Prep Date	07-0c1-93 07-0c1-93
Sample Date	30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 4 30-SEP-93 5 65-007-93 5 65-007-93 8 15-007-93 8 15-007-93 8 15-007-93 8 15-007-93
Lab Number	DVTRP#84 DVTRP#84 DVTRP#84 DVTRP#84 DVTRP#84 DVTRP#84 DVTRP#84 DVTRP#86 DVTRP#168 VTRP#168
IRDMIS Field Sample Number	DVTRP724 DVTRP148 DVTRP148 DVTRP724 DVTRP728
Test Name	CLC645 CS2
Lot	ICONA ICONA
USATHAMA Method Code	CM20

IRDMIS Value Units Site ID	4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
Value	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
v	
Analysis Date	22-04-33 23-04-33 23-04-33 23-04-33 24-34 24-
Prep Date	22-04-33 23-04-33 23-04-33 24-34
Sample Date	75 001-38 75 001-38
Lab Number	VIRP*168 VIR
IRDMIS Field Sample Number	DVTRP168
Test Name	120CLE 2CLEVE ACET ACRYLO ACRYLO BRDCLM CC130CP CC130CP CC135CL CC135C C
Lot	00000000000000000000000000000000000000
USATHAMA Method Code	CM20

IRDMIS Site ID	48-94-168 48-94-	KF-74-101
II Units S		
Value	๛ [๛] ๛๎๛๎๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛๛	
v	, v v v v v v v v v v v v v v v v v v v	•
Analysis Date	22-0C1-93 22-0C1-93 26-JAN-94	14-NY-07
Prep Date	22-001-93 22-001-93 23-1AN-94	TO-UNA-NA
Sample Date		17-JAN-74
Lab Number	VIRP*168 VIRP*161 VIR	VIK7.10
IRDMIS Field Sample Number	DVTRP168 DVTRP161	<u> </u>
Test Name	TRCLE TYCLE 1117CE 1117CE 110CE 110CE 110CE 110CE 110CCE 1	MECOH3
Lot	######################################	XDCB
USATHAMA Method Code	L M 20	

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	v	Value	Units	IRDMIS Site ID
UM20	89 E8	MEK	DVTRP161	VTRP*161 VTRP*161	21- JAN-94 21- JAN-94	25-JAN-94 25-JAN-94	26-JAN-94 26-JAN-94	v v	4.9	털말	TRP-94-161 TRP-94-161
	X 0GB	MNBK	DVTRP161	VTRP*161		25-JAN-94	26-JAN-94	· •	9.0		TRP-94-161
	890X	STYR	DVTRP161	VTRP*161		25-JAN-94	26-JAN-94	v	'n		TRP-94-161
	85 82 83 83 83 83 83 83 83 83 83 83 83 83 83	T130CP	DVTRP161	VTRP*161		25-JAN-94	26-JAN-94	v	۲.		TRP-94-161
	85 85 85 85 85 85 85 85 85 85 85 85 85 8	TCLEA	DVTRP161	VTRP*161		25-JAN-94	26-JAN-94	~	.51		TRP-94-161
	85 0	TCLEE	DVTRP161	VTRP*161		25-JAN-94	26-JAN-94	v	7.6		TRP-94-161
	89 92	TRCLE	DVTRP161	VTRP*161	21-JAN-94	25-JAN-94	26-JAN-94	v	'n		TRP-94-161
	89 Q	XYLEN	DVTRP161	VTRP*161	21-JAN-94	25-JAN-94	26-JAN-94	v	%		TRP-94-161
	皇	111TCE	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	'n		TRP-94-163
		112TCE	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	,	7.5		TRP-94-163
		110CE	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	'n		TRP-94-163
		110CLE	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	8.		TRP-94-163
		12DCE	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	'n.		TRP-94-163
	윉	12DCLE	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	'n		TRP-94-163
	윘	12DCLP	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	~	'n.		TRP-94-163
	兒兒	2CLEVE	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	۲.		TRP-94-163
		ACET	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	<u>1</u>		TRP-94-163
	贸	ACROLN	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	100		TRP-94-163
	兒兒	ACRYLO	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	100		TRP-94-163
	웃	BRDCLM	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	~	.59		TRP-94-163
		C130CP	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	.58		TRP-94-163
	옃	CZAVE	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	~	w		TRP-94-163
	얼	C2H3CL	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	5.6		TRP-94-163
	兒兒	C2H5CL	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	1.9		TRP-94-163
		C6H6	DVTRP163	VTRP*163		26-JAN-94	26-JAN-94	v	'n		TRP-94-163
	兒	CCL3F	DVTRP163	VTRP*163		26-JAN-94	26-JAN-94	v	1.4		TRP-94-163
	是	CCL4	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	~	.58		TRP-94-163
		CH2CL2	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	2.3		TRP-94-163
	兒	CH3BR	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	5.8		TRP-94-163
	99	CH3CL	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	3.5		TRP-94-163
	웊	CHBR3	DVTRP163	VTRP*163	25-JAN-94	26-JAN-94	26-JAN-94	v	5.6		TRP-94-163

Chemical Quality Control Report Installation: Fort Devens, MA (DV) TRIP BLANKS 1993-1994 SSI Groups 2,7

	: \$
IRDMIS Site ID	### ### ### ### ### ### ### ### ### ##
Units	: :
Value	25-27-27-27-27-28-27-28-27-28-28-28-28-28-28-28-28-28-28-28-28-28-
S.	
v	
•	
s is	26-JAN-94 26-JAN
Analysis Date	; \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
	! !
	26-JAN-94 26-JAN-94 26-JAN-94 26-JAN-94 26-JAN-94 26-JAN-94 26-JAN-94 26-JAN-94 26-JAN-94 26-JAN-94 29-JAN-94
Prep Date	- 44-44-44-44-44-4-4-4-4-4-4-4-4-4-4-4-
	 -
e e	25- JAN-94 25- JAN-94 25- JAN-94 25- JAN-94 25- JAN-94 25- JAN-94 25- JAN-94 26- JAN-94
Sample Date	្តែស្តីស្តីស្តីស្តីស្តីស្តីស្តីស្តីស្តីស្តី
ź	VIRP*163 VIRP*163 VIRP*163 VIRP*163 VIRP*163 VIRP*163 VIRP*163 VIRP*163 VIRP*164 VIRP*166 VIR
Lab Number	VIRP*** VIRP** VIRP*** VIRP*** VIRP*** VIRP*** VIRP***
45.4	<u> </u>
RDMIS Field Sample Number	DVTRP163 DVTRP163 DVTRP163 DVTRP163 DVTRP163 DVTRP163 DVTRP163 DVTRP163 DVTRP164 DVTRP166
- L 0 Z	
	CHCL3 CHCL3 CLC6H5 CS2 CS2 CS2 CS2 MECH5 MECCH5 MIBK MIBK MIBK MIBK MIBK MIBK MIBK MIBK
Test	C2430 AGE C250 C240 C240 C240 C240 C240 C240 C240 C24
Lot	
AMA P	
USATHAMA Method Code	0 P

IRDMIS Value Units Site ID				폌		헠	폌	럴			펄		폌	폌	폌	폌		폌	폌	털	卥	.5 UGL TRP-94-166	힘
v	V	~	v	~	~	v	~	~	~	~	~	~	~	~	~	~	~	~	~	~	v	v	•
Analysis Date	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94
Prep Date	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94	29-JAN-94
Sample Date	26-JAN-94	, 26-JAN-94	. 26-JAN-94	. 26-JAN-94	. 26-JAN-94	. 26-JAN-94	. 26-JAN-94	. 26-JAN-94	. 26-JAN-94	. 26-JAN-94	. 26-JAN-94	, 26-JAN-94	, 26-JAN-94	. 26-JAN-94	, 26-JAN-94	. 26-JAN-94	. 26-JAN-94	26-JAN-94	26-JAN-94				
Lab Number	VTRP*166	VIRP*166	VTRP*166	VTRP*166	VTRP*166	VTRP*166	VTRP*166	VTRP*166	VTRP*166	VTRP*166 2	VIRP*166	VTRP*166	VTRP*166	VTRP*166	VTRP*166	VTRP*166	VTRP*166						
IRDMIS Field Sample Number	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166	DVTRP166
Test Name	9Н9Э	CCL3F	ככרל	CH2CL2	CH3BR	CH3CL	CHBR3	CHCL3	CL28Z	CLC6H5	CS2	DBRCLM	ETC6H5	MEC6H5	ÆK	MIBK	MNBK	STYR	T130CP	TCLEA	TCLEE	TRCLE	XYLEN
Lot	XDKB	S S S S S	XOK8	8 9 8	XOK8	XOKB	X Q K B	XOKB	ØK8	S S S S	8 S S S	XOKB	XOKB	XOKB	XQ B	Š	XQKB	S S S S S S	8 Q Q	8 Q R B	Š	XOKB	S S S S
USATHAMA Method Code	UM20																						

TABLE E-16

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1992 SI Groups 2,7

Percent Recovery	85.7 7. 86.3 7. 86.3 85.0 85.7 86.3	97.77 .0 97.79 24 97.79 7.779	105.0 1.9 107.0 1.9 106.0 1.9	119.5 2.9 116.0 2.9 117.7 116.0	119.5 116.0 119.5 119.5 117.1 117.1
. Unit	4130 UGG 1890 UGG	1270 UGG 1260 UGG	.482 UGG .458 UGG	5.46 UGG 5.36 UGG	
Spike Value	2190	1300 1290	.428	4.57	4.57 4.62 4.62 4.57
Analysis Date	17-SEP-92 17-SEP-92	17-SEP-92 17-SEP-92	10-SEP-92 10-SEP-92	14-0C1-92 14-0C1-92	14-0C1-92 14-0C1-92 15-0C1-92 15-0C1-92
Sample Date	25-AUG-92 25-AUG-92	25-AUG-92 25-AUG-92	25-AUG-92 25-AUG-92	25-AUG-92 25-AUG-92	25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92
Lab Number Lot		DV2S*250 AYZ DV2S*250 AYZ	DV2S*250 ANK DV2S*250 ANK	DV2S*250 AMN DV2S*250 AMN	DV2S*250 AMN DV2S*250 AMN DV2S*250 AUH DV2S*250 AUH
IRDMIS Field Sample Number		DX410400 DX410400	0X410400 0X410400 *	DX410400 DX410400 *	DX410400 * DX410400 DX410400 *
A Test Name	10C 10C ********************************	TPHC TPHC ************************************	HG HG *********************************	SE SE *********************************	SE ************************************
USATHAMA Method Code	000	000	JB01 JB01	510 510 510	51 d. 51 d. 71 d. 71 d.
Method Description			IN SOIL BY GFAA IN SOIL BY GFAA	IN SOIL BY GFAA IN SOIL BY GFAA	84 B4 84

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1992 SI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	_	Sample Date	Analysis Date	Spike Value	Value Units	Percent its Recovery	RPD
AS IN SOIL BY GFAA		AS	DX410400	DV2S*250 ACX	25-AUG-92	15-001-92	4.57	4.68 UGG	102.4	28.6
		avg minimum maximum							119.5 102.4 136.6	
TL IN SOIL BY GFAA TL IN SOIL BY GFAA	72 gr	TL 11. ********** avg minimum maximum	DX410400 DX410400	DV2S*250 2LG DV2S*250 2LG	25-AUG-92 25-AUG-92	15-0c1-92 15-0c1-92	4.57	4.93 UGG 4.89 UGG	106.7 107.0 106.9 106.7 107.0	и́и́
SB IN SOIL BY GFAA SB IN SOIL BY GFAA	3 3 8 8	SB SB *********************************	DX410400 DX410400	DV2S*250 ZMG DV2S*250 ZMG	25-AUG-92 25-AUG-92	23-001-92 23-001-92	9.04	8.74 UGG 8.25 UGG	93.6 93.6 93.6 96.7	9.9
METALS IN SOIL BY ICAP	JS16 JS16	AG Afternam avg minimum	DX410400 DX410400	DV2S*250 A01 DV2S*250 A01	25-AUG-92 25-AUG-92	16-SEP-92 16-SEP-92	8.8 8.9.	8.42 UGG 8.37 UGG	95.2 94.0 94.6 95.2	<u></u>
METALS IN SOIL BY ICAP	JS16 JS16	BE ********* avg minimum maximum	DX410400 DX410400	DV2S*250 A01 DV2S*250 A01	25-AUG-92 25-AUG-92	16-SEP-92 16-SEP-92	55.2 55.6	58.3 UGG 57.9 UGG	104.1 104.9 104.9	4.1
METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	JS16 JS16	80	DX410400 DX410400	DV2S*250 A01 DV2S*250 A01	25-AUG-92 25-AUG-92	16-SEP-92 16-SEP-92	55.2	58.3 UGG 58.3 UGG	G 105.6 G 104.9	۲.۲.

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1992 SI Groups 2,7

, Percent Value Units Recovery RPD	105.2 104.9 105.6	UGG 110.9 2.6 UGG 108.1 2.6 109.5 108.1	UGG 101.1 .2 UGG 100.9 .2 101.0 100.9	UGG 105.2 .5 UGG 104.7 .5 105.0 104.7	UGG 111.7 2.4 UGG 109.1 2.4 110.4 109.1	UGG 104.5 2.7 UGG 101.8 2.7
		122 120	56.2 55.7	58.5 57.8	124 120	113
Spike Value		110	55.6	55.6		110
Analysis Date		2 16-SEP-92 16-SEP-92	2 16-SEP-92 2 16-SEP-92	2 16-SEP-92 2 16-SEP-92	2 16-SEP-92 2 16-SEP-92	2 16-SEP-92 2 16-SEP-92
Sample Lot Date		01 25-AUG-92 01 25-AUG-92	55-AUG-92	AOI 25-AUG-92 AOI 25-AUG-92	AOI 25-AUG-92 AOI 25-AUG-92	A01 25-AUG-92 A01 25-AUG-92
Lab Number Lo		DV2S*250 A01 DV2S*250 A01	DV2S*250 A01 DV2S*250 A01	DV2S*250 DV2S*250	DV2S*250 DV2S*250	DV2S*250 DV2S*250
IRDMIS Field Sample Number	EE	DX410400 DX410400 ****	DX410400 DX410400 ****	DX410400 DX410400 ****	DX410400 DX410400 ****	DX410400 DX410400 ****
A Test Name	avg minimum maximum	CR CR *********************************	CU CU *********************************	NI NI *********************************	TL TL ******** avg minimum maximum	ZN ZN ******** avg minimum
USATHAMA Method Code		JS16 JS16	JS16 JS16	JS16 JS16	JS16 JS16	JS16 JS16
Method Description		METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1992 SI Groups 2,7

8	o.	o.	o,	15.4 15.4	7.4	o.	o.
Percent Recovery	100.00	108.7 108.7 108.7	2 222 2 222	125.4 107.5 116.4 107.5	104.5 97.0 100.7 97.0 104.5	104.3 104.3 104.3	95.7
Units	990	nec	99n	99n	99n	nee	ngg
Value Units	.023	.025	.021	270.	.065	.024	.022
Spike Value	.023	.023	.023	.067	.067	.023	.023
Analysis Date	19-SEP-92	19-SEP-92	19-SEP-92	19-SEP-92 20-SEP-92	19-SEP-92 20-SEP-92	19-SEP-92	19-SEP-92
Sample Date	25-AUG-92	25-AUG-92	25-AUG-92	25-AUG-92 25-AUG-92	25-AUG-92 25-AUG-92	25-AUG-92	25-AUG-92
Lot		ABU	ABU	ABU	ABU	ABU	ABU
Lab Number	DV2S*250	dv2s*250 abu	DV25*250 ABU	DV2S*250 / DV2S*250 /	DV2S*250 /	DV2S*250 ABU	dv2s*250 abu
IRDMIS Field Sample Number	DX410400	DX410400	DX410400	0X410400 0X410400	DX410400 DX410400	DX410400	DX410400
Test Name	AENSLF ************* avg minimum maximum	ALDRN ********* avg minimum maximum	BENSLF ************************************	CL10BP CL10BP ********** avg minimum maximum	CL4XYL CL4XYL ********* avg minimum maximum	DLDRN ******** avg minimum	ENDRN *******
USATHAMA Method Code	LH10	LH10	LH10	LH10 LH10	LH10 LH10	LH10	LH10
Method Description						,	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1992 SI Groups 2,7

ent ery RPD	%.7 %.7 %.7	108.7 .0 108.7 108.7	102.9 102.9 102.9 102.9	100.0	%.0 %.0 %.0 %.0		107.5 13.3 94.0 13.3 100.7
Percent Recovery	8.8.8	5 555	0 000	5 5 5 5	8 888	1 1 1 1 1 1	701
Value Units		S UGG	9 NGG	3 UGG	oon 6	99n 9	2 UGG 3 UGG
Val	1 1 1 1 1 1	.025	.036	.023	.219	.026	.072 .063
Spike Value		.023	.035	.023	.233	.023	790.
Analysis Date		19-SEP-92	19-SEP-92	19-SEP-92	19-SEP-92	19-SEP-92	18-SEP-92 18-SEP-92
Sample Date		25-AUG-92	25-AUG-92	25-AUG-92	25-AUG-92	25-AUG-92	25-AUG-92 25-AUG-92
Lot		O ABU	O ABU	O ABU	O ABU	O ABU	0 AIZ
Lab Number		DV2S*250 ABU	DV25*250 ABU	DV25*250 ABU	DV2S*250 ABU	DV2S*250 ABU	DV2S*250 /
IRDMIS Field Sample Number		• DX410400	• DX410400	•* DX410400	• DX410400	• DX410400	DX410400 DX410400
Test Name	avg minimum maximum	HPCL ******** avg minimum maximum	1500R ***********************************	LIN ******** avg minimum maximum	MEXCLR ******** avg minimum maximum	PPODT ******** avg minimum maximum	CL 10BP CL 10BP ********
USATHAMA Method Code		ГН10	CH10	ГН10	ГН10	ГН10	LH16 LH16
Method Description							

Chemical quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1992 SI Groups 2,7

Method Description	USATHAMA Method Code		IRDMIS Field Sample Number	Lab Number		Sample Date	Analysis Date	Spike Value	Value	Value Units	Percent Recovery	8
	1 1 1 1 1	maximum	! ! ! ! ! !	# # # # # #		: : : : : : : : :	; t t d d d d d d d d d d d d d d d d d				107.5	<u> </u>
	LH16 LH16	CL4XYL CL4XYL ************************************	DX410400 DX410400	DV2S*250 / DV2S*250 /	AIZ	25-AUG-92 25-AUG-92	18-SEP-92 18-SEP-92	790.	.055	, 990 900	97.0 82.1 89.6 82.1	16.7 16.7
	LH16	*	DX410400	DV2S*250 AIZ	A12	25-AUG-92	18-SEP-92	.311	.184	, 990	59.2 59.2 59.2 59.2 59.2	o.
	LH16	PC8260 ************************************	DX410400	DV2S*250 A12	A12	25-AUG-92	18-SEP-92	.311	.294	້	2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2	o.
EXPL.S IN SOIL BY HPLC EXPL.S IN SOIL BY HPLC	LW12 LW12	135TNB 135TNB ************************************	DX410400 DX410400	DV2S*250 A	ARM ARM	25-AUG-92 25-AUG-92	15-SEP-92 15-SEP-92	77.6 6.54	8.84 8.59	, 890 900	83.0 83.0 83.0	2.9
EXPL.S IN SOIL BY HPLC EXPL.S IN SOIL BY HPLC	LW12 LW12	246TNT 246TNT ***********************************	DX410400 DX410400	DV2S*250 / DV2S*250 /	ARM ARM	25-AUG-92 25-AUG-92	15-SEP-92 15-SEP-92	8.8. 2.0.	8.29	990 900	95.2 94.1 94.7	1.2.2
EXPL.S IN SOIL BY HPLC EXPL.S IN SOIL BY HPLC	LW12 LW12	24DNT 24DNT ************************************	DX410400 DX410400	DV2S*250 / DV2S*250 /	ARM	25-AUG-92 25-AUG-92	15-SEP-92 15-SEP-92	9.86	9.59	990 000	97.3	44

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1992 SI Groups 2,7

USATHAMA Method Code	A Test Name minimum maximum	IRDMIS Field Sample Number	Lab Number Lot	Sample Date	Analysis Date	Spike Value	Value Units	Percent Recovery 96.9	RPD
	*	DX410400 DX410400	DV2S*250 ARM DV2S*250 ARM	25-AUG-92 25-AUG-92	15-sep-92 15-sep-92	24.1 24.1	32 UGG 31.5 UGG	132.8 130.7 131.7 130.7	1.6
NG NG ******** avg minimum maximum	*	DX410400 DX410400	DV2S*250 ARM DV2S*250 ARM	25-AUG-92 25-AUG-92	15-SEP-92 15-SEP-92	40.1	42.3 UGG 41.7 UGG	105.5 104.0 104.0 105.5	4.1
PETN PETN ************************************		DX410400 DX410400	DV2S*250 ARM DV2S*250 ARM	25-AUG-92 25-AUG-92	15-SEP-92 15-SEP-92	40.1	39.2 UGG 38.5 UGG	97.8 96.0 96.9 96.9 97.8	8.5.
RDX RDX ************ avg minimum		DX410400 DX410400	DV2S*250 ARM DV2S*250 ARM	25-AUG-92 25-AUG-92	15-SEP-92 15-SEP-92	ဆ ဆ ဆ ဆ	9.39 UGG 9.2 UGG	106.7 105.6 105.6 106.7	2.0

Chemical Quality Control Report Installation: Fort Devers, MA (DV) VOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	2017 1020 1040 1040 1040 1040 1040 1040 1040	102.9 96.0 108.0	98.0 90.0 104.0 112.0 112.0 112.0 124.0	88.0 124.0	74.0 74.0 74.0 76.0 76.0 76.0 76.0 76.0 76.0 76.0 76	102.0 108.0
Value Units	.051 UGG .052 UGG .052 UGG .053 UGG .053 UGG .052 UGG .052 UGG		.049 UGG .045 UGG .052 UGG .054 UGG .053 UGG .057 UGG .057 UGG		.052 UGS .057 UGS .057 UGS .052 UGS .05 UGS .05 UGS .05 UGS	51 UGL 54 UGL
Spike Value	ខទខេតខខេតខខ		<i>ត់</i> គន់គន់គន់គន់		ខ់ខ់ខំខំខំខំខ	20 20
Analysis Date	07.5EP-92 05.5EP-92 05.5EP-92 01.5EP-92 05.5EP-92 05.5EP-92 30.5EP-92		07. SEP-92 05. SEP-92 05. SEP-92 05. SEP-92 01. SEP-92 05. SEP-92 05. SEP-92 30. SEP-92		07-SEP-92 05-SEP-92 03-SEP-92 05-SEP-92 01-SEP-92 05-SEP-92 05-SEP-92 30-SEP-92	06-0CT-92 03-SEP-92
Sample Date	27-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-SEP-92		27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 22-SEP-92		27. AUG-92 26. AUG-92 25. AUG-92 25. AUG-92 25. AUG-92 26. AUG-92 26. AUG-92 26. AUG-92 26. SEP-92	25-SEP-92 25-AUG-92
Lab Number Lot	DV2S*241 AJQ DV2S*242 AJQ DV2S*247 AJQ DV2S*248 AJQ DV2S*250 AJQ DV2S*252 AJQ DV2S*252 AJQ DV2S*352 AJQ		DVS*241 AJQ DVS*242 AJP DVS*247 AJO DVS*248 AJP DVS*259 AJP DVS*250 AJP DVS*252 AJP DVS*352 AJP		DV2S*241 AJQ DV2S*242 AJP DV2S*247 AJO DV2S*248 AJP DV2S*250 AJP DV2S*252 AJP DV2S*352 AJP DV2S*342 AJP	DV2W*253 ATX DV2W*255 ATN
IRDMIS Field Sample Number	SX410100 SX410200 DX410200 DX410300 DX410500 DX410500 DX410500 BX433105	•	\$X4,10100 \$X4,10200 \$X4,10200 \$X4,10200 \$X4,10300 \$X4,10500 \$X4,10		SX410100 SX410200 DX410100 DX410200 DX410300 DX410500 DX410500 DX410600 BX4331105	MX4101X1 WX4101XX
A Test Name	2004 2004 2004 2004 2004 2004 2004	avg minimum maximum	48F8 48F8 48F8 48F8 48F8 48F8 48F8 48F8	avg minimum maximum	MECCD8 minimum maximum	120.04 120.04
USATHAMA Method Code	MM444444444444444444444444444444444444		LM19 LM19 LM19 LM19 LM19		LM19 LM19 LM19 LM19 19 19 19 19 19	UM20 UM20
Method Description	VOC'S IN SOIL BY GC/MS		VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS		VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) VOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	112.0 112.0 112.0 112.0 110.0 12.0	88.88 80.00 80.00 88.00 1.00 1.00 1.00 1	92.0 88.0 92.0 92.0 92.0 92.0
Value Units	행의 35 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	44444444444444444444444444444444444444	34444444444444444444444444444444444444
Spike Value	22222	2222222	222222
Analysis Date	03-SEP-92 03-SEP-92 03-SEP-92 03-SEP-92 03-SEP-92	06-0C1-92 03-SEP-92 03-SEP-92 03-SEP-92 03-SEP-92 03-SEP-92	06-0C1-92 03-SEP-92 03-SEP-92 03-SEP-92 03-SEP-92 03-SEP-92
Sample Date	25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92	25-SEP-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92	25-SEP-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92
Lab Number Lot	22822	DV24*253 ATX DV24*255 ATN DV24*256 ATN DV24*257 ATN DV24*259 ATN DV24*259 ATN	DV24*253 ATX DV24*255 ATN DV24*256 ATN DV24*257 ATN DV24*258 ATN DV24*259 ATN DV24*260 ATN
IRDMIS Field Sample Number	WX4102XX WX4103XX WX4105XX WX4105XX WX4106XX	MX4101X1 WX4101XX WX4102XX WX4103XX WX4105XX WX4105XX WX4106XX	MX4101X1 WX4101XX WX4102XX WX4103XX WX4104XX WX4105XX WX4106XX
A Test Name	12004 12004 12004 12004 12004 ***********************************	48FB 48FB 48FB 48FB 48FB 48FB 48FB 48FB	MEC608 MEC608 MEC608 MEC608 MEC608 MEC608 MEC608 MEC608 minimum
USATHAMA Method Code	UM20 UM20 UM20	CM20 CM20 CM20 CM20 CM20 CM20	UM20 UM20 UM20 UM20 UM20 UM20
Method Description	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devers, MA (DV) VOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	202.0 104.0 104.0 104.0 104.0 102.9 103.0	98.0 104.0 104.0 114.0 114.0 112.0 112.0 112.0 112.0 124.0	104.0 114.0 94.0 100.0 100.0 100.0 100.0 103.3 94.0	102.0 108.0
Value Units	.051 UGG .052 UGG .052 UGG .053 UGG .053 UGG .052 UGG .052 UGG	. 049 UGS . 045 UGS . 052 UGS . 054 UGS . 053 UGS . 056 UGS . 066 UGS	.052 UGG .057 UGG .062 UGG .059 UGG .05 UGG .05 UGG .05 UGG	51 UGL 54 UGL
Spike Value	ខុខខុខខុខខុខ	ខុខខុខខុខខុខ	ខៈខៈខៈខៈខៈខៈខៈខ	20
Analysis Date	07.5EP-22 05.5EP-22 05.5EP-22 01.5EP-22 01.5EP-22 05.5EP-22 30.5EP-22	07-88-92 05-88-92 05-88-92 05-88-92 05-88-92 05-88-92 05-88-92	07-sep-92 05-sep-92 05-sep-92 06-sep-92 05-sep-92 05-sep-92 05-sep-92 05-sep-92 05-sep-92 05-sep-92	06-0CT-92 03-SEP-92
Sample Date	27-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92	27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 22-SEP-92	27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 22-SEP-92	25-SEP-92 25-AUG-92
ا ہے	DVS*241 AJG DVS*242 AJD DVS*2428 AJD DVS*250 AJD DVS*251 AJD DVS*251 AJD DVS*251 AJD DVS*342 AJU	0V2S*241 AJQ 0V2S*242 AJP 0V2S*247 AJO 0V2S*248 AJP 0V2S*250 AJP 0V2S*251 AJP 0V2S*342 AJB	DV25*241 AJQ DV25*242 AJP DV25*247 AJO DV25*248 AJP DV25*250 AJP DV25*252 AJP DV25*352 AJP DV25*352 AJP	DV2W*253 ATX DV2W*255 ATN
IRDMIS Field Sample Number	SX410100 SX410200 DX410200 DX410300 DX410300 DX410400 DX410500 DX410600	8X410100 8X410200 DX410200 DX410300 DX410300 DX410500 DX410600 BX431105	8X410100 8X410200 DX410100 DX410300 DX410300 DX410400 DX410600 DX410600 BX431105	MX4101X1 WX4101XX
A Test Name	12004 12004	48F8 48F8 48F8 48F8 48F8 48F8 48F8 48F8	MEC608 ME	120004 120004
USATHAMA Method Code	MA 19 19 19 19 19 19 19 19 19 19 19 19 19	MM19 MM19 MM19 MM19 MM19 MM19 MM19 MM19	M1999999999999999999999999999999999999	UM20 UM20
Method Description	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/PS VOC'S IN SOIL BY GC/PS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) VOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	112.0 112.0 112.0 110.0 120.0	8888 880 880 880 880 880 880 880 880 88	988.20 98.00 90.00 88.00 90.00 89.10 89.10
Value Units	95 95 95 95 95 95 95 95 95 95 95 95 95 9	44444444 99999999999999999999999999999	3434333 9999999999
Spike Value	88888	222222	222222
Analysis Date	03-86-92 03-86-92 03-88-92 03-88-92	06-0C1-92 03-8EP-92 03-8EP-92 03-8EP-92 03-8EP-92	06-0C1-92 03-8EP-92 03-8EP-92 03-8EP-92 03-8EP-92 03-8EP-92
Sample Date	25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92	25 - SEP - 92 25 - AUG - 92 25 - AUG - 92 25 - AUG - 92 25 - AUG - 92 26 - AUG - 92 26 - AUG - 92	25 - SEP - 92 25 - AUG - 92 25 - AUG - 92 25 - AUG - 92 25 - AUG - 92 26 - AUG - 92 26 - AUG - 92
Lab Number Lot	DVZW*256 ATN DVZW*257 ATN DVZW*259 ATN DVZW*260 ATN	DVZW*253 ATX DVZW*255 ATN DVZW*256 ATN DVZW*257 ATN DVZW*259 ATN DVZW*259 ATN DVZW*260 ATN	DVZM*253 ATX DVZM*255 ATN DVZM*256 ATN DVZM*257 ATN DVZM*258 ATN DVZM*259 ATN DVZM*260 ATN
IRDMIS Field Sample Number	MX4102XX WX4103XX WX4105XX WX4105XX WX4106XX	MX4101X1 WX4102XX WX4102XX WX4103XX WX4105XX WX4105XX WX4105XX	MX4101X1 UX4101XX UX4102XX UX4103XX UX4105XX UX4105XX UX4105XX
Test Name	12004 12004	48FB 48FB 48FB 48FB 48FB 48FB 48FB 48FB	MECGD8 MECGD8 MECGD8 MECGD8 MECGD8 MECGD8 MECGD8 ************************************
USATHAMA Method Code	UM20 UM20 UM20 UM20 UM20	UM20 UM20 UM20 UM20 UM20	UM20 UM20 UM20 UM20 UM20
Method Description	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	83.6 88.1 77.7 77.7 83.6 83.6 70.3 70.3	100.0 23.9 23.6 63.6 63.6 72.5 72.5 72.5 72.5 72.5 72.5 72.5 72.5	117.9 110.4 1100.9 100.0 62.7 102.4 102.3 102.3 102.3	100.0 90.9 90.9
Value Units	5.6 UGG 6.3 UGG 7.6 UGG 7.6 UGG 7.7 UGG 7.7 UGG 7.7 UGG	3.3 UGG 1.7 UGG 2.1 UGG 3.3 UGG 3.1 UGG 3.5 UGG 3.5 UGG 3.5 UGG	7.9 UGG 7.4 UGG 8.1 UGG 7.3 UGG 8.2 UGG 8.2 UGG 7 UGG 7 UGG	3.3 UGG 3 UGG 3 UGG
Spike Value		шшшшшшшшш шшшшшшшшш		พพพ พพพ
Analysis Date	21-SEP-92 10-SEP-92 10-SEP-92 14-SEP-92 11-SEP-92 14-SEP-92 14-SEP-92 14-SEP-92	21-SEP-92 21-SEP-92 10-SEP-92 14-SEP-92 11-SEP-92 14-SEP-92 14-SEP-92 14-SEP-92	21.SEP-92 21-SEP-92 10.SEP-92 14.SEP-92 11.SEP-92 14.SEP-92 14.SEP-92 14.SEP-92	21-SEP-92 21-SEP-92 10-SEP-92
Sample Date	27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92	27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92	27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92	27-AUG-92 26-AUG-92 25-AUG-92
Lab Number Lot	DV2S*24.1 AET DV2S*242 AET DV2S*247 AES DV2S*248 AEU DV2S*250 AES DV2S*250 AES DV2S*251 AEU DV2S*251 AEU	DV2S*241 AET DV2S*242 AET DV2S*247 AES DV2S*248 AEU DV2S*250 AES DV2S*251 AEU DV2S*251 AEU DV2S*252 AEU	DV2S*24.1 AET DV2S*242 AET DV2S*247 AES DV2S*248 AEU DV2S*250 AES DV2S*250 AES DV2S*251 AEU DV2S*251 AEU	DV2S*241 AET DV2S*242 AET DV2S*247 AES
IRDMIS Field Sample Number	SX4 10100 SX4 10200 DX4 10200 DX4 10300 DX4 10400 DX4 10400 DX4 10600 DX4 10600	SX410100 SX410200 DX410200 DX410200 DX410300 DX410400 DX410600 DX410600	8X410100 8X410200 DX410100 DX410200 DX410300 DX410400 DX410600 DX410600	SX410100 SX410200 DX410100
Test Name	24618P 24618P 24618P 24618P 24618P 24618P 24618P 24618P 24618P 24618P 24618P 24618P 24618P 24618P 24618P 24618P 24618P	2FBP 2FBP 2FBP 2FBP 2FBP 2FBP 2FBP 2FBP	2FP 2FP 2FP 2FP 2FP 2FP 2FP ************	NB05 NB05 NB05
USATHAMA Method Code	E E E E E E E E E E E E E E E E E E E	E E E E E E E E E E E E E E E E E E E	LA 18 18 18 18 18 18 18 18 18 18 18 18 18	LM18 LM18 LM18
Method Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	84.8 8.25 9.25 9.25 9.25 9.25 9.25 9.00	2.50 2.50 2.50 2.50 2.50 2.50 2.50 2.50	75.66 77.66 77.67.6 74.76 109.11	58.0 54.0 54.0 63.0
Units		990 000 000 000 000 000 000 000 000 000	990 990 990 990 990 990 990 990	털털털털털
Value	w-ww-w 	4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.	227-21-22 24-25-25 24-25 25 25 25 25 25 25 25 25 25 25 25 25 2	28248
Spike Value	พพพพพพ	, , , , , , , , , , , , , , , , , , ,	мимимими имимимими	9999999
Analysis Date	14-SEP-92 14-SEP-92 10-SEP-92 11-SEP-92 14-SEP-92 14-SEP-92	21-SEP-92 21-SEP-92 10-SEP-92 14-SEP-92 11-SEP-92 14-SEP-92 14-SEP-92 14-SEP-92	21-SEP-92 21-SEP-92 10-SEP-92 14-SEP-92 11-SEP-92 14-SEP-92 14-SEP-92	13-0C1-92 08-SEP-92 08-SEP-92 08-SEP-92 08-SEP-92
Sample Date	25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92	27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92	27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92	25-SEP-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92
Lab . Number Lot	DV2S*248 AEU DV2S*249 AEU DV2S*250 AES DV2S*251 AEU DV2S*252 AEU	DV2S*241 AET DV2S*242 AET DV2S*242 AET DV2S*244 AEU DV2S*240 AEU DV2S*250 AES DV2S*251 AEU DV2S*251 AEU DV2S*252 AEU	DV2S*241 AET DV2S*242 AET DV2S*247 AES DV2S*248 AEU DV2S*250 AES DV2S*250 AES DV2S*251 AEU DV2S*252 AEU	DV2W*253 AVI DV2W*255 AVC DV2W*256 AVC DV2W*257 AVC DV2W*258 AVC
IRDMIS Field Sample Number	0x410200 0x410300 0x410400 0x410400 0x410500 0x410600	8X410100 8X410200 BX4101100 BX410200 BX410400 BX410400 BX410600	8X410200 8X410200 8X410200 8X410200 8X410300 8X410400 8X410600 8X410600 8X410600	MX4101X1 WX4101XX WX4102XX WX4103XX WX4103XX
Test Name	NBD5 NBD5 NBD5 NBD5 ************************************	PHEND6 PHEND6 PHEND6 PHEND6 PHEND6 PHEND6 PHEND6 PHEND6 PHEND6 ************************************	TRPD14 TR	246TBP 246TBP 246TBP 246TBP 246TBP
USATHAMA Method Code	LM18 LM18 LM18 LM18 LM18	MA 20 20 20 20 20 20 20 20 20 20 20 20 20	E E E E E E E E E E E E E E E E E E E	UM18 UM18 UM18 UM18
5	GC/WS GC/WS GC/WS GC/WS GC/WS GC/WS	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	6C/MS 6C/MS 6C/MS 6C/MS 6C/MS 6C/MS 6C/MS	BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS
Description	88 88 88 88 88 88 88 88 88 88 88 88 88	11 BY	SOIL BY SOIL BY SOIL BY SOIL BY SOIL BY SOIL BY SOIL BY SOIL BY	WATER B WATER B WATER B WATER B
Desci	N SOIL NO SOIL	N SOIL SOIL SOIL SOIL SOIL SOIL SOIL SOIL	0	22222 23333
ethod	10 10 10 10 10 10	NA'S I NA'S I NA'S I NA'S I NA'S I	BNA'S I BNA'S I BNA'S I BNA'S I BNA'S I BNA'S I	BNA'S I BNA'S I BNA'S I BNA'S I
E .	BNA BNA BNA BNA BNA			88888

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	57.0 58.0 58.0 54.0 63.0	90.0 92.0 92.0 90.0 90.0 96.0 126.0	28.00 130.00 130.00 130.00 130.00	90.0 104.0 126.0 126.0 92.0 98.0 100.3	84.0 100.0
Value Units	57 UGL 58 UGL	25.55 25.55	888888 888888 8888888 88888888	52 C C C C C C C C C C C C C C C C C C C	84 UGL 100 UGL
Spike Value	9 <u>0</u>	222222	9999999	2222222	100
Analysis Date	16-SEP-92 16-SEP-92	13-0C1-92 08-SEP-92 08-SEP-92 08-SEP-92 16-SEP-92 16-SEP-92	13-0C1-92 08-SEP-92 08-SEP-92 08-SEP-92 16-SEP-92 16-SEP-92	13-0C1-92 08-SEP-92 08-SEP-92 08-SEP-92 16-SEP-92 16-SEP-92	13-0CT-92 08-SEP-92
Sample Date	26-AUG-92 26-AUG-92	25 - SEP - 92 25 - AUG - 92 25 - AUG - 92 25 - AUG - 92 26 - AUG - 92 26 - AUG - 92	25 - SEP - 92 25 - AUG - 92 25 - AUG - 92 25 - AUG - 92 26 - AUG - 92 26 - AUG - 92	25 - SEP - 92 25 - AUG - 92 25 - AUG - 92 25 - AUG - 92 26 - AUG - 92 26 - AUG - 92	25-SEP-92 25-AUG-92
Lab Number Lot	8,93	DV2#*253 AVI DV2#*255 AVC DV2#*256 AVC DV2#*257 AVC DV2#*259 AVD DV2#*260 AVD	DV24*253 AVI DV24*255 AVC DV24*256 AVC DV24*257 AVC DV24*259 AVD DV24*269 AVD	DV24*253 AV1 DV24*255 AVC DV24*256 AVC DV24*257 AVC DV24*259 AVC DV24*259 AVC DV24*269 AVC	DVZW*253 AVI DVZW*255 AVC
IRDMIS Field Sample Number	33	MX4101X1 WX4101XX WX4102XX WX4103XX WX4105XX WX4105XX	MK4101X1 WK4101XX WK4102XX WK4103XX WK4105XX WK4105XX WK4105XX	MX4101X1 WX4101XX WX4102XX WX4103XX WX4105XX WX4105XX WX4105XX	MX4101X1 WX4101XX
A Test Name	246TBP 246TBP ************************************	2FBP 2FBP 2FBP 2FBP 2FBP 2FBP ************************************	2FP 2FP 2FP 2FP 2FP 2FP ****************	NBD5 NBD5 NBD5 NBD5 NBD5 NBD5 ************************************	PHEND6 PHEND6
USATHAMA Method Code	UM18 UM18	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	UM18 UM18
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	86.0 0.057 80.0 80.0 80.0 6.0 6.0 6.0 6.0	727.0 728.0 78.0 78.0 78.0 78.0 175.3 76.0 76.0 76.0 76.0 76.0
Value Units	88 87 88 98 98 98 98 98 98 98 98 98 98 98 98	92 05 100
Spike Value	88888	222222
Analysis Date	08-SEP-92 08-SEP-92 08-SEP-92 16-SEP-92 16-SEP-92	13-0C1-92 08-SEP-92 08-SEP-92 08-SEP-92 16-SEP-92 16-SEP-92
Sample Date	25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92	25-SEP-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92
Lot	A A A A C C C C C C C C C C C C C C C C	AVE AVC AVC AVD AVD AVD
Lab Number	DV24*256 DV24*257 DV24*259 DV24*259 DV24*260	DV2M*253 DV2M*255 DV2M*256 DV2M*257 DV2M*259 DV2M*259
IRDMIS Field Sample Number	WK4102XX WK4103XX WK4104XX WK4105XX WK4106XX	MX4101X1 HX4101XX HX4102XX HX4103XX HX4105XX HX4106XX
Test Name	PHEND6 PHEND6 PHEND6 PHEND6 PHEND6 PHEND6 ************************************	TRPD14 TRPD14 TRPD14 TRPD14 TRPD14 TRPD14 TRPD14 TRPD14 ************************************
USATHAMA Method Code	81 MU 1818 B 1818 B 1818 B 1818 B	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devers, MA (DV) VOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	257 267 267 267 267 267 267 267 267 267 26	98.0 90.0 104.0 88.0 112.0 112.0 124.0 124.0	10.0 174.0 74.0 74.0 124.0 100.0 100.0 100.0 96.0 103.3	102.0 108.0
e Units	98888888	888888888	88888888	털털
Value	262. 262. 262. 262. 262. 263. 263. 263.	24. 24. 24. 25. 25. 25. 25. 25. 25. 25. 25. 25. 25		51 54
Spike Value	ឧទខេខខទ	<i>ត</i> :ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.	<i>ត</i> ់ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.ខ.	50
Analysis Date	07-SEP-92 05-SEP-92 05-SEP-92 05-SEP-92 01-SEP-92 05-SEP-92 30-SEP-92	86-98 86 96-98 86 96-98 96-96 96-98	86-98 86-98 86-98 86-98 86-98 86-98	06-0CT-92 03-SEP-92
Anal) Date	7.88882288	00000000000000000000000000000000000000	00000000000000000000000000000000000000	96.
Sample Date	27-A46-92 26-A46-92 25-A46-92 25-A46-92 25-A46-92 26-A46-92 26-A46-92 22-SEP-92	27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 22-SEP-92	27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 22-SEP-92	25-SEP-92 25-AUG-92
Lot	CAACAACAACAACAACAACAACAACAACAACAACAACAA	AJD AJD AJD AJD AJD AJD	A A LO PALO PALO PALO PALO PALO PALO PAL	ATX
Lab Number	DVS*241 DVS*242 DVS*247 DVS*249 DVS*251 DVS*252 DVS*252	DV2S*241 DV2S*242 DV2S*248 DV2S*249 DV2S*251 DV2S*251 DV2S*251	DV2S*241 DV2S*242 DV2S*248 DV2S*248 DV2S*250 DV2S*251 DV2S*342	DV2W*253 DV2W*255
IRDMIS Field Sample Number	SK410100 SK410200 DK410200 DK410200 DK410400 DK410500 DK410500 DK410500	8X410100 8X410200 DX410200 DX410200 DX410400 DX410500 DX410500 DX410500 BX431105	SK410100 SK410200 DK410200 DX410200 DX410300 DX410500 DX410500 DX410500	MX4101X1 WX4101XX
Test Name	12004 12004	48F8 48F8 48F8 48F8 48F8 48F8 48F8 48F8	MECGD8 ME	12004 12004
USATHAMA Method Code		100 P P P P P P P P P P P P P P P P P P	M19 M19 M19 M19 M19 M19 M19 M19 M19 M19	UM20 UM20
_	60/78 60/78 60/78 60/78 60/78 60/78 60/78	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	6C/NS 6C/NS 6C/NS 6C/NS 6C/NS 6C/NS 6C/NS	GC/MS GC/MS
Method Description	844	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	88888888	# BY BY
scri	110S 110S 110S 110S 110S 110S	110S 110S 110S 110S 110S 110S 110S	110S 110S 110S 110S 110S 110S	WATER
8				VOC'S IN VOC'S IN
Meth	s,200 s,200 s,200 s,200 s,200 s,200 s,200 s,200 s,200 s,200	\$,000 \$,000	\$,000 \$,000	, , , , ,

Chemical quality Control Report Installation: Fort Devers, MA (DV) VOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	112.0 112.0 112.0 110.0 102.0	88888888888888888888888888888888888888	92.0 92.0 92.0 92.0 93.0 93.1
Value Units	22 CE	44 UGL 45 UGL 45 UGL 45 UGL 45 UGL 45 UGL	46 UG 46 UG 47 UG 47 UG 45 UG 45 UG 45 UG
Spike Value	22222	222222	222222
Analysis Date	03-SEP-92 03-SEP-92 03-SEP-92 03-SEP-92 03-SEP-92	06-001-92 03-SEP-92 03-SEP-92 03-SEP-92 03-SEP-92 03-SEP-92	06-001-92 03-8EP-92 03-8EP-92 03-8EP-92 03-8EP-92 03-8EP-92
Sample Date	25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92	25-SEP-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92	25-SEP-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92
Lot		ATK ATK ATK ATK ATK	ATIN ATIN ATIN ATIN ATIN ATIN ATIN ATIN
Lab Number	DVZ#*256 DVZ#*257 DVZ#*259 DVZ#*260 DVZ#*260	DV2M*253 DV2M*255 DV2M*256 DV2M*257 DV2M*259 DV2M*259	DV2M*253 DV2M*255 DV2M*256 DV2M*257 DV2M*259 DV2M*259 DV2M*259
IRDMIS Field Sample Number		MX4101X1 WX4101XX WX4102XX WX4103XX WX4104XX WX4105XX	MK4101X1 WK4101XX WK4102XX WK4103XX WK4104XX WK4105XX WK4106XX
Test Name	12004 12004	48FB 48FB 48FB 48FB 48FB 48FB 48FB 48FB	MEC608
USATHAMA Method Code	UM20 UM20 UM20 UM20 UM20	020 020 0420 0420 0420 0420	UM20 UM20 UM20 UM20 UM20
Method Description	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) VOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	250 260 260 260 260 260 260 260 260 260 26	102.9 96.0 108.0	98.0 104.0 112.0 112.0 112.0 124.0	105.3 88.0 124.0	747 747 747 747 767 767 767 767 767 767	103.3 94.0 124.0	102.0 108.0
Value Units	.051 UGG .052 UGG .054 UGG .053 UGG .053 UGG .052 UGG .052 UGG		.049 UGG .045 UGG .052 UGG .044 UGG .054 UGG .055 UGG .057 UGG .056 UGG		.052 UGG .057 UGG .047 UGG .052 UGG .05 UGG .05 UGG .05 UGG	_	24 UGL 54 UGL
Spike Value	<i>ទ</i> ន់ខន់ខន់ខន		ខុខខុខខុខខុខ		ខុខខុខខុខខុខខុ	S	200
Analysis Date	07. SEP-92 05. SEP-92 05. SEP-92 05. SEP-92 01. SEP-92 05. SEP-92 05. SEP-92		07-SEP-92 05-SEP-92 05-SEP-92 05-SEP-92 01-SEP-92 05-SEP-92 30-SEP-92		07. SEP -92 05. SEP -92 05. SEP -92 05. SEP -92 01. SEP -92 05. SEP -92 05. SEP -92 30. SEP -92	CO_1706_240	08-001-92 03-SEP-92
Sample Date	27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 22-SEP-92		27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92		27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92	25.02.03	25-SEP-92 25-AUG-92
Lab Number Lot	2241 A 242 A 243 A		DV25*241 AJQ DV25*242 AJP DV25*248 AJP DV25*269 AJP DV25*250 AJN DV25*251 AJP DV25*352 AJP		DV25*241 AJQ DV25*242 AJP DV25*247 AJO DV25*248 AJP DV25*250 AJN DV25*251 AJP DV25*251 AJP DV25*342 AJN	V. 1. 4. 2. 1. 4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	DVZW*255 ATN
IRDMIS Field Sample Number	SX410100 SX410200 DX410100 DX410300 DX410300 DX410400 DX410600 DX410600	ı	SX410100 SX410200 DX410200 DX410300 DX410300 DX410400 DX410500 DX410600 BX431105		SX410100 SX410200 DX410100 DX410200 DX410200 DX410400 DX410400 DX410600 DX410600	7707	MX4101X1
A Test Name	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	avg minimum maximum	48F8 48F8 48F8 48F8 48F8 48F8 48F8 48F8	avg minimum maximum	MEC608 MEC608 MEC608 MEC608 MEC608 MEC608 MEC608 MEC608	avg minimum maximum	188 188 188 188 188 188 188 188 188 188
USATHAMA Method Code	MINIMA 1000000000000000000000000000000000000		M1999999999999999999999999999999999999		HEREE 23		OMZO CMZO CMZO
Method Description	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS		VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS		VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	A TEN	VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devers, MA (DV) VOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	112.0 112.0 112.0 112.0 110.0 110.0	88.0 88.0 88.0 88.0 88.0 88.0 88.0	92.0 88.0 88.0 88.0 92.0 92.0 92.0
Value Units	25 25 25 25 25 25 25 25 25 25 25 25 25 2	44444444 44444444444444444444444444444	44 44 44 44 44 44 44 44 44 44 44 44 44
Spike Value	22222	2222222	2222222
Analysis Date	03-SEP-92 03-SEP-92 03-SEP-92 03-SEP-92	06-0C1-92 03-SEP-92 03-SEP-92 03-SEP-92 03-SEP-92 03-SEP-92	06-007-92 03-8EP-92 03-8EP-92 03-8EP-92 03-8EP-92 03-8EP-92
Sample Date	25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92	25- SEP - 92 25- AUG - 92 25- AUG - 92 25- AUG - 92 26- AUG - 92 26- AUG - 92	25 - SEP - 92 25 - AUG - 92 25 - AUG - 92 25 - AUG - 92 26 - AUG - 92 26 - AUG - 92
Lab Number Lot	DVZM*256 ATN DVZM*257 ATN DVZM*259 ATN DVZM*260 ATN	DVZM*253 ATX DVZM*255 ATN DVZM*256 ATN DVZM*258 ATN DVZM*259 ATN DVZM*259 ATN DVZM*259 ATN	DVZW*253 ATX DVZW*255 ATN DVZW*256 ATN DVZW*258 ATN DVZW*258 ATN DVZW*260 ATN
IRDMIS Field Sample Number	HX4102X HX4103X HX4104X HX4104X HX4106XX HX4106XX	MX4101X1 WX4101XX WX4102XX WX4103XX WX4104XX WX4105XX WX4106XX	MX4101X1 WX4102XX WX4102XX WX4103XX WX4104XX WX4105XX WX4105XX
A Test Name	12004 12004 12004 12004 12004 ***********************************	48FB 48FB 48FB 48FB 48FB 48FB 48FB 48FB	MECGOB MECOB MECGOB MECOB MECGOB MECO
USATHAWA Method Code	UMZO UMZO UMZO UMZO	UM20 UM20 UM20 UM20 UM20	UM20 UM20 UM20 UM20 UM20 UM20
Method Description	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/NS VOC'S IN WATER BY GC/NS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	883.7 88.1.6 82.6 83.6 83.6 83.6 83.6 83.6 83.6 83.6 83	000 612 812 812 600 612 612 612 612 613 613 613 613 613 613 613 613 613 613	7.10 7.25 7.25 7.25 7.25 7.25 7.25 7.25 7.25	100.0 90.9 90.9
Value Units	5.6 UGG 5.9 UGG 4.4 UGG 4.8 UGG 2.2 UGG 5.6 UGG 5.7 UGG 5.7 UGG	3.3 UGG 3.1 UGG 1.7 UGG 2.7 UGG 2.3 UGG 3.1 UGG 3.5 UGG 3.5 UGG	7.9 UG6 7.4 UG6 8.1 UG6 7.3 UG6 4.2 UG6 8.2 UG6 3.4 UG6 7 UG6	3.3 UGG 3 UGG 3 UGG
Spike Value	30303030 7777777	ក្រុកក្រុកក្រុកក្រុកក្រុកក្រុកក្រុកក្រុ		พพพ พ.พ.พ.
Analysis Date	21-SE-92 14-SE-92 14-SE-92 11-SE-92 14-SE-92 14-SE-92 14-SE-92 14-SE-92	21-SEP-92 21-SEP-92 74-SEP-92 74-SEP-92 11-SEP-92 74-SEP-92 74-SEP-92 74-SEP-92	21-SEP-92 21-SEP-92 14-SEP-92 14-SEP-92 11-SEP-92 14-SEP-92 14-SEP-92 14-SEP-92	21-SEP-92 21-SEP-92 10-SEP-92
Sample Date	27-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92	27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92	27-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92	27-AUG-92 26-AUG-92 25-AUG-92
Lab Number Lot	251 A A 252 A A A A A A A A A A A A A A A A	DV2S*241 AET DV2S*242 AET DV2S*247 AES DV2S*248 AEU DV2S*250 AES DV2S*250 AES DV2S*251 AEU DV2S*251 AEU	DV2S*241 AET DV2S*242 AET DV2S*247 AES DV2S*248 AEU DV2S*250 AES DV2S*250 AES DV2S*251 AEU DV2S*251 AEU	DV2S*241 AET DV2S*242 AET DV2S*247 AES
IRDMIS Field Sample Number	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	8X410100 8X410200 DX410100 DX410200 DX410300 DX410400 DX410400 DX410600	8X410100 8X410200 DX410100 DX410200 DX410300 DX410400 DX410400 DX410500 DX410600	SX410100 SX410200 DX410100
A Test Name	24678P 24678P 24678P 24678P 24678P 24678P 24678P 24678P 24678P 3444444444444444444444444444444444444	2FBP 2FBP 2FBP 2FBP 2FBP 2FBP 2FBP 2FBP	2FP 2FP 2FP 2FP 2FP 2FP ****************	NBD5 NBD5 NBD5
USATHAMA Method Code	LM13 LM13 LM13 LM13 LM13 LM13 LM13 LM13	M	E E E E E E E E E E E E E E E E E E E	LM18 LM18 LM18
escriptic	BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	93.9 71.5 710.0 100.0 42.4 93.9 84.8 42.4 100.0	75.55 7.101. 7.1	74.77 109.1 52.0 54.0 63.0
Value Units		2.5 UGS	28 VB 18 VB 19 VB 19 VB 19 VB
Spike Value	พพพพพพ พพพพพพ	44444 44444 44	66666 66666
Analysis Date	14-SEP-92 14-SEP-92 10-SEP-92 11-SEP-92 14-SEP-92 14-SEP-92	21-SEP-92 21-SEP-92 10-SEP-92 14-SEP-92 14-SEP-92 14-SEP-92 14-SEP-92 14-SEP-92 14-SEP-92 11-SEP-92	13-0CT-92 08-SEP-92 08-SEP-92 08-SEP-92 08-SEP-92
Sample Date	25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92	27-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92	25-SEP-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92
Lab Number Lot	252 A 8 252 A	DV2S*241 AET DV2S*242 AET DV2S*243 AEU DV2S*248 AEU DV2S*250 AES DV2S*250 AES DV2S*251 AEU DV2S*241 AET DV2S*242 AET DV2S*242 AET DV2S*242 AET DV2S*242 AET DV2S*242 AET DV2S*243 AEU DV2S*251 AEU DV2S*252 AEU DV2S*253 AEU DV2S*250 AES DV2S*251 AEU DV2S*250 AES DV2S*251 AEU	DV2W*253 AVI DV2W*255 AVC DV2W*256 AVC DV2W*257 AVC
IRDMIS Field Sample Number	0000 0000 0000 0000 0000 0000	SX410100 SX410200 DX410200 DX410200 DX410200 DX410400 DX410500 DX410500 DX410200 DX410200 DX410200 DX410200 DX410200 DX410400 DX410400 DX410400 DX410600	MX4101X1 WX4101XX WX4102XX WX4102XX WX4103XX
Test Name	NBD5 NBD5 NBD5 NBD5 ************************************	PHEND6 PHEND6 PHEND6 PHEND6 PHEND6 PHEND6 PHEND6 PHEND6 ************************************	24618P 24618P 24618P 24618P 24618P 24618P 24618P
USATHAMA Method Code	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18 LM18 LM18 LM18	M 18 8 1 M 18 8 1 M 18 8 1 M 18 18 18 18 18 18 18 18 18 18 18 18 18
Method Description	000 N N N N N N N N N N N N N N N N N N	BNA'S IN SOIL BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devers, MA (DV) SVOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	57.0 58.0 58.0 54.0 63.0	90.0 22.0 28.0 28.0 80.0 80.0 80.0 28.0	33.0 136.0 137.0 137.0 137.0	26.0 26.0 26.0 26.0 26.0 26.0 26.0 26.0	84.0 100.0
Value Units	57 UGL 58 UGL	45 46 46 46 46 46 46 46 46 46 46 46 46 46	88.88.89.99.99.99.99.99.99.99.99.99.99.9	45 UGL 47 UGL 47 UGL 46 UGL 46 UGL 46 UGL	700 UGL
Spike Value	100 100 100	8888888	9999999 9999999	222222	5 <u>6</u>
Analysis Date	16-SEP-92 16-SEP-92	13-0C1-92 08-SEP-92 08-SEP-92 08-SEP-92 16-SEP-92 16-SEP-92	13-0C1-92 08-SEP-92 08-SEP-92 08-SEP-92 16-SEP-92 16-SEP-92	13-0C1-92 08-SEP-92 08-SEP-92 08-SEP-92 16-SEP-92 16-SEP-92	13-0CT-92 08-SEP-92
Sample Date	26-AUG-92 26-AUG-92	25-SEP-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92	25-SEP-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92 26-AUG-92	25-SEP-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92	25-SEP-92 25-AUG-92
Lab Number Lot	DVZH*259 AVD DVZH*260 AVD	DV24*253 AVI DV24*255 AVC DV24*256 AVC DV24*257 AVC DV24*259 AVD DV24*269 AVD	DV2#*253 AV1 DV2#*255 AVC DV2#*256 AVC DV2#*257 AVC DV2#*259 AVC DV2#*259 AVC DV2#*260 AVC	DV24*253 AV1 DV24*255 AVC DV24*256 AVC DV24*257 AVC DV24*258 AVC DV24*259 AVD DV24*260 AVD	DVZW*253 AVI DVZW*255 AVC
IRDMIS Field Sample Number	WX4105XX WX4106XX	MX4101X1 WX4101XX WX4102XX WX4103XX WX4105XX WX4105XX WX4105XX	MX4101X1 WX4101XX WX4102XX WX4103XX WX4104XX WX4105XX WX4106XX	MX4101X1 WX4101XX WX4102XX WX4103XX WX4104XX WX4105XX WX4106XX	MX4101X1 WX4101XX
Test Name	24678P 24678P ************************************	2FBP 2FBP 2FBP 2FBP 2FBP 2FBP 2FBP ************************************	2FP 2FP 2FP 2FP 2FP 2FP ****************	NBD5 NBD5 NBD5 NBD5 NBD5 NBD5 ************************************	PHEND6
USATHAMA Method Code	0M18 81MU	UM18 UM18 UM18 UM18 UM18 UM18	UM18 UM18 UM18 UM18 UM18	UM18 UM18 UM18 UM18 UM18	UM18 UM18
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1992 SI Groups 2,7

Percent Recovery	86.0 150.0	86.0 86.0 80.0 150.0	112.0 124.0 118.0 98.0 136.0 98.0	112.3 98.0 136.0
/alue Units	<u> </u>	a a a	9 9 9 9 9 9	
Value	8 85	38	22624	
Spike Value	<u>666</u>	<u> </u>	222222	
Analysis Date	08-SEP-92 08-SEP-92 08-SEP-92	16-SEP-92	13-0C1-92 08-SEP-92 08-SEP-92 08-SEP-92 16-SEP-92 16-SEP-92	
Sample Date	25-AUG-92 25-AUG-92 25-AUG-92	26-AUG-92	25-SEP-92 25-AUG-92 25-AUG-92 25-AUG-92 25-AUG-92 26-AUG-92 26-AUG-92	
Lot	A AVC	SO AND	55 AVC 57 AVC 59 AVC 59 AVC 50 AVC	
Lab Number	DV24*256 DV24*257 DV24*258	DV2W*20	DV24*253 DV24*255 DV24*256 DV24*257 DV24*259 DV24*259	
IRDMIS Field Sample Number	WX4102XX WX4103XX WX4104XX	WX4105XX WX4106XX	MX4101X1 WX4101XX WX4102XX WX4103XX WX4104XX WX4104XX WX4105XX	
Test Name	PHEND6 PHEND6 PHEND6	PHENDO ************************************	TRP014 TRP014 TRP014 TRP014 TRP014 TRP014 TRP014	avg minimum maximum
USATHAMA Method Code	81MU 81MU 81	5 E	2 KM 1 KM 1 KM 1 KM 1 KM 1 KM 1 KM 1 KM 1	
_	GC/MS GC/MS GC/MS	GC/MS GC/MS	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	
ription	E E E E	ER BY	WATER BY Water By Water By Water By Water By	
Desci	222 233	Z Z	ZZZZZZZ	
Method	BNA'S IN WATER BY G BNA'S IN WATER BY G BNA'S IN WATER BY G	BNA'S BNA'S	BNA'S BNA'S BNA'S BNA'S BNA'S BNA'S	
_				

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	•	Value Units	RPD
	00	15S 15S	MD4203XX WX4203XX	AYD	18-AUG-1992 18-AUG-1992	24-AUG-1992 24-AUG-1992		136000,000 UGL 175000,000 UGL	83.1 33.1
	88	ACLDAN ACLDAN	DD140200 DX140200	90.8	28-AUG-1992 28-AUG-1992	14-0CT-1992 14-0CT-1992	v v	0.005 UGG 0.005 UGG	öö
÷	88	ALK ALK	MD2702X1 MX2702X1	BCR	22-SEP-1992 21-SEP-1992	02-0CT-1992 02-0CT-1992		24000.000 UGL 30000.000 UGL	22.2
	88	GCLDAN	DD 140200 DX 140200	35	28-AUG-1992 28-AUG-1992	14-0CT-1992 14-0CT-1992	v v	0.005 UGG 0.005 UGG	
	88	HC03 HC03	MD2702X1 MX2702X1	80.8 80.8	22-SEP-1992 21-SEP-1992	02-0CT-1992 02-0CT-1992		29300.000 UGL 36600.000 UGL	22.2
	88	HPCL HPCL	DD140200 DX140200	35	28-AUG-1992 28-AUG-1992	14-0CT-1992 14-0CT-1992	v v	0.006 uss 0.006 uss	o o
	88	PCB016 PCB016	DD120200 DX120200	AIX	21-AUG-1992 21-AUG-1992	16-SEP-1992 16-SEP-1992	v v	0.067 UGG 0.067 UGG	oʻoʻ
	88	PCB221 PCB221	DD 120200 DX 120200	AIX	21-AUG-1992 21-AUG-1992	16-SEP-1992 16-SEP-1992	v v	0.082 UGG 0.082 UGG	0.0
	88	PCB232 PCB232	DD120200 DX120200	AIX	21-AUG-1992 21-AUG-1992	16-SEP-1992 16-SEP-1992	v v	0.082 UGG 0.082 UGG	o.o.
	88	PCB242 PCB242	DD 120200 DX 120200	AIX	21-AUG-1992 21-AUG-1992	16-SEP-1992 16-SEP-1992	v v	0.082 UGG 0.082 UGG	o.o.
	88	PCB248 PCB248	DD 120200 DX 120200	AIX	21-AUG-1992 21-AUG-1992	16-SEP-1992 16-SEP-1992	v v	0.082 UGG 0.082 UGG	<u>.</u> .
	88	PCB254 PCB254	DD120200 DX120200	AIX	21-AUG-1992 21-AUG-1992	16-SEP-1992 16-SEP-1992	v v	0.082 UGG 0.082 UGG	o'o'
	8	PCB260	00120200	AIX	21-AUG-1992	16-SEP-1992	•	0.080 טכנ	o.

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

			i	<u>.</u>					
Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	•	Value Units	RPO
4 4 1 4 5 5 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8	PCB260	DX120200	ΑΙΧ	21-AUG-1992	16-SEP-1992	v	0.080 UGG	o.
SE IN SOIL BY GFAA SE IN SOIL BY GFAA SE IN SOIL BY GFAA SE IN SOIL BY GFAA	210 210 210 210	888 8	DD120200 DX120200 DD140200 DX140200	ANN AND AND AND AND AND AND AND AND AND	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	14-0CT - 1992 14-0CT - 1992 14-0CT - 1992 14-0CT - 1992	v v v	0.250 UGG 0.250 UGG 0.250 UGG 1.120 UGG	.0 .0 127.0 127.0
PB IN SOIL BY GFAA	555555 55555 5555 5555 5555 5555 5555 5555	222222	80430105 8x430105 8x43H109 8x43H109 0D120200 0x120200	BFH BFH ZXY ZXY	23 - SEP - 1992 23 - SEP - 1992 17 - SEP - 1992 21 - AUG - 1992 21 - AUG - 1992 28 - AUG - 1992	30-001-1992 30-001-1992 30-001-1992 28-8EP-1992 15-001-1992		9.130 UGG 9.850 UGG 13.000 UGG 8.190 UGG 5.420 UGG 5.380 UGG	7.6 45.4 45.4 7. 7.
IN SOIL BY IN SOIL BY IN SOIL BY IN SOIL BY	510 510 510 610 610 610	PB AS AS AS AS	DX140200 DD120200 DX120200 DD140200 DX140200	ACX ACO AH	28-AUG-1992 21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1999	14-0c1-1992 29-SEP-1992 29-SEP-1992 15-0c1-1992		3.360 UGG 3.980 UGG 75.000 UGG	22.2 16.9 16.9 28.6 28.6
TL IN SOIL BY GFAA TL IN SOIL BY GFAA TL IN SOIL BY GFAA TL IN SOIL BY GFAA	JD24 JD24 JD24 JD24	222	DD120200 DX120200 DD140200 DX140200	21.F 21.G 21.G	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	13-0CT-1992 12-0CT-1992 15-0CT-1992 15-0CT-1992	v v v v	0.500 UGG 0.500 UGG 0.500 UGG 0.500 UGG	o o o o
SB IN SOIL BY GFAA SB IN SOIL BY GFAA SB IN SOIL BY GFAA SB IN SOIL BY GFAA	. 1025 . 1025 . 1025	8 8 8 8 8	DD120200 DX120200 DD140200 DX140200	74 24 24 24 24 24 24 24 24 24 24 24 24 24	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	15-0CT-1992 15-0CT-1992 23-0CT-1992 23-0CT-1992	v v v v	1.090 UGG 1.090 UGG 1.090 UGG	öööö
METALS IN SOIL BY ICAP	JS16	AG	00120200	AOC	21-AUG-1992	27-AUG-1992	v	0.589 UGG	0.

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

8P0	o o o o	5.2 5.2 7.7	2.4.81 2.5.81 2.6.81	0. 13.5 13.5	36.3 36.3 5.1.5	.0 114.1 114.1	8.5 29.1 29.1	10.6 33.7 33.7
Value Units		6770,000 UGG 6430,000 UGG 14300,000 UGG 16400,000 UGG	33.700 UGG 33.200 UGG 62.900 UGG 75.700 UGG	0.500 UGG 0.500 UGG 2.340 UGG 2.680 UGG	1150.000 UGG 1660.000 UGG 1020.000 UGG 969.000 UGG	0.700 UGG 0.700 UGG 30.300 UGG 8.290 UGG	2.580 UGG 2.370 UGG 81.500 UGG 60.800 UGG	14.900 UGG 13.400 UGG 20.000 UGG 28.100 UGG
· ·	• • • • •			v v		v v		
Analysis Date	27-AUG-1992 16-SEP-1992 16-SEP-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992
Sample Date	21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992
rot .	A0C A01	A0C A01 A01	A01 A01 A01	A0C A01 A01	A0C A01 A01	A0C A01 A01	A0C A0C A01	A0C A01 A01
Semple Number	DX120200 DD140200 DX140200	DD120200 DX120200 DD140200 DX140200	DD120200 DX120200 DD140200 DX140200	00120200 0x120200 00140200 0x140200	DD 120200 DX 120200 DD 140200 DX 140200	DD 120200 DX 120200 DD 140200 DX 140200	DD120200 DX120200 DD140200 DX140200	DD120200 DX120200 DD140200 DX140200
IA · Test Name	AG AG	444	8 8 8 8 8 8 8 8	######################################	5555	8888	8888	5555
USATHAMA Method Code	JS16 JS16 JS16	JS16 JS16 JS16 JS16	1516 1516 1516 1516	1516 1516 1516 1516	JS16 JS16 JS16 JS16	JS16 JS16 JS16 JS16	JS16 JS16 JS16 JS16	JS16 JS16 JS16 JS16
Method Description	METALS IN SOIL BY ICAP HETALS IN SOIL BY IÇAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP HETALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METAIS IN SOIL BY ICAP	IN SOIL BY	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	MA Test Name	IRDMIS Sample Number	Lot	Semple Date	Analysis Date <	Value Units	RPD
METALS IN SOIL BY IÇAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	D JS16 P JS16 P JS16 P JS16	2222	DD120200 DX120200 DD140200 DX140200	AOC AOI AOI	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992	5.000 UGG 6.080 UGG 204.000 UGG 211.000 UGG	19.5 3.4 3.4
IN SOIL BY IN SOIL BY IN SOIL BY IN SOIL BY		####	DD120200 DX120200 DD140200 DX140200	A0C A01 A01	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992	7170,000 UGG 6620,000 UGG 30000,000 UGG 33000,000 UGG	8.00 0.00 7.00 7.00
2222	1516 1516 1516 1516 1516 1516	777 7	DD 120200 DX 120200 DD 140200 DX 140200	A0C A0C A01	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992	622.000 UGG 463.000 UGG 450.000 UGG 750.000 UGG	29.3 29.3 50.0 50.0
METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	4P JS16 4P JS16 4P JS16 4P JS16	A A A A	DD 120200 DX 120200 DD 140200 DX 140200	AOC AOC AOI	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992	2350.000 UGG 2090.000 UGG 2310.000 UGG 2880.000 UGG	11.7 11.7 22.0 22.0
IN SOIL BY	_	X X X X	DD120200 DX120200 DD140200 DX140200	A0C A0C A01	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992	77.100 UGG 69.400 UGG 437.000 UGG 465.000 UGG	10.5 6.2 6.2
IN SOIL BY	ICAP JS16 ICAP JS16 ICAP JS16 ICAP JS16	A A A A	DD120200 DX120200 DD140200 DX140200	A0C A01 A01	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992	208.000 UGG 240.000 UGG 395.000 UGG 506.000 UGG	14.3 14.3 24.6 24.6
METALS IN SOIL BY IC METALS IN SOIL BY IC METALS IN SOIL BY IC METALS IN SOIL BY IC	CAP JS16 ICAP JS16 ICAP JS16 ICAP JS16	Z	DD120200 DX120200 DD140200 DX140200	AOC AOI AOI	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992	7.940 UGG 7.420 UGG 48.100 UGG 52.700 UGG	8.9 8.8 1.1.
METALS IN SOIL BY IC METALS IN SOIL BY IC	ICAP JS16 ICAP JS16	>>	DD120200 DX120200	AOC AOC	21-AUG-1992 21-AUG-1992	27-AUG-1992 27-AUG-1992	12.800 UGG 12.000 UGG	6.5

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	E	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	v	Value Units	RPO
METALS IN SOIL BY	G S	JS16 JS16	>>	DD140200 DX140200	A01 A01	28-AUG-1992 28-AUG-1992	16-SEP-1992 16-SEP-1992		18.500 UGG 19.600 UGG	ໝໍສ
METALS IN SOIL BY METALS IN SOIL BY METALS IN SOIL BY METALS IN SOIL BY	ICAP ICAP ICAP	JS16 JS16 JS16 JS16	N	DD120200 DX120200 DD140200 DX140200	A0C A0C A01	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	27-AUG-1992 27-AUG-1992 16-SEP-1992 16-SEP-1992		28.200 UGG 29.500 UGG 481.000 UGG 475.000 UGG	44++ กัญ่มั่ม
BNA'S IN SOIL BY BNA'S IN SOIL BY BNA'S IN SOIL BY BNA'S IN SOIL BY	GC/MS GC/MS GC/MS GC/MS	E E E E E E E E E E E E E E E E E E E	1241CB 1241CB 1241CB 1241CB	DD120200 DX120200 DD140200 DX140200	AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	~ ~ ~ ~	0.040 UGG 0.040 UGG 0.200 UGG 0.200 UGG	öööö
BNA'S IN SOIL BY BNA'S IN SOIL BY BNA'S IN SOIL BY BNA'S IN SOIL BY	GC/MS GC/MS GC/MS GC/MS	EM18 EM18 EM18 EM18	120CLB 120CLB 120CLB 120CLB	DD120200 DX120200 DD140200 DX140200	AEU AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	~ ~ ~ ~	0.110 UGG 0.110 UGG 0.600 UGG 0.600 UGG	0000
BNA'S IN SOIL BY BNA'S IN SOIL BY BNA'S IN SOIL BY BNA'S IN SOIL BY	GC/MS GC/MS GC/MS GC/MS	LM18 LM18 LM18	120PH 120PH 120PH	DD 120200 DX 120200 DD 140200 DX 140200	AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	~ ~ ~ ~	0.140 UGG 0.140 UGG 0.500 UGG 0.500 UGG	oooo
BNA'S IN SOIL BY BNA'S IN SOIL BY BNA'S IN SOIL BY BNA'S IN SOIL BY	GC/NS GC/MS GC/MS GC/MS	LM18 LM18 LM18	130CLB 130CLB 130CLB 130CLB	DD 120200 DX 120200 DD 140200 DX 140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	* * * *	0.130 UGG 0.130 UGG 0.600 UGG 0.600 UGG	öööö
BNA'S IN SOIL BY BNA'S IN SOIL BY BNA'S IN SOIL BY BNA'S IN SOIL BY	GC/MS GC/MS GC/MS GC/MS	LM18 LM18 LM18 LM18	140CLB 140CLB 140CLB 140CLB	DD120200 DX120200 DD140200 DX140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	~ ~ ~ ~	0.098 UGG 0.098 UGG 0.500 UGG 0.500 UGG	óööö
BNA'S IN SOIL BY BNA'S IN SOIL BY BNA'S IN SOIL BY BNA'S IN SOIL BY	GC/MS GC/MS GC/MS GC/MS	LM18 LM18 LM18 LM18	2451CP 2451CP 2451CP 2451CP	DD 120200 DX 120200 DD 140200 DX 140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	* * * *	0.100 ucc 0.100 ucc 0.500 ucc 0.500 ucc	öööö

Table E12
Sample Duplicate Quality Control Report installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date		Value Units	RP0
			*						•
IN SOIL BY	_	246TCP	pp120200	₩.		03-SEP-1992	v	0.170 UGG	-
IN SOIL BY	_	246TCP	002021X0	A F		16-SEP-1772	, ,		. 0.
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	S LM18	2461CP	DX140200		28-AUG-1992	14-SEP-1992	v		0.
							,	-	<
IN SOIL BY	_	24DCLP	DD 120200	Æ	21-AUG-1992	03-SEP-1992	۷ ،		•
IN SOIL BY	_	24DCLP	DX120200	¥ :	21-AUG-1992	14 - CED - 1992	, ,	-	. =
BNA'S IN SOIL BY GC/MS	S LA18	240CLP 240CLP	DD 140200 DX 140200		28-AUG-1992	14-SEP-1992	, v	0.900 UGG	0.
11 WIL 51									•
100	_	24DMPN	DD120200	ÆP	21-AUG-1992	03-SEP-1992	v	0.690 UGG	oʻ (
		24DMPN	DX120200	ÆÞ	21-AUG-1992	02-SEP-1992	•		
		24DMPN	DD 140200	Æ	28-AUG-1992	14-SEP-1992	•		9.9
BNA'S IN SOIL BY GC/MS	S LM18	24DMPN	DX140200	AEU	28-AUG-1992	14-SEP-1992	v		•
;	•		00000144	ATD	21-Alle-1002	03-SEP-1992	•		0.
IN SOIL BY		24.UNP	DV 120200	A P	21-Aug-1992	02-SEP-1992	~	1.200 0GG	٩.
		2%UND	DD 140200	Æ	28-AUG-1992	14-SEP-1992	•		o.
BNA'S IN SOIL BY GC/MS	IS LATE	24DNP	DX140200	Æ	28-AUG-1992	14-SEP-1992	•		o.
				1	1007	07 - ecb. 1002	•		0
188 K		Z4DN1	00120200	F G	21-AUG-1972	02-SEP-1992	, ,	0.140 UGG	0.
100 R		1 NG 72	DX 120200	į	28-A16-1002	14-SFP-1992			٥.
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	15 LM 18 LM	24DN1	DX140200	¥	28-AUG-1992	14-SEP-1992	v		0.
		111476	00000144	AED	21-416-1002		~		٥.
IN SOIL BY	_	SOUN THOSE	NX120200	AF P	21-AUG-1992		•	0.085 UGG	۰.
N SOIL BY		24nuT	nn 140200	Ā	28-Alig-1992		•		o.
BNA'S IN SOIL BY GC/MS	4S LM18	260NT	DX140200	F G	28-AUG-1992	14-SEP-1992	•		0.
		4	00000	į	21-4116-1002		•		0.
IN SOIL BY		2CLP	00150500	AFP	21-AUG-1775			0.060 UGG	o.
IN SOIL BY		אַנוֹנָ	002020	AFE S	28-AUG-1992		•		۰.
BNA'S IN SOIL BY GC/MS RNA'S IN SOIL BY GC/MS	MS LM18	2012 2012	DX140200	A E	28-AUG-1992	14-SEP-1992	•		۰.
			00000	4	21.416-1002				•
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	MS LM18	2CNAP	0x120200	A G	21-AUG-1992	02-SEP-1992	v	0.036 UGG	o.

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

RPO	o.c.	öööö	oooo	oooo	o o o o o	0000	0000	oooo
Value Units	0.200 UGG 0.200 UGG	0.049 UGG 0.049 UGG 0.200 UGG 0.200 UGG	0.029 UGG 0.029 UGG 0.100 UGG 0.100 UGG	0.062 UGG 0.062 UGG 0.300 UGG 0.300 UGG	0.140 UGG 0.140 UGG 0.700 UGG 0.700 UGG	6.300 UGG 6.300 UGG 30.000 UGG 30.000 UGG	0.450 UGG 0.450 UGG 2.000 UGG 2.000 UGG	0.550 UGG 0.550 UGG 3.000 UGG 3.000 UGG
v		· · · ·	· · · ·	v v v v	* * * *	V V V V	V V V V	V V V V
Analysis Date	14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992
Sample Date	28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992
Ę	AEU	AEP AEU AEU	AEP AEU AEU	AEP AEU AEU	AED AEU AEU	AED AEU	AEU AEU	AEU AEU
IRDMIS Sample Number	DD 140200 DX 140200	DD 120200 DX 120200 DD 140200 DX 140200	DD120200 DX120200 DD140200 DX140200	DD 120200 DX 120200 DD 140200 DX 140200	DD 120200 DX 120200 DD 140200 DX 140200	DD 120200 DX 120200 DD 140200 DX 140200	DD 120200 DX 120200 DD 140200 DX 140200	DD 120200 DX 120200 DD 140200 DX 140200
Test	2CNAP 2CNAP	ZMNAP ZMNAP ZMNAP ZMNAP	****	ZNANIL ZNANIL ZNANIL ZNANIL	2NP 2NP 2NP 2NP	330CBD 330CBD 330CBD 330CBD	SNANIL SNANIL SNANIL SNANIL	460N2C 460N2C 460N2C
USATHAMA Method Code	LM18 LM18	81 M 81 M 81 M	81M1 81M1 81M1	81M1 81M1 81M1	1M18 1M18 1M18 1M18	LM18 LM18 LM18	LM18 LM18 LM18	1M18 1M18 1M18 1M18
Method Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	IN SOIL BY IN SOIL BY IN SOIL BY IN SOIL BY	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

2	0000	öööö	0000	0000	0000	0000	0000	000
Value Units		0.810 UGG 0.810 UGG 4.000 UGG 4.000 UGG	0.095 UGG 0.095 UGG 0.500 UGG 0.500 UGG	0.033 UGG 0.033 UGG 0.200 UGG 0.200 UGG	0.240 UGG 0.240 UGG 1.000 UGG 1.000 UGG	0.410 UGG 0.410 UGG 2.000 UGG 2.000 UGG	1.400 UGG 1.400 UGG 7.000 UGG 7.000 UGG	0.270 UGG 0.270 UGG 2.000 UGG
v .:		* * * *	v v v v	V V V V	V V V V	v v v v	V V V V	V V V
Analysis Date	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992						
Sample Date	1992 -1992 -1992 -1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992
Lot	AEU AEU AEU	AEP AEU AEU	AED AEU AEU	AED AEU AEU	AED AEU AEU	AEP AEU AEU	AEP AEU AEU	AEP AEU
IRDMIS Sample Number	DD 120200 DX 120200 DD 140200 DX 140200	DD120200 DX120200 DD140200 DX140200	DD120200 DX120200 DD140200 DX140200	DD120200 DX120200 DD140200 DX140200	DD120200 DX120200 DD140200			
Test Name	48RPPE 4BRPPE 4BRPPE 4BRPPE	4CANIL 4CANIL 4CANIL 4CANIL	40130 40130 40130 40130	4CLPPE 4CLPPE 4CLPPE 4CLPPE 4CLPPE	dw7 dw7 dw7 dw7	4nanil 4nanil 4nanil 4nanil	dn5 dn5 dn5	ABHC ABHC ABHC
USATHAMA Method Code	LM 18 LM 18 LM 18 LM 18	LM18 LM18 LM18	81MJ 81MJ 81MJ	LM18 LM18 LM18	LM18 LM18 LM18	LM18 LM18 LM18	LM18 LM18 LM18	LM18 LM18 LM18
Method Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/HS BNA'S IN SOIL BY GC/HS BNA'S IN SOIL BY GC/HS BNA'S IN SOIL BY GC/HS	BNA'S IN SOIL BY GC/HS BNA'S IN SOIL BY GC/HS BNA'S IN SOIL BY GC/HS BNA'S IN SOIL BY GC/HS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	•	Value Units	RPO
BNA'S IN SOIL BY GC/MS	LM18	ABHC	DX140200	AEU	28-AUG-1992	14-SEP-1992	. v	2.000 UGG	o.
IN SOIL BY	LM18	ACLDAN	00120200	AEP	21-AUG-1992	03-SEP-1992	٧ ،	0.330 UGG	0.5
IN SOIL BY	LE 18	ACLDAN	0X1Z0Z00	AF!	28-AUG-1992	14-SEP-1992	, v	2.000 UGG	. 0.
BNA'S IN SOIL BY GC/MS	E 19	ACLDAN	DX140200	Æ	28-AUG-1992	14-SEP-1992	•	2.000 UGG	0.
20 1100	413	AFNSI F	no 120200	AEP	21-AUG-1992	03-SEP-1992	•		0.
BNA'S IN SOIL BY GC/MS	E E	AENSLF	DX120200	ĄĘ	21-AUG-1992	02-SEP-1992	•		o c
IN SOIL BY	LM18 EM18	AENSL F AENSL F	DD140200 DX140200		28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992	v v	3.000 066	. .
	977	NGC	00202100	AFP	21-AUG-1992	03-SEP-1992	v	0.330 UGG	٥.
	E 2	ALDRN	DX120200	Æ	21-AUG-1992	02-SEP-1992	•	0.330 ucc	o.
8	LM 18	ALDRN	DD 140200	YEU :	28-AUG-1992	14-SEP-1992	٧,	2.000 UGG	9.0
IN SOIL BY	LM18	ALDRN	DX140200	AEU	28-AUG-1992	14-25-1992	,	200.7	2
18 SI	LM18	ANAPNE	00120200	AEP	21-AUG-1992	03-SEP-	v		o, c
IN SOIL BY	LM18	ANAPNE	DX120200	AEP	21-AUG-1992	02-SEP-	٧,		, c
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	00140200 0X140200	AE E	28-AUG-1992 28-AUG-1992	14-SEP-1992	, v	0.200 066	.0.
100 NI	<u>;</u>			į			,		_
IN SOIL BY	LM18	ANAPYL	00120200	A S	21-AUG-1992	03-SEP-1992 02-SEP-1992	v v	0.033 UGG	ö
IN SOIL BY	E E E	ANAPTL	DD 140200	Æ	28-AUG-1992		· v		0.
BNA'S IN SOIL BY GC/MS	E 43	ANAPYL	DX140200	V EO	28-AUG-1992		v		o.
8	212	ANTEC	00120200	AEP	21-AUG-1992		v		٥.
	E E	ANTRC	DX120200	Æ	21-AUG-1992		•		o.
₩.	LM 18	ANTRC	DD 140200	B	28-AUG-1992	14-SEP-1992	٧,	0.200	9.5
IN SOIL BY	LM18	ANTRC	DX140200	AEU	28-AUG-1992		,		•
1100	M I	BZCEXM	00120200	AEP	21-AUG-1992		•	0.059 UGG	o,
SOIL BY	E 18	BZCEXM	DX120200	AEP	21-AUG-1992		۷,	0.059 UGG	j c
IN SOIL BY	LM18 LM18	B2CEXM B2CEXM	00140200 0X140200	AEU AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992	· •	0.300 066	.0.
IN SOIL BY	LM18	B2CIPE	DD120200	AEP	21-AUG-1992	03-SEP-1992	v	0.200 UGG	٥.

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	•	Value Units	RPD
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18	B2CIPE B2CIPE B2CIPE	DX120200 DD140200 DX140200	AEU AEU	21-AUG-1992 28-AUG-1992 28-AUG-1992	02-SEP-1992 14-SEP-1992 14-SEP-1992	· • • •	0.200 UGG 1.000 UGG 1.000 UGG	0.00
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18 LM18	B2CLEE B2CLEE B2CLEE B2CLEE	00120200 0x120200 00140200 0x140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	0.033 UGG 0.033 UGG 0.200 UGG 0.200 UGG	öööö
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18	BZEHP BZEHP BZEHP BZEHP	DD 120200 DX 120200 DD 140200 DX 140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	0.620 UGG 0.620 UGG 3.000 UGG 3.000 UGG	oooo
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18	BAANTR BAANTR BAANTR BAANTR	DD120200 DX120200 DD140200 DX140200	AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	0.170 UGG 0.170 UGG 0.800 UGG 0.800 UGG	oooo
IN SOIL BY IN SOIL BY IN SOIL BY IN SOIL BY	LM18 LM18 LM18	BAPYR BAPYR BAPYR BAPYR	DD120200 DX120200 DD140200 DX140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	v v v v	0.250 UGG 0.250 UGG 1.000 UGG 1.000 UGG	0000
IN SOIL BY IN SOIL BY IN SOIL BY IN SOIL BY	LM18 LM18 LM18	BBFANT BBFANT BBFANT BBFANT	DD120200 DX120200 DD140200 DX140200	AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992		0.210 UGG 0.210 UGG 1.000 UGG 1.000 UGG	öööö
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18	88HC 88HC 88HC 88HC	DD 120200 DX 120200 DD 140200 DX 140200	AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	0.270 UGG 0.270 UGG 2.000 UGG 2.000 UGG	o o o o
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18	882P 882P 882P 882P	DD 120200 DX 120200 DD 140200 DX 140200	AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	0.170 usc 0.170 usc 0.800 usc 0.800 usc	oooo

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date		Value Units	8 :
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18	BENSLF BENSLF BENSLF BENSLF	DD 120200 DX 120200 DD 140200 DX 140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992		0.620 UGG 0.620 UGG 3.000 UGG 3.000 UGG	0000
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18	BENZID BENZID BENZID BENZID	DD 120200 DX 120200 DD 140200 DX 140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	0.850 UGG 0.850 UGG 4.000 UGG 4.000 UGG	0000
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18 LM18	BENZOA BENZOA BENZOA BENZOA	DD 120200 DX 120200 DD 140200 DX 140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	6.100 UGG 6.100 UGG 30.000 UGG 30.000 UGG	0000
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	1.M18 1.M18 1.M18 1.M18	BGHIPY BGHIPY BGHIPY BGHIPY	DD 120200 DX 120200 DD 140200 DX 140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	0.250 UGG 0.250 UGG 1.000 UGG 1.000 UGG	0000
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	EM1 81 81 81 81 81	BKFANT BKFANT BKFANT BKFANT	DD 120200 DX 120200 DD 140200 DX 140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	~ ~ ~ ~	0.066 UGG 0.066 UGG 0.300 UGG 0.300 UGG	oooo
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	1M18 1M18 1M18 1M18	BZALC BZALC BZALC BZALC	DD 120200 DX 120200 DD 140200 DX 140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	0.190 UGG 0.190 UGG 1.000 UGG 1.000 UGG	0000
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18	CARBAZ CARBAZ CARBAZ CARBAZ	DD 120200 DX 120200 DD 140200 DX 140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	0.033 UGG 0.033 UGG 0.200 UGG 0.200 UGG	öööö
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18	CHRY	DD120200 DX120200	AEP AEP	21-AUG-1992 21-AUG-1992	03-SEP-1992 02-SEP-1992	~ ~	0.120 UGG 0.120 UGG	. o.

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

RP0	0.0	o o o o o	o o o o o	0000	o o o o o	öööö	0000	öööö
Value Units	0.600 UGG 0.600 UGG	0.033 UGG 0.033 UGG 0.200 UGG 0.200 UGG	6.200 UGG 6.200 UGG 30.000 UGG 30.000 UGG	0.150 UGG 0.150 UGG 0.800 UGG 0.800 UGG	0.210 UGG 0.210 UGG 1.000 UGG 1.000 UGG	0.270 UGG 0.270 UGG 2.000 UGG 2.000 UGG	0.035 UGG 0.035 UGG 0.200 UGG 0.200 UGG	0.240 UGG 0.240 UGG 1.000 UGG 1.000 UGG
v	· • •	v v v v	· · · ·	v v v v	v v v v	v v v v	v v v v	* * * *
ا	14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992
Sample Date	28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992
Lot	VEC VEC	AEP AEU AEU	AEP AEU AEU	AEP AEU AEU	AEP AEU AEU	AEP AEU AEU	AEU AEU	AEP AEU AEU
IRDMIS Sample Number	DD 140200 DX 140200	DD 120200 DX 120200 DD 140200 DX 140200	DD120200 DX120200 DD140200 DX140200	DD 120200 DX 120200 DD 140200 DX 140200	DD120200 DX120200 DD140200 DX140200	DD 120200 DX 120200 DD 140200 DX 140200	DD120200 DX120200 DD140200 DX140200	DD120200 DX120200 DD140200 DX140200
Test Name	CHRY	CL682 CL682 CL682 CL682	CL6CP CL6CP CL6CP CL6CP	CL6ET CL6ET CL6ET CL6ET	DBAHA DBAHA DBAHA DBAHA	DBHC DBHC DBHC DBHC	DBZFUR DBZFUR DBZFUR DBZFUR	0EP 0EP 0EP
USATHAMA Method Code	LM18 LM18	LM18 LM18 M18	LM18 LM18 LM18	1M18 1M18 1M18	EM18 EM18 EM18	LM18 LM18 LM18	LM18 LM18 LM18	LM18 LM18 LM18
Method Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	IN SOIL BY IN SOIL BY IN SOIL BY	IN SOIL BY	IN SOIL BY IN SOIL BY IN SOIL BY IN SOIL BY	IN SOIL BY	IN SOIL BY	IN SOIL BY IN SOIL BY IN SOIL BY IN SOIL BY	IN SOIL BY IN SOIL BY IN SOIL BY IN SOIL BY

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devers, MA (DV)
Group: 2 and 7

RPO	o o o o o	oʻoʻoʻo	.0 147.8 147.8	e e e e e	öööö	öööö	0000	000
Value Units	0.310 UGG 0.310 UGG 2.000 UGG 2.000 UGG	0.170 UGG 0.170 UGG 0.800 UGG 0.800 UGG	0.061 UGG 0.061 UGG 0.300 UGG 2.000 UGG	0.190 UGG 0.190 UGG 1.000 UGG 1.000 UGG	0.450 UGG 0.450 UGG 2.000 UGG 2.000 UGG	0.530 UGG 0.530 UGG 2.000 UGG 2.000 UGG	0.530 UGG 0.530 UGG 2.000 UGG 2.000 UGG	0.620 UGG 0.620 UGG 3.000 UGG
	~~~	v v v v	v v v	v v v v	* * * *	v v v v	v v v v	v v v
Analysis Date	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992
Sample Date	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992
Lot	AED AEU AEU	AEU AEU	AED AEU AEU	AED AEU AEU	AEU AEU	AEP AEU AEU	AEU AEU	AEP AEU AEU
IRDMIS Sample Number	DD 120200 DX 120200 DD 140200 DX 140200	DD 120200 DX 120200 DD 140200 DX 140200	DD 120200 DX 120200 DD 140200 DX 140200	DD 120200 DX 120200 DD 140200 DX 140200	DD 120200 DX 120200 DD 140200 DX 140200	DD 120200 DX 120200 DD 140200 DX 140200	DD120200 DX120200 DD140200 DX140200	DD120200 DX120200 DD140200
Test Name	DLDRN DLDRN DLDRN DLDRN	OMP OMP OMP	ONBP ONBP ONBP	DNOP DNOP DNOP DNOP	ENDRN ENDRN ENDRN ENDRN	ENDRNA ENDRNA ENDRNA ENDRNA	ENDRNK ENDRNK ENDRNK ENDRNK	ESFSO4 ESFSO4 ESFSO4
USATHAMA Method Code	LM18 LM18 LM18 LM18	LM18 LM18 LM18	LM18 LM18 LM18	LM18 LM18 LM18 LM18	1M18 1M18 1M18 1M18	1M18 1M18 1M18	LM18 LM18 LM18	LM18 LM18
Method Description	BNA'S IN SOIL BY GC/HS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/HS BNA'S IN SOIL BY GC/HS BNA'S IN SOIL BY GC/HS BNA'S IN SOIL BY GC/HS	IN SOIL BY IN SOIL BY TH SOIL BY IN SOIL BY	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/HS BNA'S IN SOIL BY GC/HS BNA'S IN SOIL BY GC/HS BNA'S IN SOIL BY GC/HS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Į,	Sample Date	Analysis Date	•	Value Units	RP0
BNA'S IN SOIL BY GC/MS	LM18	ESFS04	DX140200	ÆU	28-AUG-1992	14-SEP-1992	v	3.000 UGG	0.
301		FANT	DD120200	AEP	21-AUG-1992 21-AUG-1992	03-SEP-1992 02-SEP-1992	v v	0.068 UGG 0.068 UGG	o o
IN SOIL BY GC/MS	E E E	FANT	00140200	2	28-AUG-1992	14-SEP-1992	٧,		o, c
SOIL BY		LAN	UX 140200	E C	7661 -BON-07	361-36-61	,		. •
SOIL BY		FLRENE	DD120200	AEP	21-AUG-1992	03-SEP-1992	v ·		ö
SOIL BY	-	FLRENE	DX120200	A P	21-AUG-1992	02-SEP-1992	,		
84	EM18	FLRENE FLRENE	DD 140200 DX 140200	A SE	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992	v v	0.200 UGG	.0.
S		GCLDAN	pp 120200	AEP	21-AUG-1992	03-SEP-1992	•	0.330 066	0.
5		GCLDAN	DX120200	ÆP	21-AUG-1992		v		o. '
SOIL BY		GCLDAN	DD 140200	Æ	28-AUG-1992		•		o, c
IN SOIL BY GC/MS	LM18	GCLDAN	DX140200	AEU	28-AUG-1992		v		•
SM/ 22 AB 1105 At	_	ESP	00120200	AEP	21-AUG-1992	03-SEP-1992	•	0.230 UGG	•
	_	EGBO E	DX120200	AEP	21-AUG-1992		•	0.230 UGG	0.
35		HCBO	00140200	AEU	28-AUG-1992		•	1.000 UGG	0.
SOIL BY	LM18	HCBD	DX140200	AEU	28-AUG-1992		•	1.000 UGG	0.
200		Jan	DD 120200	AFP	21-AUG-1992	03-SEP-	v	0.130 UGG	o.
1 SOIL 01 GC/HS		101	nx120200	AF D	21-AUG-1992	02-SEP-	•	0.130 UGG	o.
		1 E	DD 140200	Ð	28-AUG-1992	14-SEP-1992	•	0.500 UGG	o.
IN SOIL BY GC/MS	LM18	HPCL	DX140200	Æ	28-AUG-1992	14-SEP-	•	0.500 UGG	0.
5		H L	DD 120200	AED	21-AUG-1992	03-SEP-1992	•	0.330 UGG	٥.
		HPC F	DX120200	AE	21-AUG-1992		•	0.330 066	<u>.</u>
		HPC1 H	DD 140200	AE	28-AUG-1992		v		o.
IN SOIL BY GC/MS	S LM 18	HPCLE	DX140200	AEU	28-AUG-1992		•		o.
5		ICDPYR	pp120200	Æ	21-AUG-1992	03-SEP-1992	•	0.290 UGG	0.0
		COPYR	DX120200	Æ	21-AUG-1992		-		•
<u> </u>	S LA18	ICOPYR	DD 140200	AEU	28-AUG-1992		v		o.
N SOIL BY GC/MS	_	ICOPYR	DX140200	Æ	28-AUG-1992		•		•
IN SOIL BY GC/MS	S LM18	ISOPHR	DD 120200	ÆÞ	21-AUG-1992	03-SEP-1992	•	0.033 UGG	٥.

Table E12.
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

520	AMA Po	- ;	;		Analysis Date			8 : S
IM18 ISOPHR IM18 ISOPHR IM18 ISOPHR	~ ~ ~	DX120200 A DD140200 A DX140200 A		21-AUG-1992 28-AUG-1992 28-AUG-1992	02-SEP-1992 14-SEP-1992 14-SEP-1992	, , ,	0.033 UGG 0.200 UGG 0.200 UGG	o o o
LM18 LIN LM18 LIN LM18 LIN		DD120200 A DX120200 A DD140200 A DX140200 A	AEU PE	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	0.270 UGG 0.270 UGG 2.000 UGG 2.000 UGG	0000
LM18 MEXCLR LM18 MEXCLR LM18 MEXCLR		DD120200 A DX120200 A DD140200 A DX140200 A	AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	0.330 UGG 0.330 UGG 2.000 UGG 2.000 UGG	öööö
LM18 LM18 LM18 NAP LM18 NAP		DD 120200 A DX 120200 A DD 140200 A DX 140200 A	AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	0.037 UGG 0.037 UGG 0.200 UGG 0.200 UGG	0000
LM18 NB LM18 NB LM18 NB NB LM18 NB		00120200 A 0x120200 A 00140200 A	AEU AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	v v v v	0.045 UGG 0.045 UGG 0.200 UGG 0.200 UGG	occo
LM18 NNDMEA LM18 NNDMEA LM18 NNDMEA		DD 120200 DX 120200 DD 140200 DX 140	AED AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	* * * *	0.140 UGG 0.140 UGG 0.500 UGG 0.500 UGG	
LM18 NNDNPA LM18 NNDNPA LM18 NNDNPA LM18 NNDNPA		DD120200 DX120200 DD140200 DX140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	~ ~ ~ ~	0.200 UGG 0.200 UGG 1.000 UGG 1.000 UGG	oooo
LM18 NNDPA LM18 NNDPA LM18 NNDPA LM18 NNDPA		DD120200 DX120200 DD140200 DX140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	* * * *	0.190 UGG 0.190 UGG 1.000 UGG 1.000 UGG	oooo

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	v .	Value Units	PP PP
BNA'S IN SOIL BY GÇ/NS BNA'S IN SOIL BY GC/NS BNA'S IN SOIL BY GC/NS BNA'S IN SOIL BY GC/NS	LM 18 LM 18 LM 18 LM 18	PCB016 PCB016 PCB016 PCB016	DD120200 DX120200 DD140200 DX140200	AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	• • • •	1.400 UGG 1.400 UGG 5.000 UGG 5.000 UGG	oooe
IN SOIL BY IN SOIL BY IN SOIL BY IN SOIL BY	LM18 LM18 LM18	PCB221 PCB221 PCB221 PCB221	DD 120200 DX 120200 DD 140200 DX 140200	AED AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	v v v v	1,400 UGG 1,400 UGG 5,000 UGG 5,000 UGG	ဝ်ဝဝဝ
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18	PCB232 PCB232 PCB232 PCB232	DD120200 DX120200 DD140200 DX140200	AED AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	1.400 UGG 1.400 UGG 5.000 UGG 5.000 UGG	0000
BNA'S IN SOIL BY GC/HS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 EM18	PCB242 PCB242 PCB242 PCB242	DD120200 DX120200 DD140200 DX140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	v v v v	1.400 UGG 1.400 UGG 5.000 UGG 5.000 UGG	666 6
IN SOIL BY IN SOIL BY IN SOIL BY IN SOIL BY	LM18 LM18 LM18	PCB248 PCB248 PCB248 PCB248	DD120200 DX120200 DD140200 DX140200	AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	v v v v	2.000 UGG 2.000 UGG 10.000 UGG 10.000 UGG	öööö
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18	PCB254 PCB254 PCB254 PCB254	DD120200 DX120200 DD140200 DX140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	· · · ·	2.300 UGG 2.300 UGG 10.000 UGG 10.000 UGG	öööö
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18	PCB260 PCB260 PCB260 PCB260	DD120200 DX120200 DD140200 DX140200	AEP AEU AEU	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992	, , , ,	2.600 UGG 2.600 UGG 20.000 UGG 20.000 UGG	öööö
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18	908 908	DD120200 DX120200	AEP AEP	21-AUG-1992 21-AUG-1992	03-SEP-1992 02-SEP-1992	v v	1.300 UGG 1.300 UGG	o o

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

RPO	e'e'	öööö	oooo	0000	oooo	öööö	oooo	0000
Value Units	6.000 UGG 6.000 UGG	0.033 UGG 0.033 UGG 0.200 UGG 0.200 UGG	0.110 UGG 0.110 UGG 0.600 UGG 0.600 UGG	0.270 UGG 0.270 UGG 2.000 UGG 2.000 UGG	0.310 UGG 0.310 UGG 2.000 UGG 2.000 UGG	0.310 UGG 0.310 UGG 2.000 UGG 2.000 UGG	0.033 UGG 0.033 UGG 0.200 UGG 0.200 UGG	2.600 UGG 2.600 UGG 20.000 UGG 20.000 UGG
•	·	· · · ·	· · · ·	* * * *	v v , v v	* * * *	* * * *	~ ~ ~ ~
Analysis Date	14-SEP-1992 14-SEP-1992	03-SEP-1992 02-SEP-1992 14-SEP-1992 14-SEP-1992						
Sample Date	28-AUG-1992 28-AUG-1992	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992						
Lot	AEU AEU	AEP AEU AEU	AEP AEU AEU	AEP AEU AEU	AEP AEU AEU	AEU AEU	AEU AEU	AED AEU AEU
IRDMIS Sample Number	DD 140200 DX 140200	DD120200 DX120200 DD140200 DX140200	DD 120200 DX 120200 DD 140200 DX 140200	DD120200 DX120200 DD140200 DX140200	DD 120200 DX 120200 DD 140200 DX 140200	DD120200 DX120200 DD140200 DX140200	DD120200 DX120200 DD140200 DX140200	DD120200 DX120200 DD140200 DX140200
A Test Name	6 0	PHANTR PHANTR PHANTR PHANTR	PHENOL PHENOL PHENOL PHENOL	9P000 9P000 PP000 PP000	PPDDE PPDDE PPDDE	PP001 PP001 PP001	PYR PYR PYR	TXPHEN TXPHEN TXPHEN TXPHEN
USATHAMA Method Code	LM18 LM18	LM18 LM18 LM18	1M18 1M18 1M18 1M18	MI STAN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	E E E E E E E E E E E E E E E E E E E	EM18 EM18 EM18 EM18	LM18 LM18 LM18 LM18
Method Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS

Sample Duplicate Quality Control Report Installation: Fort Devens, MA (DV) Group: 2 and 7

Method Description	ptio	E	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	•	Value Units	RPO
BNA'S IN SOIL BNA'S IN SOIL	. F	GC/MS GC/MS	LM18	UNK537 UNK537	DD140200 DX140200	AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		4.000 UGG 30.000 UGG	152.9
BNA'S IN SOIL BNA'S IN SOIL	8Y	GC/MS GC/MS	LM18 LM18	UNK609 UNK609	DD 140200 DX 140200	AEU AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		6.000 uss 60.000 uss	163.6 163.6
BNA'S IN SOIL BNA'S IN SOIL	84	GC/MS GC/MS	LM18 LM18	UNK610 UNK610	DD 140200 DX 140200	AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		7.000 UGG 60.000 UGG	158.2 158.2
BNA'S IN SOIL BNA'S IN SOIL	BY 84	GC/MS GC/MS	LM18 LM18	UNK611 UNK611	DD 140200 DX 140200	AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		1.000 ucc 6.000 ucc	142.9
BNA'S IN SOIL BNA'S IN SOIL	L 87	GC/MS GC/MS	LM18 LM18	UNK618 UNK618	DD 140200 DX 140200	AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		8.000 UGG 50.000 UGG	144.8 144.8
BNA'S IN SOIL BNA'S IN SOIL	L 87	GC/MS GC/MS	LM18 LM18	UNK623 UNK623	DD140200 DX140200	AEU AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		2.000 UGG 60.000 UGG	187.1 187.1
BNA'S IN SOIL BNA'S IN SOIL	L 8Y	GC/MS GC/MS	LM18 LM18	UNK632 UNK632	DD140200 DX140200	AEU AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		3.000 UGG 10.000 UGG	107.7 107.7
BNA'S IN SOIL BNA'S IN SOIL	L 8Y L 8Y	GC/MS GC/MS	LM18 LM18	UNK640 UNK640	DD140200 DX140200	AEU AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		5.000 UGG 10.000 UGG	68.7 68.7
BNA'S IN SOIL BNA'S IN SOIL	L BY L BY	GC/MS GC/MS	LM18 LM18	UNK645 UNK645	DD 120200 DX 120200	AEP AEP	21-AUG-1992 21-AUG-1992	03-SEP-1992 02-SEP-1992		2.000 UGG 0.400 UGG	133.3 133.3
BNA'S IN SOIL BNA'S IN SOIL	L 8Y L 8Y	GC/MS GC/MS	LM18 LM18	UNK646 UNK646	DD140200 DX140200	AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		10.000 UGG 20.000 UGG	68.7 66.7
BNA'S IN SOIL BNA'S IN SOIL	L BY L BY	GC/MS GC/MS	LM18 LM18	UNK648 UNK648	DD 140200 DX 140200	AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		6.000 UGG 10.000 UGG	50.0
BNA'S IN SOIL BNA'S IN SOIL	L BY L BY	GC/MS GC/MS	LM18 LM18	UNK656 UNK656	DD140200 DX140200	AEU AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		30.000 UGG 30.000 UGG	öö
BNA'S IN SOIL BNA'S IN SOIL	L BY	GC/MS GC/MS	LM18 LM18	UNK658 UNK658	DD 120200 DX 120200	AEP AEP	21-AUG-1992 21-AUG-1992	03-SEP-1992 02-SEP-1992		0.400 UGG 0.400 UGG	o o

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	v	Value Units	RP G
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18	UNK659 UNK659	DD 140200 DX 140200	AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		7.000 UGG 10.000 UGG	35.3 35.3
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18	UNK660 UNK660	DD140200 DX140200	AEU AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		30,000 UGG 90,000 UGG	100.0
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18	UNK670 UNK670	DD140200 DX140200	AEU AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		20.000 UGG 20.000 UGG	öö
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18	UNK683 UNK683	DD 140200 DX 140200	AEU AEU	28-AUG-1992 28-AUG-1992	14-SEP-1992 14-SEP-1992		8.000 UGG 50.000 UGG	144.8 144.8
SOIL BY	LM19	111TGE	BD430105 BX430105	AJX	23-SEP-1992 23-SEP-1992	02-0CT- 02-0CT-	v v	0.004 UGG 0.004 UGG	o'o'
12 SS	1410 1410	1111CE	BX43H109 BX43H109	\$	17-SEP-1992 16-SEP-1992		v v		o o
IN SOIL BY	E S	111106	DD 120200	N.	21-AUG-1992				o.
IN 5011 BY	E 19	112	DX 120200 DD 140200	2 S 2 S	28-AUG-1992		v v		133.3
IN SOIL BY	LM19	111TCE	DX140200	AJO	28-AUG-1992	07-SEP-	v		133.3
IN SOIL BY	LM19	112TCE	80430105	AJX	23-SEP-1992	02-0CT-1992	v	200	o.
VOC'S IN SOIL BY GC/MS	E 2	112TCE 112TCF	8X430105 8X43H109	X > Y	23-SEP-1992 17-SEP-1992	02-0CI-1992 27-SEP-1992	, ,	0.005 UGG	
IN SOIL BY	<u>3</u>	112TCE	BX43H109	AJU	16-SEP-1992	24-SEP-1992	•	902	۰.
IN SOIL BY	LM 3	112TCE	00120200	N.	21-AUG-1992	01-SEP-1992	v ·	500	o, c
	LX19	112TCE	DX120200	A C	21-AUG-1992 28-AHG-1992	01-SEP-1992 07-SEP-1992	· ·	35	16.20
	LM19	112TCE	DX140200	AJO.	28-AUG-1992	07-SEP-1992	v	030	142.9
100	I M 10	110CE	BD430105	A.JX	23-SEP-1992		•		0.
IN SOIL BY	LM19	110CE	BX430105	AJX	23-SEP-1992		v		۰.
IN SOIL	LM19	110CE	BX43H109	P	16-SEP-1992	24-SEP-1992	٧,	0.004 UGG	o c
IN SOIL BY	[N]	100	BX45H109	2 2 2	21-AIR-1992		/ v		, c
VOC'S IN SOIL BY GC/MS	LM19	110CE	DX120200	A.	21-AUG-1992		· •		· •

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	V	Value Units	RPO
VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	LM19 LM19	110ce 110ce	DD140200 DX140200	AJO	28-AUG-1992 28-AUG-1992	07-SEP-1992 07-SEP-1992	~ ~	0.004 UGG 0.020 UGG	133.3
VOC'S IN SOIL BY GC/MS	HH 199999	110CLE 110CLE 110CLE 110CLE 110CLE 110CLE	BD430105 BX430105 BX43H109 BX43H109 DD120200 DX120200 DX140200	AJU	23-SEP-1992 23-SEP-1992 17-SEP-1992 16-SEP-1992 21-AuG-1992 21-AuG-1992 28-AuG-1992	02-0c1-1992 02-0c1-1992 27-SEP-1992 24-SEP-1992 01-SEP-1992 07-SEP-1992 07-SEP-1992	· · · · · · · · · · · ·	0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG	0. 0. 0. 0. 0. 133 133 133 133 133 133 133 133 133 13
IN SOIL BY	IMA IMA IMA IMA IMA IMA IMA IMA IMA IMA	120G 120G 120G 120G 120G 120G	80430105 8x430105 8x431109 8x431109 0D120200 0x120200 0x140200	AJX AJX AJU AJU AJQ	23- SEP- 1992 17- SEP- 1992 16- SEP- 1992 21- Aug- 1992 21- Aug- 1992 28- Aug- 1992	02-0C1-1992 02-0C1-1992 27-SEP-1992 01-SEP-1992 01-SEP-1992 07-SEP-1992	· · · · · · · · · · · ·	0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG	
VOC'S IN SOIL BY GE/MS VOC'S IN SOIL BY GE/MS	[M19 [M19 [M19 [M19 [M19 [M19	1200E 1200E 1200E 1200E 1200E 1200E	BD430105 BX430105 BX43H109 BX43H109 DD120200 DX120200 DX140200	AJX AJV AJU AJU AJO	23 - SEP - 1992 23 - SEP - 1992 17 - SEP - 1992 16 - SEP - 1992 21 - AUG - 1992 21 - AUG - 1992 28 - AUG - 1992	02-0C1-1992 02-0C1-1992 27-SEP-1992 01-SEP-1992 01-SEP-1992 07-SEP-1992	· · · · · · · · · · · · · · · · · · ·	0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG	.0 .0 .0 .0 .0 .120.0
VOC'S IN SOIL BY GC/MS	LM19 LM19 LM19 LM19 LM19	120CLP 120CLP 120CLP 120CLP 120CLP 120CLP 120CLP 120CLP	80430105 8x430105 8x431109 8x431109 00120200 00140200 00140200	ALV ALV ALV ALV ALV	23 - SEP - 1992 23 - SEP - 1992 17 - SEP - 1992 16 - SEP - 1992 21 - AuG - 1992 28 - AuG - 1992 28 - AuG - 1992	02-0C1-1992 02-0C1-1992 27-SEP-1992 24-SEP-1992 01-SEP-1992 07-SEP-1992 07-SEP-1992	~~~	0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG	.0 .0 .0 .0 .0 .0 .0 .7.701

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	v	Value Units	RPO
		4 4 5 7 7	· · · · · · · · · · · · · · · · · · ·		1 2 1 1 1 1 1				
IN SOIL BY	LM19	2CLEVE	BD430105	AJX	23-SEP-1992	02-0CT-1992	•	0.010 UGG	٥.
IN SOIL BY	LM19	2CLEVE	BX430105	ΑJX	23-SEP-1992	02-oct-1992	•		۰.
IN SOIL BY	LM19	2CLEVE	BX43H109	A 3<	17-SEP-1992	27-SEP-1992	•		o.
IN SOIL BY	LM19	2CL EVE	BX43H109	AJU	16-SEP-1992	24-SEP-1992	•		٥.
IN SOIL BY	LM19	2CLEVE	DD120200	AJR	21-AUG-1992	01-SEP-1992	•		o.
IN SOIL BY	LM19	2CLEVE	DX120200	AJN	21-AUG-1992	01-SEP-1992	~		o.
IN SOIL BY	LM19	2CLEVE	DD 140200	AJQ	28-AUG-1992	07-SEP-1992	•		133.3
VOC'S IN SOIL BY GC/MS	LM19	SCLEVE	DX140200	ΑJQ	28-AUG-1992	07-SEP-1992	v		133.3
		1	20102	2	rep-1	,			61.2
IN SOIL BY	C	Acel	80420103	۲, ۲	ָּבְיבְיבְיבְיבְיבְיבְיבְיבְיבְיבְיבְיבְיב	3 5	,		71.7
IN SOIL BY	CM19	ACET	BX430105	XX.	42 SEP - 1992	02-0C1-1992	, ,	20.00	7.0
IN SOIL BY	E I	ACE	BX45H109	> :		֡֝֝֝֝֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	, ,		•
IN SOIL BY	LM19	ACET	BX43H109	P 3	SEP-		v		
IN SOIL BY	L#19	ACET	DD 120200	A.	-90	ė.			2.5
IN SOIL BY	1 M 19	ACET	DX120200	A.	5	SEP.			5.65
IN SOIL BY	LM19	ACET	DD 140200	ΑS	P G6-1	SEP-			144.8
VOC'S IN SOIL BY GC/MS	LM19	ACET	DX140200	AJO	₽	SEP-			144.8
	,	;				1		5	•
둟	LM19	ACROLN	BD430105	×	23-SEP-1992	02-0CI-1992	۷,	0.100 066	j
IN SOIL BY	LM19	ACROLIN	8X430105	Ž:	23-SEP-1992	36	٠,	38	•
IN SOIL BY	LM19	ACROLIN	BX45H109	S :	17-SEP-1992	֡֝֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֓֓֓֡֓֓֡	, ·	35	•
IN SOIL BY	LM19	ACROLN	BX43H109	3:	16-SEP-1992	֡֝֝֓֓֓֓֓֓֓֓֓֓֓֟֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֡֓֡֓֡֡֡֓֡֓֡֓֡֡֡֡	٠,	38	•
IN SOIL BY	L#19	ACROLN	002021.00	Z :	Z1-406-177	֡֝֝֝֓֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֡֓֓֡֓֡֓֡֓֡	, ,	3 5	
IN SOIL BY	LM19	ACROLN	002021XQ	Z :	21-AUG-1992	֓֞֝֝֓֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֡֓֓֡֓֡֓֡֓	, ,	38	422.2
IN SOIL BY	E 13	ACROLN	00140500	3.6	26-AUG- 1992	֝֟֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	٠,	38	122.5
IN SOIL BY	LM19	ACROLN	DX140200	7	28-AUG-1992	בר ר	,	3	
2	5	Arbyin	PD/40105	×	24-SED-1002		•	00	0.
100 M	. E .	01224	BV. 20105	{ ≥	24-cep-1002			8	0
	101	ACDVID	RX43H109	A.E.	16-SFP-1992		•	0.100 UGG	
18 81 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	5	ACDVIO	RX43H109	¥.	17-SFP-1992		•	8	0.
	- E	ACRYLO	DD 120200	A.N	21-AUG-1992		•	8	۰.
100 21	101	ACDYLO	nx120200	N.	21-AUG-1992		•	8	٥.
	101	ACRY! O	DD 140200	A.10	28-AUG-1992		•	8	133.3
VOC'S IN SOIL BY GC/MS	E 1	ACRYLO	DX140200	AJO	28-AUG-1992	07-SEP-1992	•	900	133.3
			1	;	-	900	,		•
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	80430105	Ϋ́	23-SEP-1992	02-0C1-1992	v	0.003 066	٠.

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description		USATHAMA Method Code	Test	IROMIS Sample Number	rot To	Sample Date	Analysis Date	•	Value Units	6
VOC'S IN SOIL BY GC VOC'S IN SOIL BY GC	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	IMA IMA IMA IMA IMA IMA IMA IMA IMA IMA	BRDCLM BRDCLM BRDCLM BRDCLM BRDCLM BRDCLM BRDCLM	8x430105 8x434109 8x434109 DD120200 Dx120200 Dx140200	AJV AJV AJO AJO	23 - SEP - 1992 17 - SEP - 1992 16 - SEP - 1992 21 - AUG - 1992 28 - AUG - 1992 28 - AUG - 1992	02-0C1-1992 27-SEP-1992 24-SEP-1992 01-SEP-1992 01-SEP-1992 07-SEP-1992		0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG	.0 .0 .0 .0 .0 .107.7
IN SOIL BY	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	LM19 LM19 LM19 LM19 LM19	C130CP C130CP C130CP C130CP C130CP C130CP C130CP C130CP	BD430105 BX430105 BX43H109 BX43H109 DD120200 DX120200 DX140200	AJY AJV AJU AJO AJO	23-SEP-1992 23-SEP-1992 17-SEP-1992 16-SEP-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	02-0C1-1992 02-0C1-1992 27-SEP-1992 24-SEP-1992 01-SEP-1992 01-SEP-1992 07-SEP-1992	v v v v v v v	0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG	0. 0. 0. 0. 147.8 147.8
VOC'S IN SOIL BY GE VOC'S IN SOIL BY GE	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	144 144 144 144 144 144 144 144 144 144	CZAVE CZAVE CZAVE CZAVE CZAVE CZAVE	80430105 8x430105 8x431109 8x431109 00120200 0x120200 0b140200	AJX AJV AJV AJQ	23 - SEP - 1992 23 - SEP - 1992 17 - SEP - 1992 16 - SEP - 1992 21 - AUG - 1992 28 - AUG - 1992 28 - AUG - 1992	02-0C1-1992 02-0C1-1992 27-SEP-1992 24-SEP-1992 01-SEP-1992 07-SEP-1992	· · · · · · · · · · · · · · · · · · ·	0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG	 0 0 147.8 147.8
IN SOIL BY	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	LAND HAND HAND HAND HAND HAND HAND HAND H	C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL	8D430105 8X431105 8X43H109 BX43H109 DD120200 DX120200 DX140200	ALA ALY ALV ALV ALV ALV	23 - SEP - 1992 23 - SEP - 1992 17 - SEP - 1992 16 - SEP - 1992 21 - AUG - 1992 28 - AUG - 1992 28 - AUG - 1992	02-0C1-1992 02-0C1-1992 27-SEP-1992 24-SEP-1992 01-SEP-1992 07-SEP-1992 07-SEP-1992	· · · · · · · · · · · · · · · · · · ·	0.006 UGG 0.006 UGG 0.006 UGG 0.006 UGG 0.006 UGG 0.006 UGG	.0 .0 .0 .0 .0 .0 .133.3
VOC'S IN SOIL BY G VOC'S IN SOIL BY G VOC'S IN SOIL BY G	GC/MS GC/MS GC/MS	LM19 LM19	C2H5CL C2H5CL C2H5CL	80430105 8x430105 8x43H109	AJX AJX	23-SEP-1992 23-SEP-1992 17-SEP-1992	02-0CT-1992 02-0CT-1992 27-SEP-1992	* * *	0.012 UGG 0.012 UGG 0.012 UGG	ööö

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Wethod Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	•	Value Units	RPD
GC/MS	LM19 LM10	CZHSCL	BX43H109	AJU	16-SEP-1992 21-AUG-1992	24-SEP-1992 01-SEP-1992	· v v	0.012 UGG 0.012 UGG	ö.
	(M)	CZHSCL	DX120200	AJN	21-AUG-1992		v '		0.
¥ ¥	LM19	CZHSCL	DD140200 DX140200	2 Q 2 Q	28-AUG-1992		v v		133.3
JA/AC	0171	ZKH	RD430105	A.IX	SEP-	1-100	•	200	0.
S W	M 0	C6H6	8X430105	Ą	SEP	-120	•	005	o.
¥S.	LM19	С6Н6	BX43H109	A 2	SEP-	SEP-	v	200	o. 0
/HS	LM19	C6H6	BX43H109	P.	SEP-	SEP-	~	200	
/HS	LM19	C6H6	DD 120200	Z.	9	SEP-	,	200	,
/HS	LM19	C6H6	DX120200	Z.	٤	SEP	v	25	2.42
GC/MS	E 19	26H6	DD140200	A.10	28-AUG-1992	07-SEP-1992	v	0.008 UGG	31.6
SE/	È	2		!					•
GC/MS	LM19	CCL 3F	80430105	AJX	23-SEP-1992	02-oct-1992	•	0.006 UGG	o, c
GC/MS	LM19	CCL3F	BX430105	Š	23-SEP-1992	02-0CI - 1992	•	98	9.5
:/MS	LM19	CCL3F	BX43H109	۲ ۲	17-SEP-1992	27 - SEP - 1992	v		, c
:/HS	LM19	CCL3F	BX43H109	₹	16-SEP-1992	24-SEP-1992	, ,	98	ė
:/MS	LM19	CCL3F	00120200	Z :	21-AUG-1992	01-SEP-1992	٠,		•
.\ X	LM19	CCL3F	002021XQ	Z :	21-AUG-1992	01 SEP 1992	, ,	2 6	122 3
GC/MS	LM19	CCL.3F	00140200	2	28-AUG-1992	07-SEP-1992	, .		33.3
.∕₩S	LMIS	CCLSF	UX 140200	3	26.40g-1772	01 SET 1776	,	3	
SW/.	1 M 10	7100	BD430105	AJX	SEP-1	02-0CT-1992	v	0.007 UGG	o.
/ X	M 10	7100	8X430105	AJX	SEP-1	02-oct-1992	•	200	0.
Z/N	M 10	7100	BX43H109	A.JU	SEP-1	24-SEP-1992	•	6	D. (
Z/A	H 19	ככר	BX43H109	A٦	SEP-1	27-SEP-1992	~	60	0.
C/WS	1 M 10	כנול	DD 120200	AJN	BG-1	01-SEP-1992	v	20	0.
Z/WS	1 M 19	ככר	DX120200	AJN	BG-1	01-SEP-1992	v	200	
C/HS	LM19	ככר	DD 140200	AJO	28-AUG-1992	07-SEP-1992	v	_	140.4
GC/MS	LM19	ככר	DX140200	ΑJO	AUG-1	07-SEP-1992	v	040	140.4
!	9	6 100	20102	2	24-CED-1002	n2-nrt-1992	~	012	0.
GC/MS	E 13	CHACLE	80450105 877.30105	×××	23-3CF 1992	02-0CT-1992	· •	012	0.
C/AS	La 19	CH2CL2	8X43H109	A.S	17-SEP-1992	27-SEP-1992	•	0.012 UGG	۰.
7./H2	M 10	CHZCLZ	BX43H109	AJU	16-SEP-1992	24-SEP-1992	•	012	0.
GC/MS	LM19	CH2CL2	DD 120200	AJN	21-AUG-1992	01-SEP-1992	v	012	0.

Sample Duplicate Quality Control Report Installation: Fort Devens, MA (DV) Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	v	Value Units	RPO
VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	LM19 LM19 LM19	CH2CL2 CH2CL2 CH2CL2 CH2CL2	DX120200 DD140200 DX140200	AJO AJO	21-AUG-1992 28-AUG-1992 28-AUG-1992	01-SEP-1992 07-SEP-1992 07-SEP-1992		0.012 UGG 0.012 UGG 0.060 UGG	.0 133.3 133.3
IN SOIL BY IN SOIL BY IN SOIL BY	LM19 LM19	CH3BR CH3BR CH3BR	80430105 8X430105 8X43H109	AJX A	23-SEP-1992 23-SEP-1992 17-SEP-1992	02-0CT-1992 02-0CT-1992 27-SEP-1992	· · · · · · · · · · · · · · · · · · ·	900	o o o o
VOC'S IN SOIL BY GC/MS	H H H H H H H H H H H H H H H H H H H	CH38R CH38R CH38R CH38R	8x43H109 DD120200 DX120200 DD140200 DX140200	AJU AJU AJO	16-SEP-1992 21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	24 - SEP - 1992 01 - SEP - 1992 01 - SEP - 1992 07 - SEP - 1992 07 - SEP - 1992	.	0.006 UGG 0.006 UGG 0.006 UGG 0.030 UGG	.0 .0 .133.3 133.3
VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	IM19 IM19 IM19 IM19 IM19	CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL	BD430105 BX430105 BX43H109 BX43H109 DD120200 DX120200 DX140200	AJU AJU AJU AJU AJU	23-SEP-1992 23-SEP-1992 17-SEP-1992 16-SEP-1992 21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	02-0C1-1992 02-0C1-1992 27-SEP-1992 04-SEP-1992 01-SEP-1992 07-SEP-1992	· · · · · · · · · · · ·	0.009 UGG 0.009 UGG 0.009 UGG 0.009 UGG 0.009 UGG 0.009 UGG	.0 .0 .0 .0 .0 .0 .0 .126.5
VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	LM19 LM19 LM19 LM19 LM19 LM19	CHBR3 CHBR3 CHBR3 CHBR3 CHBR3 CHBR3	BD430105 BX430105 BX43H109 BX43H109 DD120200 DX120200 DD140200	AJX AJV AJU AJU AJU	23-SEP-1992 23-SEP-1992 17-SEP-1992 16-SEP-1992 21-AUG-1992 21-AUG-1992 28-AUG-1992	02-0CT-1992 02-0CT-1992 27-SEP-1992 24-SEP-1992 01-SEP-1992 07-SEP-1992	· · · · · · · · · · · · · · · · · · ·	0.007 UGG 0.007 UGG 0.007 UGG 0.007 UGG 0.007 UGG 0.007 UGG	.0 .0 .0 .0 .0 .124.3
VOC'S IN SOIL BY GC/MS	10000000000000000000000000000000000000	######################################	8X430105 8X431109 8X431109 0D120200 DX120200	A A A A A A A A A A A A A A A A A A A	23 - SEP - 1992 23 - SEP - 1992 17 - SEP - 1992 16 - SEP - 1992 21 - AUG - 1992 21 - AUG - 1992 28 - AUG - 1992	02-0C1-1992 02-0C1-1992 27-SEP-1992 24-SEP-1992 01-SEP-1992 01-SEP-1992	* * * * * * *	0.001 UGG 0.001 UGG 0.001 UGG 0.001 UGG 0.001 UGG 0.001 UGG	

Sample Duplicate Quality Control Report Installation: Fort Devens, MA (DV) Group: 2 and 7

RPD	120.0	o.o.	o c	.0.	0. 44	133.3	0.	0.		. 0.	0.	120.0	120.0	۰.	o.	o.	Ģ	. 0	133.3	133.3	0.	0.			••	14.7 R	147.8
Value Units	0.004 UGG	0.100 UGG 0.100 UGG		_							0.001 UGG			700	90	200	Š	0.004 UGG	904	020	203	200	200	200	25		0.020 UGG
v 1	· V	v v	v v	· •	٧,	v v	v	v	٧ ،	, v	v	v	v	v	v	٧ ٠	v	/ v	•	~	~	v	v	v	٧,	/ \	· •
Analysis Date	07-SEP-1992	02-0CT-1992 02-0CT-1992	27-SEP-1992 24-SEP-1002	01-SEP-1992	01-SEP-1992	07-SEP-1992	001-1	5	SEP-1	SEP-1	01-SEP-1992	SEP-1	SEP-1	oct-1	-i	SEP-1	SEP.	01-SEP-1992	SEP-	SEP-,	OCT-	-130	Š	SEP	SEP	200	07-SEP-1992
Sample Date	28-AUG-1992	23-SEP-1992 23-SEP-1992	17-SEP-1992 14-SEP-1002	21-AUG-1992	21-AUG-1992	28-AUG-1992	SEP-1	SEP-1	SEP-1	Signal Property of the Propert	21-AUG-1992	NG-1	1 -90					21-AUG-1992									28-AUG-1992
Lot	AJQ.	AJX	> Y	A S	Y.	25	AJX	AJX	}:	N. A.	A_N	A Jo	AJ0	AJX	AJX	P	2 -	ZZ	A.	AJQ	AJX	AJX	A 5	A.	Z.	E C	A S
IRDMIS Sample Number	DX140200	BD430105 BX430105	BX43H109	DD 120200	DX120200	DX 140200	BD430105	BX430105	BX43H109	00120200	DX120200	00140200	DX140200	BD430105	BX430105	BX43H109	BX45H109	0x120200	DD140200	DX140200	BD430105	BX430105	BX43H109	BX43H109	00120200	020200	DX140200
Test Name	CHCL3	CL 282	CL 282	CL 282	CL 282	CL 282	CLC6H5	CLC6H5	CLC6H5	10,013	CLC6H5	CLC6H5	CLC6H5	CS2	CS2	CS2	283	22	CS2	cs2	DBRCLM	DBRCLM	DBRCLM	DBRCLM	DBRCLM	UBKCLM	DBRCLM
USATHAMA Method Code	LM19	LM19	LM19	[H]	LM19	LM19	LM19	LM19	LM19	H 1	LM19	LM19	LM19	LM19	LM19	LM19	[M]	13 A	LM19	LM19	1M19	LM19	LM19	LM19	LM19	E 12	22 E 3
Method Description	VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS	IN SOIL BY	IN SOIL BY	IN SOIL BY	IN SOIL BY	S IN SOIL BY	S IN SOIL BY	S IN SOIL BY	S IN SOIL BY	VOC.5 IN SOIL BY GC/MS	'S IN SOIL BY	'S IN SOIL BY	IN SOIL	IN SOIL BY	IN SOIL BY	IN SOIL BY	VOC'S IN SOIL BY GC/MS	IN SOIL BY	VOC'S IN SOIL BY GC/MS							

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test	IRDMIS Sample Number	E	Sample Date	Analysis Date	v	Value Units	8
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5 ETC6H5	BD430105 BX430105	A X X	23-SEP-1992 23-SEP-1992 17-SEP-1992	02-0CT-1992 02-0CT-1992 27-SEP-1992		0.002 UGG 0.002 UGG 0.002 UGG	000
	[#]	ETC6H5	BX43H109	AJU	16-SEP-1992	24-SEP-1992			0.
IN SOIL BY	LM19	ETC6H5	00120200	A.N	21-AUG-1992	01-SEP-1992	v		o.
IN SOIL BY	LM19	ETC6H5	DX120200	Z S	21-AUG-1992	01-SEP-1992	· ·		120.0
IN SOIL BY	LM19	ETC6H5	DX 140200	8 8	28-AUG-1992	07-SEP-1992	, ,		120.0
			100		1000	į	,	-	c
VOC'S IN SOIL BY GC/MS	LM19	MECONS	80430105	X	22-SEP-1992	02-001-1992 02-001-1992	, .	0.001.000	
N SOIL BY	19	MELOHO	BX430103	{ ≥ •	17-SFP-1992	SEP-	· •	_	
	E I	MFCAHN	RX43H109	A.S	16-SEP-1992	SEP-	•	_	٥.
	M19	MEC6H5	00120200	AS	21-AUG-1992	SEP-	v	_	o.
IN SOIL BY	LM19	MEC6H5	DX120200	A_N	21-AUG-1992	SEP-	•		0.6
IN SOIL BY	LM19	MEC6H5	DD 140200	ΑJQ	28-AUG-1992	띪	v		120.0
SOIL BY	LM19	MEC6H5	DX140200	AJO	28-AUG-1992	SEP-	v	_	120.0
200	0140	MEY	RN430105	A.IX	23-SFP-1992	02-0CT-1	•	_	0.
	E 3	7 Z	8x430105	A.X	23-SEP-1992	02-0CI-1	v	_	٥.
	E S	¥	BX43H109	Ş	17-SEP-1992	27-SEP-1	•	_	o.
	LM19	풎	BX43H109	AJU	16-SEP-1992	24-SEP-1	•	_	o. (
IN SOIL BY	LM19	MEK	DD120200	AJN	21-AUG-1992	01-SEP-1	v ·	_	o.
IN SOIL BY	LM19	꽃	DX120200	AJN.	21-AUG-1992	01-SEP-1	,		5,5
VOC'S IN SOIL BY GC/MS	LM19	¥.	00140200	Q 9	28-AUG-1992	07-SEP-1992	v v	200 000	140.4
IN SOIL BY	LM19	¥EX	DX140200	2	20-AUG-1992	136 10	,		
TN COLL RY	H 10	MIBK	BD430105	AJX	23-SEP-1992	02-0CT-1	•	0.027 UGG	0.
	1M19	¥1BK	BX430105	A.JX	23-SEP-1992	02-0CT-1992	•		o.
18 S1 18 W	LM19	MIBK	BX43H109	٩	17-SEP-1992	27-SEP-1	v		٠.
	LM19	¥18K	BX43H109	A P	16-SEP-1992	24-SEP-1	v		
18 S	LM19	MIBK	DD120200	AUR	21-AUG-1992	01-SEP-1	v		0.
IN SOIL BY	LM19	MIBK	DX120200	AJN	21-AUG-1992	01-SEP-1	v		J. 1
IN SOIL BY	LM19	MIBK	00140200	AJO	28-AUG-1992	07-SEP-	,		
SOIL BY	LM19	MIBK	DX140200	AJO	28-AUG-1992	07-SEP-1	v		0.611
S IN SOLI BY	- MT0	MNBK	80430105	AJX	23-SEP-1992	02-0CT-1992	V	0.032 UGG	0.
VOC'S IN SOIL BY GC/MS	LM19	MBK	BX430105	AJX	23-SEP-1992		v	_	o,

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

RPD	144.8 144.8	0. 0. 0. 0. 0. 0. 7.701	0. 0. 0. 0. 0. 107.7	0. 0. 0. 133.3 133.3 0. 0. 0.
Value Units	0. 032 UGG 0. 032 UGG 0. 032 UGG 0. 032 UGG 0. 032 UGG 0. 030 UGG	0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG	0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG	0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG 0.010 UGG 0.001 UGG 0.001 UGG
•		· · · · · · · · ·	· · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Analysis Date	27-SEP-1992 24-SEP-1992 01-SEP-1992 01-SEP-1992 07-SEP-1992	02-0C1-1992 02-0C1-1992 27-SED-1992 24-SED-1992 01-SED-1992 07-SED-1992 07-SED-1992	02-0C1-1992 02-0C1-1992 27-SEP-1992 24-SEP-1992 01-SEP-1992 07-SEP-1992	02-0C1-1992 02-0C1-1992 27-SEP-1992 01-SEP-1992 01-SEP-1992 07-SEP-1992 07-SEP-1992 07-SEP-1992 27-SEP-1992 27-SEP-1992
Sample Date	17-SEP-1992 16-SEP-1992 21-AUG-1992 21-AUG-1992 28-AUG-1992	23-SEP-1992 23-SEP-1992 17-SEP-1992 16-SEP-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	23-SEP-1992 23-SEP-1992 17-SEP-1992 21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	23-SEP-1992 23-SEP-1992 17-SEP-1992 21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992 23-SEP-1992 17-SEP-1992 17-SEP-1992
Lot	AJU AJU AJU AJO	AZAZ AZA AZA AZA AZA AZA AZA AZA AZA AZ	AJA AJU AJU AJU AJU AJU	AJX AJU AJU AJU AJU AJU
IRDMIS Sample Number	8X43H109 8X43H109 DD120200 DX120200 DD140200 DX140200	8D430105 8X430105 8X430109 8X430109 8X120200 DX120200 DX140200 DX140200	BD430105 BX430105 BX431109 BX431109 DD120200 DX120200 DX140200	BD430105 BX430105 BX43H109 BX43H109 DD120200 DX140200 DX140200 DX140200 BX430105 BX43H109 BX43H109
Test Name	MARK MARK MARK MARK MARK MARK	STYR STYR STYR STYR STYR STYR STYR	11300 11300 11300 11300 11300 11300	1015A 1015A 1015A 1015A 1015A 1015A 1016E 1016E
USATHAMA Method Code	LM19 LM19 LM19 LM19	EM 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		MAN 199 199 199 199 199 199 199 199 199 19
Method Description	VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

4ethod Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	ro t	Sample Date	Analysis Date	•	Value Units	RPO
GC/MS GC/MS GC/MS	LM19 LM19 LM19	. TCLEE TCLEE TCLEE TCLEE	DD 120200 DX 120200 DD 140200 DX 140200	AJN AJN AJO	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	01-SEP-1992 01-SEP-1992 07-SEP-1992 07-SEP-1992		0.001 UGG 0.001 UGG 0.001 UGG 0.004 UGG	.0 120.0 120.0
GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	LM19 LM19 LM19 LM19 LM19	TRCLE TRCLE TRCLE TRCLE TRCLE TRCLE	8D430105 8X430105 8X43H109 8X43H109 DX120200 DX120200 DX140200	AJA AJU AJU AJU AJU AJU AJU	23-SEP-1992 23-SEP-1992 17-SEP-1992 16-SEP-1992 21-AuG-1992 28-AuG-1992 28-AuG-1992	02-0C1-1992 02-0C1-1992 27-SEP-1992 01-SEP-1992 01-SEP-1992 07-SEP-1992 07-SEP-1992	· · · · · · · · · · · · · · · · · · ·	0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG 0.003 UGG	.0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0
GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	LM19 LM19 LM19 LM19 LM19 LM19	XYLEN XYLEN XYLEN XYLEN XYLEN XYLEN XYLEN XYLEN XYLEN	BD430105 BX430105 BX43H109 BX43H109 DD120200 DX120200 DX140200	AJX AJV AJU AJU AJQ	23 - SEP - 1992 23 - SEP - 1992 17 - SEP - 1992 16 - SEP - 1992 21 - AUG - 1992 28 - AUG - 1992 28 - AUG - 1992	02-0C1-1992 02-0C1-1992 27-SEP-1992 24-SEP-1992 01-SEP-1992 07-SEP-1992 07-SEP-1992	v v v v v v	0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG 0.002 UGG 0.023 UGG	0.0000008888
#PLC #PLC #PLC	LW12 LW12 LW12	1351NB 1351NB 1351NB 1351NB	DD120200 DX120200 DD140200 DX140200	ARK ARK ARL ARL	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	04-SEP-1992 04-SEP-1992 11-SEP-1992 11-SEP-1992	~ ~ ~ ~	0.488 UGG 0.488 UGG 0.488 UGG 0.488 UGG	o'o'o'o
BY HPLC BY HPLC BY HPLC BY HPLC	LV12 LV12 LV12 LV12	130NB 130NB 130NB 130NB	DD 120200 DX 120200 DD 140200 DX 140200	ARK ARK ARL ARL	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	04-SEP-1992 04-SEP-1992 11-SEP-1992 11-SEP-1992	~ ~ ~ ~	0.496 UGG 0.496 UGG 0.496 UGG 0.496 UGG	oooo
BY HPLC BY HPLC BY HPLC BY HPLC	LW12 LW12 LW12 LW12	246TNT 246TNT 246TNT 246TNT	DD120200 DX120200 DD140200 DX140200	ARK ARK ARL	21-AUG-1992 21-AUG-1992 28-AUG-1992 28-AUG-1992	04-SEP-1992 04-SEP-1992 11-SEP-1992 11-SEP-1992	.	0.456 UGG 0.456 UGG 0.456 UGG 0.456 UGG	öööö

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Sample Duplicate Quality Control Report Installation: Fort Devens, MA (DV) Group: 2 and 7

/alue Units RPD	0.731 UGG .0	0.243 UGL .0 0.243 UGL .0 1.750 UGL 6.6 1.170 UGL 6.6 0.243 UGL .0 0.243 UGL .0	0. 100 086.9 0. 100 086.9 0. 100 086.9 0. 100 086.9 0. 100 086.9 0. 100 086.9	16.900 UG 18.3
v		605 605	***	
Analysis Date	92 11-SEP-1992 92 11-SEP-1992	992 08-0C1-1 1992 08-0C1-1 1992 09-SEP-1 1992 29-AUG-1 1992 29-AUG-1 1992 29-AUG-1	1992 30-001-1992 1992 30-001-1992 1992 22-5EP-1992 1992 14-001-1992 1992 14-001-1992 1992 14-001-1992	
Sample Date	28-AUG-1992 28-AUG-1992	22-SEP-19 21-SEP-19 27-AuG-19 27-AuG-19 25-AuG-19 18-AuG-19 18-AuG-19	22 - SEP - 19 21 - SEP - 19 27 - AUG - 19 25 - AUG - 19 25 - AUG - 19 18 - AUG - 19 18 - AUG - 19	;
	200 ARL 200 ARL	2X1 APH 2X1 APH 2XX API 2XX API 2XX APF 3XX APF 3XX APF	ZX1 ZKU ZXX ZKS ZXX ZKS ZXX ZKP ZXX ZKP ZXX ZKP ZXX ZKP	
- W Z	2YL DD140200	MD 2702X1 MX 2702X1 WD 1302XX WX 1302XX WG 102XX WG 102XX WG 203XX WG 203XX	MD2702X1 MX2702X1 WD1302XX WX1302XX WX1102XX WX4102XX WX4203XX	
HAMA	LV12 TETRYL LV12 TETRYL	S801 HG S801 HG S801 HG S801 HG S801 HG S801 HG	11 600s 11 600s 11 600s 11 600s 11 600s 11 600s	
Method Description	EXPL.S IN SOIL BY HPLC EXPL.S IN SOIL BY HPLC	HG IN WATER BY CVAA HG IN WATER BY CVAA	TL IN WATER BY GFAA IL IN WATER BY GFAA	

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

860		13.6 40.8 40.8 47.1 47.1	00000000	00000000	16.0 16.0 22.4
Value Units	3.020 UGL 3.020 UGL 3.020 UGL 3.020 UGL	40.400 UGL 46.300 UGL 3.840 UGL 2.540 UGL 6.720 UGL 2.540 UGL 2.540 UGL	3.030 UGL 3.030 UGL 3.030 UGL 3.030 UGL 3.030 UGL 3.030 UGL 3.030 UGL 3.030 UGL	4.600 UGL 4.600 UGL 4.600 UGL 4.600 UGL 4.600 UGL 4.600 UGL 4.600 UGL	13200.000 UGL 15500.000 UGL 5060.000 UGL
v		. v v v	* * * * * * * *	· · · · · · · · · · · ·	
Analysis Date	14-0C1-1992 14-0C1-1992 14-0C1-1992 14-0C1-1992	23-0C1-1992 23-0C1-1992 21-SEP-1992 21-SEP-1992 14-0C1-1992 14-0C1-1992 14-0C1-1992	27-001-1992 26-001-1992 22-001-1992 22-001-1992 22-001-1992 22-001-1992 22-001-1992	07-0C1-1992 07-0C1-1992 10-SEP-1992 10-SEP-1992 02-SEP-1992 02-SEP-1992 02-SEP-1992	07-0C1-1992 07-0C1-1992 10-SEP-1992
Sample Date	25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22- SEP - 1992 21- SEP - 1992 27- Aug- 1992 27- Aug- 1992 25- Aug- 1992 18- Aug- 1992 18- Aug- 1992	22- SEP - 1992 21- SEP - 1992 27- AUG- 1992 25- AUG- 1992 25- AUG- 1992 18- AUG- 1992 18- AUG- 1992	22 - SEP - 1992 21 - SEP - 1992 27 - AUG - 1992 25 - AUG - 1992 25 - AUG - 1992 18 - AUG - 1992 18 - AUG - 1992	22-SEP-1992 21-SEP-1992 27-AUG-1992
·	X6X 26X 26X	AAH AAH AAH AAH AAH	222222	022 022 023 023 023 023 023	822 M22
IRDMIS Sample Number	ND4 102XX NX4 102XX ND4203XX NX4203XX	MD2702X1 MX2702X1 M2702X1 MX1302XX MD4102XX MX4102XX MX203XX	MD2702X1 MX2702X1 MD1302XX WX1302XX MD4102XX MD4102XX MD4203XX	MD2702X1 MX2702X1 MD1302XX UX1302XX UX102XX UX4102XX UX4203XX	MD2702X1 MX2702X1 MD1302XX
A Test Name			*****	A A A G G G G A G G A G G G G G G G G G	AL AL
USATHAMA Method Code	\$021 \$021 \$021 \$021	2222222 88222222 882222222	\$28 \$028 \$028 \$028 \$028 \$028	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10
Method Description	SE IN WATER BY GFAA SE IN WATER BY GFAA SE IN WATER BY GFAA SE IN WATER BY GFAA	AS IN WATER BY GFAA AS IN WATER BY GFAA	SB IN WATER BY GFAA SB IN WATER BY GFAA	METALS IN WATER BY ICAP	METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

RPO	22.4 127.0 127.0 17.2	21.4 21.4 8.5 72.2 72.2 72.2 65.0	0.0000000	23.1.0 23.1.0 9.9 9.9	ooooo
Value Units	4040.000 UGL 1120.000 UGL 250.000 UGL 253.000 UGL 213.000 UGL	68.300 UGL 84.700 UGL 28.300 UGL 26.000 UGL 16.300 UGL 7.650 UGL 7.720 UGL	5.000 UGL 5.000 UGL 5.000 UGL 5.000 UGL 5.000 UGL 5.000 UGL 5.000 UGL	6500.000 UGL 6770.000 UGL 47200.000 UGL 4450.000 UGL 3530.000 UGL 1270.000 UGL 1150.000 UGL	4.010 UGL 4.010 UGL 4.010 UGL 4.010 UGL 4.010 UGL
•	; ;		v v v v v v v v		* * * * *
Analysis Date	10-SEP-1992 02-SEP-1992 02-SEP-1992 02-SEP-1992 02-SEP-1992	07-0CT-1992 07-0CT-1992 10-SEP-1992 02-SEP-1992 02-SEP-1992 02-SEP-1992 02-SEP-1992	07-0C1-1992 07-0C1-1992 10-SEP-1992 10-SEP-1992 02-SEP-1992 02-SEP-1992 02-SEP-1992	07-0C1-1992 07-0C1-1992 10-SEP-1992 10-SEP-1992 02-SEP-1992 02-SEP-1992 02-SEP-1992	07-0CT-1992 07-0CT-1992 10-SEP-1992 10-SEP-1992 02-SEP-1992
Sample Date	27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22-SEP-1992 21-SEP-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22 - SEP - 1992 21 - SEP - 1992 27 - AUG - 1992 27 - AUG - 1992 25 - AUG - 1992 18 - AUG - 1992 18 - AUG - 1992	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992
Lot	222 220 220 220 220 220	022 022 023 023 023 023 023 023	022 022 023 023 023 023 023 023 023 023	022 022 022 022 022 022 022 022 022	022 822 822 822 822
IRDMIS Sample Number	HX 1302XX WD 4102XX WX 4102XX WD 4203XX WX 4203XX	MD2702X1 HX2702X1 HX1302XX HX1302XX HX6102XX HX6102XX HX64203XX	MD2702X1 MX2702X1 UD1302XX UX1302XX UD4102XX UX4102XX UX4203XX	MD2702X1 MD1302XX WX1302XX WX1302XX WX102XX WX4102XX WX203XX	MD2702X1 MX2702X1 MD1302XX UX1302XX UD4102XX
A Test Name	 	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 		555555555	88888
USATHAMA Method Code	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10
Method Description	S IN WATER BY ICAP	IN WATER BY	LS IN WATER BY ICAP	LS IN WATER BY ICAP	ILS IN WATER BY ICAP ILS IN WATER BY ICAP ILS IN WATER BY ICAP ILS IN WATER BY ICAP ILS IN WATER BY ICAP
Metho	METALS METALS METALS METALS METALS	METALS METALS METALS METALS METALS METALS METALS	METALS METALS METALS METALS METALS METALS	METALS METALS METALS METALS METALS METALS METALS	METALS METALS METALS METALS METALS

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

RPO	0.0.0	00000000	%% % % % % % % % % % % % % % % % % % %	2222 000000000	17.1 17.1 1.1 67.0 67.0
Value Units	4.010 UGL 4.010 UGL 4.010 UGL	25.000 25.0000 25.000 25.000 25.000 25.000 25.000 25.000 25.000 25.000 25.0000 25.000 25.000 25.000 25.000 25.000 25.000 25.000 25.000 25.0000 25.000 25.000 25.000 25.000 25.000 25.000 25.000 25.000 25.0000 25.00	21.700 UGL 27.300 UGL 6.020 UGL 6.020 UGL 6.020 UGL 6.020 UGL 6.020 UGL	29.800 UG. 36.800 UG. 8.090 UG. 15.700 UG. 8.090 UG. 8.090 UG. 8.090 UG.	20800,000 UGL 24700,000 UGL 3530,000 UGL 3577,000 UGL 3030,000 UGL 1510,000 UGL 767,000 UGL
v :	~~~	****	· · · · ·	• • • •	
Analysis Date	02-SEP-1992 02-SEP-1992 02-SEP-1992	07-0ct-1992 07-0ct-1992 10-SEP-1992 10-SEP-1992 02-SEP-1992 02-SEP-1992 02-SEP-1992	07-0C1-1992 07-0C1-1992 10-SEP-1992 10-SEP-1992 02-SEP-1992 02-SEP-1992 02-SEP-1992	07-0C1-1992 07-0C1-1992 10-SEP-1992 02-SEP-1992 02-SEP-1992 02-SEP-1992 02-SEP-1992	07-0C1-1992 07-0C1-1992 10-SEP-1992 10-SEP-1992 02-SEP-1992 02-SEP-1992
Sample Date	25-AUG-1992 18-AUG-1992 18-AUG-1992	22 - SEP - 1992 21 - SEP - 1992 27 - AUG - 1992 27 - AUG - 1992 25 - AUG - 1992 18 - AUG - 1992 18 - AUG - 1992	22- SEP - 1992 21- SEP - 1992 27- AUG - 1992 27- AUG - 1992 25- AUG - 1992 18- AUG - 1992 18- AUG - 1992	22 - SEP - 1992 21 - SEP - 1992 27 - AuG - 1992 27 - AuG - 1992 25 - AuG - 1992 18 - AuG - 1992 18 - AuG - 1992	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992
Lot	022 022	022 022 022 023 023 023 023	MZZ 222 022 022 023 023 023	720 720 720 720 720 720 720 720 720 720	022 022 022 023 023 023 023
IRDMIS Sample Number	WX4102XX WD4203XX WX4203XX	HD2702X1 HX2702X1 LD 1302XX UD4102XX UX4102XX UX4203XX UA4203XX	MD2702X1 MX2702X1 WD302XX WX1302XX WX102XX WX4102XX WX4102XX	MD2702X1 MX2702X1 WD1302XX WX1302XX UD4102XX UX4102XX WX4203XX	MD2702X1 MZ2702X1 MD1302XX MX1302XX MX102XX WX4102XX WX4102XX
A Test Name	888	8888888	*****	8888888	
USATHAMA Method Code	\$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10
cription	WATER BY ICAP WATER BY ICAP WATER BY ICAP	WATER BY ICAP	WATER BY ICAP	WATER BY ICAP WATER BY ICAP WATER BY ICAP WATER BY ICAP WATER BY ICAP WATER BY ICAP	WATER BY ICAP
Method Description	METALS IN METALS IN METALS IN	METALS IN METALS IN METALS IN METALS IN METALS IN METALS IN METALS IN	METALS IN METALS IN METALS IN METALS IN METALS IN METALS IN	METALS IN METALS IN METALS IN METALS IN METALS IN METALS IN	METALS IN METALS IN METALS IN METALS IN METALS IN METALS IN

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	v	Value Units	RPO
METALS IN WATER BY ICAP	ssto	FE	WX4203XX	220	18-AUG-1992	02-SEP-1992	! ! !	673.000 UGL	13.1
IN WATER BY I	SS10	₩:	MD2702X1	MZZ	22-SEP-1992	07-0CT-1992	חנק	3440.000 UGL	0,0
IN WATER BY I	SS10	∠	MX2/02X1	M77	27-AIIG-1992	10-SEP-1992	, ~,		8.1
IN WATER OF I	2210	۷ کی	LX 1302XX	222	27-AUG-1992	10-SEP-1992			8.1
IN WATER BY	ss10	: ¥	MD4102XX	220	25-AUG-1992	02-SEP-1992	•		88 7. 1
IN WATER BY I	SS10	⊻ ∶	LX4 102XX	022	25-AUG-1992	02-SEP-1992	•		8 4 U n
METALS IN WATER BY ICAP METALS IN WATER BY ICAP	ss10 ss10	~~	W04203XX	022	18-AUG-1992	02-SEP-1992	•••		6.5
V0 037411 111	6610	2	MD 2702X1	770	22-SEP-1992	07-0CT-1992		90	14.2
IN WAICH DI	5510	2 5	MX2702X1	MZZ	21-SEP-1992	07-oct-1992	•	8	14.2
IN WATER BY	5510		WD1302XX	572	27-AUG-1992	10-SEP-1992	<u>, ~</u> ,	88	7.6
IN WATER BY	5510	MG MG	WX1302XX	SZ2	27-AUG-1992	10-SEP-1992	_	4000.000 UGL	<u>- 2</u>
IN WATER BY	ss10	W.	MD4102XX	077	25-AUG-1992	02-SEP-1992		38	
IN WATER BY	ss10	<u> </u>	XX20L7XH	925	40-A11C-1002	02-SEP-1772	•	38	
METALS IN WATER BY ICAP	SS10	£ 5	W04205XX	220	18-AUG-1992	02-SEP-1992	, v		
IN WATER BY	22.00	5	WATE COAN	3					
WATER BY I		¥	MD2702X1	MZZ	22-SEP-1992	07-0CT-1992		591.000 UGL	18.6
IN WATER BY I		₹	MX2702X1	MZZ	SEP-	10 - UCI - 1992			
IN WATER BY I		¥	XX20210M	87	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	10-SEP-1992		35	
IN WATER BY		ž	WX 1502XX	277	200	02-SFP-1992		88	9.79
IN WATER BY			LX4102XX	220	,- gg-	02-SEP-1992		8	9.49
IN LATER BY	SS 10	Ŧ	W D4203XX	220	,-90¥	02-SEP-1992		25	۰. ۱.
WATER		₹	WX4203XX	720	-	02-SEP-1992		200	:·
IN VATER		XX	MD2702X1	MZZ	22-SEP-1992	07-0CT-1992		3030.000 UGL	0.5
IN WATER BY 1		NA	MX2702X1	MZZ	21-SEP-1992		•	38	- c
IN WATER BY I		¥	401302XX	S22	27-AUG-1992		•	38	
IN WATER BY I		X X	WX1302XX	SZZ	27-AUG-1992		•	38	, v
IN WATER BY I		4 2	XX20190M	077	25-AUG-1992			88	6.5
IN WATER BY		ž:	WX4 102XX	077	18-AUG-1992			8	7.
METALS IN WATER BY ICAP	5510	ď S	W4203XX	220	18-AUG-1992			825.000 UGL	7.
IN WATER BY		ĭ	MATEULIN	ì	1				

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

1992 41,400 UGL 8.1 1992 44,300 UGL 8.1 1992 44,300 UGL 0.1 1992 54,300 UGL 0.0 1992 54,300 UGL 0.0 1992 54,300 UGL 0.0 1992 54,300 UGL 0.0	992 < 34.300 UGL 992 21.700 UGL 992 11.000 UGL 992 11.000 UGL 1992 11.000 UGL 1992 11.000 UGL 1992 11.000 UGL 1992 11.000 UGL	992 < 34.300 UGL 992 21.700 UGL 992 21.700 UGL 992 11.000 UGL 992 11.000 UGL 192 11.000 UGL 1932 11.000 UGL 1992 21.100 UGL
Analysis Date 2 07-001-1992 2 07-001-1992 2 10-SEP-1992 2 02-SEP-1992 2 02-SEP-1992 2 02-SEP-1992 2 02-SEP-1992 2 02-SEP-1992		
Sample Date 22-SEP-1992 21-SEP-1992 27-AuG-1992 25-AuG-1992 18-AuG-1992 18-AuG-1992	22- SEP - 1992 21- SEP - 1992 27- Aug - 1992 25- Aug - 1992 25- Aug - 1992 18- Aug - 1992 18- Aug - 1992	SEP- ANG- ANG- ANG- ANG- ANG- ANG- ANG- ANG
Lot 22N 22N 22N 22N 22N 22N 22N 22N 22N 22	022 022 022 022 022 022 022 022	
Semple Numer Numer HD2702X1 HD3702X1 HD4302XX HA4102XX HD4102XX HD4203XX HA4203XX	M2702X1 MX2702X1 ND 1302XX ND 1302XX ND 102XX NM 102XX NM 402XXX NM 4203XX	MD 2702X1 MX 2702X1 MD 1302XX MX 1302XX MX 1302XX MX 2702X1 MX 2702X1 MX 1302XX MX 1302XX MX 1402XX MX 1402XX MX 1302XX
Test Name Name Name Name Name Name Name Name	>>>>>>	**************************************
Method Method Code Code SS10 SS10 SS10 SS10 SS10 SS10 SS10 SS1	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	SS10 SS10 SS10 SS10 SS10 SS10 SS10 SS10
Method Description METALS IN WATER BY ICAP	ALS IN WATER BY I ALS IN WATER BY I	ZZZZZZZ ZZZZZZZZ

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	•	Value Units	RP0
NZKJEL IN WATER	1F26	NZKJEL	LD 1302XX	SKO	27-AUG-1992 27-AUG-1992	15-SEP-1992 15-SEP-1992) 	4380,000 UGL 3240,000 UGL	29.9
2	1F26	NZKJEL	W04102XX	SKO SK	25-AUG-1992	15-SEP-1992			5.4
Ξ	1F26	NZKJEL	WX4102XX	SKP	25-AUG-1992	10-SEP-1992			4.5
Z	1F26	NZKJEL	MD4203XX	SKP		10-SEP-1992			21.4
2	1F26	NZKJEL	UX4203XX	æ	18-AUG-1992	10-SEP-1992			51.4
•									!
P04 18	TF27	P04	JD 1302XX	ZCF		SEP-		8	15.7
№	TF27	70	HX 1302XX	ZCF		SEP-		88	5.5
<u>×</u>	1F27	7 04	MD4.102XX	ZCE		SEP-		38	2.0
<u>₹</u>	TF2/	20.	XXZOL XX	2		֓֞֝֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֡֓֓֡֓֡֓֡		38	2,70
TOT POS IN WATER	1F2/ 1F27	\$ \$	W4203XX	3 55	18-AUG-1992 18-AUG-1992	03-SEP-1992		228.000 UGL	24.6
	į :								
2	1110	ಕ	MD2702X1	AKL	22-SEP-1992	13-0CT-1992	v	8	0.
SO4 IN WATER	1110	ರ	MX2702X1	Æ	21-SEP-1992	06-0CT-1992	~	2120.000 UGL	o.
=	1110	ರ	WD 1302XX	Æ	27-AUG-1992	16-SEP-1992		8	o.
Z	1110	ಕ	WX 1302XX	AKG	27-AUG-1992	09-SEP-1992		88	
Ξ	1110	ರ	WD4102XX	¥	25-AUG-1992	16-SEP-1992	v	88	o.
Ξ	1110	ರ	WX4102XX	AKG	25-AUG-1992	09-SEP-1992	v ·	88	
=	TT 10	ರ	MD4203XX	¥	18-AUG-1992	03-SEP-1992	v	3	
Ξ	1110	ರ	WX4203XX	AKF	18-AUG-1992	03-SEP-1992	v	9	o.
SOC IN UATER	1110	\$0¢	MD2702X1	AKL	22-SEP-1992	13-0CT-1992	v	_	٥.
2	1110	204	MX2702X1	Æ	21-SEP-1992	06-0CT-1992	~	8	o.
2	1110	204	JD 1302XX	¥	27-AUG-1992	16-SEP-1992		_ 8	o:
	1110	20 4	WX1302XX	AKG	27-AUG-1992	09-SEP-1992		63700.000 UGL	٥.
2	1110	20 4	WD4102XX	AKH	25-AUG-1992	16-SEP-1992	v	8	
Z	1110	20 4	WX4102XX	AKG	25-AUG-1992	09-SEP-1992	~	8	o, c
2	1110	20 4	MD4203XX	AKF	18-AUG-1992	03-SEP-1992	v	8	<u>.</u>
SO4 IN WATER	1110	30 ¢	WX4203XX	AKF	18-AUG-1992	03-SEP-1992	v	9	.
IN UATER BY	UM 18	124TCB	MD2702X1	AVH	22-SEP-1992	05-0CT-1992	v	_	0.
BNA'S IN WATER BY GC/MS	W18	124TCB	MX2702X1	¥.	21-SEP-1992 27-A116-1002	05-0CT-1992	٧ ٧	1.800 UGL	o c
IN WATER BY	EM18	124108	MU I DUCAA	PA C	21-AUG- 1776	10-3EF- 1776	,	_	? .

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

RPO	00000	öööööööö	00000000	00000000	00000
Value Units	1.800 UGL 1.800 UGL 1.800 UGL 1.800 UGL 1.800 UGL	1.700 UG. 1.700 UG. 1.700 UG. 1.700 UG. 1.700 UG. 1.700 UG. 1.700 UG.	2.000 ust 2.000 ust 2.000 ust 2.000 ust 2.000 ust 2.000 ust 2.000 ust 2.000 ust 2.000 ust 2.000 ust	1.700 us. 1.700 us. 1.700 us. 1.700 us. 1.700 us. 1.700 us. 1.700 us.	1.700 UG. 1.700 UG. 1.700 UG. 1.700 UG. 1.700 UG.
v :	·	****		••••	v v v v
Analysis Date	16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992 31-AUG-1992	05-0C1-1992 05-0C1-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	05-0C1-1992 05-0C1-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992
Sample Date	27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22 - SEP - 1992 21 - SEP - 1992 27 - AUG - 1992 27 - AUG - 1992 25 - AUG - 1992 25 - AUG - 1992 18 - AUG - 1992 18 - AUG - 1992	22 - SEP - 1992 21 - SEP - 1992 27 - AUG - 1992 27 - AUG - 1992 25 - AUG - 1992 18 - AUG - 1992 18 - AUG - 1992	22- SEP - 1992 21- SEP - 1992 27- AUG- 1992 25- AUG- 1992 25- AUG- 1992 18- AUG- 1992 18- AUG- 1992	22- SEP-1992 21- SEP-1992 27- AUG-1992 27- AUG-1992 25: AUG-1992
Lot	AVD AVD ZRX	AVH AVD AVD ZRX ZRX	AVH AVD AVD ZRX ZRX ZRX	AVH AVD AVH AVD	A A S A A A A A A A A A A A A A A A A A
IRDMIS Sample Number	WX1302XX WX102XX WX102XX WX102XX WX1203XX	HD2702X1 MD1302XX MD1302XX MD4102XX MX4102XX MX4102XX MX4203XX	MD2702X1 MX2702X1 MD1302XX MX1302XX MD4102XX MX4102XX MX4203XX	MD2702X1 MX2702X1 MD1302XX MX1302XX MD4102XX MX4102XX MX4203XX	MD2702X1 MX2702X1 WD1302XX WX1302XX WX1302XX
1 Test Name	124708 124708 124708 124708 124708	120 CB 120 CB 120 CB 120 CB 120 CB 120 CB	120PH 120PH 120PH 120PH 120PH 120PH	130CLB 130CLB 130CLB 130CLB 130CLB 130CLB 130CLB	140CLB 140CLB 140CLB 140CLB 140CLB
USATHAMA Method Code	81MU 81MU 81MU 81MU	######## ######### ###################	81 M M M M M M M M M M M M M M M M M M M	22222222 222222222 2222222222	81MU 81MU 81MU 81MU
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devers, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	v	Value Units	8
BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	ds UM18 ds UM18 ds UM18	140CLB 140CLB 140CLB	WK4102XX WD4203XX WK4203XX	AVC ZRX ZRX	25-AUG-1992 18-AUG-1992 18-AUG-1992	08-SEP-1992 31-AUG-1992 31-AUG-1992		1.700 UGL 1.700 UGL 1.700 UGL	000
IN WATER BY	S S S S S S S S S S S S S S S S S S S	24510P 24510P 24510P 24510P 24510P 24510P 24510P	MD 2702X1 MX 2702X1 MD 1302XX MD 1302XX MD 4102XX MX 4102XX MX 4102XX MX 203XX	AVH AVD AVD AVC ZRX	22- SEP - 1992 21- SEP - 1992 27- AUG - 1992 25- AUG - 1992 25- AUG - 1992 18- AUG - 1992 18- AUG - 1992	05-0C1-1992 05-0C1-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 18-SEP-1992 31-AIR-1992	· · · · · · · · · · · · · · · · · · ·	5.200 us. 5.200 us. 5.200 us. 5.200 us. 5.200 us. 5.200 us.	00000000
IN WATER BY		24610P 24610P 24610P 24610P 24610P 24610P 24610P 24610P	MD2702X1 MD2702X1 MD2702X1 WX 1302XX WX 4 102XX WX 4 102XX WX 4 203XX	AVH AVD AVH AVD	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	05-0C1-1992 16-5C1-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992	· · · · · · · · · · · ·		00000000
BNA'S IN WATER BY GC/ BNA'S IN WATER BY GC/	GC/MS UM18 GC/MS UM18 GC/MS UM18 GC/MS UM18 GC/MS UM18 GC/MS UM18 GC/MS UM18	240CLP 240CLP 240CLP 240CLP 240CLP 240CLP 240CLP 240CLP	MD2702X1 MX2702X1 WD1302XX WX1302XX MD4102XX WX4102XX WX4203XX	AVH AVD AVD AVD ZRX	22- SEP - 1992 21- SEP - 1992 27- AUG - 1992 25- AUG - 1992 25- AUG - 1992 25- AUG - 1992 18- AUG - 1992 18- AUG - 1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992	· · · · · · · · · · · · · · · · · · ·	2.900 UGL 2.900 UGL 2.900 UGL 2.900 UGL 2.900 UGL 2.900 UGL 2.900 UGL 2.900 UGL	ooooooo
BNA'S IN WATER BY GC, BNA'S IN WATER BY GC,	GC/NS UM18 GC/NS UM18 GC/NS UM18 GC/NS UM18 GC/NS UM18 GC/NS UM18	240MPN 240MPN 240MPN 240MPN 240MPN 240MPN	MD2702X1 MX2702X1 UD1302XX UX1302XX UX4102XX UX4102XX UX4102XX	AVB AVD AVD AVC ZRX	22- SEP - 1992 21- SEP - 1992 27- AUG - 1992 27- AUG - 1992 25- AUG - 1992 25- AUG - 1992 18- AUG - 1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	· · · · · ·	5.800 UGL 5.800 UGL 5.800 UGL 5.800 UGL 5.800 UGL 5.800 UGL	o o o o o o o o

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

RPD	0.	0.00	. o	o o	o o	0.	o c	90	•	o, c	90	o.	o.	, c	. 0.	0.	o o	•	•	•	9	0.	0.	o c	?
Value Units	5.800 UGL	21.000 UGL 21.000 UGL									4.500 UGL	8	2	28	2	8	0.790 UGL 0.790 UGL							0.990 UGL	
•		v v	v v	v v	v v	٧	٧ ،	· •	v	۷ ۱	v v	v	v	٧ ٧	· •	•	v v	,	/ \	/ v	V	•	v	٧ ،	•
Analysis Date	31-AUG-1992	05-0CT-1992 05-0CT-1992	16-SEP-1992 16-SEP-1992	16-SEP-1992 08-SFP-1992	31-AUG-1992 31-AUG-1992						31-AUG-1992	- 102-0CI		16-SEP-	16-SEP-	08-SEP-	31-AUG-1992 31-AUG-1992								SI-AUG-1
Sample Date	18-AUG-1992	22-SEP-1992 21-SEP-1992	27-AUG-1992 27-AUG-1992	25-AUG-1992 25-AHG-1992	18-AUG-1992 18-AUG-1992	22-SEP-1992	21-SEP-1992	27-AUG-1992	25-AUG-1992	25-AUG-1992	18-AUG-1992	22-SEP-1992	21-SEP-1992	27-AUG-1992 27-AUG-1992	25-AUG-1992	25-AUG-1992	18-AUG-1992 18-AUG-1992		24 5EP - 1992	27-AIIG-1992	27-AIIG-1992	25-AUG-1992	25-AUG-1992	18-AUG-1992	18-AUG- 1992
Lot	ZRX	¥¥ ¥¥	88	A A	X X	AVH	A S	8	8 S	A S	X X	AVH	AVH	§ §	8	AVC	ZRX ZRX		_				_	Z	XX7
IRDMIS Sample Number	WX4203XX	MD2702X1 MX2702X1	UD 1302XX UX 1302XX	MD4102XX	MD4203XX	MD2702X1	MX2702X1	W 1302XX	WD4102XX	WX4102XX	WX4203XX	MD2702X1	MX2702X1	101302XX	UD4102XX	WX4102XX	LX4203XX		MD2/UCX	MX2/02X1	LX 1302XX	404102XX	WX4102XX	WD4203XX	WX4ZUSXX
A Test Name	24DMPN	24DNP 24DNP	24DNP 24DNP	24DNP	24DNP 24DNP	Z4DNT	24DNT	240N1	24DNT	24DNT	Z4DNT Z4DNT	26DNT	Z6DNT	26DNT	26DNT	26DNT	26DNT		ZCL P	2CLP	251.0	201 P	SCLP	SCLP	SCLP
USATHAMA Method Code	UM18	0M18 UM18	UM 18	UM18	2 E E	UM18	UM18	2 E E	UM18	SE 13	E 8180	SE 18	UM18	E :	E E	UM 18	E E	2 !	81 E	25	5 2	18 E	L₩18	CM18	UM18
Method Description	BNA'S IN WATER BY GC/MS	IN WATER BY IN WATER BY	IN MATER BY	IN WATER BY	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	IN MATER	IN WATER BY	IN MATER BY	IN WATER BY	IN WATER	WATER BY	IN UATER	IN WATER BY	IN WATER BY	IN WATER	IN WATER BY	WATER BY	IN WAIEN DE	IN WATER BY	IN WATER BY	IN WAIEK BY	IN UATED BY	BNA'S IN WATER BY GC/MS	WATER BY	BNA'S IN WATER BY GC/MS

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	V	Value Units	RP0
IN WATER BY	!	SCNAP	MD2702X1	A.	22-SEP-1992	05-0CT-1992	•	0.500 UGL	0.0
IN WATER BY	UM18	2CNAP	MX2702X1	AVH	21-SEP-1992	05-0CT-1992	•		
IN WATER BY	-	2CNAP	WD 1302XX	Ş	27-AUG-1992	16-SEP-1992	•		
IN WATER BY		2CNAP	WX1302XX	Ş	27-AUG-1992	16-SEP-1992	,		•
IN WATER BY		2CNAP	MD4102XX	ş	25-AUG-1992	16-SEP-1992	~		
IN WATER		2CNAP	WX4102XX	AVC	25-AUG-1992	08-SEP-1992	•		- (
IN WATER BY		2CNAP	MD4203XX	ZKX	18-AUG-1992	31-AUG-1992	v		
BNA'S IN WATER BY GC/MS		SCNAP	WX4203XX	ZRX	18-AUG-1992	31-AUG-1992	v		•
V0 02740	Ī	SWILLE	MD27D2X1	AVH	22-SFP-1992	05-0CT-1992	•		٥.
IN WATER DI		Sund	MY2702Y1	AVE	21-SEP-1992	05-nrt-1992	•		0.
IN WAIEK BY	-	SMIAD	IN 1202XY	8	27-Alig-1902	16-SEP-1992			0
IN WAIER BY		CHINA	1202AX	8	27-Alig-1992	16-SFP-1992	•		0.
IN WATER		2MNAD	LD & 102 XX	8	25-Aug-1992	16-SEP-1992	v		0.
IN WATER DY		2MNAP	LX4102XX	A	25-AUG-1992	08-SEP-1992	•		۰.
IN WATER DI		ZWNAP	LD4203XX	ZRX	18-AUG-1992	31-AUG-1992	•	1.700 UGL	۰.
BNA'S IN WATER BY GC/MS	S UM 18	ZMNAP	WX4203XX	ZRX	18-AUG-1992	31-AUG-1992	•		0.
			,	;		4000	,		•
IN WATER BY	_	SE SE	MD2702X1	₹	22-SEP-1992	05-001-1992	·		
IN WATER BY	_	돐	MX2702X1	¥	21-SEP-1992	05-0CI-1992	·		
IN WATER BY		SAP P	UD1302XX	Ş	27-AUG-1992	16-SEP-1992	v		
IN WATER BY	_	SMP	WX1302XX	Ş	27-AUG-1992	16-SEP-1992	~	3.900 UGL	5.0
IN WATER BY		SHP SHP	WD4102XX	Ş	25-AUG-1992	16-SEP-1992	v		•.
IN LIATER BY	_	ZMD	WX4102XX	AVC	25-AUG-1992	08-SEP-1992	•		
IN UATER BY		Z.	JD4203XX	ZRX	18-AUG-1992	31-AUG-1992	•		۰.
BNA'S IN WATER BY GC/MS	S UM18	JW2	WX4203XX	ZRX	18-AUG-1992	31-AUG-1992	v		- .
20 001		SWANTI	MD 2702X1	AVH	22-SEP-1992		•	4.300 UGL	0.
IN MAILER DI		SUANT	MY2772X1	AVH	21-SFP-1992		~		۰.
IN THE STATE OF TH		SURNIC	LD 1302XX	Ş	27-AUG-1992	16-SEP-1992	v	4.300 UGL	۰.
IN WATER BY		2Non 11	Ux 1302xx	Ş	27-AUG-1992		•		٥.
IN WATER BY		SNANTI	LD4 102XX	8	25-AUG-1992		•		0.
IN WATER		ZNANII	UX4102XX	A	25-AUG-1992		v		۰.
IN TATED BY		2NAN1	LD4203XX	ZRX	18-AUG-1992		~		٥.
BNA'S IN WATER BY GC/MS	IS UM18	ZNANIL	WX4203XX	ZRX	18-AUG-1992		v		0.
	•	Ġ	145.07.024	AVU	22.ceb-1002		•		0,
BNA'S IN WATER BY GC/MS	S UM 18	d NZ	MX2702X1	A	21-SEP-1992	05-0CT-1992	· •	3.700 UGL	0.
IN WATER BY		ZuZ	Part of	:					

Sample Duplicate Quality Control Report Installation: Fort Devens, MA (DV) Group: 2 and 7

lethod Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	V .	Value Units	RPO
BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS	UM18 UM18 UM18 UM18 UM18	SNP SNP SNP SNP SNP SNP SNP SNP SNP SNP	ud 1302xx ux 1302xx ud 4 102xx ux 4 102xx ux 4 102xx ux 4 203xx	AVD	27-AUG-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992	16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	· · · · · ·	3.700 UG. 3.700 UG. 3.700 UG. 3.700 UG. 3.700 UG.	öööööö
BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS	######################################	330CB0 330CB0 330CB0 330CB0 330CB0 330CB0 330CB0	MD2702X1 MX2702X1 W1302XX WX1302XX WX102XX WX4102XX WX4203XX	AVH AVD AVD AVD ZRX ZRX ZRX	22 - SEP - 1992 21 - SEP - 1992 27 - AUG - 1992 25 - AUG - 1992 25 - AUG - 1992 18 - AUG - 1992 18 - AUG - 1992	05-0C1-1992 05-0C1-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	· · · · · · · · · · · ·	12.000 UGL 12.000 UGL 12.000 UGL 12.000 UGL 12.000 UGL 12.000 UGL 12.000 UGL	öööööööö
BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS	######################################	SNANIL SNANIL SNANIL SNANIL SNANIL SNANIL	MD2702X1 MX2702X1 MD1302XX WX1302XX MD4102XX MX4102XX WX4203XX	AVH AVD AVD AVC ZRX ZRX	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992	05-0C1-1992 05-0C1-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992	· · · · · · · · ·	750 006.7 750 006.7 750 006.7 750 006.7 750 006.7 750 006.7 750 006.7	00000000
BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS	UM18 UM18 UM18 UM18 UM18 UM18	460N2C 460N2C 460N2C 460N2C 460N2C 460N2C 460N2C	MD2702X1 WD1302XX WX1302XX WD4102XX WX4102XX WX4203XX	AVH AVD AVD AVC AVC ZRX ZRX	22 · SEP - 1992 21 · SEP - 1992 27 · AUG - 1992 27 · AUG - 1992 25 · AUG - 1992 25 · AUG - 1992 18 · AUG - 1992 18 · AUG - 1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992	· · · · · · · · · · · ·	17.000 UGL 17.000 UGL 17.000 UGL 17.000 UGL 17.000 UGL 17.000 UGL 17.000 UGL	00000000
BY GC/MS BY GC/MS BY GC/MS BY GC/MS	81MU 81MU 81MU	48RPPE 48RPPE 48RPPE 48RPPE	MD2702X1 MX2702X1 WD1302XX WX1302XX	A A A A	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992	V V V V	4.200 UGL 4.200 UGL 4.200 UGL 4.200 UGL	öööö

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	-	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	•	Value Units	6
BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY	GC/MS GC/MS GC/MS GC/MS	UM18 UM18 UM18	4BRPPE 4BRPPE 4BRPPE 4BRPPE	WD4102XX WX4102XX WD4203XX WX4203XX	AVD AVC ZRX ZRX	25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	16-SEP-1992 08-SEP-1992 31-AUG-1992 31-AUG-1992		4.200 UGL 4.200 UGL 4.200 UGL 4.200 UGL	o o o o o
BNA'S IN WATER BY BNA'S IN WATER BY	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	81MU 81MU 81MU 81MU 81MU 81MU 81MU 81MU	CANIL CANIL CANIL CANIL CANIL CANIL CANIL	MD2702X1 MX2702X1 MD1302XX MX1302XX MX1302XX MX102XX MX102XX MX102XX MX102XX	ZXX AVO AVH	22-SEP-1992 21-SEP-1992 27-Aug-1992 27-Aug-1992 25-Aug-1992 18-Aug-1992 18-Aug-1992	05-0C1-1992 05-0C1-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992	· · · · · · · · · · · · · · · · · · ·	7.300 UGL 7.300 UGL 7.300 UGL 7.300 UGL 7.300 UGL 7.300 UGL 7.300 UGL	00000000
BNA'S IN WATER BY BNA'S IN WATER BY	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	81MU 81MU 81MU 81MU 81MU 81MU 81MU 81MU	40130 40130 40130 40130 40130 40130 40130	HD2702X1 HX2702X1 WD1302XX HX1302XX HX1302XX HX4102XX HX4102XX HX4203XX	AVH AVD AVD AVC ZRX	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	05-0C1-1992 05-0C1-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	· · · · · · · · · · · · · · · · · · ·	7.000 UGL 7.000	00000000
BNA'S IN WATER BY BNA'S IN WATER BY	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	200 - 200 -	4CLPPE 4CLPPE 4CLPPE 4CLPPE 4CLPPE 4CLPPE 4CLPPE 4CLPPE 4CLPPE	MD2702X1 HX2702X1 MD1302XX WX1302XX UX1102XX WX4102XX WX4102XX	AVH AVD AVD AVC ZRX	22- SEP - 1992 21- SEP - 1992 27- AUG- 1992 25- AUG- 1992 25- AUG- 1992 18- AUG- 1992 18- AUG- 1992	05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992	· · · · · · · · · · · · · · · · · · ·	5.100 UGE 5.100 UGE 5.100 UGE 5.100 UGE 5.100 UGE 5.100 UGE 5.100 UGE	00000000
BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY	GC/MS GC/MS GC/MS GC/MS GC/MS	UM18 UM18 UM18 UM18 UM18	D D D D D D D D D D D D D D D D D D D	MD2702X1 MX2702X1 UD1302XX WX1302XX UD4102XX UX4102XX	AVD AVH AVD AVH	22- SEP - 1992 21- SEP - 1992 27- AUG- 1992 27- AUG- 1992 25- AUG- 1992 25- AUG- 1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992	* * * * * *	0.520 UGL 0.520 UGL 0.520 UGL 0.520 UGL 0.520 UGL	000000

ţ

Sample Duplicate Quality Control Report Installation: Fort Devens, MA (DV) Group: 2 and 7

RPO	öö	00000000	00000000	öööööööö	ööööööö
Value Units	0.520 UGL 0.520 UGL	5.200 usi 5.200 usi 5.200 usi 5.200 usi 5.200 usi 5.200 usi 5.200 usi	12.000 UGL 12.000 UGL 12.000 UGL 12.000 UGL 12.000 UGL 12.000 UGL 12.000 UGL	7.000 UG. 4.000 UG. 7.000	5.100 ua. 5.100 ua. 5.100 ua. 5.100 ua. 5.100 ua. 5.100 ua.
•		· · · · · · · · ·	· · · · · · · · ·	* * * * * * * *	* * * * * * * *
Analysis Date	31-AUG-1992 31-AUG-1992	05-0C1-1992 05-0C1-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	05-0C1-1992 -05-0C1-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992
Sample Date	18-AUG-1992 18-AUG-1992	22 - SEP - 1992 21 - SEP - 1992 27 - AUG - 1992 25 - AUG - 1992 25 - AUG - 1992 18 - AUG - 1992 18 - AUG - 1992	22 - SEP - 1992 21 - SEP - 1992 27 - AUG - 1992 27 - AUG - 1992 25 - AUG - 1992 18 - AUG - 1992 18 - AUG - 1992	22 - SEP - 1992 21 - SEP - 1992 27 - AUG - 1992 25 - AUG - 1992 25 - AUG - 1992 18 - AUG - 1992 18 - AUG - 1992	22- SEP - 1992 21 - SEP - 1992 27- AUG - 1992 27- AUG - 1992 25- AUG - 1992 25- AUG - 1992 18- AUG - 1992 18- AUG - 1992
Lot	ZRX	AVH AVD AVH RX ZXC	AVH AVH AVH AVC	AVH AVD AVD AVD ZRX	AVB AVD AVC AVC ZRX ZRX
IRDMIS Sample Number	W24203XX	MD2702X1 MX2702X1 MD1302XX WX1302XX HD4102XX WX4102XX MX4203XX	MD2702X1 MX2702X1 MD1302XX WX1302XX ND4102XX MX4102XX MX4203XX	MD2702X1 MX2702X1 MD1302XX WX1302XX MD4102XX MX4102XX MX4203XX	MD2702X1 MX2702X1 MD1302XX MX1302XX MD4102XX MX4102XX MX4203XX
Test Name	dw5 dw5	GNANIL GNANIL GNANIL GNANIL GNANIL GNANIL	dn5 dn5 dn7 dn7 dn7 dn7	ABHC ABHC ABHC ABHC ABHC ABHC ABHC	ACLDAN ACLDAN ACLDAN ACLDAN ACLDAN ACLDAN
USATHAMA Method Code	UM18 81 M3	######################################	######################################	######## #############################	81 M U U U U U U U U U U U U U U U U U U
Method Description	IN WATER BY GC/MS IN WATER BY GC/MS	N WATER BY GC/MS	WATER BY GC/MS	N WATER BY GC/MS	IN WATER BY GC/MS
Method (BNA'S II	BNA'S II BNA'S II BNA'S II BNA'S II BNA'S II	BNA'S IN BNA'S IN BNA'S IN BNA'S IN BNA'S IN BNA'S IN	BNA'S IN BNA'S IN BNA'S IN BNA'S IN BNA'S IN BNA'S IN	BNA'S II BNA'S II BNA'S II BNA'S II BNA'S II

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

000000000	oooooooo	000000000	
9.200 UGL 9.200 UGL 9.200 UGL 9.200 UGL 9.200 UGL 9.200 UGL 9.200 UGL	7.700 UGL 4.700 UGL 4.700 UGL 4.700 UGL 4.700 UGL 4.700 UGL 4.700 UGL 4.700 UGL	1.700 UG. 1.700 UG. 1.700 UG. 1.700 UG. 1.700 UG. 1.700 UG.	0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL
v v v v v v v	v v v v v v v	* * * * * * * *	· · · · · · · · · · · · · · · · · · ·
05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992 31-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992	05-0CT - 1992 05-0CT - 1992 16-SEP - 1992 16-SEP - 1992 16-SEP - 1992 08-SEP - 1992 31-AUG - 1992	05-0C1-1992 05-0C1-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992
22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22-SEP-1992 21-SEP-1992 27-AuG-1992 27-AuG-1992 25-AuG-1992 18-AuG-1992 18-AuG-1992	22 - SEP - 1992 21 - SEP - 1992 27 - AUG - 1992 25 - AUG - 1992 25 - AUG - 1992 18 - AUG - 1992 18 - AUG - 1992	22-SEP-1992 21-SEP-1992 27-AuG-1992 27-AuG-1992 25-AuG-1992 18-AuG-1992 18-AuG-1992 22-SEP-1992
AVH AVD AVD AVD ZRX ZRX	AVH AVD AVD ZRX ZRX	AVH AVD AVD AVD AVC ZRX ZRX	AVH AVD AVD AVD AVC ZRX ZRX
MD2702X1 MX2702X1 WD1302XX WX1302XX WX4102XX WX4102XX WX4203XX	MD2702X1 MX2702X1 WX1302XX WX1302XX UX4102XX WX4102XX WX4203XX	MD2702X1 MX2702X1 HD1302XX NX1302XX ND4102XX NX4102XX NX4203XX	MD2702X1 MX2702X1 MD1302XX WX1302XX WX102XX WX4102XX WX4203XX WX4203XX
AENSLF AENSLF AENSLF AENSLF AENSLF AENSLF AENSLF	ALDRN ALDRN ALDRN ALDRN ALDRN ALDRN	ANAPNE ANAPNE ANAPNE ANAPNE ANAPNE ANAPNE ANAPNE	ANAPYL ANAPYL ANAPYL ANAPYL ANAPYL ANAPYL ANAPYL
UM18 UM18 UM18 UM18 UM18 UM18	81MU 81MU 81MU 81MU 81MU 81MU	21	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
IN WATER BY	IN LATER BY	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS
	IN WATER BY GC/MS UM18 AENSLF MD2702X1 AVH 22-SEP-1992 O5-OCT-1992 < 9.200 UGL IN WATER BY GC/MS UM18 AENSLF MX2702X1 AVH 21-SEP-1992 O5-OCT-1992 < 9.200 UGL IN WATER BY GC/MS UM18 AENSLF WX1302XX AVD 27-AUG-1992 16-SEP-1992 < 9.200 UGL IN WATER BY GC/MS UM18 AENSLF MX4102XX AVD 25-AUG-1992 16-SEP-1992 < 9.200 UGL IN WATER BY GC/MS UM18 AENSLF MX4203XX ZRX 18-AUG-1992 31-AUG-1992 < 9.200 UGL IN WATER BY GC/MS UM18 AENSLF WX4203XX ZRX 18-AUG-1992 31-AUG-1992 < 9.200 UGL	IN WATER BY GC/MS UM18 AENSLF MD2702X1 AVH 22-SEP-1992 05-OCT-1992 < 9.200 UGL IN WATER BY GC/MS UM18 AENSLF MD2702X1 AVH 21-SEP-1992 05-OCT-1992 < 9.200 UGL IN WATER BY GC/MS UM18 AENSLF WD4102XX AVD 27-AUG-1992 < 9.200 UGL IN WATER BY GC/MS UM18 AENSLF WD4102XX AVD 27-AUG-1992 < 9.200 UGL IN WATER BY GC/MS UM18 AENSLF WA4102XX AVD 25-AUG-1992 < 9.200 UGL IN WATER BY GC/MS UM18 AENSLF WA4203XX ZRX 18-AUG-1992 < 9.200 UGL IN WATER BY GC/MS UM18 ALDRN WD2702X1 AVH 22-SEP-1992	IN WATER BY GC/MS UM18 AENSLF MD2702X1 AVH 22-SEP-1992 O5-OCT-1992 < 9-200 UGL MATER BY GC/MS UM18 AENSLF MD302XX AVD 27-AUG-1992 (5-SEP-1992 < 9-200 UGL MATER BY GC/MS UM18 AENSLF MD4102XX AVD 27-AUG-1992 (9-200 UGL MATER BY GC/MS UM18 AENSLF MD4102XX AVD 27-AUG-1992 (9-200 UGL MATER BY GC/MS UM18 AENSLF MD4203XX ZRX 18-AUG-1992 (9-200 UGL MATER BY GC/MS UM18 AENSLF MD4203XX ZRX 18-AUG-1992 (9-200 UGL MATER BY GC/MS UM18 AENSLF MD4203XX ZRX 18-AUG-1992 (9-200 UGL MATER BY GC/MS UM18 AENSLF MD4203XX ZRX 18-AUG-1992 (9-200 UGL MATER BY GC/MS UM18 AENSLF MD2702X1 AVH 22-SEP-1992 (9-COT-1992 (9-200 UGL MATER BY GC/MS UM18 ALDRN MD3702X1 AVH 22-SEP-1992 (9-COT-1992 (9-200 UGL MATER BY GC/MS UM18 ALDRN MD40203XX AVD 27-AUG-1992 (9-COT-1992 (9-700 UGL MATER BY GC/MS UM18 ALDRN MD4102XX AVD 27-AUG-1992 (9-COT-1992 (9-700 UGL MATER BY GC/MS UM18 ALDRN MD4102XX AVD 27-AUG-1992 (9-COT-1992 (9-700 UGL MATER BY GC/MS UM18 ALDRN MD4102XX AVD 27-AUG-1992 (9-COT-1992 (9-700 UGL MATER BY GC/MS UM18 ALDRN MD4102XX AVD 27-AUG-1992 (9-COT-1992 (9-700 UGL MATER BY GC/MS UM18 ANAPNE MD4102XX AVD 27-AUG-1992 (9-COT-1992 (9-700 UGL MATER BY GC/MS UM18 ANAPNE MD4102XX AVD 27-AUG-1992 (9-COT-1992 (9-700 UGL MATER BY GC/MS UM18 ANAPNE MD4102XX AVD 27-AUG-1992 (9-COT-1992 (9-700 UGL MATER BY GC/MS UM18 ANAPNE MD4102XX AVD 27-AUG-1992 (9-COT-1992 (9-700 UGL MATER BY GC/MS UM18 ANAPNE MD4102XX AVD 27-AUG-1992 (9-COT-1992 (9-700 UGL MATER BY GC/MS UM18 ANAPNE MD4102XX AVD 27-AUG-1992 (9-COT-1992 (9-

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

dethod Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	•	Value Units	RP3
IN WATER BY GC/MS	S CM18 S CM18 S CM18 S CM18 CM18 CM18	ANTRC ANTRC ANTRC ANTRC ANTRC ANTRC	MX2702X1 WD1302XX WX1302XX WD4102XX WX4102XX WX4203XX	AVB	21-SEP-1992 27-AuG-1992 27-AuG-1992 25-AuG-1992 25-AuG-1992 18-AuG-1992 18-AuG-1992	05-0C1-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992		0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL	0000000
MATER BY MATER BY MATER BY MATER BY MATER BY MATER BY		82CEXH 82CEXH 82CEXH 82CEXH 82CEXH 82CEXH 82CEXH 82CEXH	MD2702X1 MX2702X1 MD1302XX MX4102XX MX4102XX WX4102XX WX4203XX	AVH AVD AVD ZRX ZRX	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992	· · · · · · · · · · · · · · · · · · ·	1.500 UGL 1.500 UGL 1.500 UGL 1.500 UGL 1.500 UGL 1.500 UGL 1.500 UGL	e e e e e e e e e e e e e e e e e e e
IN WATER BY GC/MS	55 CM18 55 CM18 55 CM18 55 CM18 55 CM18 55 CM18	82C1PE 82C1PE 82C1PE 82C1PE 82C1PE 82C1PE 82C1PE	MD2702X1 MX2702X1 MD1302XX MX1302XX WX102XX WX4102XX MX4102XX	AVH AVD AVD AVD ZRX ZRX	22- SEP - 1992 21- SEP - 1992 27- AUG- 1992 27- AUG- 1992 25- AUG- 1992 18- AUG- 1992 18- AUG- 1992	05-0C1-1992 05-0C1-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	***	5.300 UGE 5.300 UGE 5.300 UGE 5.300 UGE 5.300 UGE 5.300 UGE 5.300 UGE	000000000
IN WATER BY GC/MS	S C C C C C C C C C C C C C C C C C C C	82CLEE 82CLEE 82CLEE 82CLEE 82CLEE 82CLEE 82CLEE 82CLEE	MD2702X1 MX2702X1 MD1302XX MX1302XX MD4102XX MX4102XX MX423XX	AVH AVD AVD AVD ZRX ZRX	22- SEP - 1992 21- SEP - 1992 27- AUG- 1992 25- AUG- 1992 25- AUG- 1992 18- AUG- 1992 18- AUG- 1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992	· · · · · · · · · · · · · · · · · · ·	1.900 UG. 1.900 UG. 1.900 UG. 1.900 UG. 1.900 UG. 1.900 UG.	000000000
IN WATER BY GC/MS IN WATER BY GC/MS IN WATER BY GC/MS	MS UM18 MS UM18 MS UM18	BZEHP BZEHP BZEHP	MD2702X1 MX2702X1 WD1302XX	AVH AVH AVD	22-SEP-1992 21-SEP-1992 27-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992	* * *	4.800 UGL 4.800 UGL 4.800 UGL	ooo

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	~	Value Units	RPO
BY GC/MS BY GC/MS	81MU 81MU	BZEHP BZEHP BZEHP	WX1302XX WD4102XX	888	27-AUG-1992 25-AUG-1992 25-AUG-1992	16-SEP-1992 16-SEP-1992 08-SEP-1992		4.800 UGL 4.800 UGL 4.800 UGL	666
	E E	BZEHP	LD4203XX	X	18-AUG-1992	31-AUG-1992	v	_	Ö
	UM18	ВЗЕНР	WX4203XX	ZX	18-AUG-1992	31-AUG-1992	•	_	•
IY GC/MS	UM18	BAANTR	MD2702X1	AVH	22-SEP-1992	05-0CT-1992	•	1.600 UGL	0.
	UM18	BAANTR	MX2702X1	AVH	21-SEP-1992	05-oct-1992	v		o.
	UM 18	BAANTR	JPD 1302XX	Ş	27-AUG-1992	16-SEP-1992	•		٠.
	U#18	BAANTR	HX1302XX	Ş	27-AUG-1992	16-SEP-1992	•		o.
	LM18	BAANTR	WD4102XX	8	25-AUG-1992	16-SEP-1992	~		0.
	E 130	BAANTR	WX4102XX	AVC	25-AUG-1992	08-SEP-1992	•		o.
	1 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	BAANTR	WD4203XX	ZRX	18-AUG-1992	31-AUG-1992	•		o.
BY GC/MS	UM18	BAANTR	WX4203XX	ZRX	18-AUG-1992	31-AUG-1992			0.
DV CC/MC	81.81	RAPYR	MD2702X1	AVH	22-SEP-1992	05-0CT-1992	•	4.700 UGL	₽.
_	2 T	BADYD	MX2772X1	A	21-SEP-1992	05-0CT-1992	~		۰.
		RADYP	LD 1302XX	Ş	27-AUG-1992	16-SEP-1992	~		o.
DV CC/MS		RAPYR	LX 1302XX	Ş	27-AUG-1992	16-SEP-1992	~		۰.
		RADYD	UD4102XX	S	25-AUG-1992	16-SEP-1992	•		٥.
		RAPYR	WX4102XX	A	25-AUG-1992	08-SEP-1992	v		o,
		RAPYR	UD4203XX	ZZX	18-AUG-1992	31-AUG-1992	•		<u>.</u>
BY GC/MS	E 15	BAPYR	WX4203XX	ZRX	18-AUG-1992	31-AUG-1992	•		٠.
									•
BY GC/MS	_	BBFANT	MD2702X1	¥.	22-SEP-1992	05-0CT-	~		٠.
_	_	BBFANT	MX2702X1	A.	21-SEP-1992	05-0CT-	v		. ب
	_	RRFANT	LD 1302XX	Ş	27-AUG-1992	16-SEP-	~		٠.
		RRFANT	UX 1302XX	S	27-AUG-1992	16-SEP-	~		٠
2 2	-	BBEANT	LD & 102 XX	S	25-AUG-1992	16-SEP-	~		٠.
61 GC/TS		DDEANT	UX 6 10 2 X X	AVC	25-AUG-1992	08-SEP-	v	5.400 UGL	٠
		DOCANT	LD6203XX	ZEX	18-AUG-1992	31-AUG-	•		۲.
BY GC/MS	E 28	BBFANT	WX4203XX	ZKX	18-AUG-1992	31-AUG-1992	•	5.400 UGL	<u>ب</u>
			1 VCMC CM1	AVI	22. CED-1002	NS-DCT-1992	~	_	٠.
Ä		BBHC	102702A	1 A	31-cep-1002			_	_
`₩		BBHC	MXC/0C41	5 6	27-Alic-1902			-	٦,
æ		BBHC	WO ISUCAN		27-410-175			_	0
WATER BY GC/MS	8 E S	BBHC	XX 1302XX	2 4	25. ALIC. 1002	16-SED-1002		190 000 7	_
Æ		BBHL	MU4106AA	-					

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

USATHAMA Method Code
88HC 88HC
882P 882P 882P
882P 882P 882P 882P
BBZP BENCI F
BENSLF BENSLF BENSLF
BENSLF BENSLF BENSLF
BENSLE
BENZID BENZID BENZID
BENZID BENZID BENZID
BENZID BENZID
BENZOA BENZOA
BENZOA WD1302XX BENZOA WX1302XX

Sample Duplicate Quality Control Report Installation: Fort Devens, MA (DV) Group: 2 and 7

RPO	0.	o.c	. 0.	0.	o.	0	. o	•	o, c		5.0		9.	0.	0.	٥.	0	0	c	0.	0.	٥.	o.	o.	0.	0.	0.	o.	0.	0.	o,	0.
Value Units	13.000 UGL	6.100 UGL					6.100 UGL 6.100 UGL		0.870 UGL								_	_	_	_	_	_	0.720 UGL		0.500 UGL							
v		٧,	, v	•	v	v	~ ~		v '	v -	v ·	v	v	v	v	v	٧	v	•	· •	v	v	•	v	v	v	v	v	٧	v	v	v
Analysis Date	31-AUG-1992	05-0CT-1992	16-SEP-1992	16-SEP-1992	16-SEP-1992	08-SEP-1992	31-AUG-1992 31-AUG-1992		05-0CT-1992	05-001-1992	16-SEP-1992	16-SEP-1992	16-SEP-1992	08-SEP-1992	31-AUG-1992	31-AUG-1992	05-DCT-1002	05-0CT-1992	16-SED-1002	16-SFP-1992	16-SEP-1992	08-SEP-1992	31-AUG-1992	31-AUG-1992	05-0CT-1			16-SEP-	16-SEP-	08-SEP-	31-AUG-1992	31-AUG-1
Sample Date	18-AUG-1992	22-SEP-1992	27-AUG-1992	27-AUG-1992	25-AUG-1992	25-AUG-1992	18-AUG-1992 18-AUG-1992		22-SEP-1992	21-SEP-1992	27-AUG-1992	27-AUG-1992	25-AUG-1992	25-AUG-1992	18-AUG-1992	18-AUG-1992	22-cFD-1002	21-SFP-1992	27-AIIG-1002	27-Alig-1992	25-AliG-1992	25-AUG-1992	18-AUG-1992		22-SEP-1992	21-SEP-1992	27-AUG-1992	27-AUG-1992	25-AUG-1992	25-AUG-1992	18-AUG-1992	18-AUG-1992
rot To	ZRX	AVH	8	Ş	ΑQ	AVC	X X X	;	¥	¥.	Ş	Ş	Ş	A	ZRX	ZRX	AVH	N N	\$	8	8	AVC	ZEX	ZKX	AVH	AVH	8 Se	Ş	Se Se	AVC	ZRX	ZRX
IRDMIS Sample Number	WX4203XX	MD2702X1	HD 1302XX	WX1302XX	WD4102XX	WX4102XX	W64203XX		MD2702X1	MX2702X1	WD1302XX	WX1302XX	JD4102XX	WX4102XX	WD4203XX	WX4203XX	LYCTZC CM	MY2702X1	LP 1302VV	LY 1302XX	CA 102XX	LX4 102XX	UD4203XX	WX4203XX	MD2702X1	MX2702X1	JD 1302XX	HX 1302XX	JPD4102XX	WX4102XX	MD4203XX	WX4203XX
Test Name	BENZOA	BGHIPY	BGHIPY	BGHIPY	BGHIPY	BGHIPY	BGHIPY BGHIPY		BKFANT	BKFANT	BKFANT	BKFANT	BKFANT	BKFANT	BKFANT	BKFANT	D7AI C	D TAIL	02ALC	DALC	R7AI C	RZALC	BZALC	BZALC	CARBAZ	CARBAZ	CARBAZ	CARBAZ	CARBAZ	CARBAZ	CARBAZ	CARBAZ
USATHAMA Method Code	UM18	CM 18	E 2	UM18	UM18	₹ 2	E E		E	CM 18	CM18	CM18	UM18	UM18	U#18	UM18	12.10	2 2		2 2	2 m	M K	E 85	UM18	UM18	CM18	CM 18	UM18	UM18	UM18	UM 18	UM18
Method Description	BNA'S IN WATER BY GC/MS	IN WATER	IN WATER BY	IN WATER BY	IN WATER	IN WATER BY	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS		IN WATER BY	IN WATER BY	IN WATER BY		>0 CT+ 01.	IN WAICH DI	10 KILCA DI	IN WATER DI	IN WATER OF	IN UATED BY	IN UATER	B	IN WATER	IN LATER BY	IN WATER BY	IN LIATER BY	IN UATER BY	IN WATER BY	BNA'S IN WATER BY GC/MS	IN WATER BY				

Sample Duplicate Quality Control Report Installation: Fort Devens, MA (DV) Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	•	Value Units	RPO
IN WATER BY GC/MS	CM 18	CHRY	MD2702X1	AVH	22-SEP-1992 21-SEP-1992	05-0CT-1992 05-0CT-1992		2.400 UGL 2.400 UGL	00
WATER BY	2 E	CHRY	LD 1302XX	8	27-AUG-1992	16-SEP-1992	v	_	•
WATER BY	UM 18	CHRY	WX1302XX	₩ W	27-AUG-1992	16-SEP-1992	v	_	0.
IN WATER BY	UM18	CHRY	W D4102XX	¥9	25-AUG-1992	16-SEP-1992	•	_	o. 1
IN WATER	UM18	CHRY	WX4102XX	AVC	25-AUG-1992	08-SEP-1992	v	_	0.
WATER BY	UM18	CHRY	MD4203XX	ZRX	18-AUG-1992	31-AUG-1992	•	_	0.
	UM18	CHRY	WX4203XX	ZRX	18-AUG-1992	31-AUG-1992	v	_	o.
	9	787 12	INCORCUM	A1/10	22.ceb.1002	NS-OCT-1002	•	_	0
IN WAIER BY	2	78077	102/024 102/024	2 2	21-cep-1002	NS-DrT-1002	, .	_	9
IN WATER BY	5	כולנו	1420241		27- ALIG- 1002	14. cep - 1002		_	<u>-</u>
IN WAIEK BY		76077	10.1202AV	2 5	27-Alte-1002	16-SEP-1002		1,600 06	9
MAIEK BI		7007	102XX	8	25-Alig-1002	16-SEP-1002	•		0
IN WAIER BY		CL082	LV4.102VV	28	25-Alig-1002	NA-SEP-1002			0.
BNA'S IN WATER BY GC/MS	0 4	CL082	100 201 XX	X X	18-AUG-1992	31-AUG-1992	v		0.
IN WAICH DI	2 2	CL002	XX\$UZ7X5	X	18-Aug-1992	31-AUG-1992	•	_	٥.
IN WATER DE	2	7007	WALCON'S	í					
_	UM18	CL6CP	MD2702X1	AVH	22-SEP-1992		•	8.600 UGL	۰.
IN LATER BY	UM 18	CLECP	MX2702X1	A.	21-SEP-1992	05-0CT-1	•	_	0.
LATER BY	LM18	CL6CP	JD 1302XX	Ş	27-AUG-1992	16-SEP-1	•	_	o.
IN WATER BY	E 13	CL6CP	WX1302XX	Ş	27-AUG-1992	16-SEP-1	•	_	o.
IN UATER BY	E 18	CL6CP	WD4102XX	₽	25-AUG-1992	16-SEP-1	•	_	o,
IN LATER BY	UM18	CL6CP	WX4102XX	Ac	25-AUG-1992	08-SEP-1	v	_	•
IN LATER BY	UM 18	CL 6CP	WD4203XX	ZKX	18-AUG-1992	31-AUG-1	•		.
BNA'S IN WATER BY GC/MS	UM 18	CL6CP	WX4203XX	ZKX	18-AUG-1992	31-AUG-1	•	_	.
DNA 12 TH LIATED BY GF /MS	1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	CI 6FT	PD2702X1	AVH	22-SEP-1992		•	1.500 UGL	0.
THE LIMITED BY	1M18	CI 6FT	MX2702X1	AVH	21-SEP-1992		~	_	•
UATED BY	E 13	CL6ET	UD 1302XX	Ş	27-AUG-1992		•	_	<u>.</u>
IN UATED BY	13	CLEET	WX1302XX	Ş	27-AUG-1992		•	_	۰.
IN LATER RY	E 130	CLEET	WD4102XX	S	25-AUG-1992		•	_	0.
IN UATER BY	E 13	CL6ET	WX4102XX	AVC	25-AUG-1992		v	1.500 UGL	0.
IN WATER BY	UM18	CL6ET	MD4203XX	ZRX	18-AUG-1992		•	_	9
BNA'S IN WATER BY GC/MS	UM18	CL6ET	WX4203XX	ZKX	18-AUG-1992		•	_	.
TAL TATED	1 M12	DRAHA	MD2702X1	AVH	22-SEP-1992		•	6.500 UGL	0.
BNA'S IN WATER BY GC/MS	(M)	DBAHA	MX2702X1	¥	21-SEP-1992	05-0ct-1992	•		o.
) : •								

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date			RP0
33	UM18 UM18	DBAHA DBAHA	UD 1302XX UX 1302XX	& &	27-AUG-1992 27-AUG-1992	16-SEP- 16-SEP-	v v	6.500 UGL 6.500 UGL	ó ö e
5	8 5	DBAHA	MD4102XX	88	25-AUG-1992 25-AUG-1992		v v		. 0
5 =	<u>.</u>	DRAHA	LD4203XX	ZRX	18-AUG-1992	31-AUG-	v		٥.
5 ₹	. ∞	DBAHA	WX4203XX	ZRX	18-AUG-1992	31-AUG-	•		0.
3	82	DBHC	HD2702X1	AVH	22-SEP-1992	05-0CT-1992	v	4.000 UGL	0.
3	<u> </u>	DBHC	MX2702X1	¥	21-SEP-1992		•	7:000 ner	0.
3	<u> </u>	DBHC	JD 1302XX	¥9	27-AUG-1992		•	4.000 UGL	o.
3	<u> </u>	DBHC	WX1302XX	8	27-AUG-1992		•	4.000 UGL	o.
1	<u> </u>	DBHC	WD4102XX	Ş	25-AUG-1992		•	4.000 UGL	0.
3	<u>~</u>	DBHC	WX4102XX	AVC	25-AUG-1992		v	4.000 UGL	o. '
5	∞	DBHC	MD4203XX	ZRX	18-AUG-1992	31-AUG-1	•	4.000 UGL	۰.
UM18		DBHC	WX4203XX	ZRX	18-AUG-1992	31-AUG-1	•	4.000 UGL	0.
=	≅	DRZEUR	MD2702X1	AVH	22-SEP-1992	05-0CT-1992	•	1.700 UGL	٥.
3	∞ ∞	DBZFUR	MX2702X1	¥	21-SEP-1992	05-oct-1992	•		o.
3	, eo	DBZFUR	MD 1302XX	8 Se	27-AUG-1992	16-SEP-1992	•	1.700 UGL	o.
3	∞	DBZFUR	WX1302XX	₽	27-AUG-1992	16-SEP-1992	•		
3	æ	DBZFUR	W D4102XX	ş	25-AUG-1992	16-SEP-1992	v		
3	8	DBZFUR	WX4102XX	A	25-AUG-1992	08-SEP-1992	v		
3	80	DBZFUR	MD4203XX	ZKX	18-AUG-1992	31-AUG-1992	v		÷.
UM18	∞	DBZFUR	WK4203XX	ZKX	18-AUG-1992	31-AUG-1992	v		o.
3	8	DEP	MD2702X1	AVH	22-SEP-1992	05-OCT-	•	2.000 UGL	0.0
3	8	DEP	MX2702X1	¥	21-SEP-1992	05-0CT-	~		?.⁴
3	8	DEP	JPD 1302XX	§	27-AUG-1992	16-SEP-	~		•
=	8	DEP	WX1302XX	Ş	27-AUG-1992		v		•
=	<u>«</u>	DEP.	LD4102XX	Ş	25-AUG-1992	16-SEP-	~		.
5 🚅	2 2	EP.	WX4102XX	A	25-AUG-1992	08-SEP-	•		o.
5 =	<u>~</u>	PF P	MD4203XX	ZRX	18-AUG-1992	31-AUG-1	•		0.
5	UM18	DEP	WX4203XX	ZKX	18-AUG-1992	31-AUG-1	v		٥.
=	χ. Σ	DIDRN	MD2702X1	AVH	22-SEP-1992	05-0CT-1992	•	4.700 UGL	0.
5	E 130	DLDRN	MX2702X1	AVH	21-SEP-1992		•	4.700 UGL	
5	18	DLDRN	JPD 1302XX	٠.	27-AUG-1992		v	_	
5	418	DLDRN	WX1302XX	_	27-AUG-1992		v	_	•

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Units RPD	.0 .00 .00 .00 .00 .00 .00 .00 .00 .00	0. 0. 150 150 150 150 150 150 150 150 150 150		######################################	6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.
Value U	4.700 4.700 4.700 4.700	1.500 L 1.500 L 1.500 L 1.500 L 1.500 L 1.500 L	3.700 3.700 3.700 3.700 3.700 3.700	15.000 15.000 15.000 15.000 15.000 15.000 15.000 15.000	7.600 7.600 7.600 7.600 7.600 7.600
Analysis Date <	16-SEP-1992 < 08-SEP-1992 < 31-AUG-1992 < 31-AUG-1992 <	05-0CT-1992 (05-0CT-1992 (16-SEP-1992 (16-SE	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 18-SEP-1992 08-SEP-1992 31-AUG-1992 31-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992
Analy Date	8888	355 255 255 255 255 255 255 255 255 255		2222222	
Sample Date	25-AUG-1 25-AUG-1 18-AUG-1 18-AUG-1	22- SEP-19 21- SEP-19 27- AUG-1 27- AUG-19 25- AUG-19 18- AUG-19 18- AUG-19	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22-SEP-19 21-SEP-19 27-AUG-19 27-AUG-19 25-AUG-19 18-AUG-11 18-AUG-11	22-SEP-1992 21-SEP-1992 27-Aug-1992 27-Aug-1992 25-Aug-1992
Lot	AVD AVC ZRX ZRX	AVH AVD	AVE	X X X AVD X Z RXC	A A A A A A A A A A A A A A A A A A A
IRDMIS Sample Number	WD4102XX WX4102XX WD4203XX WX4203XX	M2702X1 M2702X1 W1302XX W1302XX W4102XX W4102XX W4203XX	MD2702X1 HX2702X1 UD1302XX HX1302XX UD4102XX UX4102XX UD4203XX	MD2702X1 MX2702X1 MD1302XX WX1302XX UD4102XX WX4102XX WX4203XX	MD2702X1 MX2702X1 MD1302XX WX1302XX WX1102XX
ИA Test Наме	DLDRN DLDRN DLDRN DLDRN		DNBP DNBP DNBP DNBP DNBP DNBP DNBP	DNOP DNOP DNOP DNOP DNOP DNOP DNOP DNOP	ENDRN ENDRN ENDRN ENDRN ENDRN
USATHAMA Method Code	: UM18 UM18 UM18	81HH 81HH 81HH 81HH 81HH 81HH			81MU 81MU 81MU 81 81 81
Method Description	S IN WATER BY GC/MS S IN WATER BY GC/MS S IN WATER BY GC/MS S IN WATER BY GC/MS	IN LATER BY	IN LATER BY	IN WATER BY	S IN WATER BY GC/MS
Metho	BNA'S BNA'S BNA'S BNA'S	BNA'S BNA'S BNA'S BNA'S BNA'S BNA'S	BNA'S SNA'S BNA'S SNA'S	BNA'S BNA'S BNA'S BNA'S BNA'S BNA'S BNA'S	BNA'S BNA'S BNA'S BNA'S BNA'S

Sample Duplicate Quality Control Report Installation: Fort Devens, MA (DV) Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	•	Value Units	2
BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	UM18 UM18	ENDRN	UD4203XX UX4203XX	ZRX	18-AUG-1992 18-AUG-1992	31-AUG-1992 31-AUG-1992	. • •	7.600 UGL 7.600 UGL	o o
IN WATER BY	UM18	ENDRNA	MD2702X1	AVH	22-SEP-1992	05-0CT-1992	v v	8.000 UGL	0.0
IN WATER BY	E E E	ENDRNA	WD1302XX	A A	27-AUG-1992	16-SEP-1992	· •		0.
IN WATER	U#18	ENDRNA	WX1302XX	A VQ	27-AUG-1992	16-SEP-1992	v ⁻		o, c
IN WATER BY	UM 18	ENDRNA	WD4102XX	8	25-AUG-1992	16-SEP-1992	٧ ،		, c
IN WATER BY	E 5	ENDRNA	WX4102XX	AVC 20X	18-AIIG-1992	31-AHG-1992	, v		. 0.
BNA'S IN WATER BY GC/MS	E 85	ENDRNA	WX4203XX	ZX	18-AUG-1992	31-AUG-1992	•		0.
DUAYS IN UATED BY GE/MS	1M18	FNDRNK	MD2702X1	AVH	22-SEP-1992	05-0CT-1992	v	8.000 UGL	0.
N LATER BY	E 130	ENDRNK	MX2702X1	AVH	21-SEP-1992	05-oct-1992	v		o, c
N WATER BY	UM18	ENDRNK	JD 1302XX	Ş	27-AUG-1992	16-SEP-1992	,		
Æ	UM18	ENDRNK	WX1302XX	ş	27-AUG-1992	16-SEP-1992	۰,		
N WATER BY	UM18	ENDRNK	MD4102XX	8	25-AUG-1992	16-SEP-1992	٠,		•
N WATER BY	UM 18	ENDRNK	WX4102XX	A S	25-AUG-1992	24- At 15- 1992	/ \		•
N WATER BY	CM 18	ENDRNK	MD4205XX	ž	18-AUG-1992	21-AUG-1992	, .		
N WATER	ST 18	ENDRUK	WX4CUSXX	XX	10-AUG- 1992	-	,		2
IN UATER BY	UM18	ESFS04	MD2702X1	AVH	22-SEP-1992		•	9.200 UGL	0,0
IN LATER	UM18	ESFS04	MX2702X1	¥	21-SEP-1992		v		
IN WATER BY	UM18	ESFS04	JD 1302XX	ş	27-AUG-1992		v [,]		
IN WATER BY	UM18	ESFS04	WX1302XX	8	27-AUG-1992		۷,		
IN WATER BY	UM18	ESFS04	HD4102XX	8	25-AUG-1992		, ,		
IN WATER BY	CM18	ESFS04	XX201 5XM	۸ د د	18-AUG-1992		, ,		9
BNA'S IN WATER BY GC/MS	2 E E	ESFS04	WX4203XX	X X	18-AUG-1992	31-AUG-1992	v		0.
			* ACCEPTANT	100	22. erb. 1002		•		0
IN WATER BY	8 E	TAN:	MOC/UCA	Y 4	21-cep-1902		· •		٥.
IN WATER BY	_	FANI	1757057 I	\$	27-AIIG-1992		v	_	0.
IN WATER		FANT	LX 1302XX	8	27-AUG-1992		v	_	0.
IN WAIER DI		FANT	MD4 102XX	S	25-AUG-1992		•	_	o.
IN UATER BY	_	FANT	WX4102XX	AVC	25-AUG-1992		v		o.
IN WATER BY	UM18	FANT	MD4203XX	ZRX	18-AUG-1992	31-AUG-1992	۷,	3.300 UGL	, c
BNA'S IN WATER BY GC/MS		FANT	WX4203XX	ZRX	18-AUG-1992		v		?

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

RPD	000000000	ooooooo	00000000	00000000	o.
Value Units	3.700 UGL 3.700 UGL 3.700 UGL 3.700 UGL 3.700 UGL 3.700 UGL 3.700 UGL	5.100 ua. 5.100 ua. 5.100 ua. 5.100 ua. 5.100 ua. 5.100 ua. 5.100 ua.	3.400 UGL 3.400 UGL 3.400 UGL 3.400 UGL 3.400 UGL 3.400 UGL 3.400 UGL		5.000 UGL
; v :	· · · · · · · · ·	· · · · · · · · ·	v v v v v v v	V V V V V V V	•
Analysis Date	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992 31-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	- -	05-oct-1992
Sample Date	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22 - SEP - 1992 21 - SEP - 1992 27 - AUG - 1992 25 - AUG - 1992 25 - AUG - 1992 18 - AUG - 1992 18 - AUG - 1992	22- SEP - 1992 21- SEP - 1992 27- AUG- 1992 25- AUG- 1992 25- AUG- 1992 18- AUG- 1992 18- AUG- 1992	22-SEP-1992
Lot	AVB AVD AVC AVC ZRX ZRX	AVH AVD AVD AVC AVC AVC	AVH AVD AVD AVD ZRX ZRX ZRX	AVH AVD AVD AVD AVC ZRX ZRX	AVH
IRDMIS Sample Number	MD2702X1 MX2702X1 WX1302XX UX1302XX UX4102XX UX4203XX UX4203XX	MD2702X1 MX2702X1 MD1302XX UX1302XX UX102XX UX4102XX UX4203XX	HD2702X1 HX2702X1 HD1302XX HX1302XX HD4102XX HX4102XX HD4203XX	HD2702X1 HX2702X1 HD1302XX HX1302XX HX4102XX HX4102XX HX4203XX	MD2702X1
Test Name	TRENE PRENE PRENE FRENE PRENE PRENE PRENE	GCLDAN GCLDAN GCLDAN GCLDAN GCLDAN GCLDAN	HCBO HCBO HCBO HCBO HCBO HCBO HCBO HCBO	HACT HACT HACT HACT	HPCLE
USATHAMA Method Code	22222222222222222222222222222222222222	UM18 UM18 UM18 UM18 UM18 UM18 UM18	81MU 81MU 81MU 81MU 81MU 81MU	81 MU 81 MU 81 MU 81 MU 81 MU 81 MU 81 MU 81 MU	UM18
Method Description	BNA'S IN WATER BY GC/MS	IN WATER BY	BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description		USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date		Value Units	8
BNA'S IN WATER BY G BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY G BNA'S IN WATER BY G BNA'S IN WATER BY G	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	UM18 UM18 UM18 UM18 UM18	FOLE FPCLE FPCLE FPCLE FPCLE FPCLE FPCLE	MX2702X1 WD1302XX WX1302XX WD4102XX WX4102XX WD4203XX WX4203XX	AVH AVD AVC	21- SEP - 1992 27- AUG - 1992 27- AUG - 1992 25- AUG - 1992 18- AUG - 1992 18- AUG - 1992	05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992		5.000 ust 5.000 ust 5.000 ust 5.000 ust 5.000 ust 5.000 ust	0000000
IN WATER BY	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	M 18 18 18 18 18 18 18 18 18 18 18 18 18	100PYR 100PYR 100PYR 100PYR 100PYR 100PYR	HDZ702X1 HXZ702X1 HD 1302XX HX 1302XX HD 4 102XX HD 4 102XX HD 4 203XX	AVH AVH AVD AVD ZRX ZRX	22-SEP-1992 21-SEP-1992 27-AuG-1992 27-AuG-1992 25-AuG-1992 18-AuG-1992 18-AuG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992	· · · · · · · · ·	8.600 UGL 8.600 UGL 8.600 UGL 8.600 UGL 8.600 UGL 8.600 UGL 8.600 UGL 8.600 UGL	o o o o o o o o o
BNA'S IN WATER BY BNA'S IN WATER BY	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	UM 18 UM 18 UM 18 UM 18 UM 18 UM 18 UM 18	ISOPHR ISOPHR ISOPHR ISOPHR ISOPHR ISOPHR ISOPHR ISOPHR	M2702X1 MX2702X1 W1302XX WX1302XX WX1102XX WX4102XX WX4102XX WX4203XX	AVH AVD AVD AVC ZRX ZRX	22- SEP - 1992 21- SEP - 1992 27- AUG - 1992 25- AUG - 1992 25- AUG - 1992 18- AUG - 1992 18- AUG - 1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992 31-AUG-1992	· · · · · · · · · · · · · · · · · · ·	7.800 UGL 4.800 UGL 4.800 UGL 7.800	öööööööö
BNA'S IN WATER BY BNA'S IN WATER BY	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	81 M J 81		MD 2 702X1 MD 1302XX MX 1302XX MX 1302XX MD 4 102XX MX 4 102XX MX 4 102XX	AVH AVD AVD AVC ZRX ZRX	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-Aug-1992 31-Aug-1992	· · · · · · · · · · · · · · · · · · ·	4.000 UG. 4.000 UG. 4.000 UG. 4.000 UG. 4.000 UG. 4.000 UG. 4.000 UG. 4.000 UG. 4.000 UG.	o o o o o o o o o
BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY	GC/MS GC/MS GC/MS	UM18 UM18 UM18	MEXCLR MEXCLR MEXCLR	MD2702X1 MX2702X1 WD1302XX	AVH AVH	22-SEP-1992 21-SEP-1992 27-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992	* * *	5.100 UGL 5.100 UGL 5.100 UGL	o'o'o

Table E12
Sample Duplicate Quality Control Report
installation: Fort Devens, MA (DV)
Group: 2 and 7

RPO	00000	ooooooo	00000000	o o o o o o o o	o'o'o'o'o
Value Units	5.100 UGL 5.100 UGL 5.100 UGL 5.100 UGL 5.100 UGL	0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL	0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL	2.000 UG. 2.000 UG. 2.000 UG. 2.000 UG. 2.000 UG. 2.000 UG. 2.000 UG.	7.400 UGL 4.400 UGL 4.400 UGL 4.400 UGL
•	~~~~	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · ·	· · · · · · · · · · · ·	* * * * *
Analysis Date	16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	05-0CT - 1992 16-SEP - 1992 16-SEP - 1992 16-SEP - 1992 16-SEP - 1992 31-AUG - 1992 31-AUG - 1992	05-0C1-1992 05-0C1-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992	05-0C1-1992 05-0C1-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992
Sample Date	27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22- SEP - 1992 21- SEP - 1992 27- Aug- 1992 27- Aug- 1992 25- Aug- 1992 18- Aug- 1992 18- Aug- 1992	22- SEP- 1992 21- SEP- 1992 27- Aug- 1992 27- Aug- 1992 25- Aug- 1992 18- Aug- 1992 18- Aug- 1992	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992
Lot	AVD AVD ZRX ZRX	AVH AVD AVD ZRX ZRX	AVB AVD AVC AVC AVC AVC	AVB	AVH AVD AVD AVD
IRDMIS Sample Number	WX1302XX WD4102XX WX4102XX WD4203XX WX4203XX	MD2702X1 MX2702X1 WD302XX WX1302XX WD4102XX WX4102XX WA4102XX	MD2702X1 MX2702X1 MD1302XX WX1302XX WX102XX WX4102XX WX4102XX WX4203XX	MD2702X1 MX2702X1 WD1302XX WX1302XX UD4102XX WX4102XX WX4203XX	MD2702X1 MX2702X1 WD1302XX WX1302XX WD4102XX
F Z	MEXCLR MEXCLR MEXCLR MEXCLR MEXCLR	NAP NAP NAP NAP NAP	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	NNDMEA NNDMEA NNDMEA NNDMEA NNDMEA NNDMEA	NNDNPA NNDNPA NNDNPA NNDNPA NNDNPA
USATHAMA Method Code	81 KU 81 KU 81 KU 81 KU 81 KU	HANNAN PAR EEEEEEEEEE	2222222 222222222 2222222222	81 81 81 81 81 81 81 81 81 81 81 81 81 8	81MU 81MU 81MU 81MU
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS
Meth	BNA BNA BNA BNA	BNA BNA BNA BNA BNA BNA	BNA' BNA' BNA' BNA' BNA'	BNA' BNA' BNA' BNA' BNA'	BNA' BNA' BNA' BNA'

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	V	Value Units	8
BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	UM18 UM18 UM18	NNDNPA NNDNPA NNDNPA	WX4102XX WD4203XX WX4203XX	AVC ZRX ZRX	25-AUG-1992 18-AUG-1992 18-AUG-1992	08-SEP-1992 31-AUG-1992 31-AUG-1992		4.400 UGL 4.400 UGL 4.400 UGL	000
BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	21 M 2 M 2 M 2 M 2 M 2 M 2 M 2 M 2 M 2 M	NNDPA NNDPA NNDPA NNDPA NNDPA NNDPA	M22702X1 MX2702X1 W1302XX W1302XX W4102XX W42102XX W4203XX	AVH AVD AVD ZRX ZRX	22 - SEP - 1992 21 - SEP - 1992 27 - AUG - 1992 27 - AUG - 1992 25 - AUG - 1992 18 - AUG - 1992 18 - AUG - 1992	05-0C1-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	· · · · · · · · · · · · · · · · · · ·	3.000 ust 3.000 ust 3.000 ust 3.000 ust 3.000 ust 3.000 ust	00000000
IN MATER BY	UM 1848 1848 1848 1848 1848 1848 1848 1848	PCB016 PCB016 PCB016 PCB016 PCB016 PCB016	MD2702X1 MX2702X1 UD1302XX UX1302XX UX4102XX UX4102XX UX4203XX	AVB AVB AVH AVC AVC AVC	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	~	21.000 ua. 21.000 ua. 21.000 ua. 21.000 ua. 21.000 ua. 21.000 ua. 21.000 ua.	öööööööö
BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	E E E E E E E E E E E E E E E E E E E	PCB221 PCB221 PCB221 PCB221 PCB221 PCB221	MD2702X1 MX2702X1 MD1302XX MX1302XX MD4102XX MX4102XX MX4203XX	AVH AVD AVD ZRX ZRX	22- SEP - 1992 21- SEP - 1992 27- AuG- 1992 27- AuG- 1992 25- AuG- 1992 18- AuG- 1992 18- AuG- 1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992	· · · · · · · · ·	21.000 UGL 21.000 UGL 21.000 UGL 21.000 UGL 21.000 UGL 21.000 UGL 21.000 UGL	ooooooo
BNA'S IN WATER BY GC/MS	UM18 UM18 UM18 UM18 UM18	PCB232 PCB232 PCB232 PCB232 PCB232 PCB232 PCB232	MD2702X1 MX2702X1 UD1302XX UX1302XX UD4102XX UX4102XX UD4203XX	AVH AVD AVD AVD AVC ZRX	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	~ ~ ~ ~ ~ ~ ~	21.000 UGL 21.000 UGL 21.000 UGL 21.000 UGL 21.000 UGL 21.000 UGL	ööööööö

Sample Duplicate Quality Control Report installation: Fort Devens, MA (DV) Group: 2 and 7

RP0	o.	o.c	. 0	0.	٥.	o, c	.0		o.			. 0.	٥.	o. 1	₽.	٥.	o.	o, c				. 0.	C		0.	oʻ (. 0.	0.	
Value Units	21.000 UGL						30,000 UGL 30,000 UGL		30.000 UGL	38	35	88	8	8	8	000	8	8	88	88	36	36.000 UGL						36.000 UG	36.000 UGL	
; • •	v	٧,	, ,	, ,	. ~	v	v v		•	v '	٧,	/ v	v	v	v	٧	٧	v	v	v	٧,	· •	`	/ v	· •	v	٧ ،	, v	· •	
Analysis Date	31-AUG-1992	05-0CT-1992	05-001-1992	16-SEP-1772	16-SEP-1992	08-SEP-1992	31-AUG-1992 31-AUG-1992		05-0CT-1992	05-0c1-1992	16-SEP-1992	16-SEP-1992	08-SEP-1992	31-AUG-1992	31-AUG-1992	05-0CT-1992	05-0CT-1992	16-SEP-1992	16-SEP-1992	16-SEP-1992	18-SEP-1992	31-AUG-1992	000 000	05-0CI - 1992	16-SEP-1992	16-SEP-1992	16-SEP-1992	21-AIIC-1992	31-AUG-1992	
Sample Date	18-AUG-1992	25	38	88	200	8	18-AUG-1992 18-AUG-1992		22-SEP-1992	21-SEP-1992	27-AUG-1992	27-AUG-1992 25-AHG-1992	25-Alig-1992	18-AUG-1992	18-AUG-1992	22-SFP-1992	21-SEP-1992	27-AUG-1992	27-AUG-1992	25-AUG-1992	25-AUG-1992	18-AUG-1992 18-AUG-1992		22-SEP-1992 31-SEP-1002	27-Alig-1992	27-AUG-1992	25-AUG-1992	25-AUG-1772	18-AUG-1992	
Lot	ZRX	AVH	¥ S	§ §	8	A VC	ZRX	Y	AVH	A/H	8	8	N S	78.X	ZRX	AVH	¥ ¥	8	A S	₽	A	ZKX ZKX	;	A S	8 8	8	₽	A S	X X	
IRDMIS Sample Number	WX4203XX	MD2702X1	MX2702X1	WD1502XX	HX ISUCXX	LX4102XX	MD4203XX	WY4CO24V	MD2702X1	MX2702X1	WD1302XX	LX1302XX	102XX	LD6203XX	WX4203XX	tychtch.	MY2702X1	LD 1302XX	WX1302XX	WD4102XX	WX4102XX	W4203XX		MD2702X1	MX2/02X1	ux1302xx	WD4102XX	LX4102XX	MD4205XX	
Test Name	PCB232	PCB242	PCB242	PCB242	PCB242	PCR242	PCB242	PC8242	PCB248	PCB248	PCB248	PCB248	PC8248	PC5240	PCB248	730000	PC8234	PC8234	PCB254	PCB254	PCB254	PCB254		PCB260	PCB260	PCB260	PCB260	PCB260	PCB260	003974
USATHAMA Method Code	UM18	UM18	UM18	E 18	E :	E E	E 18	SIMO	81.81	UM18	UM18	UM 18	0M18	2 2	2 E		2	5 4	- E	E 5	UM18	EM 2	5	UM18	E 13	5 2	E 18	UM18	UM 18	<u> </u>
Method Description	BNA'S IN WATER BY GC/MS	IN WATER	IN WATER BY	IN WATER BY	BNA'S IN WATER BY GC/MS	IN WATER BY	IN WATER BY	IN WATER	N HATED	IN UATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	BNA'S IN WATER BY GC/MS		IN WATER BY	IN WATER	IN WATER BY	IN LIATER BY	IN WATER BY	₩ 2	IN WHIEN DI	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER	₩.	IN WATER

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATI Metho Code	AMA b	lest lame	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	,	Value Units	25
BNA'S IN WATER BY GC/ BNA'S IN WATER BY GC/	GC/HS UM18 GC/HS UM18 GC/HS UM18 GC/HS UM18 GC/HS UM18 GC/HS UM18 GC/HS UM18		55555555	M2702X1 MX2702X1 W1302XX W1302XX W11302XX W1102XX W1102XX W1102XX W1102XX W1102XX		22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 08-SEP-1992 31-AUG-1992	· · · · · · · · · · · · · · · · · · ·	18.000 UGL 18.000 UGL 18.000 UGL 18.000 UGL 18.000 UGL 18.000 UGL 18.000 UGL	oooooooo
BNA'S IN WATER BY GC, BNA'S IN WATER BY GC	GC/MS UM18 GC/MS UM18 GC/MS UM18 GC/MS UM18 GC/MS UM18 GC/MS UM18 GC/MS UM18		PHANTR PHANTR PHANTR PHANTR PHANTR PHANTR	MD2702X1 MX2702X1 MD1302XX MX1302XX MX4102XX MX4102XX MX4203XX	AVH AVD AVD ZRX ZRX	22-SEP-1992 21-SEP-1992 27-AuG-1992 27-AuG-1992 25-AuG-1992 18-AuG-1992 18-AuG-1992	05-0C1-1992 05-0C1-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992	~~~~	0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL	00000000
BNA'S IN WATER BY GC BNA'S IN WATER BY GC	6C/HS UM 6C/HS UM 6C/HS UM 6C/HS UM 6C/HS UM 6C/HS UM	81 H H H H H H H H H H H H H H H H H H H	PHENOL PHENOL PHENOL PHENOL PHENOL PHENOL	M2702X1 MX2702X1 MD1302XX MX1302XX MD4102XX MX4102XX MX4203XX	AVH AVD AVD ZRX ZRX	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	05-0CT-1992 05-0CT-1992 16-SEP-1992 16-SEP-1992 16-SEP-1992 31-AUG-1992 31-AUG-1992	· · · · · · · · · · · ·	9.200 ugt 9.200 ugt 9.200 ugt 9.200 ugt 9.200 ugt 9.200 ugt 9.200 ugt	ociocicici
BNA'S IN WATER BY GC BNA'S IN WATER BY GC	WI SW/29	MH 18 18 18 18 18 18 18 18 18 18 18 18 18	PPODD PPODD PPODD PPODD PPODD PPODD PPODD	MD2702X1 MX2702X1 MD1302XX MX4102XX WX4102XX WX4203XX WX4203XX MX2702X1 MD2702X1	AVH AVD AVD AVD AVC ZRX ZRX ZRX AVH	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992 22-SEP-1992 21-SEP-1992	05-0CT - 1992 16-SEP - 1992 16-SEP - 1992 16-SEP - 1992 08-SEP - 1992 31-AUG - 1992 31-AUG - 1992 05-0CT - 1992	v v v v v v v v v v v v v v v v v v v	4.000 UGL 4.000 UGL 4.000 UGL 6.000 UGL 6.000 UGL 7.000 UGL 7.000 UGL 7.000 UGL 7.000 UGL 7.000 UGL 7.000 UGL 7.000 UGL 7.000 UGL	ciciocicio cic
IN WAICH DI		2	! !			i				

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

USATHAMA Method Code
PPDDE WX4102XX PPDDE WA4203XX
PPDDT WD4203XX PPDDT WX4203XX
_
PYR WD15U2XX
PYR WX4102XX
_
TYPHEN WUISUZAA
TXPHEN WX4102XX
TXPHEN WD4203XX
UNK644 WD4102XX

Sample Duplicate Quality Control Report Installation: Fort Devens, MA (DV) Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	•	Value Units	RPD
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20 UM20	20 20 20 20 20 20 20 20 20 20 20 20 20 2	MD1302XX WX1302XX WD4102XX WX4102XX MD4203XX	ATN ATN ATN ATS	27-AUG-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992	03-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AUG-1992		0.500 UG. 0.500 UG. 0.500 UG. 0.500 UG. 0.500 UG.	000000
NN WATER BY NN WAT	UM20 UM20 UM20 UM20 UM20 UM20	1200E 1200E 1200E 1200E 1200E 1200E	MD2702X1 MD2702X1 MD1302XX MX1302XX MX4102XX MX4102XX MX4203XX	ATT	22-SEP-1992 21-SEP-1992 27-Aug-1992 27-Aug-1992 25-Aug-1992 18-Aug-1992 18-Aug-1992	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AUG-1992		2222222	. 000000000
N N N N N N N N N N N N N N N N N N N	UM20 UM20 UM20 UM20 UM20	1200 P 1200 P 1200 P 1200 P 1200 P 1200 P	MD2702X1 MX2702X1 MX1302XX MX11302XX MX4102XX WX4102XX WX4203XX	ATT ATN ATN ATN ATF	22-SEP-1992 21-SEP-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992		· · · · · · · · · · · · · · · · · · ·	0.500 UG. 0.500 UG. 0.500 UG. 0.500 UG. 0.500 UG. 0.500 UG. 0.500 UG.	00000000
ZZZZZZZZ	UM20 UM20 UM20 UM20 UM20 UM20 UM20	201EVE 201EVE 201EVE 201EVE 201EVE 201EVE 201EVE 201EVE	MD2702X1 MX2702X1 WD1302XX WX1302XX WX4102XX WX4102XX WX4203XX	ATT ATT ATN ATN ATF	22-SEP-1992 21-SEP-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AUG-1992	· · · · · · · · · · · · · · · · · · ·	0.710 UG. 0.710 UG. 0.710 UG. 0.710 UG. 0.710 UG. 0.710 UG. 0.710 UG.	00000000
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20	ACET ACET ACET ACET	MD2702X1 MX2702X1 WD1302XX WX1302XX	ATT	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992	* * * *	13.000 UGL 13.000 UGL 13.000 UGL 13.000 UGL	0000

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	lot	Sample Date	Analysis Date	v	Value Units	RP0
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20	ACET ACET ACET ACET	WD4102XX WX4102XX WD4203XX WX4203XX	ATN ATN ATF	25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	03-SEP-1992 03-SEP-1992 27-AUG-1992 27-AUG-1992		13.000 ust 13.000 ust 13.000 ust 13.000 ust	öööö
VCC'S IN WATER BY GC/MS VCC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20 UM20 UM20 UM20	ACROLN ACROLN ACROLN ACROLN ACROLN ACROLN ACROLN	HD2702X1 HX2702X1 HD 1302XX HX 1302XX HX 102XX HX 102XX HX 4 102XX HX 4 102XX	ATT ATT ATN ATN ATN ATF	22- SEP - 1992 21- SEP - 1992 27- AUG - 1992 25- AUG - 1992 25- AUG - 1992 18- AUG - 1992 18- AUG - 1992	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AUG-1992	· · · · · · · · · · · ·	100.000 ust. 100.000 ust. 100.000 ust. 100.000 ust. 100.000 ust. 100.000 ust. 100.000 ust.	o o o o o o o o o
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20 UM20 UM20	ACRYLO ACRYLO ACRYLO ACRYLO ACRYLO ACRYLO ACRYLO	MD2702X1 MX2702X1 MD1302XX WX1302XX WX102XX WX4102XX WX4102XX	ATT ATT ATN ATN ATF	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AUG-1992	v v v v v v v	100.000 UGL 100.000 UGL 100.000 UGL 100.000 UGL 100.000 UGL 100.000 UGL 100.000 UGL	00000000
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20 UM20 UM20	BRDCLM BRDCLM BRDCLM BRDCLM BRDCLM BRDCLM BRDCLM	MD2702X1 MX2702X1 WD1302XX UX1302XX MD4102XX WX4102XX WX4203XX	ATT ATT ATN ATN ATF	22- SEP - 1992 21- SEP - 1992 27- AUG - 1992 25- AUG - 1992 25- AUG - 1992 18- AUG - 1992 18- AUG - 1992	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AUG-1992	· · · · · · · · ·	0.590 UGL 0.590 UGL 0.590 UGL 0.590 UGL 0.590 UGL 0.590 UGL 0.590 UGL	occocco
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20 UM20 UM20	C130CP C130CP C130CP C130CP C130CP	MD2702X1 MX2702X1 MD1302XX WX1302XX WA1102XX	ATT ATN ATN ATN	22-SEP-1992 21-SEP-1992 27-Aug-1992 27-Aug-1992 25-Aug-1992	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992	· · · · · ·	0.580 UGL 0.580 UGL 0.580 UGL 0.580 UGL 0.580 UGL 0.580 UGL	oooooo

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	lot	Sample Date	Analysis Date	•	Value Units	2
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20	C130CP C130CP	UD4203XX UX4203XX	ATF ATF	18-AUG-1992 18-AUG-1992	27-AUG-1992 27-AUG-1992		0.580 UGL 0.580 UGL	
VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20 UM20	CZAVE CZAVE CZAVE CZAVE CZAVE CZAVE	MD 2702X1 MX 2702X1 MD 1302XX MX 1302XX MX 4 102XX MX 4 102XX MX 4 102XX	ATT ATN ATN ATN ATN ATF	22-SEP-1992 21-SEP-1992 27-AuG-1992 27-AuG-1992 25-AuG-1992 18-AuG-1992 18-AuG-1992	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AuG-1992	· · · · · · · · · · · ·	8.300 UGL 8.300 UGL 8.300 UGL 8.300 UGL 8.300 UGL 8.300 UGL 8.300 UGL	00000000
IN WATER BY	UM20 UM20 UM20 UM20 UM20 UM20	C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL	MD2702X1 MX2702X1 MX1302XX MX1302XX MX4102XX MX4102XX MX4203XX MX4203XX	ATT ATN ATN ATN ATN ATP	22-SEP-1992 21-SEP-1992 27-AuG-1992 25-AuG-1992 25-AuG-1992 18-AuG-1992	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AUG-1992	· · · · · · · · · ·	2.600 UGL 2.600 UGL 2.600 UGL 2.600 UGL 2.600 UGL 2.600 UGL 2.600 UGL	00000000
IN WATER BY	UM20 UM20 UM20 UM20 UM20 UM20	C2HSCL C2HSCL C2HSCL C2HSCL C2HSCL C2HSCL C2HSCL C2HSCL C2HSCL C2HSCL	M2702X1 MX2702X1 4D 1302XX HX 1302XX HX 102XX HX 102XX HX 4203XX	A11 A11 A1N A1N A1F	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AUG-1992	· · · · · · · · · · · · · · · · · · ·	1.900 uat 1.900 uat 1.900 uat 1.900 uat 1.900 uat 1.900 uat	00000000
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UMZO UMZO UMZO UMZO UMZO UMZO UMZO	2646 6646 6646 6646 6646 6646 6646 6646	HD2702X1 HX2702X1 UD1302XX UX1302XX UX4102XX UX4203XX UX4203XX	ATT ATT ATN ATN ATF	22- SEP - 1992 21- SEP - 1992 27- AUG - 1992 27- AUG - 1992 25- AUG - 1992 18- AUG - 1992 18- AUG - 1992	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-Aug-1992 27-Aug-1992	* * * * * * * *	0.500 uct 0.500 uct 0.500 uct 0.500 uct 0.500 uct 0.500 uct 0.500 uct	öööööööö

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Sample Duplicate Quality Control Report Installation: Fort Devens, MA (DV) Group: 2 and 7

< Value Units
Analysis Date <
Sample Date
Lot
IRDMIS Sample Number
MA Test Name
USATHAMA Method Test Code Name

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	•	Value Units	RPD
VOC'S IN WATER BY GC/MS	UMZO	CLCGHS	WX1302XX	A E	27-AUG-1992 25-AUG-1992	03-SEP-1992 03-SEP-1992		0.500 UGL	0.0
IN WATER BY	UM20	CLC6H5	WX4102XX	ATN	25-AUG-1992	03-SEP-1992	· •		•
IN WATER BY	UM20	CLC6H5	MD4203XX	ATF	18-AUG-1992	27-AUG-1992	v		•
VOC'S IN WATER BY GC/MS	UM20	CLC6H5	WX4203XX	ATF	18-AUG-1992	27-AUG-1992	v		٥.
IN WATER BY	UM20	CS2	MD2702X1	ATT	22-SEP-1992	28-SEP-1992	•		٥.
IN WATER BY	UM20	CS2	MX2702X1	ATT	21-SEP-1992	28-SEP-1992	•		o.
IN WATER BY	UM20	cs2	JD 13 02XX	AIR	27-AUG-1992	03-SEP-1992	v		0.
VOC'S IN WATER BY GC/MS	UM20	CS2	WX1302XX	ATR	27-AUG-1992	03-SEP-1992	v	0.500 UGL	o.
IN WATER BY	U#20	CS2	WD4102XX	AIN	25-AUG-1992	03-SEP-1992	v		0.
IN WATER BY	UM20	CS2	WX4102XX	ATR	25-AUG-1992	03-SEP-1992	v		0.
IN WATER BY	UM20	CS2	MD4203XX	ATF	18-AUG-1992		v		•
IN WATER BY	C#50	cs2	WX4203XX	ATF	18-AUG-1992	27-AUG-1992	v		o.
IN WATER BY	UM20	DBRCLM	MD2702X1	ATT	22-SEP-1992	28-SEP-	•		٥.
	UM20	DBRCLM	MX2702X1	ATT	21-SEP-1992	28-SEP-1992	•	0.670 UGL	۰.
IN WATER BY	UMZO	DBRCLM	JP 1302XX	AIN	27-AUG-1992	03-SEP-	v		•
IN WATER BY	UM20	DBRCLM	WX1302XX	AIN	27-AUG-1992	03-SEP-	•		٥.
IN WATER BY	UM20	DBRCLM	WD4102XX	ATN	25-AUG-1992	03-SEP-	v		۰.
IN WATER BY	UM20	DBRCLM	WX4102XX	AIN	25-AUG-1992	03-SEP-	•		<u>.</u>
IN WATER BY	UM20	DBRCLM	MD4203XX	ATF	18-AUG-1992	27-AUG-	•		o.
WATER	UM20	DBRCLM	WX4203XX	ATF	18-AUG-1992	27-AUG-	v		o.
IN WATER	UM20	ETC6H5	MD2702X1	ATT	22-SEP-1992	28-SEP-	~	8	o.
IN WATER BY	UMZO	ETC6H5	MX2702X1	ATT	21-SEP-1992	28-SEP-	v	8	o.
IN WATER BY	UM20	ETC6H5	JD 1302XX	ATK	27-AUG-1992	03-SEP-	~	8	o.
VOC'S IN WATER BY GC/MS	UMZO	ETC6H5	LX 1302XX	ATR	27-AUG-1992	03-SEP-1992	v	0.500 UGL	o.
IN WATER BY	UM20	ETC6H5	MD4102XX	AIN	25-AUG-1992	03-SEP-	v	8	۰.
IN WATER BY	UM20	ETC6H5	WX4102XX	ATN	25-AUG-1992	03-SEP-	v	8	o.
IN WATER	UM20	ETC6H5	MD4203XX	AIF	18-AUG-1992	27-AUG-	v	8	•
WATER BY	UM20	ETC6H5	WX4203XX	ATF	18-AUG-1992	27-AUG-	v	8	o.
IN WATER BY	UM20	MEC6H5	MD2702X1	ATT	22-SEP-1992	28-SEP-1992	v		0.
IN WATER	UM20	MEC6H5	MX2702X1	ATT	21-SEP-1992		v		0.
WATER BY	UM20	MEC6H5	WD1302XX	ATR	27-AUG-1992		•	0.500 UGL	0.
IN WATER	UM20	MEC6H5	WX1302XX	A	27-AUG-1992		~		o.
IN WATER BY	UM20	MEC6H5	WD4102XX	AIN	25-AUG-1YYZ		v		?.

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

USATHAMA Method Method Description Code	Test Name	IRDMIS Sample Number	Lot		Analysis Date			RPO
	MECGHS WECGHS WECGHS N	WX4102XX WD4203XX WX4203XX	ATN ATF ATF	25-AUG-1992 18-AUG-1992 18-AUG-1992	03-SEP-1992 27-AUG-1992 27-AUG-1992	v	0.500 UGL 0.540 UGL 0.600 UGL	.0 10.5
뽀뽀뽀		MD2702X1 MX2702X1 WD1302XX	ATT	22-SEP-1992 21-SEP-1992 27-AUG-1992	E C	· · ·		ööö
픘픘픘픚		WX1302XX WD4102XX WX4102XX WD4203XX WX4203XX	ATN ATN ATF	27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AUG-1992 27-AUG-1992	· · · · ·	6.400 UG. 6.400 UG. 6.400 UG. 6.400 UG.	o o o o o
		MD2702X1 HX2702X1 WD1302XX WX1302XX WX1102XX WX102XX WX102XX	ATT ATT ATN ATN ATF	22 - SEP - 1992 21 - SEP - 1992 27 - AUG - 1992 27 - AUG - 1992 25 - AUG - 1992 18 - AUG - 1992 18 - AUG - 1992	28 - SEP - 1992 28 - SEP - 1992 03 - SEP - 1992 03 - SEP - 1992 03 - SEP - 1992 27 - AUG - 1992 27 - AUG - 1992	v v v v v v v	3.000 UGL 3.000 UGL 3.000 UGL 3.000 UGL 3.000 UGL 3.000 UGL 3.000 UGL	o e e e e e e e e e
ANT TANK		MD2702X1 MX2702X1 WD1302XX WX1302XX WX102XX WX102XX WX402XX	AII AII AIN AIN AIF	22-SEP-1992 21-SEP-1992 27-AuG-1992 27-AuG-1992 25-AuG-1992 18-AuG-1992 18-AuG-1992	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AUG-1992	· · · · · · · · · · · · · · · · · · ·	3.600 UG. 3.600 UG. 3.600 UG. 3.600 UG. 3.600 UG. 3.600 UG. 3.600 UG.	e e e e e e e e e e e e e e e e e e e
STYR STYR STYR STYR STYR STYR		MD 2702X1 MX 2702X1 MD 1302XX MX 1302XX MX 102XX MX 102XX MX 4102XX MX 4102XX	ATT ATT ATN ATN ATN ATN	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AUG-1992	V V V V V V V	0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL	ööööööö

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	·	Sample Date	Analysis Date	v	Value Units	8
VOC'S IN WATER BY GC/MS	UM20	STYR	WX4203XX	ATF	18-AUG-1992	27-AUG-1992		0.500 UGL	0.
IN WATER BY	UM20	1130CP	MD2702X1	ATT	22-SEP-1992	28-SEP-1992	٧,	0.700 UGL	0.0
IN WATER	UM20	1390	LD1302XX	ATN	27-AUG-1992		/ V	28	. 0.
IN WATER BY	02450 CH 250	1130CP	WX1302XX	ATR	27-AUG-1992		•	8	o,
IN WATER BY	UMZO	1130CP	WD4102XX	ATN	25-AUG-1992		v	88	-
IN WATER BY	220	1130CP	WX4102XX	ATN	25-AUG-1992 18-AHG-1992		v v	38	ö
VOC'S IN WATER BY GC/MS	UM20	1130CP	UX4203XX	ATF	18-AUG-1992		•	200	0.
TW LIATED	111170	TCLEA	MD2702X1	ATT	22-SEP-1992		•		0.
IN WATER BY	129 129 129 129	TCLEA	MX2702X1	ATT	21-SEP-1992		v		o, c
IN WATER	UM20	TCLEA	LD1302XX	AT.	27-AUG-1992		٧ ،		je
VOC'S IN WATER BY GC/MS	C#20	TCLEA	UN 1502XX	A A	25-AUG-1992	03-SEP-1992	, v	0.510 UG.	
IN WAIEK BY		TCLEA	WX4 102XX	AIN	25-AUG-1992		•		0.
IN WATER	OWS OWS	TCLEA	WD4203XX	ATF	18-AUG-1992		v '		o, c
IN WATER BY	UM20	TCLEA	WX4203XX	ATF	18-AUG-1992	2/-AUG-	v		?
IN WATER BY	UM20	TCLEE	MD2702X1	ATT	22-SEP-1992	-43-85	•		0.0
IN WATER BY	UM20	TCLEE	MX2702X1	ATT	21-SEP-1992	28-SEP-	V 1		, c
IN WATER BY	UM20	TCLEE	MD1302XX	ATR	27-AUG-1992 27-AUG-1992	13-SEP-	v v		. 0
IN WATER BY		ICLEE 101 EE	WX 1502XX	ATK	25-Aug-1992	03-SEP-	· •		۰.
IN WATER BY	1 M 20	TCLEE	LX4 102XX	ATR	25-AUG-1992	03-SEP-	v		o.
VOC'S IN WATER BY GC/MS	OWS0	10.66	MD4203XX	ATE	18-AUG-1992 18-AHG-1992	2,7	v v	1.600 UGL 1.600 UGL	
IN WATER BY	225	ורוננ	WATCOOK	-		i			
IN WATER BY	UM20	TRCLE	MD2702X1	ATT	22-SEP-1992	28-SEP-	v	0.500 UGL	o.
IN WATER BY	UM20	TRCLE	MX2702X1	_	21-SEP-1992	- SEP-			9
IN WATER	UM20	TRCLE	HD1302XX		27-AUG-1992	03-SEP-	/ v		
IN WATER BY		TRCLE	MX 1302XX	_	25-Alig-1992	03-SEP-			٥.
VOC'S IN WATER BY GC/MS	1 M 2 D	TRCLE	WX4102XX	A	25-AUG-1992	ğ			0.0
IN WATER BY	UM20	TRCLE	WD4203XX	_	18-AUG-1992	27-AUG-	v		
IN WATER BY	UM20	TRCLE	WX4203XX	-	18-AUG-1992	27-AUG-	v		•

Sample Duplicate Quality Control Report Installation: Fort Devens, MA (DV) Group: 2 and 7

RPO	00000000	öööööööö	00000000	00000000
Value Units	0.800 US 0.00	10.000 ug. 10.000 ug. 10.000 ug. 10.000 ug. 10.000 ug. 10.000 ug.	20.000 ust 20.000 ust	0.449 UGL 0.449 UGL 0.449 UGL 0.449 UGL 0.495 UGL 0.495 UGL 0.495 UGL 0.495 UGL
v		* * * * * * * *	• • • • • • • •	****
Analysis Date	28-SEP-1992 28-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AUG-1992	01-0CT-1992 01-0CT-1992 09-SEP-1992 09-SEP-1992 09-SEP-1992 08-SEP-1992	01-0CT-1992 01-0CT-1992 09-SEP-1992 09-SEP-1992 09-SEP-1992 08-SEP-1992 08-SEP-1992	19-0CT-1992 19-0CT-1992 18-SEP-1992 18-SEP-1992 18-SEP-1992 10-SEP-1992 10-SEP-1992
Semple Date	22-SEP-1992 21-SEP-1992 27-AuG-1992 27-AuG-1992 25-AuG-1992 18-AuG-1992 18-AuG-1992	22-SEP-1992 21-SEP-1992 27-Aug-1992 27-Aug-1992 25-Aug-1992 18-Aug-1992	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22 - SEP - 1992 21 - SEP - 1992 27 - AuG - 1992 27 - AuG - 1992 25 - AuG - 1992 18 - AuG - 1992 18 - AuG - 1992
Lot	A11 A11 A1N A1N A1F	NZ Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	NZZ Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	AFY AFO AFO AFO AFJ AFJ
IRDMIS Sample Number	MD 2702X1 WZ 702X1 WD 1302XX WX 1302XX WG 102XX WG 203XX WG 203XX	HD2702X1 HX2702X1 HD1302XX HX1302XX HD4102XX HX4102XX HX4102XX	HD2702X1 HX2702X1 HD1302XX HX1302XX HX4102XX HX4203XX HX4203XX	MD2702X1 NX2702X1 ND1302XX NX1302XX NX16102XX NX4102XX NX4102XX NX4203XX
ЧА Test Name	XALEN XALEN XALEN XALEN XALEN XALEN XALEN XALEN	2222222		1351NB 1351NB 1351NB 1351NB 1351NB 1351NB 1351NB 1351NB
USATHAMA Method Code	0,420 0,420 0,420 0,420 0,420 0,420 0,420	UM19 UM19 UM19 UM19 UM19 UM19	UM19 UM19 UM19 UM19 UM19	U452 U452 U452 U452 U452 U452
Method Description	VOC'S IN WATER BY GC/HS VOC'S IN WATER BY GC/HS	PETN/NG IN WATER BY HPLC	PETN/NG IN WATER BY HPLC	EXPLOSIVES IN WATER

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

RPD	000000000	00000000	00000000	00000000	öö
Value Units	0.611 UG 0.611 UG 0.611 UG 0.611 UG 0.611 UG 0.611 UG	0.635 UG. 0.635 UG. 0.635 UG. 0.635 UG. 0.635 UG. 0.635 UG.	0.064 UGL 0.064 UGL 0.064 UGL 0.064 UGL 0.064 UGL 0.064 UGL 0.064 UGL	0.074 UGL 0.074 UGL 0.074 UGL 0.074 UGL 0.074 UGL 0.074 UGL 0.074 UGL	1.210 UGL 1.210 UGL
v		v v v v v v v	· · · · · · · · · · · · ·	* * * * * * * *	v v
Analysis Date	19-001-1992 18-SEP-1992 18-SEP-1992 18-SEP-1992 18-SEP-1992 10-SEP-1992	19-0CT - 1992 19-0CT - 1992 18-SEP - 1992 18-SEP - 1992 18-SEP - 1992 10-SEP - 1992 10-SEP - 1992	19-0CT - 1992 19-0CT - 1992 18-SEP - 1992 18-SEP - 1992 18-SEP - 1992 10-SEP - 1992 10-SEP - 1992	19-0CT - 1992 19-0CT - 1992 18-SEP - 1992 18-SEP - 1992 18-SEP - 1992 10-SEP - 1992	19-0CT-1992 19-0CT-1992
Sample Date	22- SEP - 1992 21- SEP - 1992 27- AUG - 1992 27- AUG - 1992 25- AUG - 1992 18- AUG - 1992 18- AUG - 1992	22-SEP-1992 21-SEP-1992 27-AuG-1992 27-AuG-1992 25-AuG-1992 25-AuG-1992 18-AuG-1992	22- SEP - 1992 21- SEP - 1992 27- AUG- 1992 25- AUG- 1992 25- AUG- 1992 18- AUG- 1992 18- AUG- 1992	22- SEP - 1992 21- SEP - 1992 27- AUG - 1992 27- AUG - 1992 25- AUG - 1992 25- AUG - 1992 18- AUG - 1992 18- AUG - 1992	22-SEP-1992 21-SEP-1992
Lot	AFY AFO AFO AFO AFJ	AFY AFO AFO AFO AFJ AFJ	AFY AFO AFO AFO AFJ AFJ	AFY AFO AFO AFO AFO AFJ AFJ	AFY AFY
IRDMIS Sample Number	M2702X1 MX2702X1 WD1302XX WX1302XX WA102XX WX4102XX WX4203XX	MD2702X1 MX2702X1 MD1302XX WX1302XX MD4102XX MX4102XX WX402XX	MD2702X1 MX2702X1 MD1302XX MX1302XX MD4102XX MX46102XX MX4203XX	MD2702X1 MX2702X1 MD1302XX MX1302XX MA2102XX MA2102XX MA2203XX	MD2702X1 MX2702X1
A Test Name	130NB 130NB 130NB 130NB 130NB 130NB 130NB	2461NT 2461NT 2461NT 2461NT 2461NT 2461NT 2461NT	24DNT 24DNT 24DNT 24DNT 24DNT 24DNT 24DNT 24DNT	260NT 265NT 265NT 265NT 265NT 265NT 265NT 265NT	HMX
USATHAM Method Code	M32 W32 W32 W32 W32 W32 W32	UAS2 UAS2 UAS2 UAS2 UAS2 UAS2 UAS2	UA32 UA32 UA32 UA32 UA32 UA32 UA32	UM32 UM32 UM32 UM32 UM32 UM32 UM33	UM32 UM32
Method Description	EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER	EXPLOSIVES IN WATER	EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER	EXPLOSIVES IN WATER	EXPLOSIVES IN WATER EXPLOSIVES IN WATER

Sample Duplicate Quality Control Report Installation: Fort Devens, MA (DV) Group: 2 and 7

RPO	000000	00000000	 	00000000
Value Units	1.210 UGL 1.210 UGL 1.210 UGL 1.210 UGL 1.210 UGL 1.210 UGL	0.645 ug. 0.645 ug. 0.645 ug. 0.645 ug. 0.645 ug. 0.645 ug. 0.645 ug.	1.170 UG. 1.600 UG. 1.170 UG. 1.170 UG. 1.170 UG. 1.170 UG. 1.170 UG.	2.490 UGL 2.490 UGL 2.490 UGL 2.490 UGL 2.490 UGL 2.490 UGL 2.490 UGL 2.490 UGL
v :		* * * * * * * *	·	* * * * * * * *
Analysis Date	18-SEP-1992 18-SEP-1992 18-SEP-1992 18-SEP-1992 10-SEP-1992	19-0CT-1992 18-SEP-1992 18-SEP-1992 18-SEP-1992 18-SEP-1992 10-SEP-1992 10-SEP-1992	19-0CT-1992 18-SEP-1992 18-SEP-1992 18-SEP-1992 18-SEP-1992 10-SEP-1992	19-00T - 1992 18-5EP - 1992 18-5EP - 1992 18-5EP - 1992 18-5EP - 1992 10-5EP - 1992 10-5EP - 1992
Sample Date	27-AUG-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22-SEP-1992 21-SEP-1992 27-AUG-1992 27-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22-SEP-1992 21-SEP-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992 18-AUG-1992	22- SEP - 1992 21- SEP - 1992 27- AUG - 1992 27- AUG - 1992 25- AUG - 1992 18- AUG - 1992 18- AUG - 1992
Lot	AFO AFO AFO AFJ AFJ	AFY AFY AFO AFO AFO AFJ AFJ	AFY AFO AFO AFO AFJ AFJ	AFY AFO AFO AFO AFO AFJ
IRDMIS Sample Number	UD 1302XX WX 1302XX WX 102XX WX 102XX WX 203XX WX 203XX	MD2702X1 MD1302XX WX1302XX WX1302XX WX1102XX WX4102XX WX4102XX	MD2702X1 MX2702X1 MD1302XX MX1302XX MD4102XX MX4102XX MX4203XX	MD2702X1 MX2702X1 MD 1302XX MX 1302XX MD4 102XX MX4 102XX MX4 203XX
Test Name		222222	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	TETRY TETRY TETRY TETRY TETRY TETRY TETRY
USATHAMA Method Code	UM32 UM32 UM32 UM32 UM32	0432 0432 0432 0432 0432 0432	0432 0432 0432 0432 0432 0432	UM32 UM32 UM32 UM32 UM32 UM32 UM32
Method Description	EXPLOSIVES IN LATER	EXPLOSIVES IN WATER	EXPLOSIVES IN WATER	EXPLOSIVES IN WATER

TABLE E-17

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

RPD	2.1	10.4	6.6 6.6	25 25 25 25 25 25 25 25 25 25 25 25 25 2	6.3
Percent Recovery	103.2 101.1 102.1 101.1	166.5 96.0 101.3 96.0	133.7 121.1 127.4 121.1 133.7	100 98.3 108.3 108.3 7.17 7.17 89.1 1.58 8.3 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	83.7 78.6 78.6 81.2
		75 75 75	990 000	8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9	990 000
Value	48000 48000	42600 38400	4800 2760	1220 1190 1300 1300 3780 3780 3270 2560	.331
Spike Value	47500	40000 40000	3590 2280	1210 1210 1200 1200 4460 4560 4560 4510	.421
Analysis Date	15-AUG-93 15-AUG-93	19-AUG-93 19-AUG-93	08-SEP-93 08-SEP-93	07-0C1-93 07-0C1-93 03-SEP-93 03-SEP-93 21-0C1-93 21-0C1-93 21-0C1-93	27-SEP-93 27-SEP-93
Sample Date	05-AUG-93 05-AUG-93	05-AUG-93 05-AUG-93	11-AUG-93 11-AUG-93	14-SEP-93 14-SEP-93 11-Aug-93 11-Aug-93 11-Aug-93 29-SEP-93 30-SEP-93 30-SEP-93	14-SEP-93 14-SEP-93
Lot	GSJA GSJA	102A 102A	HRMA HRMA	TILL A SECTION OF THE	HEHA
Lab Number	DV24*495	DV24*495 DV24*495	DV2S*639 DV2S*639	DV2S*536 DV2S*639 DV2S*639 DV2M*566 DV2M*570 DV2M*570	DV2S*536 DV2S*536
IRDMIS Field Sample Number	. 33	WX4110XX WX4110XX	BXXJ0205 BXXJ0205	BXXG0512 BXXG0512 BXXJ0205 BXXJ0205 BXXJ0205 MXAF05X1 MXAF05X1 MXAF07X1 MXAF07X1	BXXG0512 BXXG0512
Test Name	ALK ************************************	HARD HARD ************************************	10C 10C ********************************	TPHC TPHC TPHC TPHC TPHC TPHC TPHC TPHC	HG HG ****** avg minimum
USATHAMA Method Code	, 00	000	000	88888888	JB01
Method Description					HG IN SOIL BY GFAA HG IN SOIL BY GFAA

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

Percent Recovery RPD	83.7 37.4 31.3 64.1 50.2 50.2 44.7 11.7 47.9 31.3	39.7 147.2 6.0 147.2 132.0 21.0 107.0 21.0 277.1 69.1 134.8 69.1	127.8 13.1 112.1 13.1 207.8 10.8 127.4 10.6 251.9 106.6 251.9 106.6
Value Units	2.17 UGG 1.81 UGG 2.62 UGG 2.39 UGG 2.11 UGG 1.89 UGG	2.3 UGG .35 UGG 5.4 UGG 11 UGG 5.7 UGG	7.4 UGG 6.5 UGG 8.5 UGG 7.5 UGG 10 UGG
Spike Value	5.8 4.09 4.23 5.23	5.78 5.83 3.97 2.02	5.78 5.84 4.08 3.97 7.08
Analysis Date	03-NOV-93 03-NOV-93 15-OCT-93 15-OCT-93 07-OCT-93	02-NOV-93 02-NOV-93 13-0CT-93 13-0CT-93 30-SEP-93 30-SEP-93	04-NOV-93 04-NOV-93 14-OCT-93 14-OCT-93 01-OCT-93 01-OCT-93
Sample Date	17-SEP-93 17-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93	17-SEP-93 17-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93	17-SEP-93 17-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93
Lab Number Lot	DV2S*477 HHIA DV2S*536 HHDA DV2S*536 HHDA DV2S*639 EDXA DV2S*639 EDXA	DV2S*477 FOOA DV2S*336 FOKA DV2S*336 FOKA DV2S*639 FOHA DV2S*639 FOHA	DV2S*477 GKZA DV2S*477 GKZA DV2S*536 GKUA DV2S*639 GKNA DV2S*639 GKNA
IRDMIS Field Sample Number	BX410204 BX410204 BXX60512 BXX60512 BXX10205 BXXJ0205	BX410204 BX410204 BXX60512 BXX60512 BXXJ0205 BXXJ0205	BX410204 BX410204 BXX60512 BXX60512 BXX10205 BXX10205
Test Name	maximum SE SE SE SE SE SE SE SE Minimum maximum	PB PB PB PB ***************************	AS AS AS AS AS ************************
USATHAMA Method Code	55 55 55 55 55 55 55 55 55 55 55 55 55	517 517 517 517 517 517	666 666 666 666 666 666 666 666 666 66
Method Description	SE IN SOIL BY GFAA	PB IN SOIL BY GFAA	AS IN SOIL BY GFAA

Chemical Quality Control Report Installation: Fort Devens, MA (DV) NS/MSD 1993-1994 SSI Groups 2,7

RP0	2000 40000	កោយមក្ខភ សំសំហំហំទាំសំ	ม่ม่งงงง ม่ม่งง่าง่ง	0.0 44:0:0:0:0
Percent Recovery	93.8 105.5 105.2 105.0 101.0	88 8.2 8.3 8.4 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5	88888888888888888888888888888888888888	88227
Value Units	5.44 UGG 4.12 UGG 4.1 UGG 4.45 UGG 4.17 UGG	9.79 UGG 9 UGG 7.83 UGG 5.78 UGG 5.13 UGG	10 UGG 9.86 UGG 7.88 UGG 7.53 UGG 7.29 UGG	2.35 UGG 2.35 UGG 2.35 UGG 2.35 UGG 2.35 UGG 2.35 UGG
Spike Value	5.8 4.09 4.23 3.97	11.5 8.33 8.42 8.42 8	11.6 11.4 8.05 8.09 8.46 8.4	284 201 202 210 212
Analysis Date	02-NOV-93 18-0CT-93 18-0CT-93 01-0CT-93	05-NOV-93 05-NOV-93 19-OCT-93 11-OCT-93 11-OCT-93	11-0CT-93 11-0CT-93 28-SEP-93 28-SEP-93 09-SEP-93	11-0CT-93 11-0CT-93 28-SEP-93 28-SEP-93 09-SEP-93
Sample Date	17-SEP-93 14-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93	17-SEP-93 17-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93	17-SEP-93 17-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93	17-SEP-93 17-SEP-93 14-SEP-93 14-SEP-93 11-AUG-93
Lab Number Lot	N9900	DV25*477 HIGA DV25*536 HIGA DV25*536 HIGA DV25*639 ZWY DV25*639 ZWY	DV25*477 HWHA DV25*477 HWHA DV25*536 HWCA DV25*536 HWCA DV25*639 EXVA DV25*639 EXVA	DV2S*477 HHHA DV2S*437 HHHA DV2S*536 HHCA DV2S*536 HHCA DV2S*639 EXVA DV2S*639 EXVA
IRDMIS Field Sample Number	BX410204 BXXG0512 BXXG0512 BXXJ0205 BXXJ0205	BX410204 BX410204 BXX60512 BXXG0512 BXXJ0205 BXXJ0205	8X410204 8X410204 BXX60512 BXX60512 BXXJ0205 BXXJ0205	8X410204 8X410204 8XXG0512 8XXG0512 8XXJ0205 8XXJ0205
M Test Name	11. 12. 14. 16. 17. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18	S8 S8 S8 S8 S8 ************************	AG AG AG AG ***************************	AL AL AL AL
USATHAMA Method Code	72 72 72 72 72 72 72 72 72 72 72 72 72 7	さ	1516 1516 1516 1516 1516 1516	1816 1816 1816 1816 1816
Method Description	TL IN SOIL BY GFAA	SB IN SOIL BY GFAA	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994, SSI Groups 2,7

쮼	1 1 1 1 1	163.0 163.0 46.8 10.5			 8.	ะะผ่พ่ณ่ณ์		
Percent Recovery	1.0	59.6 6.1 91.8 57.0 91.0	6.1 6.1 91.8	97.5 108.7 106.9	102.7 103.0 97.5 108.7	93.7 103.8 125.4 93.6 93.6	96.6 92.2 103.8	99.3 100.4
Value Units		52 UGG 5.18 UGG 55.7 UGG 34.4 UGG 57.8 UGG 51.6 UGG		71 UGG 69.4 UGG 54.7 UGG 54.1 UGG 51.3 UGG		6820 UGG 6670 UGG 5250 UGG 5150 UGG 4950 UGG 4840 UGG		72.3 UGG 71.4 UGG
Spike Value	; ; ; ; ; ; ; ; ; ;	87.3 85.3 60.7 63.5 63		27.7 20.3 20.3 20.3 20.3	5.55	7280 7110 5060 5030 5290 5290		72.8 71.1
Analysis Date		11-0C1-93 11-0C1-93 28-SEP-93 28-SEP-93 09-SEP-93 09-SEP-93		11-0C1-93 11-0C1-93 28-SEP-93 69-SEP-93 69-SEP-93	CV-385-VO	11-0CT-93 11-0CT-93 28-SEP-93 28-SEP-93 09-SEP-93 09-SEP-93		11-0CT-93 11-0CT-93
Sample Date	1 1 1 1 1 1 1 1 1	17-SEP-93 17-SEP-93 14-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93		17-SEP-93 17-SEP-93 14-SEP-93 14-SEP-93 11-AUG-93	CK-90V-1-1	17-SEP-93 17-SEP-93 14-SEP-93 14-SEP-93 11-AUG-93		17-SEP-93 17-SEP-93
Lab Number Lot		DV2S*477 HWHA DV2S*477 HWHA DV2S*536 HWCA DV2S*536 HWCA DV2S*639 EXVA DV2S*639 EXVA		DV25*477 HWA DV25*436 HWA DV25*536 HWA DV25*636 EXVA		DV25*477 HWHA DV25*477 HWHA DV25*536 HWCA DV25*639 EXVA DV25*639 EXVA		DV2S*477 HWHA DV2S*477 HWHA
IRDMIS Field Sample Number		BX410204 BX410204 BXXG0512 BXXG0512 BXXJ0205 BXXJ0205		BX410204 BX410204 BXXG0512 BXXG0512 BXXJ0205		8X410204 8X410204 8XXG0512 8XXG0512 8XXJ0205 8XXJ0205		BX410204 BX410204
Test Name	avg minimum maximum	8A 8A 8A 8A 8A 8A ********	avg minimum maximum		avg minimum maximum	555555	avg minimum maximum	88
USATHAMA Method Code		1816 1818 1818 1818 1818		1516 1518 1518 1518 1518		1816 1818 1818 1818 1818		JS16 JS16
Method Description		METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP		METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP		NETALS IN SOIL BY ICAP		METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

RPO	2.2.6.8.9.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	12:3 2:9 3:7 7:	2.20 1.20 1.2.5 7.7	0.0 2.9 2.9 2.5 5.5 5.5 5.5 5.5
Percent Recovery	766.2 266.2 267.2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	112.3 99.3 108.9 107.9 103.8 105.4	712.3 75.9 75.0 75.0 100.9 73.4 73.0 73.0	90.4 106.0 108.0 108.0 116.0 101.5 101.5
Value Units	54.9 ucc 55.2 ucc 54.7 ucc	164 UGG 141 UGG 110 UGG 109 UGG 110 UGG 105 UGG	140 UGG 132 UGG 112 UGG 101 UGG 107 UGG 98.1 UGG	65.8 UGG 57.6 UGG 52.3 UGG 52.1 UGG 60.9 UGG 53.7 UGG
Spike Value	50.3 50.6 52.9 52.5 5	146 142 101 106 105	4, 25, 25, 25, 25, 25, 25, 25, 25, 25, 25	77.8 71.1 50.3 50.5 52.5 52.9 52.9
Analysis Date	28-5E-93 09-5E-93 09-5E-93	11-0C1-93 11-0C1-93 28-SEP-93 28-SEP-93 09-SEP-93	11-0C1-93 11-0C1-93 28-SEP-93 28-SEP-93 09-SEP-93	11-0CT-93 11-0CT-93 28-SEP-93 28-SEP-93 09-SEP-93 09-SEP-93
Sample Date	14-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93	17-SEP-93 14-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93	17 - SEP - 93 17 - SEP - 93 14 - SEP - 93 11 - AUG - 93 11 - AUG - 93	17-SEP-93 17-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93
Lab Number Lot) DV25*477 HWHA DV25*477 HWHA DV25*536 HWCA DV25*536 HWCA DV25*639 EXVA DV25*639 EXVA	DV25*477 HWM DV25*536 HWCA DV25*536 HWCA DV25*536 HWCA DV25*639 EXVA DV25*639 EXVA	DV2S*477 HWHA DV2S*477 HWHA DV2S*536 HWCA DV2S*639 EXVA DV2S*639 EXVA
IRDMIS Field Sample Number		8X410204 8X410204 8XX60512 8XX60512 8XX10205 8XX10205	8X410204 8X410204 8XX60512 8XX60512 8XXJ0205 8XXJ0205	8X410204 8X410204 8XX60512 8XX60512 8XX10205 8XX10205
A Test Name	00 00 00 00 00 00 00 00 00 00 00 00 00	CO CO CO CO CO CO CO CO CO CO CO CO CO C	maximum CR CR CR CR CR CR ********************	ឧ ឧ **** **** **** **** **** ****
USATHAMA Method Code	1816 1816 1818 1818 1818	1516 1516 1516 1516 1516	1516 1516 1516 1516 1516	3516 3516 3516 3516 3516 3516
Method Description	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

8		8.8	5.25 173.6 173.6		51.4	<u>ປ</u> ິ່ນ ວ _້ ວະສະສະ		43.1	<u>. 12.</u> 5.6.0.0		180.4 180.4	155.1
Percent Recovery	116.0	ผ ้ผ้^	1,40 W	1.1	70.9	5588 47.7.5	80.0 41.9	78.0	20.58 20.00 30.00 30.00	71.1 50.4 98.8	721.2 37.1	4.1 39.5
Value Units			3.68 UGG 51.5 UGG 3.68 UGG			5130 UGG 4010 UGG 5060 UGG 4740 UGG			2930 UGG 3750 UGG 3690 UGG		525 UGG 26.4 UGG 16.3 UGG	
Spike Value		1460 1420	100 1050 1060		7280	5060 5290 5250 5250		7280	2520 2530 2520 2520		72.8 71.1 50.6	50.3
Analysis Date		11-0CT-93 11-0CT-93 28-SEP-93	28-SEP-93 09-SEP-93 09-SEP-93		11-0CT-93 11-0CT-93	28-SEP-93 28-SEP-93 09-SEP-93 09-SEP-93		11-0CT-93 11-0CT-93 28-8ED-03	28-SEP-93 09-SEP-93 09-SEP-93		11-0CT-93 11-0CT-93 28-SEP-93	28-SEP-93 09-SEP-93
Sample Date		17-SEP-93 17-SEP-93 14-SEP-93	14-SEP-93 11-AUG-93 11-AUG-93		17-SEP-93 17-SEP-93	14-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93		17-SEP-93 17-SEP-93 14-SEP-03	14-SEP-93 11-AUG-93 11-AUG-93		17-SEP-93 17-SEP-93 14-SEP-93	14-SEP-93 11-AUG-93
Lab Number Lot			DV2S*536 HWCA DV2S*639 EXVA DV2S*639 EXVA			DV2S*536 HWCA DV2S*639 EXVA DV2S*639 EXVA		DV2S*477 HWHA DV2S*477 HWHA DV2S*536 HUCA	DV2S*536 HWCA DV2S*639 EXVA DV2S*639 EXVA		DV2S*477 HWHA DV2S*477 HWHA DV2S*536 HWCA	
IRDMIS Field Sample Number		8X410204 8X410204 8XXG0512	BXXG0512 BXXJ0205 BXXJ0205	~	BX410204 BX410204	BXXG0512 BXXJ0205 BXXJ0205 BXXJ0205		8X410204 8X410204 8XXG0512	BXXG0512 BXXJ0205 BXXJ0205	_	8X410204 8X410204 8XXG0512	BXXG0512 BXXJ0205
Test Name	maximum		######################################	avg minimum maximum	777	4	avg minimum maximum	តិតិតិ	ភិភិភិ	avg minimum maximum	.	££
USATHAMA Method Code		1516 1516 1516	1516 1516 1516		JS16 JS16 AF21	1515 1515 1515 1515		1516 1516 1516	1516 1516 1516		1516 1516 1516	JS16 JS16
Method Description		SOIL BY 1 SOIL BY 1 SOIL BY 1			1108 N. 2011	888			IN SOIL BY I		METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	IN SOIL BY

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

8	164.0		8.8 10.9 22.1 22.1	212 219 27 7 7 7 7 7 7 7 7 7	23.9
Percent Recovery	3.9 139.7 3.9 721.2	88.50 6.50 6.50 7.50 7.50 7.50 7.50 7.50	83.3 107.7 105.7 105.1 84.2 84.2 107.7	8.5.3 2.2.3 2.5.3 2.5.3 2.5.3 1.6.1.6	93.2
Value Units	2.05 UGG	6950 UGG 6690 UGG 5330 UGG 5330 UGG 5200 UGG 5010 UGG	67.9 UGG 60.7 UGG 54.5 UGG 48.6 UGG 55.6 UGG 44.2 UGG	58.2 UGG 45.6 UGG 52.9 UGG 44.1 UGG 50 UGG 49.8 UGG	136 UGG
Spike Value	52.5	7280 7110 5030 5290 5250	72.8 71.1 50.3 52.9 52.5	72.8 71.1 50.6 52.9 52.5	146
Analysis Date	09-SEP-93	11-0CT -93 11-0CT -93 28-8EP -93 28-8EP -93 09-8EP -93	11-0c1-93 11-0c1-93 28-8EP-93 28-8EP-93 09-8EP-93	11-0CT-93 11-0CT-93 28-5EP-93 28-5EP-93 09-5EP-93	11-0CT-93
Sample Date	11-AUG-93	17-SEP-93 17-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93	17-SEP-93 17-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93	17-SEP-93 17-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93	17-SEP-93
Lab Number Lot	DV2S*639 EXVA	DV28*477 HWHA DV28*536 HWCA DV28*536 HWCA DV28*536 HWCA DV28*639 EXVA	DV2s*477 HWM DV2s*536 HWCA DV2s*536 HWCA DV2s*536 HWCA DV2s*639 EXVA	DV2S*477 HWMA DV2S*536 HWCA DV2S*536 HWCA DV2S*639 EXVA DV2S*639 EXVA	DV25*477 HWHA
IRDMIS Field Sample Number	BXXJ0205	BX410204 BX410204 BXX60512 BXX60512 BXX10205 BXXJ0205	BX410204 BX410204 BXX60512 BXX60512 BXXJ0205 BXXJ0205	BX410204 BX40204 BXX60512 BXX60512 BXXJ0205 BXXJ0205	BX410204
Test Name	MN ********* avg minimum maximum	NA NA NA NA NA ************************	NI NI NI NI ***************************	V V V V V V V V V V V V V V V V V V V	NZ Z
USATHAWA Method Code	JS16	1516 1516 1516 1516 1516 1516	1516 1516 1516 1516 1516 1516	1516 1516 1516 1516 1516 1516	JS16
Method Description	METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	METALS IN SOIL BY ICAP

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

RPO	23.44 2.00 2.00		::	22	0.0	www www
Percent Recovery	73.2 106.9 102.0 98.1	74.6 73.2 166.9	89.7 89.7 89.7 89.7	93.8 93.3 93.3 93.8	E.E. E.E.E.	2.78 2.18 2.18 2.19 2.19 2.19
Units			99n 080	99n 00	990 000	990 090
Value	201 201 201 201 201 201 201 201 201 201		.0264	.0273	.0225	.043 .043
Spike Value	742 101 106 105 105		.0291	.0291	.0291	.0667 .0667 .0667
Analysis Date	11-0CT-93 28-SEP-93 28-SEP-93 09-SEP-93 09-SEP-93		15-0CT-93 15-0CT-93	15-0C1-93 15-0C1-93	15-0CT-93 15-0CT-93	15-0CT-93 15-0CT-93 15-0CT-93
Sample Date	17-SEP-93 14-SEP-93 14-SEP-93 11-AUG-93 11-AUG-93		17-SEP-93 17-SEP-93	17-SEP-93 17-SEP-93	17-SEP-93 17-SEP-93	17-SEP-93 17-SEP-93 17-SEP-93
Lot	. ***	•	7 IAFA 7 IAFA	7 IAFA 7 IAFA	7 IAFA 7 IAFA	7 1AFA 7 1AFA 7 1AFA
Lab	DV2S*477 DV2S*536 DV2S*536 DV2S*639 DV2S*639		DV25*477 DV25*477	DV2S*477 DV2S*477	DV2S*477 DV2S*477	DV2S#477 DV2S#477 DV2S#477
IRDMIS Field Sample Number			BX410204 BX410204	BX410204 BX410204	BX410204 BX410204	BX410204 BX410204 BX410204
Test Name	ZN ZN ZN ZN ZN ZN	avg minimum maximum	AENSLF AENSLF ************************************	ALDRN ALDRN ************************************	BENSLF BENSLF ************************************	CL10BP CL10BP CL10BP ************************************
USATHAMA Method Code	1816 1816 1816 1816 1816		LH10 LH10	LH10 LH10	LH10 LH10	E 110
c	CAP CAP					
Method Description	SOIL BY SOIL BY SOIL BY SOIL BY SOIL BY					
d Desc	ZZZZZ				•	
Method	METALS METALS METALS METALS METALS					

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

8	6.8		1.2		3.2		2.1.		1.7		3.9	
Percent Recovery	94.2 93.9 87.9	92.0 87.9 94.2	83.2 82.1	82.6 82.1 83.2	87.6 84.9	86.3 87.6	90.4	89.7 89.0 90.4	94.1	93.2 92.4 94.1	81.4	6.62
Value Units	990		990 000		990		99 00 00		99 90 10 10	•	99n 09n	•
Value	.0628 .0626 .0586		.0242		.0255		.0263		.04 11 12 13 13 13 13 13 13 13 13 13 13 13 13 13		.0237 .0228	
Spike Value	.0667 .0667 .0667		.0291		.0291		.0291		.0437		.0291	
Analysis Date	15-0CT-93 15-0CT-93 15-0CT-93		15-0CT-93 15-0CT-93		15-0CT-93 15-0CT-93		15-0CT-93 15-0CT-93		15-0CT-93 15-0CT-93		15-0cT-93 15-0cT-93	
Sample Date	17-SEP-93 17-SEP-93 17-SEP-93		17-SEP-93 17-SEP-93		17-SEP-93 17-SEP-93		17-SEP-93 17-SEP-93		17-SEP-93 17-SEP-93		17-SEP-93 17-SEP-93	
Lot			7 IAFA 7 IAFA		IAFA IAFA		IAFA IAFA		IAFA		IAFA	
Lab Number	0V2S*477 0V2S*477 0V2S*477		DV2S*477 } DV2S*477		DV2S*477 DV2S*477		DV25*477 DV25*477		DV2S*477 DV2S*477		DV2S*477 1AFA DV2S*477 1AFA	
IRDMIS Field Sample Number			BX410204 BX410204		8X410204 8X410204		BX410204 BX410204		BX410204 BX410204		BX410204 BX410204	
Test Name	CL4XYL CL4XYL CL4XYL	avg minimum maximum	DLDRN DLDRN *******	avg minimum maximum	ENDRN ENDRN	avg minimum maximum	HPCL HPCL *******	avg minimum maximum	1500R 1500R ********	avg minimum maximum	LIN LIN *******	avg
USATHAMA Method Code	CH10 CH10 10 10 10 10 10 10 10 10 10 10 10 10 1	,	LH10 LH10		LH10		LH10 LH10		LH10 LH10		LH10 LH10	
Method Description												

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

8		3.9		1.6 6.1		20.5 20.5 20.5		27.1 27.1 27.1		83.9 9.9	
Percent Recovery	78.4 81.4	72.5	71.1 69.8 72.5	89.0 87.6	88.3 87.6 89.0	58.5 58.5 5.55	58.5 52.5 64.5	67.6 54.6 51.9	58.0 51.9 67.6	77.8 35.8	56.8 35.8 77.8
Value Units		1 UGG 3 UGG		99 nee		35 UGG 1966 197		7 UGG V UGG UGG		25 UGG	
Val		.203		.0259		.039		.0364 .0364		.302	
Spike Value	; ; ; ; ; ; ; ; ;	έĕ		.0291		.0667 .0667 .0667		.0667 .0667 .0667		.388	
Analysis Date		15-0CT-93 15-0CT-93		15-0CT-93 15-0CT-93		16-0CT-93 16-0CT-93 16-0CT-93		16-0CT-93 16-0CT-93 16-0CT-93		16-0CT-93 16-0CT-93	
Sample Date		17-SEP-93 17-SEP-93		17-SEP-93 17-SEP-93		17-SEP-93 17-SEP-93 17-SEP-93		17-SEP-93 17-SEP-93 17-SEP-93		17-SEP-93 17-SEP-93	
Lot		7 IAFA 7 IAFA		7 IAFA 7 IAFA		7 HB0A 7 HB0A 1 HB0A		7 HBQA 7 HBQA 7 HBQA		7 HBQA 7 HBQA	
Lab		0V2S*477 0V2S*477	,	DV25*477 DV25*477		DV2S*477 DV2S*477 DV2S*477		DV2S*477 DV2S*477 DV2S*477		DV2S*477 DV2S*477	
IRDMIS Field Sample Number		BX410204 BX410204		BX410204 BX410204		BX410204 BX410204 BX410204		BX410204 BX410204 BX410204		BX410204 BX410204	
Test Name	minimum maximum	MEXCLR MEXCLR *******	avg minimum maximum	PP001 PP001 ********	avg minimum maximum	CL108P CL108P CL108P	avg minimum maximum	CL4XYL CL4XYL CL4XYL CL4XYL	avg minimum maximum	PCB016 PCB016 *********	avg minimum maximum
USATHAMA Method Code		LH10 LH10		LH10 LH10		LH16 LH16 LH16		L#16 L#16 L#16		LH16 LH16	
Method Description		-	,								

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

RPO	19.1		9.9 8.8		2.3	5.7	ж 9.9
Percent Recovery	87.1	78.5 71.9 87.1	82 KK8	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	89.9 87.9 88.9 87.9 89.9	117.1	96.8
Value Units	390 000		990 000	nge Nge	nge Nge	990 990	88 20
Value	.338		7.42 6.73	7.85	8.98 8.78	28.7 27.1	39.5 38.1
Spike Value	.388		9.32	9.29	88.	24.5	40.8 40.8
Analysis Date	16-0CT-93 16-0CT-93		29-SEP-93 29-SEP-93	29-SEP-93 29-SEP-93	29-SEP-93 29-SEP-93	29-SEP-93 29-SEP-93	29-SEP-93 29-SEP-93
Sample Date	17-SEP-93 17-SEP-93		17-SEP-93 17-SEP-93	17-SEP-93 17-SEP-93	17-SEP-93 17-SEP-93	17-SEP-93 17-SEP-93	17-SEP-93 17-SEP-93
Lot	7 HBQA 7 HBQA		7 1GEA 7 1GEA	7 IGEA 7 IGEA	7 1GEA 7 1GEA	7 1GEA 7 1GEA	7 1GEA 7 1GEA
Lab Number	DV2S*477 DV2S*477		}	0V2S*477 0V2S*477	DV2S*477 1GEA DV2S*477 1GEA	DV25*477 DV25*477	DV2S*477 DV2S*477
IRDMIS Field Sample Number	BX410204 BX410204		BX410204 BX410204	BX410204 BX410204	8X410204 8X410204	8X410204 8X410204	BX410204 BX410204
Test	PCB260 PCB260	avg minimum maximum	135TNB 135TNB ************************************	246TNT 246TNT ***********************************	24DNT 24DNT ************************************	NB NB ******** avg minimum maximum	NG NG *******
USATHAMA Method Code	LH16 LH16	,	LW12 LW12	LW12 LW12	LW12 LW12	LW12 LW12	LW12 LW12
ion			BY HPLC BY HPLC	BY HPLC BY HPLC	BY HPLC BY HPLC	N HPLC	IY HPLC
escript			1 2011 H	1 SOIL F	2011	SOIL BY	SOIL B
Method Description			EXPL.S IN SOIL	EXPL.S IN SOIL	EXPL.S IN GEXPL.S IN G	EXPL.S IN	EXPL.S IN SOIL BY EXPL.S IN SOIL BY

Chemical Quality Control Report Installation: Fort Devers, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

RPO	2:9	4.5 5.5	,,,,,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2,17,2,2,4,4,4,4,4,4,4,4,4,4,4,4,4,4,4,4,4,
Percent Recovery	% % % % % % % % % % % % % % % % % % %	8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8	96.5 97.3 97.8 97.8 97.8 97.6 97.6	126.0 124.0 101.0 98.3 101.0 98.4 119.0
Value Units	38.6 UGG 37.5 UGG	8.35 UGG 7.98 UGG	7.81 UG 7.73 UG 3.89 UG 7.89 UG 7.89 UG 7.89 UG	12.6 UG. 12.4 UG. 10.1 UG. 9.83 UG. 10.4 UG. 11.9 UG. 11.9 UG.
Spike Value	38.9 38.9	8.78 8.78	พพ44พพ	5 5555555
Analysis Date	29-SEP-93 29-SEP-93	29-SEP-93 29-SEP-93	12-0CT-93 12-0CT-93 08-NOV-93 08-NOV-93 12-0CT-93	14-NOV-93 14-NOV-93 02-NOV-93 02-NOV-93 02-NOV-93 14-NOV-93 14-NOV-93
Sample Date	17-SEP-93 17-SEP-93	17-SEP-93 17-SEP-93	29- SEP-93 29- SEP-93 14-0CI-93 14-0CI-93 29- SEP-93 29- SEP-93	14-0C1-93 14-0C1-93 29-SEP-93 30-SEP-93 30-SEP-93 14-0C1-93 05-AUG-93
Lab Number Lot	DV2S*477 1GEA DV2S*477 1GEA	DV2S*477 1GEA DV2S*477 1GEA	DVZF*566 IEDA DVZF*566 IEDA DVZH*488 IELA DVZH*566 IEDA DVZH*566 IEDA	DV2F*488 GMM DV2F*488 GMM DV2F*566 GWD DV2F*566 GWD DV2F*570 GWD DV2F*570 GWD DV2F*570 GWD DV2F*570 GWD DV2F*688 GWM
IRDMIS Field Sample Number	BX410204 BX410204	BX410204 BX410204	MXAFO5X1 MX4104X1 MX4104X1 MX4104X1 MXAFO5X1 MXAFO5X1	MX4104X1 MX4104X1 MX4F05X1 MXAF05X1 MXAF07X1 MX4104X1 MX410XX
Test Name	avg minimum maximum PETN ************************************	RDX RDX ********************************	HG HG HG HG HG HG *********************	4444444
USATHAMA Method Code	LW12	LW12 LW12	8801 8801 8801 8801	222222 88888888888
Method Description	EXPL.S IN SOIL BY HPLC EXPL.S IN SOIL BY HPLC	EXPL.S IN SOIL BY HPLC EXPL.S IN SOIL BY HPLC	HG IN WATER BY CVAA HG IN WATER BY CVAA	TL IN WATER BY GFAA

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

<u>8</u>	2	22.77 2.004 2.77 2.000	 000000000000000000000000000000000
Percent Recovery	102.0 69.9 69.9 113.0 110.0 106.6 69.9	121.5 119.5 118.8 88.8 85.3 85.3 83.0 83.0 83.0	4.501 2.2.3.8.8.8.8.5.2.2.5.7.7.6.001 6.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
Value Units	10.2 UG 6.39 UG 11.3 UG 11 UG	48.6 46.6 47.7 47.5 47.5 83.5 83.5 84.1 84.1 83.2 83.2 96.2 84.2 83.2 96.2 83.2 96.2 83.2 96.2 83.2 96.2 83.2 96.2 83.2 96.2 83.2 83.2 83.2 83.2 83.2 83.2 83.2 83	39.50 UE 37.50 UE 37.
Spike Value	55555	99999999	%%%%%%%%%%% %%%%%%%%% %%%%%%%%%% %%%%%%
Analysis Date	01-0CT-93 02-NOV-93 02-NOV-93 02-NOV-93	05-NOV-93 05-NOV-93 05-NOV-93 03-OCT-93 03-OCT-93 05-NOV-93 05-NOV-93 05-NOV-93	18-NOV-93 17-NOV-93 04-NOV-93 04-NOV-93 04-NOV-93 17-NOV-93 17-NOV-93 17-NOV-93 05-OCT-93 06-NOV-93 04-NOV-93
Sample Date	05-AUG-93 29-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93	29- SEP-93 30- SEP-93 30- SEP-93 30- SEP-93 05- AMG-93 20- SEP-93 30- SEP-93 30- SEP-93	14-0CT-93 14-0CT-93 29-SEP-93 30-SEP-93 30-SEP-93 14-0CT-93 14-0CT-93 05-AUG-93 05-AUG-93 29-SEP-93 30-SEP-93
	DVZ4*495 GHCA DVZ4*566 GHQA DVZ4*570 GHQA DVZ4*570 GHQA DVZ4*570 GHQA	DV2F*566 INGA DV2F*566 INGA DV2F*570 INGA DV2F*570 INGA DV2F*566 INGA DV2F*566 INGA DV2F*566 INGA DV2F*570 INGA	DV2F*488 HNSA DV2F*488 HNSA DV2F*566 HNWA DV2F*570 HNWA DV2F*570 HNWA DV2F*488 HNSA DV2W*485 EFYA DV2W*485 EFYA DV2W*566 HNWA DV2W*566 HNWA DV2W*566 HNWA
IRDMIS Field Sample Number	> > = = = =	MXAFOX1 MXAFOX1 MXAFOX1 MX410X MX410X MXAFOX1 MXAFOX1 MXAFOX1	MX4104X1 MX4104X1 MX4105X1 MX4F05X1 MX4F07X1 MX410XX1 MX4110XX MX4110XX MX4110XX MX4110XX MX410XX MX410XX MX410XX MX410XX MX410XX MX410XX
A Test Name	TL TL TL TL ***************************	PB P	***************************************
USATHAMA Method Code	88888 8888	2222222 2222222 23222222 2322222222222	22222222222222222222222222222222222222
Method Description	TL IN WATER BY GFAA TL IN WATER BY GFAA TL IN WATER BY GFAA TL IN WATER BY GFAA TL IN WATER BY GFAA	PB IN WATER BY GFAA	SE IN WATER BY GFAA

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

RPO PO	0.		e. 9. 51 9. 51	2,100 2,2,00 2,2,00 2,00 2,00 2,00 2,00				4.7 2.8
Percent Recovery	22.7	74.9 8.1 106.4	120.3 119.2 94.7 83.2	108.3 106.7 20.7 6.8 103.2	86.6 6.8 120.3	91.4 17.5 17.6 17.6 17.6 17.6 17.6 17.6 17.6	56.8 19.0 91.4	100.8 96.2 94.8
Value Units	8.52 UGL			7.54 UE 38.7 UE 38.6 UE 38.7 UE 38.6 UE	,	73.1 UG 72.4 UG 15.4 UG 15.2 UG 62.1 UG 58.6 UG 33.7 UG		50.4 UGL 48.1 UGL 47.4 UGL
Spike Value	37.5		37.5 37.5 37.5 37.5	288888 4448844		88888888		20 20 20 20
Analysis Date	04-NOV-93		05-NOV-93 05-NOV-93 05-NOV-93 05-NOV-93	01-0C1-93 01-0C1-93 05-NOV-93 05-NOV-93 05-NOV-93		16-NOV-93 16-NOV-93 05-NOV-93 05-NOV-93 11-NOV-93 05-NOV-93		08-NOV-93 08-NOV-93 15-OCT-93
Sample Date	30-SEP-93		29-SEP-93 29-SEP-93 30-SEP-93 30-SEP-93	05-AUG-93 05-AUG-93 29-SEP-93 30-SEP-93 30-SEP-93		14-001-93 14-001-93 30-8E-93 30-8E-93 14-001-93 30-8E-93 30-8E-93		14-0CT-93 14-0CT-93 29-SEP-93
Lab Number Lot	DVZ4#570 HNMA		DV2F*566 HOKA DV2F*566 HOKA DV2F*570 HOKA DV2F*570 HOKA	DVZ#*495 ESVA DVZ#*566 HOKA DVZ#*566 HOKA DVZ#*570 HOKA DVZ#*570 HOKA		DVZF*488 FRXA DVZF*488 FRXA DVZF*570 FRTA DVZF*570 FRTA DVZW*488 FRXA DVZW*488 FRXA DVZW*570 FRTA		DV2F*488 HXPA DV2F*488 HXPA DV2F*566 HXIA
IRDMIS Field Sample Number	.		MXAF05X1 MXAF05X1 MXAF07X1 MXAF07X1	WX4110XX WXAF05X1 WXAF05X1 WXAF07X1		MX4104X1 MX4104X1 MX4F07X1 MX4104X1 MX4104X1 MX4106X1 MX4F07X1		MX4104X1 MX4104X1 MXAF05X1
A Test Name	SE *******	avg minimum maximum	AS A	AS AS AS AS AS	avg minimum maximum	######################################	avg minimum maximum	AG AG AG
USATHAMA Method Code	SD21	,	22222 8888	22222 88888		22 22 22 22 22 22 22 22 22 22 22 22 22		ss10 ss10 ss10
Method Description	SE IN WATER BY GFAA		IN WATER BY			SB IN WATER BY GFAA		METALS IN WATER BY ICAP HETALS IN WATER BY ICAP METALS IN WATER BY ICAP

Chemical Quality Control Report Installation: Fort Devers, MA (DV) MS/MSD 1993-1994, SSI Groups 2,7

RPO	2012 872751577	2. 1.1. 2. 1.1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	0. 6. 8.2 8.2 6.10 7.0 7.0
Percent Recovery	2.28 2.28 2.28 2.28 2.28 3.88 3.88 3.88	7.17 103.0 103.0 103.0 103.0 103.0 103.0 103.0 103.0	88.05 88.05 88.05 88.05 87.05 87.05 87.05
Value Units	46.1 UG 48.9 UG 47.7 UG 51.8 UG 45.2 UG 47.4 UG 67.1 UG 67.1 UG	2000 UGE 1990 UGE 1990 UGE 1970 UGE 1970 UGE 2060 UGE 141 UGE 141 UGE 141 UGE 141 UGE	1810 UGL 1810 UGL 1720 UGL 1710 UGL 1740 UGL 1860 UGL 1830 UGL 1640 UGL
Spike Value	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	5000 5000 5000 5000 5000 5000 5000 500	2000 2000 2000 2000 2000 2000 2000
Analysis Date	15-0C1-93 15-0C1-93 15-0C1-93 08-NOV-93 08-NOV-93 15-0C1-93 15-0C1-93 15-0C1-93	08-NOV-93 08-NOV-93 15-0C1-93 15-0C1-93 15-0C1-93 08-NOV-93 08-NOV-93 15-0C1-93 15-0C1-93	08-NOV-93 08-NOV-93 15-OCT-93 15-OCT-93 15-OCT-93 08-NOV-93 08-NOV-93
Sample Date	29-8E-93 30-8E-93 14-0C1-93 14-0C1-93 29-8E-93 30-8E-93 30-8E-93	14-0c1-93 14-0c1-93 120-88-93 30-88-93 14-0c1-93 14-0c1-93 20-88-93 30-88-93 30-88-93	14-0c1-93 14-0c1-93 29-8EP-93 30-8EP-93 30-8EP-93 14-0c1-93 14-0c1-93 29-8EP-93
Lab Number Lot	2224 2224 2224 2224 2224 2224 2224 222	DV2F*488 HXPA DV2F*586 HXIA DV2F*556 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*566 HXIA DV2F*566 HXIA DV2F*566 HXIA DV2F*5670 HXIA	DVZF*488 HXPA DVZF*566 HXIA DVZF*566 HXIA DVZF*570 HXIA DVZF*570 HXIA DVZF*570 HXIA DVZF*488 HXPA DVZM*488 HXPA DVZM*688 HXPA
IRDMIS Field Sample Number	MXAFOXT MXAFOXT MXAFOXT MXAFOXT MXAFOXT MXAFOXT MXAFOXT MXAFOXT MXAFOXT MXAFOXT	MX4104X1 MX4104X1 MX4105X1 MX4F05X1 MX4107X1 MX4104X1 MX4F05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1	MX4104X1 MX4104X1 MXAF05X1 MXAF05X1 MXAF07X1 MXAF07X1 MX4104X1 MXAF05X1
IA Test Name	AG A	AL AL AL AL AL AL AL AL ***************	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
USATHAMA Method Code	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$20 \$\$20 \$\$20 \$\$20 \$\$20 \$\$20 \$\$20
Method Description	METALS IN WATER BY ICAP	METALS IN WATER BY ICAP	METALS IN WATER BY ICAP

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994, SSI Groups 2,7

RPO	10.3	4400888844	
Percent Recovery	28.8 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5	2 2111 2 2111 2 2 2111 2 2 2 2 2 2 2 2 2	4.67 6.61 6.60 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00
_	710 UGL	55.1 ug 55.5 ug 55.5 ug 55.5 ug 58.8 ug 51.5 ug 51.5 ug	10500 UGL 117100 UGL 10200 UGL 10200 UGL 10800 UGL 10800 UGL 8550 UGL 9690 UGL 9690 UGL
Spike Vatue Ve		288888888888 	
Sp.	2000 2000 2000		10000 10000 10000 10000 10000 10000 10000 10000
Analysis Date	15-0c1-93 15-0c1-93 15-0c1-93	08-NOV-93 16-001-93 15-001-93 15-001-93 15-001-93 16-001-93 16-001-93 15-001-93 15-001-93	08-NOV-93 08-NOV-93 15-007-93 15-007-93 15-007-93 15-007-93 15-007-93 15-007-93 15-007-93
Sample Date	29-SEP-93 30-SEP-93 30-SEP-93	14-0C1-93 29-SEP-93 29-SEP-93 30-SEP-93 30-SEP-93 14-0C1-93 14-0C1-93 29-SEP-93 30-SEP-93	14-0c1-93 14-0c1-93 29-8EP-93 30-8EP-93 30-8EP-93 14-0c1-93 14-0c1-93 29-8EP-93 30-8EP-93
rot .	Y X X X X X X X X X X X X X X X X X X X	HXIABA HXIABA HXIABA HXIABA HXIABA HXIABA HXIABA HXIABA HXIABA	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Lab Number	DV24*570 DV24*570 DV24*570	DV2F*488) DV2F*588 DV2F*566 DV2F*570 DV2F*570 DV2F*570 DV2F*570 DV2F*566 DV2F*566 DV2F*566 DV2F*566	DV2F*488 DV2F*488 DV2F*566 DV2F*570 DV2F*570 DV2F*570 DV2F*570 DV2F*570 DV2F*570
IRDMIS Field Sample Number	TEE	NX4104X1 NX4104X1 NXAF05X1 NXAF07X1 NXAF07X1 NXAF07X1 NXAF05X1 NXAF05X1 NXAF05X1	MX4104X1 MX4104X1 MXAF05X1 MXAF07X1 MXAF07X1 MXAF07X1 MXAF07X1 MXAF07X1 MXAF07X1
Test Name	BA BA *********************************	86 86 86 86 86 86 86 87 87 87 87 87 87 87 87 87 87 87 87 87	maximum CA CA CA CA CA CA CA CA CA CA Minimum
USATHAMA Method Code	ss10 ss10 ss10	8 8 10 8 8 10 8 8 10 8 8 10 8 8 10 8 8 10 8 8 10 8 8 10 8 8 10 8 8 10 8 8 10	\$210 \$210 \$210 \$210 \$210 \$210 \$210 \$210
	CAP	\$2555555555555555555555555555555555555	\$\$\$\$\$\$\$\$\$\$\$\$\$\$
ption	ER BY ER BY BY	######################################	######################################
escrij	IN WATER IN WATER IN WATER	N N N N N N N N N N N N N N N N N N N	N WATER WATE
Method Description	METALS I METALS I METALS I	METALS I METALS I METALS I METALS I METALS I METALS I METALS I METALS I METALS I	METALS I METALS I METALS I METALS I METALS I METALS I METALS I METALS I METALS I
E	뽀뽀뽀	냋냋냋냋냋냋	www.e.e.e.e.e.e.e.e.e.e.e.e.e.e.e.e.e.e

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

RPO		6.7	0 .0 t	50.0	7.00			<u></u>	4.6.6.	(ööáá
Percent Recovery	111.0	95.6 89.4	28.5 4.0.0	101.0	86.8	88.0 7.0 7.0 7.0	97.5 89.4 105.0	112.0 110.6 106.0	105.6 108.8 106.8	114.0 112.8 89.6	77.0 107.8 107.8	104.9 77.0 114.0	888 258
Value Units		47.8 UGL 44.7 UGL			45.2 UG. 52.5 UG. 27.7 UG.				228 UGL 544 UGL 534 UGL 534				191 UG. 191 UG. 180 UG. 179 UG.
Spike Value		000	255	SSS	ខ្លួន	ឧឧឧ		200	2000	2000	200 200 200		00000
Analysis Date	1 1 1 1 1 1 1 1 1 1	08-NOV-93 08-NOV-93	15-0c1-93 15-0c1-93	15-0CT-93 08-NOV-93	08-NOV-93 15-OCT-93 15-OCT-93	15-0c1-93 15-0c1-93		08-NOV-93 08-NOV-93 15-OCT-93	15-0CT-93 15-0CT-93 15-0CT-93	08-NOV-93 08-NOV-93 15-OCT-93	15-0CT-93 15-0CT-93 15-0CT-93		08-NOV-93 08-NOV-93 15-OCT-93 15-OCT-93
Sample Date		14-0CT-93 14-0CT-93 29-SED-03	29-SEP-93 30-SEP-93	30-SEP-93 14-OCT-93	14-0CT-93 29-SEP-93 29-SEP-93	30-SEP-93 30-SEP-93		14-0CT-93 14-0CT-93 29-SEP-93	29-SEP-93 30-SEP-93 30-SEP-93	14-0C1-93 14-0CT-93 29-SEP-93	29-SEP-93 30-SEP-93 30-SEP-93		14-0CT-93 14-0CT-93 29-SEP-93 29-SEP-93
Lab Number Lot				DV2F*570 HXIA DV2W*488 HXPA	DV2W*488 HXPA DV2W*566 HXIA DV2W*566 HXIA			DV2F*488 HXPA DV2F*488 HXPA DV2F*566 HXIA	DVZF*566 HXIA DVZF*570 HXIA DVZF*570 HXIA				DV2F*488 HXPA DV2F*488 HXPA DV2F*566 HXIA DV2F*566 HXIA
IRDMIS Field Sample Number		MX4104X1 MX4104X1 MXAF05X1	MXAF05X1 MXAF07X1	MXAF07X1 MX4104X1	MX4104X1 ? MXAF05X1 MXAF05X1			MX4104X1 MX4104X1 MXAF05X1	MXAFOZXI MXAFOZXI MXAFOZXI	MX4104X1 MXAF05X1	MXAF05X1 MXAF07X1 MXAF07X1	:	MX4104X1 MX4104X1 MXAF05X1 MXAF05X1
A Test Name	maximum	888	88	88:	888	88	avg minimum maximum	8888	3888	388	888	avg minimum maximum	8888
USATHAMA Method Code		\$\$10 \$\$10 \$\$10	SS 10 SS 10	\$\$10 \$\$10	\$\$10 \$\$10 \$\$10	SS10 SS10		\$\$10 \$\$10	\$\$10 \$\$10 \$10 \$10	SS10 SS10	\$\$10 \$\$10 \$\$10		ss10 ss10 ss10 ss10
Method Description		METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP	IN WATER BY	IN WATER BY	IN WATER BY IN WATER BY I			METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN MATER BY ICAP	IN WATER BY I	IN WATER BY	WATER BY I		METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

R O	3.8 3.8 3.8 5.0 7.7 7.1 7.1	5.5.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6	<u> </u>
Percent Recovery	8.2 8 8 8 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	99.00 100.4	0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.50
/alue Units	190 UG 183 UG 198 UG 198 UG 6.7 UG 181 UG 178 UG	251 UG 257 UG 257 UG 256 UG 255 UG 256 UG 257 UG 257 UG 257 UG	1020 UG. 970 UG. 970 UG. 966 UG. 963 UG. 1320 UG. 1380 UG. 83.8 UG. 83.8 UG.
Spike Value	00000000000000000000000000000000000000	88888888888	000000000000000000000000000000000000000
Analysis Date	15-0c1-93 15-0c1-93 08-NOV-93 08-NOV-93 15-0c1-93 15-0c1-93 15-0c1-93	08-NOV-93 08-NOV-93 15-0CT-93 15-0CT-93 15-0CT-93 08-NOV-93 15-0CT-93 15-0CT-93	08-NOV-93 08-NOV-93 15-0CT-93 15-0CT-93 15-0CT-93 16-0CT-93 08-NOV-93 15-0CT-93
Sample Date	30-SEP-93 30-SEP-93 14-0C1-93 14-0C1-93 29-SEP-93 30-SEP-93 30-SEP-93	14.0CT-93 29.SEP-93 29.SEP-93 30.SEP-93 30.SEP-93 14.0CT-93 14.0CT-93 29.SEP-93 30.SEP-93 30.SEP-93	14-0c1-93 14-0c1-93 29-8E-93 30-8E-93 30-8E-93 14-0c1-93 14-0c1-93 29-8E-93
Lab Number Lot	DVZF*570 HXIA DVZF*570 HXIA DVZW*568 HXPA DVZW*566 HXIA DVZW*566 HXIA DVZW*570 HXIA DVZW*570 HXIA	DV2F*488 HXPA DV2F*566 HXIA DV2F*556 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*588 HXPA DV2F*566 HXIA DV2F*566 HXIA DV2F*566 HXIA DV2F*570 HXIA	DV2F*488 HXPA DV2F*488 HXPA DV2F*566 HXIA DV2F*566 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*488 HXPA DV2F*566 HXIA DV2F*566 HXIA
IRDMIS Field Sample Number	MXAFOZXI MXAFOZXI MX4104X1 MXAFOZXI MXAFOZXI MXAFOZXI MXAFOZXI MXAFOZXI	NX4104X1 NX4104X1 NX4105X1 NXAF07X1 NXAF07X1 NXAF07X1 NXAF05X1 NXAF05X1 NXAF05X1 NXAF05X1	NX4104X1 NX4104X1 NXAF05X1 NXAF05X1 NXAF07X1 NXAF07X1 NX4104X1 NX4104X1 NX4104X1
A Test Name	CR CR CR CR CR CR CR CR CR Many Many Many Many Many Many Many Many	ECC CC	
USATHAMA Nethod Code	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$20 \$\$10 \$\$210 \$\$210 \$\$210 \$\$210 \$\$210 \$\$210
Method Description	METALS IN WATER BY ICAP	METALS IN WATER BY ICAP	METALS IN WATER BY ICAP
# E			EEEEEEE

Chemical Quality Control Report Installation: Fort Devens, NA (DV) NS/NSD 1993-1994 SSI Groups 2,7

RP	0.0.	169.4.4.4.5.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	0.0000444000EE44
Percent Recovery	3.9 3.9 3.9 3.0	100.0 100.0	76.0 76.0 76.0 76.0 76.0 76.0 76.0 76.0
Value Units	38.8 UGL	10900 UGL 10700 UGL 10700 UGL 10600 UGL 11200 UGL 1750 UGL 1750 UGL 1750 UGL 1750 UGL 1750 UGL 1750 UGL 1750 UGL	10400 UG 10400 UG 9830 UG 9830 UG 10700 UG 10800
	! ! ! ! !		<u> </u>
Spike Value	1000	000000 000000 000000 000000 00000	00000000000000000000000000000000000000
Analysis Date	15-0CT-93 15-0CT-93	08-NOV-93 08-NOV-93 15-0C1-93 15-0C1-93 15-0C1-93 08-NOV-93 15-0C1-93 15-0C1-93 15-0C1-93	08-NOV-93 08-NOV-93 15-OCT-93 15-OCT-93 15-OCT-93 08-NOV-93 08-NOV-93 15-OCT-93 15-OCT-93 15-OCT-93
Sample Date	30-SEP-93 30-SEP-93	14-0c1-93 14-0c1-93 29-8EP-93 30-8EP-93 14-0c1-93 14-0c1-93 30-8EP-93 30-8EP-93 30-8EP-93	14-0C1-93 14-0C1-93 29-8EP-93 30-8EP-93 14-0C1-93 14-0C1-93 29-8EP-93 30-8EP-93 30-8EP-93
Lab Number Lot	. R.R	DV2F*688 HXPA DV2F*566 HXIA DV2F*566 HXIA DV2F*566 HXIA DV2F*566 HXIA DV2F*570 HXIA DV2F*566 HXPA DV2F*566 HXPA DV2F*566 HXIA DV2F*566 HXIA DV2F*566 HXIA DV2F*567 HXIA	DV2F*488 HXPA DV2F*566 HXIA DV2F*566 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*570 HXIA
IRDMIS Field Sample Number	MXAF07X1 MXAF07X1	MX4104X1 MX4104X1 MXAF05X1 MXAF05X1 MXAF07X1 MX4104X1 MX4104X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF07X1	MK4 104X1 MX4 104X1 MXAFD5X1 MXAFD7X1 MX4 104X1 MX4 104X1 MXAFD5X1 MXAFD5X1 MXAFD5X1 MXAFD7X1 MXAFD7X1
Test Name	FE ********* avg minimum maximum	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	MG MG MG MG MG MG MG MG MG MG MG MG MG M
USATHAMA Method Code	SS10 SS10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$210 \$210 \$210 \$210 \$210 \$210 \$210 \$210
Method Description	METALS IN WATER BY ICAP METALS IN WATER BY ICAP	METALS IN WATER BY ICAP	METALS IN WATER BY ICAP

Chemical quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

RPO		664466	 ພໍ່ພໍ່ຕໍ່ວັ _ວ ່
Percent Recovery	001 001 001 001 001 001 001 001 001 001	1820 1820 1820 1830 1830 1830 1830 1830 1830 1830	111.8 112.4 111.8
Value Units	503 UG 503 UG 503 UG 503 UG 503 UG 503 UG 504 UG 605 UG 60	10900 UGL 10200 UGL 12800 UGL 10500 UGL	559 UGL 552 UGL 552 UGL 559 UGL 550 UGL
Spike Value	200000000000000000000000000000000000000	000001100000000000000000000000000000000	200 200 200 200 200
Analysis Date	08-NOV-93 08-NOV-93 15-OCT-93 15-OCT-93 15-OCT-93 08-NOV-93 15-OCT-93 15-OCT-93 15-OCT-93	08-NOV-93 08-NOV-93 15-0CT-93 15-0CT-93 15-0CT-93 08-NOV-93 08-NOV-93 15-0CT-93 15-0CT-93	08-NOV-93 08-NOV-93 15-0CT-93 15-0CT-93
Sample Date	14-0c1-93 14-0c1-93 29-88-93 30-88-93 14-0c1-93 14-0c1-93 29-88-93 30-88-93 30-88-93	14-0c1-93 14-0c1-93 29-88-93 30-88-93 14-0c1-93 14-0c1-93 30-88-93 30-88-93 30-88-93	14-0CT-93 14-0CT-93 29-SEP-93 29-SEP-93 30-SEP-93
Lab Number Lot	DV2F*488 HXPA DV2F*548 HXPA DV2F*556 HXIA DV2F*570 HXIA	DV2F*488 HKPA DV2F*566 HKIA DV2F*566 HKIA DV2F*570 HKIA DV2F*570 HKIA DV2W*488 HKPA DV2W*566 HKIA DV2W*566 HKIA DV2W*570 HKIA DV2W*570 HKIA	DV2F*48B HXPA DV2F*56B HXPA DV2F*56C HXIA DV2F*570 HXIA
IRDMIS Field Sample Number	MX4104X1 MX4104X1 MX4F05X1 MX4F05X1 MX4F07X1 MX4F07X1 MX4F05X1 MX4F05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF07X1	MX4104X1 MX4F05X1 MXAF05X1 MXAF07X1 MXAF07X1 MXAF07X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF07X1	MX4104X1 MX4104X1 MXAF05X1 MXAF05X1 MXAF07X1
A Test Name	NN	NA NA NA NA NA NA NA NA NA NA NA NA NA N	77777
USATHAMA Method Code	\$210 \$210 \$210 \$210 \$210 \$210 \$210 \$210	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10
Method Description	METALS IN WATER BY ICAP	METALS IN WATER BY ICAP	METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

RPO	3.1.0 3.1.0 3.4.8 3.4.8	3.3.0.0 8 8 3 3 5 2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00
Percent Recovery	7.71 7.71 7.77 7.74 0.70 0.70 0.70 0.70 0.70 0.70	2010 2010 2010 2010 2010 2010 2010 2010	250 250 250 250 250 250 250 250 250 250
Value Units	537 UG 578 UG 567 UG 73.6 UG 538 UG 520 UG	513 UG 510 UG 510 UG 511 UG 512 UG 513 UG 514 UG 514 UG 515 UG 516 UG 517 UG 518 UG 518 UG 519 UG	552 UG 530 UG 495 UG 485 UG 540 UG 536 UG 536 UG 537 UG
Spike Value	200 200 200 200 200 200 200 200 200 200	222222222222222222222222222222222222222	220000000000000000000000000000000000000
Analysis Date	15-0CT-93 08-N0V-93 08-N0V-93 15-0CT-93 15-0CT-93 15-0CT-93	08-NOV-93 08-NOV-93 15-OCT-93 15-OCT-93 15-OCT-93 08-NOV-93 08-NOV-93 15-OCT-93 15-OCT-93 15-OCT-93	08-NOV-93 08-NOV-93 15-OCT-93 15-OCT-93 15-OCT-93 08-NOV-93 08-NOV-93 15-OCT-93 15-OCT-93
Sample Date	30-SEP-93 14-001-93 14-001-93 29-SEP-93 30-SEP-93 30-SEP-93	14-001-93 14-001-93 29-8P-93 30-8P-93 30-8P-93 14-001-93 14-001-93 30-8P-93 30-8P-93 30-8P-93	14-0C1-93 14-0C1-93 29-SEP-93 30-SEP-93 30-SEP-93 14-0C1-93 14-0C1-93 29-SEP-93 30-SEP-93
Lab Number Lot	DVZ#*570 HXIA DVZ#*488 HXPA DVZ#*566 HXIA DVZ#*566 HXIA DVZ#*570 HXIA DVZ#*570 HXIA	DV2F*488 HXPA DV2F*566 HXIA DV2F*566 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2H*488 HXPA DV2H*566 HXIA DV2H*566 HXIA DV2H*567 HXIA DV2H*570 HXIA	DV2F*488 HXPA DV2F*566 HXIA DV2F*566 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2F*570 HXIA DV2M*566 HXIA DV2M*566 HXIA
IRDMIS Field Sample Number	MXAFO7X1 MX4104X1 MX4104X1 MXAFO5X1 MXAFO5X1 MXAFO7X1 MXAFO7X1	MX4104X1 MX4104X1 MX4605X1 MX4607X1 MX4104X1 MX4104X1 MX4104X1 MX4605X1 MXAF05X1 MXAF05X1 MXAF05X1	MX4104X1 MX4104X1 MXAF05X1 MXAF07X1 MX4107X1 MX4104X1 MX4104X1 MXAF05X1 MXAF05X1
1 Test Name	NI NI NI NI NI ************************	V V V V V V V V V V V V V V V V V V V	
USATHAMA Method Code	8810 8810 8810 8810 8810 8810	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	SS10 SS10 SS10 SS10 SS10 SS10 SS10 SS10
Method Description	METALS IN WATER BY ICAP METALS IN WATER BY ICAP	METALS IN WATER BY ICAP	METALS IN WATER BY ICAP

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

8	1.7	8.8.8. 8.8.8.0.	44	13.6 13.6	12.3 12.3	44
Percent Recovery	94.6 87.0 4.2 112.4	47.2 41.6 39.2 48.0 44.0 48.0	67.5 67.2 67.3 67.3 67.5	98.7 86.1 92.4 86.1	97.8 97.8 97.8 103.8	110.0
-	473 UGL	.59 us. .49 us. .49 us. .40 us.	2.53 UGL 2.52 UGL	3.7 UG. 3.23 UG.	.519 UG. .459 UG.	.55 UGL .548 UGL
Spike Value	200	<u> </u>	ы. КК	ъ. КК	က်ကုံ	ស់សំ
Analysis Date	15-0c1-93	30-0CT-93 30-0CT-93 30-0CT-93 30-AUG-93	30-0C1-93 30-0C1-93	30-0C1-93 30-0C1-93	01-NOV-93 01-NOV-93	01-NOV-93 01-NOV-93
Sample Date	30-SEP-93	14-0CT-93 14-0CT-93 14-0CT-93 05-AUG-93	14-0C1-93 14-0C1-93	14-0CT-93 14-0CT-93	14-0CT-93 14-0CT-93	14-0CT-93 14-0CT-93
	DVZ4#570 HXIA	DVZW488 HCLA DVZW488 HCLA DVZW495 DPXA DVZW495 DPXA	DVZ4*488 HCJA DVZ4*488 HCJA	DVZW*488 HCLM DVZW*488 HCLM	DV24*488 1PGA DV24*488 1PGA	DVZW*488 IPGA DVZW*488 IPGA
IRDMIS Field Sample Number		HX4104X1 HX4104X1 HX4104X1 HX4110XX	MX4104X1 MX4104X1	MX4104X1	MX4104X1 MX4104X1	MX4104X1 MX4104X1
Test Name	ZN *######## avg minimum maximum	CL108P CL108P CL108P CCL108P ************************************	PCB016 PCB016 ************************************	PCB260 PCB260 ************************************	AENSLF AENSLF ************************************	ALDRN ALDRN
USATHAMA Method Code		UH02 UH02 UH02 UH05	UH02 UH02	UH02 UH02	UH13 UH13	UH13 UH13
Method Description	METALS IN WATER BY ICAP					

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

	USATHAMA		IRDMIS									
Method Description	Method Code	Test Name	Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Valu	Value Units	Percent Recovery	RPO
	` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `							! ! ! ! ! ! !		; ; ;	109.8 109.6 110.0	
	UH13 UH13	BENSLF BENSLF *********** avg minimum maximum	MX4104X1 MX4104X1	DV2₩488 DV2₩488	1 PGA 2 PGA	14-0CT-93 14-0CT-93	01-NOV-93 01-NOV-93	rd rd	.483	<u>ತ</u> ತ	96.6 85.8 91.2 85.8 96.6	8. 8.
	UH13 UH13 UH13	CL108P CL108P CL108P CL108P ************************************	MX4104X1 MX4104X1 MX4104X1 MX4110XX	DVZሎ488 DVZሎ488 DVZሎ488 DVZሎ498	IPGA IPGA IPGA FBZA	14-0CT-93 14-0CT-93 14-0CT-93 05-AUG-93	02-NOV-93 01-NOV-93 01-NOV-93 23-AUG-93	<u>ชชชช</u>	55.44.	150 150 150 150	47.2 41.6 33.2 60.8 46.2 33.2 60.8	65.0 65.0 6.0 6.0 6.0
	UH13 UH13 UH13	CL4XYL CL4XYL CL4XYL CL4XYL ************************************	MX4104X1 MX4104X1 MX4110XX MX4110XX	DV2ሎ488 DV2ሎ488 DV2ሎ488 DV2ሎ498	ipga ipga fbza fbza	14-0CT-93 14-0CT-93 14-0CT-93 05-AUG-93	02-NOV-93 01-NOV-93 01-NOV-93 23-AUG-93	<u> </u>	1.08 1.01 976 916	ਰ ਰ ਰ ਰ ਰ ਹ ਰ ਰ ਰ	8.33.7 8.33.5 8.33.5 8.33.5	
	UH13 UH13	DLDRN DLDRN ************************************	MX4104X1 MX4104X1	DVZ4*488 DVZ4*488	ipga ipga	14-0CT-93 14-0CT-93	01-NOV-93 01-NOV-93	ייליע'	.508	형	97.9 97.9 97.9	7.6
	UH13 UH13	ENDRN ENDRN *******	MX4104X1 MX4104X1	DV24*488 DV24*488	PGA IPGA	14-0CT-93 14-0CT-93	01-NOV-93 01-NOV-93	ហុំឃុំ	.594	혈	118.8 84.0	34.3 34.3

Chemical Quality Control Report Installation: Fort Devers, MA (DV) MS/MSD 1993-1994, SSI Groups 2,7

RPO	! ! ! !	6.1	00	10.3	29.1	16.9
Percent Recovery	101.4 84.0 118.8	117.4	89.0 89.0 89.0 89.0 89.0	88.5 83.4 93.4 88.6 8.6	16.0 2.86.5 101.3 6.56	20 20 20 20 20 20 20 20 20 20 20 20 20 2
		.587 UGL .552 UGL	.898 UGL .89 UGL	.491 UGL .443 UGL	1.16 UGL .865 UGL	.507 UGL .428 UGL
Spike Value		νἰνἰ		က်ကဲ		νίνἰ
Analysis Date		01-NOV-93 01-NOV-93	01-NOV-93 01-NOV-93	01-NOV-93 01-NOV-93	01-NOV-93 01-NOV-93	01-NOV-93 01-NOV-93
Semple Date		14-0CT-93 14-0CT-93	14-0CT-93 14-0CT-93	14-0CT-93 14-0CT-93	14-0CT-93 14-0CT-93	14-0CT-93 14-0CT-93
Lab Number Lot		DVZW*488 IPGA DVZW*488 IPGA	DVZW*488 IPGA DVZW*488 IPGA	DVZW*488 IPGA DVZW*488 IPGA	DVZW#488 IPGA DVZW#488 IPGA	DVZW*488 IPGA DVZW*488 IPGA
IRDMIS Field Sample Number		MX4104X1 MX4104X1	MX4104X1 MX4104X1	HX4104X1 HX4104X1	MX4104X1 * MX4104X1	MX4104X1 MX4104X1 *
A Test Name	avg minimum maximum	HPCL HPCL ************************************	I SODR I SODR ************************************	LIN ************************************	MEXCLR MEXCLR ************************************	PPDDT **********************************
USATHAMA Method Code		UH13 UH13	UH13 UH13	UH13 UH13	UH 13	UH13
Method Description						

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

줖	0000	öööö	33.8 109.4 4.4	 117.6 117.6	.0 .0 112.1
Percent Recovery	7788 828 7466 676	87.5 87.8 93.8 93.8 70.7	93.4 89.9 59.2 17.3 65.0 17.3	%%% %%% %%% %%%	92.6 92.6 84.6
ue Units	-	9 NGL 9 NGL 9 NGL 9 NGL	788 238 24	현 현 현 현 의 의 의 의	2 CE CE
· Value	25. 25. 25. 25. 25. 25. 25. 25. 25. 25.	267 267 286 286 286	9.14 8.8 5.53 1.62	12.6 12.3 3.19	1.26 1.26 1.15
Spike Value	<u> </u>	305 305 305 305	8.8.3 8.8.3 8.6.6 8.6 8	ឯឯឯ	1.36 1.36 3.50
Analysis Date	29-0C1-93 29-0C1-93 25-AUG-93 25-AUG-93	29-0CT-93 29-0CT-93 25-AUG-93 25-AUG-93	13-NOV-93 13-NOV-93 20-AUG-93 20-AUG-93	13-NOV-93 13-NOV-93 20-AUG-93 20-AUG-93	13-NOV-93 13-NOV-93 20-AUG-93
Sample Date	14-0CT-93 14-0CT-93 05-AUG-93 05-AUG-93	14-0c1-93 14-0c1-93 05-AUG-93 05-AUG-93	14-0CT-93 14-0CT-93 05-AUG-93 05-AUG-93	14-0CT-93 14-0CT-93 05-AUG-93 05-AUG-93	14-0CT-93 14-0CT-93 05-AUG-93
ro Fot	'	88 DMYA 88 DMYA 95 DMTA 95 DMTA	88 HTSA 88 HTSA 75 FXGA 75 FXGA	88 HTSA 88 HTSA 75 FXQA FXQA	88 HTSA 88 HTSA 95 FXQA
Lab Number	0.724*4.88 0.724*4.88 0.724*4.88 0.724*4.88	DVZI#488 DVZI#495 DVZI#495	DV24*488 DV24*489 DV24*488	0V24*488 0V24*495 0V24*495	DV24*488 DV24*488 DV24*495
IRDMIS Field Sample Number	XXXX	MX4104X1 WX4104X1 WX4110XX WX4110XX	MX4104X1 MX4104X1 WX4110XX WX4110XX	MX4104X1 MX4104X1 WX4110XX WX4110XX	MX4104X1 MX4104X1 WX4110XX
Test Name	NG NG NG NG ********* avg minimum	PETN PETN PETN PETN ************************************	1351NB 1351NB 1351NB 1351NB ************************************	2461NT 2461NT 2461NT 2461NT ************************************	24DNT 24DNT 24DNT
USATHAMA Method Code	0419 0419 0419	UN19 UN19 UN19	UM32 UM32 UM32 UM32	UM32 UM32 UM32 UM32	U432 U432 U432
Method Description	PETN/NG IN WATER BY HPLC PETN/NG IN WATER BY HPLC PETN/NG IN WATER BY HPLC PETN/NG IN WATER BY HPLC	PETN/NG IN WATER BY HPLC PETN/NG IN WATER BY HPLC PETN/NG IN WATER BY HPLC PETN/NG IN WATER BY HPLC	EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER	EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER	EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER

Chemical Quality Control Report Installation: Fort Devens, MA (DV) MS/MSD 1993-1994 SSI Groups 2,7

RPO O	112.1	4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4	0. 9.79 9.79	2.2.88 2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2
Percent Recovery	23.8 73.4 23.8 92.6	87.2 87.2 88.9 88.9 22.2 22.2 99.0	87.0 87.0 28.0 28.9 93.0	88.4 86.2 86.2 47.4 77.6 47.7 86.6
Value Units	.324 UGL	25.44 UG 25.24.4 UG 25.24.4 UG 27.34.4 UG 27.44.4 UG 27.44.4 UG 27.44.4 UG	10.7 UGL 10.7 UGL 10 UGL 3.44 UGL	20.5 ug. 20 ug. 22.4 ug. 11 ug.
Spike Value	1.36	6.22 4.25 5.05 5.05 5.05 5.05 5.05 5.05 5.05 5	######################################	ដូន្តន ន
Analysis Date	20-AUG-93	13-NOV-93 13-NOV-93 13-NOV-93 21-AUG-93 20-AUG-93	13-NOV-93 13-NOV-93 20-AUG-93 20-AUG-93	13-NOV-93 13-NOV-93 20-AUG-93 20-AUG-93
Sample Date	05-AUG-93	14-0CT-93 14-0CT-93 16-0CT-93 05-AUG-93 05-AUG-93	14-0CT-93 14-0CT-93 05-AUG-93 05-AUG-93	14-0CT-93 14-0CT-93 05-AUG-93 05-AUG-93
Lab Number Lot	8	DV24*488 HTSA DV24*488 HTSA DV24*495 FXQA DV24*495 FXQA DV24*495 FXQA	DV24*488 HTSA DV24*485 HTSA DV24*495 FXQA DV24*495 FXQA	DVZH*488 HTSA DVZH*488 HTSA DVZH*495 FXQA DVZH*495 FXQA
IRDMIS Field Sample Number	_	MX4104X1 MX4104X1 MX4104X1 MX4110XX MX4110XX MX4110XX	HX4104X1 HX4104X1 HX4110XX HX4110XX	HX4104X1 HX4104X1 HX4110XX HX4110XX
A Test Name	24DNT ********* avg minimum maximum	34DNT 34DNT 34DNT 34DNT 34DNT 34DNT ************************************	NB NB NB NB ***************************	RDX RDX RDX ****************************
USATHAMA Method Code	UM32	U.52 U.52 U.52 U.52 U.52 U.52 U.52	UM32 UM32 UM32	U452 U452 U452 U452
Method Description	EXPLOSIVES IN WATER	EXPLOSIVES IN WATER	EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER	EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER EXPLOSIVES IN WATER

Chemical Quality Control Report Installation: Fort Devers, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	v	Value	Value Units	8
	88	55	BX410230	22	AST!	17-SEP-93	13-0CT-93	. ,	88	: : : : : : :	\$ 5.5
	88	3 2	BDX 10210		¥ 8	11-AUG-93	08-SEP-93	v	8 %	9 5	4. 7.v.
	8	10 C	BXXJ0210	DV25*687	꾶	11-AUG-93	08-SEP-93	v	8	39	57.3
	88	55	DX410800		# 74 24	05-AUG-93	02-SEP-93		223	990	53.1
	3	3	00410800	085*680 1	¥2¥	05-AUG-93	02-SEP-95		3360	990	53.1
	8	TPHC		DV25*688 P	HROA	11-AUG-93	03-SEP-93	v	28.8	nge	1.0
	88	TPHC	_			11-AUG-93	03-SEP-93	v	28.5	ngg	0.
	88	TPHC TPHC	MV6603X1			04-0CI-93	51-0C1-93		225000	털	8.5
	88	TPHC	MOX 101X1			26-170-70	21.001.93	,	35	3 3	0.0 0.0
	8	TPHC	MXXJ01X1	DV2W*650	S S	04-0CT-93	31-0C1-93	, v	<u> </u>	불멸	
											}
	88	TSS	MX4103X1	DV2W*734	TPA	14-0CT-93	19-0CT-93		240000	UGE	18.8
	38	ISS	MX4103X1			14-0CT-93	19-0CI-93		447000	UGL	18.8
	38	282	MX46U5X1			04-0CT-93	11-0CT-93		1730000	널	6.0
	88	55	MU4505X1			04-0CI-93	11-0CI-93		1650000	털 :	0.0
	38	32	MXG208XZ	DV3W7557		21-SEP-93	27-SEP-95		29000	털 :	78.5
	38	150	MAGSUOXZ MAGSUOXZ			21-SEP-95	27-SEP-93		28000	털 :	
	88	155	MXX.IO1X1	DV2/#650		0/-0ct-03	11-0-T-03		28000	5 5	(P
	8	TSS	MDXJ01X1		χ	04-0CT-93	11-0cT-93		411000	병명	£3.3
	8	ALK	MXG308X2	DV3W*557 1JYA		21-SEP-93	27-SEP-93		9	190	18.2
	&	ALK	MDG308X2	DV3W*647 1		21-SEP-93	27-SEP-93	v	ľ	NG.	18.2
	8	HC03	MXG308X2			21-SEP-03	27-CED-03		7 23	2	78.2
	8	H003		DV3W*647	1 JYA	21-SEP-93	27-SEP-93	v	6.1	กอน	18.2
HG IN SOIL BY GFAA	JB01	呈	BX410230	DV2S*478 HEHA	EHA	17-SEP-93	27-SEP-93	v	8	nee	۰.

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	00000	öööööö	26.9 20.2 20.2 40.0 40.0	28.6 28.6 14.3 14.3 2.1	o o
Value Units	.05 UGG .05 UGG .05 UGG	ស់ស់ស់ស់ស និង និង និង និង និង និង	7.93 UGG 6.05 UGG 9.8 UGG 12 UGG 24 UGG 16 UGG	24 UGG 18 UGG 15 UGG 13 UGG 4.83 UGG 4.73 UGG	.5 UGG .5 UGG
v		* * * * *			v v
Analysis Date	27-SEP-93 26-Aug-93 26-Aug-93 26-Aug-93 26-Aug-93	03-NOV-93 03-NOV-93 07-OC1-93 07-OC1-93 07-OC1-93	02-NOV-93 02-NOV-93 30-SEP-93 30-SEP-93 30-SEP-93	04-NOV-93 04-NOV-93 01-OCT-93 01-OCT-93 01-OCT-93	02-NOV-93 02-NOV-93
Sample Date	17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 05-AUG-93 05-AUG-93	17 - SEP - 93 17 - SEP - 93 11 - AUG - 93 05 - AUG - 93 05 - AUG - 93	17-SEP-93 17-SEP-93
ب	37 FLZA 38 FLZA 38 FLZA 38 FLZA 30 FLZA	78 HH1A 37 EDXA 38 EDXA 38 EDXA 39 EDXA 30 EDXA	16 FOCA 78 FOCA 87 FOHA 88 FOHA 98 FOHA 80 FOHA	78 GKZA 16 GKZA 88 GKNA 87 GKNA 98 GKNA 80 GKNA	78 GGLA 16 GGLA
Lab Number	DV25*716 DV25*687 DV25*688 DV25*698 DV25*680	DV25*478 DV25*716 DV25*687 DV25*688 DV25*688	DV2S*716 DV2S*478 DV2S*687 DV2S*688 DV2S*688	DV25*478 DV25*716 DV25*688 DV25*687 DV25*687	DV2S*478 DV2S*716
IRDMIS Field Sample Number	80410230 80XJ0210 80XJ0210 0X410800 0D410800	8X410230 8D410230 8XXJ0210 8DXJ0210 DX410800 DD410800	BD410230 BX410230 BXXJ0210 BDXJ0210 DX410800 DD410800	8X410230 BD410230 BDXJ0210 BXXJ0210 DX410800	BX410230 B0410230
Test Name	22222	888888	222222	ASS ASS ASS	겉ㄹ
USATHAMA Method Code	2801 2801 2801 2801 2801	252333 252525 25255	2017 1017 1017 1017 1017	619 619 619 619 619 619	705 7054
Method Description	HG IN SOIL BY GFAA HG IN SOIL BY GFAA HG IN SOIL BY GFAA HG IN SOIL BY GFAA HG IN SOIL BY GFAA	SE IN SOIL BY GFAA	PB IN SOIL BY GFAA	AS IN SOIL BY GFAA	TL IN SOIL BY GFAA TL IN SOIL BY GFAA

Chemical Quality Control Report Installation: Fort Devers, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number Lot	Sample Date	Analysis Date	•	Value	Value Units	RPO
TL IN SOIL BY GFAA TL IN SOIL BY GFAA	JD24 JD24	22	BXXJ0210 BDXJ0210	88	A 11-AUG-93 A 11-AUG-93	01-0CT-93 01-0CT-93	~ ~	νiνi	990 080	0.0
IN SOIL BY	JD24 JD24	2 2	DD410800 DX410800			01-0CT-93 01-0CT-93	v v	ni ni	990 090	o.
IN SOIL BY	5205	88	BX410230	DV2S*478 HIG	_	05-NOV-93	v	1.09	000 000	۰.
SB IN SOIL BY GFAA SB IN SOIL BY GFAA	ਤ ਤ ਨ ਨ	8 8 8	BD410230 BXXJ0210	DV2S*716 HIGA DV2S*687 ZMY	A 17-SEP-93 11-AUG-93	05-NOV-93 11-OCT-93	v v	8.8	99 199	o o
IN SOIL BY	15 E	888	BDXJ0210	DV25*688 ZMY		11-001-93	· • •	8.8	183	o.
IN SOIL BY	3 S 3 X	88 88	DX410800	DV25*498 ZMY		11-0CT-93	, ,	. 6	39	90
	•	ļ				;		,		,
METALS IN SOIL BY ICAP	JS16 JS16	AG AG	BX410230 BD410230	DV2S*478 HWHA DV2S*716 HWHA	A 17-SEP-93 A 17-SEP-93	11-0CT-93 11-0CT-93	v v	8, 8,	990	9
IN SOIL BY 1	JS16	AG	BDXJ0210			09-SEP-93	v	583	990	9
IN SOIL BY I	1516 1516	AG AG	BXXJ0210			09-SEP-93	v v	, . 8, 8	99n	o c
IN SOIL BY 1	1516 JS16	AG 3	DX410800			09-SEP-93	, v	.283	990	99
IN SOIL BY I	JS16	٩٢	80410230			11-0CT-93		0099	990	4.8
IN SOIL BY I	JS16	¥:	BX410230			11-0CT-93		6290	55 05 05 05 05 05 05 05 05 05 05 05 05 0	8.4
METALS IN SOIL BY ICAP	1516 1516	4 4	BXX.102.10	DV25*680 EXVA	A 11-AUG-93	09-SEP-93		5180	390	15.7
IN SOIL BY I	JS16	A.	DX410800			09-SEP-93		2060	990	4.7
IN SOIL BY I	JS16	٩L	00410800			09-SEP-93		4830	990	4.7
IN SOIL BY	JS16	BA	BX410230	DV2S*478 HWH		11-001-93		29.7	990	1.4
IN SOIL BY I	JS 16	8 8 8 8	BXXJ0210	DV25*687 EXV		09-SEP-93		16.3 16.3	990 090	6.3
METALS IN SOIL BY ICAP METALS IN SOIL BY ICAP	JS16 JS16	BA BA	BDXJ0210 DX410800	DV2S*688 EXVA DV2S*498 EXVA	A 11-AUG-93 A 05-AUG-93	09-SEP-93 09-SEP-93		15. 1.3.3	99 000	6.3 12.2

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	12.2	oooooo	5.4 35.0 35.0 13.6	344 0.0.4.4.0.0.	6644 6644 600	12.6 12.6 9.7
Units	UGG	000 000 000 000 000 000 000 000	000 000 000 000 000 000 000	999 099 000 000 000 000	000 000 000 000 000 000 000 000 000	990 000 000
Value	10	សំសំសំសំសំ	2080 1970 1350 948 433 378	ゲンドン	7.09 8.08 7.73 1.42 1.42	17.7 15.6 21.6
•		* * * * * *		** **	v v	
Analysis Date	09-SEP-93	11-0CT-93 11-0CT-93 09-SEP-93 09-SEP-93 09-SEP-93	11-0CT-93 11-0CT-93 09-SEP-93 09-SEP-93 09-SEP-93	11-0CT-93 11-0CT-93 09-SEP-93 09-SEP-93 09-SEP-93	11-0C1-93 11-0C1-93 09-SEP-93 09-SEP-93 09-SEP-93	11-0CT-93 11-0CT-93 09-SEP-93
Sample Date	05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93
Lot	EXVA	HWHA S EXVA S EXVA S EXVA S EXVA	HWHA B HWHA B EXVA C EXVA B EXVA	S HWHA S HWHA S EXVA C EXVA S EXVA	S HWHA S HWHA S EXVA D EXVA B EXVA	6 HWHA 8 HWHA 8 EXVA
Lab Number	DV25*680	0V2S*478 0V2S*716 0V2S*688 0V2S*687 0V2S*687	0V2S*716 0V2S*478 0V2S*688 0V2S*687 0V2S*680	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*680	DV2S*478 DV2S*716 DV2S*687 DV2S*688 DV2S*680	DV2S*716 DV2S*478 DV2S*688
IRDMIS Field Sample Number	00410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DD410800 DX410800	80410230 8X410230 8DXJ0210 8XXJ0210 DD410800 DX410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DD410800 DX410800	8X410230 8D410230 8XXJ0210 8DXJ0210 DD410800 DX410800	BD410230 BX410230 BDXJ0210
A Test Name	BA	***	ភភភភភភ	888888	888888	888
USATHAMA Method Code	JS16	1816 1816 1816 1816 1818	1816 1816 1816 1816 1816	1516 1516 1516 1516 1516 1516	1516 1516 1516 1516 1516 1516	1516 1516 1516
	ICAP	CAP CAP	CAP CAP	ICAP ICAP ICAP ICAP	ICAP ICAP ICAP ICAP	ICAP ICAP
<u>.</u> .	B	8 8 8 8 8	84 84 84	87 87 87 87	84 4 84	84 B4
ript	SOIL	2011 2011 2011 2011 2011 2011	1108 1108 2011 2011 2011 2011 2011	100 2011 2011 2011 2011 2011 2011	2011 2011 2011 2011 2011 2011 2011	S01L S01L S01L
)esc	N S	SEREE	REZERES	NENNEN	NERRE	ZZZ
4ethod Description	METALS	METALS METALS METALS METALS METALS	METALS METALS METALS METALS METALS	METALS METALS METALS METALS METALS	METALS METALS METALS METALS METALS METALS	METALS METALS METALS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

88	9.7 7.7 7.7	7.2 7.2 8.81 8.61 8.00 6.01	5.8 9.1 7.7 7.7	25.25 2.15 2.15 0.11	7.1 23.4 3.8 3.8	68.5
. Units	990 990 900	990 000 000 000 000 000	000 000 000 000 000 000	990 090 090 090 090	990 990 990 990 990	DDN
Value	19.6 6.39 6.9	11.1 10.8 16.8 14.2 6.64 5.97	12400 11700 18300 16700 6900 6390	1570 1380 506 481 450 450	2900 2700 3480 2750 1330 1280	38%
v						
Analysis Date	09-SEP-93 09-SEP-93 09-SEP-93	11-0C1-93 11-0C1-93 09-SEP-93 09-SEP-93 09-SEP-93	11-0CT-93 11-0CT-93 09-SEP-93 09-SEP-93 09-SEP-93	11-0CT-93 11-0CT-93 09-SEP-93 09-SEP-93 09-SEP-93	11-0CT-93 11-0CT-93 09-SEP-93 09-SEP-93 09-SEP-93	11-0CT-93
Sample Date	11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93
Lot	EX.YA EX.YA EX.YA	HWHA EXVA EXVA EXVA EXVA	HWHA EXVA EXVA EXVA EXVA	HWHA EXVA EXVA EXVA EXVA EXVA	HWHA EXVA EXVA EXVA EXVA	HWHA
Lab Number	DV25*687 DV25*680 DV25*498	DV2S*716 DV2S*688 DV2S*687 DV2S*498 DV2S*498	DV2S*478 DV2S*478 DV2S*688 DV2S*687 DV2S*680	DV2S*716 DV2S*687 DV2S*687 DV2S*688 DV2S*498	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*680	DV25*478
IRDMIS Field Sample Number	8XXJ0210 DD410800 DX410800	80410230 8X410230 8DXJ0210 8XXJ0210 DX410800 DD410800	8D410230 8X410230 8DXJ0210 8XXJ0210 DD410800 DX410800	80410230 8X410230 8XXJ0210 8DXJ0210 DX410800 DD410800	80410230 8X410230 80XJ0210 8XXJ0210 DD410800 DX410800	BX410230
A Test Name	888	888888		77777		¥
USATHAMA Method Code	1816 1816 1816	5181 5181 5181 5181 5181	1816 1816 1816 1816 1816	1516 1518 1518 1518 1518 1518	1516 1518 1518 1518 1518 1518	JS16
	333	CAPCCAP	CAP CAP	CAP CAP	CAP ICAP	ICAP
tion	8 8 8	84 84 84 84 84	88448	87 87 87 87 87	84 884	₩
icrip	3011 8011 8011	110S 110S 110S 110S 110S	110S 110S 110S 110S 110S	2011 2011 2011 2011 2011 2011 2011	110S 110S 110S 110S 110S	SOIL
J Des	SEE		NNNNNN	NNNNNN	NENNEN	NI S
Method Description	METALS METALS METALS	METALS METALS METALS METALS METALS	METALS METALS METALS METALS METALS METALS	METALS METALS METALS METALS METALS METALS	METALS METALS METALS METALS METALS METALS	METALS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number L	i ot	Sample Date	Analysis Date	v	Value	Units	8 90
	1516 1516 1516 1516 1516	R R R R R	85588	28883		17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	11-0CT-93 09-SEP-93 09-SEP-93 09-SEP-93 09-SEP-93		188 454 66.5	990 990 990 990	68.5 7.4 7.4 21.1 21.1
	1816 1816 1816 1816 1818	4444 44	BD410230 BX410230 BDXJ0210 BXXJ0210 DD410800 DX410800	DV2S*716 H DV2S*478 H DV2S*688 E DV2S*687 E DV2S*680 E	HWHA 17 EXVA 11 EXVA 06 EXVA 06	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	11-0CT-93 11-0CT-93 09-SEP-93 09-SEP-93 09-SEP-93		497 458 354 311 564 330	990 990 990 990	8.2 8.2 12.9 52.3 52.3
	JS16 JS16 JS16 JS16 JS16		80410230 8X410230 8XXJ0210 8XXJ0210 80XJ0210 00410800	0V2S*478 H 0V2S*478 H 0V2S*687 E 0V2S*688 E 0V2S*488 E	HWHA 11 HWHA 11 EXVA 11 EXVA 06 EXVA 06	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	11-0CT-93 11-0CT-93 09-SEP-93 09-SEP-93 09-SEP-93		16.9 16.3 27.7 30 6.68 6.32	990 990 990 990	မွာမှာအအလုလ အဆင်္ကေလ အဆင်္ကေလ
	1516 1516 1516 1516 1516 1516	>>>>>	80410230 8X410230 8DXJ0210 8XXJ0210 DX410800 DD410800	DV2S*716 H DV2S*478 H DV2S*688 E DV2S*687 E DV2S*498 E	HWHA 11 HWHA 11 EXVA 11 EXVA 00 EXVA 00	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	11-0CT-93 11-0CT-93 09-SEP-93 09-SEP-93 09-SEP-93		12.4 12.1 8.36 7.98 7.46 6.88	990 990 990 990	7.7.4.8.8. 4.4.0.0.2.2.
ICAP ICAP ICAP ICAP	JS16 JS18 JS18 JS16 JS16 JS16	N N N N N N N N N N N N N N N N N N N	80410230 8X410230 8XXJ0210 8XXJ0210 DX410800 DD410800	DV2S*716 H DV2S*478 E DV2S*688 E DV2S*687 E DV2S*498 E	HWHA HWHA EXVA EXVA EXVA 00 EXVA	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	11-0CT-93 11-0CT-93 09-SEP-93 09-SEP-93 09-SEP-93		24. 28. 28. 25. 25. 25. 24. 24. 25. 25. 25. 25. 25. 25. 25. 25. 25. 25	990 990 990 990 990	20.2 20.2 7.7 7.7 1.9

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	0 0 0 0 1	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Ę	Sample Date	Analysis Date	v :	Value	Value Units	RP
IN SOIL BY	C/MS	LM18	124TCB	BX410230	DV2S*478	HZKA	17-SEP-93	10-0CT-93	٧	8	ອອກ	0.
BNA'S IN SOIL BY GO BNA'S IN SOIL BY GO	GC/MS GC/MS	LM 18	124TCB 124TCB	BD410230 BDXJ0210	DV25*716 DV25*688	HZKA GUHA	17-SEP-93 11-AUG-93	11-0CT-93 30-AUG-93	v v	ষ্ষ	990 000	o o
IN SOIL BY	C/MS	LM18	124TCB	BXXJ0210	DV25*687	SE SE	11-AUG-93	30-AUG-93	v ,	ষ্	990	o,
IN SOIL BY	C/W	LM 18	124TCB	DD410800	DV25*498	8 8 8 8	05-AUG-93	26-AUG-93	v v	इंद्र	990 000	. o.
IN SOIL BY	C/MS	LM18	120CLB	BX410230	DV25*478	HZKA	17-SEP-93	10-0CT-93	~	1.	nee	o.
IN SOIL BY	C/WS	E 13	120CLB	BD410230	DV2S*716	HZKA	17-SEP-93	11-0CT-93	v	Ë	990	o.
BNA'S IN SOIL BY G	GC/MS	E 12	120CLB	BDX.10210	DV25*688	¥ £	11-AUG-93 11-AUG-93	30-AUG-93 30-AUG-93	v v	ËE	8 8 8	o c
IN SOIL BY	C/MS	-M	120CLB	DX410800	DV2S*498	8	05-AUG-93	26-AUG-93	· •	=	38	90
IN SOIL BY	C/MS	LM18	120CLB	00410800	DV25*680	GUBA	05-AUG-93	26-AUG-93	v	Ξ.	nge	٥.
IN SOIL BY	GC/MS	LM18	120PH	BD410230	DV2S*716		17-SEP-93	11-0CT-93	v	1.	990	o.
IN SOIL BY	C/MS	LM18	120PH	BX410230	DV25*478		17-SEP-93	10-oct-93	v	14	nge	o.
IN SOIL BY	C/WS	LX 18	18 E	BDX J0210	DV25*688		11-AUG-93	30-AUG-93	v	2;	990	oʻ.
BNA'S IN SOIL BY G	C/MS	E 3	18 E	BXX10210	00/25*68/		11-AUG-93	50-AUG-95	v v	7.7	999	o c
IN SOIL BY	GC/MS	LM18	18 18 18 18 18 18 18 18 18 18 18 18 18 1	00410800	DV25*680	S S S	05-AUG-93	26-AUG-93	, v	<u>. 4</u>	990	.0.
IN SOIL BY	C/MS	LM18	130CLB	BD410230	DV25*716		17-SEP-93	11-0CT-93	•	.13	nec	٥.
BNA'S IN SOIL BY G	GC/MS	LM18	130CLB	BX410230	DV2S*478	HZKA	17-SEP-93	10-oct-93	,	.13	nge	o.
IN SOIL BY	C/MS	LM18	130CLB	BDXJ0210	DV25*688		11-AUG-93	30-AUG-93	v	.13	990	o.
IN SOIL BY	C/MS	LM18	130CLB	BXXJ0210	DV25*687		11-AUG-93	30-AUG-93	v	<u>.</u>	990	۰.
IN SOIL BY	C/¥S	LM18	130CLB	DX410800	DV2S*498		05-AUG-93	26-AUG-93	v	.13	99n	o.
IN SOIL BY	C/MS	LM18	130CLB	DD410800	DV25*680	SUBA	05-AUG-93	26-AUG-93	v	.13	990	.
IN SOIL BY	C/MS	LM18	14DCLB	BX410230	DV2S*478	HZKA	17-SEP-93	10-0CT-93	٧	860.	990	٥.
IN SOIL BY	GC/MS	LM18	14DCLB	BD410230	DV2S*716	HZKA	17-SEP-93	11-0CT-93	v	860.	55U	٥.
SOIL BY	C/MS	LM18	14DCLB	BDXJ0210	DV2S*688	SCHA SCHA	11-AUG-93	30-AUG-93	v	860.	990	٥.

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

P	000	öööööö	000000	000000	000000	۰.
Units		999 990 990 990 990	000 000 000 000 000 000 000 000	990 090 090 090 090	990 990 990 990	nee
Value	8860 8860 8860		555555	<u> </u>	<i>&</i> &&&&&	1.2
v	. v v v !	* * * * * *	* * * * * *	* * * * *	· · · · · ·	v
Analysis Date	30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT -93 11-0CT -93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93	10-0CT-93
Sample Date	11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17 - SEP - 93 17 - SEP - 93 11 - AUG - 93 11 - AUG - 93 05 - AUG - 93	17-SEP-93
Lot	GURA GUBA	A HZKA B GUHA 7 GUHA 6 GUBA	6 HZKA 8 HZKA 12 GUHA 13 GUBA 10 GUBA	S HZKA 6 HZKA 12 GUHA 13 GUBA 10 GUBA	HZKA B HZKA KB GUHA KG GUBA KB GUBA	78 HZKA
Lab Number	DV2S*687 DV2S*498 DV2S*680	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*498	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*498	DV25*478 DV25*716 DV25*688 DV25*687 DV25*498	DV25*716 DV25*478 DV25*688 DV25*687 DV25*687	DV25*478
IRDMIS Field Sample Number	BXXJ0210 DX410800 DD410800	80410230 8X410230 8DXJ0210 8XXJ0210 DX410800 DD410800	80410230 8X410230 8DXJ0210 8XXJ0210 9X410800 0D410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	80410230 8X410230 8DXJ0210 8XXJ0210 DX410800 DD410800	BX410230
Test Name	140CLB 140CLB 140CLB	24510P 24510P 24510P 24510P 24510P 24510P	2461CP 2461CP 2461CP 2461CP 2461CP 2461CP	240CLP 240CLP 240CLP 240CLP 240CLP 240CLP	24DMPN 24DMPN 24DMPN 24DMPN 24DMPN 24DMPN	240NP
USATHAMA Method Code	LM18 LM18	EM18 EM18 EM18 EM18 EM18 EM18 EM18 EM18	LM18 LM18 LM18 LM18 LM18	EM18 EM18 EM18 EM18 EM18	LM18 LM18 LM18 LM18	LM18
Method Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

6	00000	000000	000000	o o	000000	000
Value Units	1.2 UGG 1.2 UGG 1.2 UGG 1.2 UGG	.14 UGG .14 UGG .14 UGG .14 UGG .14 UGG	.085 UGG .085 UGG .085 UGG .085 UGG .085 UGG	.23 UGG	8.56 8.06 8.06 8.06 8.06 8.06 8.06 8.06 8.0	.036 UGG .036 UGG .036 UGG
v	~ ~ ~ ~ ~ ~	· · · · · ·	· · · · · ·		· · · · · ·	~ ~ ~
Analysis Date	11-0c1-93 30-AuG-93 30-AuG-93 26-AuG-93 26-AuG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	26-AUG-93 26-AUG-93	11-0CT - 93 10-0CT - 93 30-AUG - 93 26-AUG - 93 26-AUG - 93	10-0CT-93 11-0CT-93 30-AUG-93
Sample Date	17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93
Lot		HZKA GUKA GUBA GUBA	HZKA HZKA GUHA GUBA GUBA	GUBA GUBA	HZKA HZKA GUHA GUHA GUBA GUBA	HZKA HZKA GUHA
Lab Number	DV2S*716 DV2S*688 DV2S*687 DV2S*498 DV2S*498	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*498	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*498	DV25*498 DV25*680	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*498 DV2S*498	DV2S*478 DV2S*716 DV2S*688
IRDMIS Field Sample Number	80410230 80XJ0210 8XXJ0210 0X410800 0D410800	80410230 8X410230 80XJ0210 8XXJ0210 0X410800 00410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	DX410800 DD410800	BD410230 BX410230 BDX10210 BXX10210 DX410800 DD410800	BX410230 BD410230 BDXJ0210
A Test Name	240NP 240NP 240NP 240NP 240NP	240NT 240NT 240NT 240NT 240NT	260NT 260NT 260NT 260NT 260NT 260NT	2CHE1L 2CHE1L	SCIP SCIP SCIP SCIP SCIP	2CNAP 2CNAP 2CNAP
USATHAMA Method Code	EM18 81M1 81M1 81M1	LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18
Method Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	999	000000	öööööö	000000	000000	o.
Value Units	.036 UGG .036 UGG .036 UGG	.049 UGG .049 UGG .049 UGG .049 UGG .049 UGG	20.0 UGG 20.0 UGG 20.	.062 UGG .062 UGG .062 UGG .062 UGG .062 UGG	4. UGG 4. UGG 4. UGG 4. UGG 4. UGG 4. UGG	6.3 UGG
ν	888 * * * *	*****	****	*****	****	۶.
Analysis Date	30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93
Sample Date	11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-Aug-93 11-Aug-93 05-Aug-93 05-Aug-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93
Lab Number Lot	DV2S*687 GUIA DV2S*498 GUBA DV2S*680 GUBA	DV2S*716 HZKA DV2S*478 HZKA DV2S*688 GJINA DV2S*687 GJINA DV2S*498 GJBA DV2S*680 GJBA	DV2S*478 HZKA DV2S*716 HZKA DV2S*688 GJIHA DV2S*498 GJIBA DV2S*680 GJIBA	DV2S*716 HZKA DV2S*688 GJHA DV2S*687 GJHA DV2S*698 GJBA DV2S*690 GJBA	DVSS*478 HZKA DVSS*716 HZKA DVSS*688 GJHA DVSS*698 GJBA DVSS*698 GJBA	DV2S*716 HZKA
IRDMIS Field Sample I	BXXJ0210 DX410800 DD410800	BD410230 BX410230 BX410210 BXX10210 DX410800 DD410800	BX410230 BD410230 BDX410210 BXXJ0210 DX410800 DD410800	BD410230 BX410230 BDX410210 BXXJ0210 DX410800 DD410800	BX410230 BD410230 BDX40210 BXXJ0210 DX410800 DD410800	BD410230
4A Test Name	2CNAP 2CNAP 2CNAP	ZMNAP ZMNAP ZMNAP ZMNAP ZMNAP		ZNANIL ZNANIL ZNANIL ZNANIL ZNANIL ZNANIL	SNP SNP SNP SNP SNP SNP SNP SNP SNP SNP	330CB0
USATHAMA Method Code	LM18 LM18	EMETAN EM	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18	LM18
Method Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RPO G	00000	000000	oooooo	oooooo	000000
Value Units	6.3 UGG 6.3 UGG 6.3 UGG 6.3 UGG 6.3 UGG	.45 UGG .45 UGG .45 UGG .45 UGG .45 UGG	55. UGG 55. UGG 55. UGG 55. UGG 55. UGG 66. UGG	.033 UGG .033 UGG .033 UGG .033 UGG .033 UGG	93 UGG 93 UGG 93 UGG 94 UGG 95 UGG
v		* * * * * *	· · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · ·
Analysis Date	10-oct - 93 30-Aug- 93 30-Aug- 93 26-Aug- 93 26-Aug- 93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AuG-93 26-AuG-93 26-AuG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93
Sample Date	17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-Aug-93 11-Aug-93 05-Aug-93
Lot		HZKA HZKA GUHA GUBA GUBA	HZKA HZKA GUHA GUHA GUBA GUBA	S HZKA S GUHA S GUHA S GUBA GUBA	HZKA B GUHA GUHA GUBA GUBA
Lab Number	DV25*478 DV25*688 DV25*687 DV25*498 DV25*498	DV25*478 DV25*716 DV25*688 DV25*687 DV25*498	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*498	0V2S*478 0V2S*716 0V2S*688 0V2S*687 0V2S*687	DV2S*4716 DV2S*488 DV2S*688 DV2S*687 DV2S*498
IRDMIS Field Sample Number	8X410230 BDXJ0210 BXXJ0210 DX410800 DD410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	BD410230 BX410230 BDX10210 BXX10210 DX410800 DD410800	BX410230 BD410230 BDX30210 BXXJ0210 DX410800 DD410800	BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800
A Test Name	330 CBD 330 CBD 330 CBD 330 CBD 330 CBD	SNANIL SNANIL SNANIL SNANIL SNANIL	460N2C 460N2C 460N2C 460N2C 460N2C 460N2C	4BRPPE 4BRPPE 4BRPPE 4BRPPE 4BRPPE 4BRPPE	4CANIL 4CANIL 4CANIL 4CANIL 4CANIL
USATHAMA Method Code	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18
Method Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

	USATHAMA Method	Test	IRDMIS Field Sample	Lab		Sample	Analysis				
Method Description	Code	_	Number	Number	Ę	Date	Date	v :	Value	Value Units	22 23
	LM18	4cL3c	BX410230	DV25*478	HZKA	17-SEP-93	10-0CT-93	•	8.	990	0.
IN SOIL BY	LM18	4cr3c	BD410230	DV2S*716		17-SEP-93	11-0cT-93	~	Š	990	٥.
IN SOIL BY	LM18	4cr3c	BDXJ0210	DV25*688		11-AUG-93	30-AUG-93	~	8	99N	٥.
IN SOIL BY	LM18	4CL3C	BXXJ0210	DV25*687		11-AUG-93	30-AUG-93	•	8	990	0
Æ	LM18	4CL3C	DX410800	DV25*498		05-AUG-93	26-AUG-93	v	8	990	٥.
IN SOIL BY	LM18	4CL3C	DD410800	DV25*680		05-AUG-93	26-AUG-93	v	8	990	۰.
IN SOIL BY	LM18	4CLPPE	BD410230	DV25*716	HZKA	17-SEP-93	11-0CT-93	v	.033	UGG	o.
IN SOIL BY	LM18	4CLPPE	BX410230	DV25*478	HZKA	17-SEP-93	10-oc1-93	~	.03	990	٥.
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	BDXJ0210	DV25*688	₽	11-AUG-93	30-AUG-93	v	.03 550	990	٥.
IN SOIL BY	LM18	4CLPPE	BXXJ0210	DV25*687	SE SE	11-AUG-93	30-AUG-93	v	83	990	۰.
IN SOIL BY	LM18	4CLPPE	DX410800	DV25*498	GUBA	05-AUG-93	26-AUG-93	~	.03	990	۰.
IN SOIL BY	LM18	4CLPPE	DD410800	DV2S*680	SUBA STA	05-AUG-93	26-AUG-93	•	.033	990	۰.
IN SOIL BY	LM18	dW7	BX410230	DV25*478		17-SEP-93	10-oct-93	v	%:	UGG	0.
IN SOIL BY	LM18	4MP	BD410230	DV25*716		17-SEP-93	11-0cT-93	•	%	990	o.
IN SOIL BY	LM18	4 €	BDXJ0210	DV25*688		11-AUG-93	30-AUG-93	v	7	99N	٥.
BNA'S IN SOIL BY GC/MS	LM18	4 ₹	BXXJ0210	DV2S*687	£ SH SH SH	11-AUG-93	30-AUG-93	v	%	99n	٥.
IN SOIL BY	LM18	4MD	DX410800	DV25*498		05-AUG-93	26-AUG-93	•	.24	99 0	٥.
IN SOIL BY	LM18	d¥}	DD410800	DV25*680		05-AUG-93	26-AUG-93	v	7 7.	0 90	٥.
IN SOIL BY	LM18	4NANIL	BD410230	DV2S*716		17-SEP-93	11-0CT-93	v	14.	nge	0.
IN SOIL BY	LM18	4NANIL	BX410230	DV25*478		17-SEP-93	10-ocr-93	•	.41	99n	0.
IN SOIL BY	LM18	4NANIL	BDXJ0210	DV25*688		11-AUG-93	30-AUG-93	v	.41	99n	٥.
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	BXXJ0210	DV25*687	₽	11-AUG-93	30-AUG-93	v	.41	55 25 25	٥.
IN SOIL BY	LM18	4NAN1L	DX410800	DV2S*498		05-AUG-93	26-AUG-93	v	.41	99n	٥.
IN SOIL BY	LM18	4NAN I L	00410800	DV25*680		05-AUG-93	26-AUG-93	v	.41	nee	o.
IN SOIL BY	LM18	dN4	BX410230	DV25*478		17-SEP-93	10-0CT-93	v	1.4	990	٥.
BNA'S IN SOIL BY GC/MS	LM18	4NP	BD410230	DV25*716	HZKA	17-SEP-93	11-0CT-93	v	7.	990	o.
IN SOIL BY	LM18	dNP	BDXJ0210	DV2S*688		11-AUG-93	30-AUG-93	v	7.	9	o.
IN SOIL BY	LM18	4NP	BXXJUZIU	07257681		11-AUG-95	30-AUG-95	v	4.	9	٥.

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

0000	öööööö	öööööö	o'o'o'o'o'	öööööö
	990 090 090 090 090	000 000 000 000 000 000 000	000 000 000 000 000 000 000	000 000 000 000 000 000 000 000
88.88 88.88	នួនខ្លួនខ្លួន	888888	989 989 989 989 989 989	uivivivi
	* * * * * *	* * * * *	* * * * * *	· · · · · ·
30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT -93 11-0CT -93 30-AUG-93 30-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93
11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93
GURA GURA GURA GURA	HZKA GUHA GUBA GUBA	HZKA GUHA GUBA GUBA	HZKA GUHA GUBA GUBA	HZKA GUHA GUBA GUBA
DV25*688 DV25*687 DV25*498 DV25*680	DV25*478 DV25*716 DV25*688 DV25*687 DV25*680	DV2S*716 DV2S*678 DV2S*688 DV2S*687 DV2S*498	0V2S*478 0V2S*716 0V2S*688 0V2S*498 0V2S*480	DV25*716 DV25*478 DV25*688 DV25*687 DV25*498
BDXJ0210 BXXJ0210 DX410800 DD410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	8D410230 8X410230 8DX10210 8XX10210 DX410800 DD410800	BX410230 BD410230 BDX10210 BXX10210 DX410800 DD410800	8D410230 8X410230 8DXJ0210 8XXJ0210 DX410800 DD410800
ANAPNE ANAPNE ANAPNE ANAPNE	ANAPYL ANAPYL ANAPYL ANAPYL ANAPYL ANAPYL	ANTRC ANTRC ANTRC ANTRC ANTRC	BZCEXM BZCEXM BZCEXM BZCEXM BZCEXM BZCEXM BZCEXM	82CIPE 82CIPE 82CIPE 82CIPE 82CIPE 82CIPE
LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18 18
A'S IN SOIL BY GC/MS A'S IN SOIL BY GC/MS A'S IN SOIL BY GC/MS A'S IN SOIL BY GC/MS	MA'S IN SOIL BY GC/MS WA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS
	IN SOIL BY GC/MS LM18 ANAPNE BDX.J0210 DV2S*688 GJHA 11-AUG-93 30-AUG-93 < .036 UGG IN SOIL BY GC/MS LM18 ANAPNE BXX.J0210 DV2S*687 GJHA 11-AUG-93 30-AUG-93 < .036 UGG IN SOIL BY GC/MS LM18 ANAPNE DX4.10800 DV2S*498 GJBA 05-AUG-93 26-AUG-93 < .036 UGG IN SOIL BY GC/MS LM18 ANAPNE DD4.10800 DV2S*680 GJBA 05-AUG-93 26-AUG-93 < .036 UGG	SOIL BY GC/MS LM18 ANAPNE BDX.10210 DVZS*688 G/HA 11-ALG-93 30-ALG-93 < 036	IN SOIL BY GC/MS LM18 ANAPNE BDXJ0210 DV25*68R GJHA 11-AUG-93 30-AUG-93 < 036	N SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

000000	53.7 5.83 0.0 0.0	öööööö	öööööö	ööööö
5 5 5 5 7 7 8 8 8 8 8 8 9 8 9 8 9 9 9 9 9 9 9 9	990 090 090 090	990 990 990 990	990 990 990 990	990 990 990
28. 28. 28. 28. 28. 28. 28.	<u> </u>	7,7,7,7,7	<i> </i>	<u> </u>
:	* * * * *	· · · · · ·	· · · · ·	* * * *
10-0CT-93 11-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93
17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93
HZKA GUHA GUHA GUBA GUBA	HZKA HZKA GUIKA GUIKA GUIBA GUIBA	HZKA HZKA GUIKA GUIKA GUIBA GUIBA	HZKA HZKA GUHA GUBA GUBA	HZKA HZKA GUHA GUBA
DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*687	DV2S*478 DV2S*688 DV2S*687 DV2S*498 DV2S*498	DV2S*478 DV2S*716 DV2S*688 DV2S*498 DV2S*498	DV2S*716 DV2S*478 DV2S*687 DV2S*498 DV2S*498	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*698
8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	80410230 8X410230 8DXJ0210 8XXJ0210 DX410800 DD410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DX410800
B2CLEE B2CLEE B2CLEE B2CLEE B2CLEE B2CLEE	822 H 822 H 822 H 822 H 822 H 822 H 822 H 823 H 824 H	BAANTR BAANTR BAANTR BAANTR BAANTR	BAPYR BAPYR BAPYR BAPYR BAPYR BAPYR	BBFANT BBFANT BBFANT BBFANT BBFANT
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	LM 18 8 18 18 18 18 18 18 18 18 18 18 18 1	M	M	LM18 LM18 LM18 LM18 LM18
IA'S IN SOIL BY GC/NS A'S IN SOIL BY GC/NS	IA'S IN SOIL BY GC/MS	IA'S IN SOIL BY GC/MS	IA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS
	SOIL BY GC/MS LM18 BZCLEE BX410230 DV2S*478 HZKA 17-SEP-93 10-OCT-93 <033	N SOIL BY GC/MS	N. SOIL BY GC/MS LM18 BZCLEE BX410230 DV25*478 HZKA 17-SEP-93 11-OCT-93 C. 033 UGG	SOIL BY GC/MS LM18 B2CLEE BX410230 DV25*478 HZKA 17-5EP-93 11-0CT-93

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	9.	öööööö	000000	000000	999999	oʻoʻoʻ
/alue Units		000 000 000 000 000 000 000 000 000 00	000 000 000 000 000 000 000	000 000 000 000 000 000 000 000 000	000 000 000 000 000 000 000	990 000 000
Value	.21	<i>1</i> 2.12.12.12.12.12.12.12.12.12.12.12.12.12	+++++++	<i>ૹ૽ૹ૽ૹ૽ૹ૽ૹ૽</i>	ន់ន់ន់ន់ន់	6.1
v	 v 	* * * * *	***	* * * * * *	* * * * * *	~ ~ ~
Analysis Date	26-AUG-93	11-0cT-93 10-0cT-93 30-Aug-93 26-Aug-93 26-Aug-93	10-0CT-93 11-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93
Sample Date	05-AUG-93	17-SEP-93 17-SEP-93 11-AuG-93 11-AuG-93 05-AuG-93	17-SEP-93 17-SEP-93 11-ALG-93 11-ALG-93 05-ALG-93 05-ALG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93
Lot	30 GUBA	HZKA 78 HZKA 88 GUHA 98 GUBA 80 GUBA	78 HZKA 16 HZKA 88 GUHA 87 GUHA 98 GUBA 80 GUBA	16 HZKA 78 HZKA 88 GUHA 87 GUHA 98 GUBA 80 GUBA	78 HZKA 16 HZKA 88 GUHA 87 GUHA 98 GUBA 80 GUBA	16 HZKA 78 HZKA 88 GUHA
Lab Number	DV2S*680	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*498	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*498	DV2S*478 DV2S*478 DV2S*688 DV2S*687 DV2S*498	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*498	DV2S*716 DV2S*478 DV2S*688
IRDMIS Field Sample Number	DD410800	BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800	8X410230 8D410230 8DX410210 8XX40210 BXX10210 DX410800	8D410230 8X410230 8DXJ0210 8XXJ0210 0X410800 0D410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	8D410230 BX410230 BDXJ0210
A Test Name	BBFANT	884C 884C 884C 884C 884C	882P 882P 882P 882P 882P 882P	BENSLF BENSLF BENSLF BENSLF BENSLF BENSLF	BENZID BENZID BENZID BENZID BENZID BENZID	BENZOA BENZOA BENZOA
USATHAMA Method Code	LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18
Method Description	BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	999		ööööö	99999	000000	o.
/alue Units	1 UGG	ស់ស់ស់ស់ស ឧ ឧ ឧ ឧ ឧ ឧ ឧ ឧ ឧ ឧ ឧ ឧ ឧ ឧ ឧ	99999999999999999999999999999999999999	. 19 UGG . 19 UGG . 19 UGG . 19 UGG		.12 UGG
Val	6.1	wwww	8 8 8 8 8 8 8 8 8 8 8 8		• • • • • •	-
•	. v v v !	* * * * * *	• • • • • •	* * * * * *	* * * * *	v
Analysis Date	30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93
Sample Date	11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17 - SEP - 93 17 - SEP - 93 11 - AUG - 93 11 - AUG - 93 05 - AUG - 93	17-SEP-93
Lot	S S S S S S S S S S S S S S S S S S S	HZKA HZKA GUHA GUBA GUBA	HZKA HZKA GUHA GUBA GUBA	HZKA HZKA GUHA GUBA GUBA	HZKA GUHA GUBA GUBA	HZKA
Lab Number	0V2S*687 0V2S*498 0V2S*680	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*498	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*498	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*687	DV2S*4716 DV2S*478 DV2S*688 DV2S*687 DV2S*498	DV2S*478 HZKA
IRDMIS Field Sample Number	BXXJ0210 DX410800 DD410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	80410230 8X410230 8DXJ0210 8XXJ0210 DX410800 DD410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	BD410230 BX410230 BDX.J0210 BXX.J0210 DX410800 DD410800	BX410230
A Test Name	BENZOA BENZOA BENZOA	BGHIPY BGHIPY BGHIPY BGHIPY BGHIPY	BKFANT BKFANT BKFANT BKFANT BKFANT	BZALC BZALC BZALC BZALC BZALC BZALC	CARBAZ CARBAZ CARBAZ CARBAZ CARBAZ CARBAZ	CHRY
USATHAMA Method Code	LM18 LM18 LM18	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	E E E E E E E E E E E E E E E E E E E	EM18 EM18 EM18 EM18 EM18 EM18 EM18 EM18	LM18
lethod Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS
₩.	BRA					Š

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994, SSI Groups 2,7

RPO CPS	. 00000	öööööö	000000	0,00000	000000
Value Units	22.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.22.23 25.23	033 UGG 033 UGG 033 UGG 033 UGG 033 UGG	6.2 UGG 6.2 UGG 6.2 UGG 6.2 UGG 6.2 UGG 6.2 UGG	5.5.5.0 5.5.5.5 5.0 5.0 5.0 5.0 5.0 5.0	22 UGG 22 UGG 22 UGG 22 UGG 22 UGG 23 UGG
, 8		öööööö	000000		•••••
•		* * * * * *	* * * * * *	* * * * * *	* * * * * *
Analysis Date	11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93
Sample Date	17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93
Lot	HZKA GURA GUBA GUBA	HZKA HZKA GUHA GUBA GUBA	HZKA HZKA GUHA GUBA GUBA	HZKA GUHA GUHA GUBA GUBA	HZKA HZKA GUHA GUBA GUBA
Lab Number	DV2S*716 DV2S*688 DV2S*687 DV2S*498 DV2S*680	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*690	DV2S*478 DV2S*688 DV2S*688 DV2S*687 DV2S*698	DV25*716 DV25*478 DV25*688 DV25*687 DV25*687	DV2S*478 DV2S*4716 DV2S*688 DV2S*687 DV2S*498
IRDMIS Field Sample Number	BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	80410230 8X410230 8DXJ0210 8XXJ0210 DX410800 DD410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800
	CHRY CHRY CHRY CHRY	28910 28910 28910 28910 28910 28910	0790 0790 0790 0790 0790 0790 0790 0790	CL6ET CL6ET CL6ET CL6ET CL6ET CL6ET	DBAHA DBAHA DBAHA DBAHA DBAHA
USATHAMA Method Code	81M1 81M1 81M1 81M1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	LM 18 LM 18	LM 18 LM 18 LM 18 LM 18 LM 18	LM18 LM18 LM18 LM18 LM18
Method Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	v	Value	Value Units	8
IN SOIL BY GC/MS		DBHC DBHC DBHC DBHC	80410230 8X410230 8DXJ0210 8XXJ0210 DX410800 DD410800	0V2S*716 0V2S*478 0V2S*688 0V2S*687 0V2S*687	HZKA HZKA GUHA GUBA GUBA	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93		<i>ង់ង់ង់ង់ង់ង</i>	990 090 090 090 090	666666
IN SOIL BY GC/MS	LM 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	DBZFUR DBZFUR DBZFUR DBZFUR DBZFUR	BX410230 BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	DV25*478 DV25*716 DV25*688 DV25*687 DV25*498	HZKA HZKA GUHA GUBA GUBA	17 - SEP - 93 17 - SEP - 93 11 - AUG - 93 11 - AUG - 93 05 - AUG - 93	10-0CT-93 11-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	* * * * *	250. 250. 250. 250. 250. 250. 250.	990 090 090 090 090 090	000000
IN SOIL BY GC/MS	EM1 1848 1848 1848 1848 1848 1848 1848 18		BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*498	HZKA HZKA GUHA GUBA GUBA	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	· · · · · ·	<u> </u>	990 000 000 000 000	oooooo
IN SOIL BY GC/MS	LM 18 8 18 18 18 18 18 18 18 18 18 18 18 1	DLDRN DLDRN DLDRN DLDRN DLDRN	BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*498	HZKA HZKA GUHA GUBA GUBA	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	* * * * * *	<u>พ่พ</u> ่พ่พ่พ่พ่	990 990 990 990 990	öööööö
IN SOIL BY GC/MS IN SOIL BY GC/MS IN SOIL BY GC/MS IN SOIL BY GC/MS	LM18 LM18 LM18	4WG 6WG 6WG	BX410230 BD410230 BDXJ0210 BXXJ0210	DV25*478 DV25*716 DV25*688 DV25*687	HZKA HZKA GUHA GUHA	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93	* * * *	7.7.7.	990 000 000	6666

Chemical Quality Control Report Installation: Fort Devers, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

00	191.9 191.9 8.0 8.0 148.2 148.2	ööööö	000000	000000	öö
.17 UGG .17 UGG	.62 UGG 30 UGG .13 UGG .12 UGG .061 UGG	.19 UGG .19 UGG .19 UGG .19 UGG	.45 UGG .45 UGG .45 UGG .45 UGG .45 UGG	53 UGG 53 UGG 53 UGG 53 UGG 53 UGG 53 UGG	.53 UGG .53 UGG
. • •	· •	* * * * *	* * * * *	* * * * *	v v
26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93
05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93
		DV2S*478 HZKA DV2S*716 HZKA DV2S*688 GUHA DV2S*697 GUBA DV2S*690 GUBA	DV2S*716 HZKA DV2S*688 HZKA DV2S*688 GUHA DV2S*687 GUBA DV2S*498 GUBA	DV2S*478 HZKA DV2S*716 HZKA DV2S*688 GUHA DV2S*687 GUHA DV2S*498 GUBA	DV2S*716 HZKA DV2S*478 HZKA
DX410800 DD410800	BD410230 BX410230 BDX40210 BXX10210 DD410800 DX410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	80410230 8X410230 8DX_10210 8XX_10210 DX410800 DD410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	BD410230 BX410230
	DNBP DNBP DNBP DNBP DNBP	DNOP DNOP DNOP DNOP DNOP	ENDRN	ENDRNA ENDRNA ENDRNA ENDRNA ENDRNA	ENDRNK ENDRNK
EM18	EM18 EM18 EM18 EM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS
	IN SOIL BY GC/MS LM18 DMP DX410800 DV2S*498 GUBA 05-AUG-93 26-AUG-93 < .17 IN SOIL BY GC/MS LM18 DMP DD410800 DV2S*480 GUBA 05-AUG-93 26-AUG-93 < .17	IN SOIL BY GC/MS LM18 DMP DX410800 DV25*498 GJBA 05-AUG-93 26-AUG-93 < .17 UGG IN SOIL BY GC/MS LM18 DMP DM410800 DV25*48 GJBA 05-AUG-93 26-AUG-93 < .17 UGG IN SOIL BY GC/MS LM18 DMBP BX410230 DV25*716 HZKA 17-SEP-93 11-OCT-93 30 UGG IN SOIL BY GC/MS LM18 DMBP BX410210 DV25*688 GJBA 11-AUG-93 31-AUG-93 31 UGG IN SOIL BY GC/MS LM18 DMBP BXXJ0210 DV25*687 GJHA 11-AUG-93 31-AUG-93 113 UGG IN SOIL BY GC/MS LM18 DMBP BXXJ0210 DV25*687 GJHA 11-AUG-93 31-AUG-93 .12 UGG IN SOIL BY GC/MS LM18 DMBP DX410800 DV25*689 GJBA 05-AUG-93 26-AUG-93 .6-AUG-93 .6-1 UGG IN SOIL BY GC/MS LM18 DMBP DX410800 DV25*498 GJBA 05-AUG-93 26-AUG-93 .4-1 UGG IN SOIL BY GC/MS LM18 DMBP DX410800 DV25*498 GJBA 05-AUG-93 .2-AUG-93 .4-1 UGG	IN SOIL BY GC/MS LM18 DMP DX410800 DV2S*680 GUBA 05-AUG-93 26-AUG-93 < . 17 UGG IN SOIL BY GC/MS LM18 DMP BD410800 DV2S*680 GUBA 05-AUG-93 26-AUG-93 < . 17 UGG IN SOIL BY GC/MS LM18 DMBP BX410230 DV2S*4716 HZKA 17-SEP-93 11-OCT-93 30 UGG IN SOIL BY GC/MS LM18 DMBP BXXJ0210 DV2S*680 GUBA 11-AUG-93 30-AUG-93 . 12 UGG IN SOIL BY GC/MS LM18 DMBP BXXJ0210 DV2S*680 GUBA 05-AUG-93 30-AUG-93 . 17 UGG IN SOIL BY GC/MS LM18 DMBP BXXJ0210 DV2S*680 GUBA 05-AUG-93 26-AUG-93 . 17 UGG IN SOIL BY GC/MS LM18 DMBP BXXJ0210 DV2S*680 GUBA 05-AUG-93 26-AUG-93 . 19 UGG IN SOIL BY GC/MS LM18 DMOP BX410230 DV2S*478 HZKA 17-SEP-93 11-OCT-93 . 19 UGG IN SOIL BY GC/MS LM18 DMOP BX410230 DV2S*4716 HZKA 17-SEP-93 11-OCT-93 . 19 UGG IN SOIL BY GC/MS LM18 DMOP BX410230 DV2S*680 GUBA 11-AUG-93 30-AUG-93 . 19 UGG IN SOIL BY GC/MS LM18 DMOP BX410230 DV2S*680 GUBA 11-AUG-93 30-AUG-93 . 19 UGG IN SOIL BY GC/MS LM18 DMOP BX410230 DV2S*680 GUBA 11-AUG-93 30-AUG-93 . 19 UGG IN SOIL BY GC/MS LM18 DMOP BX410800 DV2S*680 GUBA 05-AUG-93 26-AUG-93 . 19 UGG IN SOIL BY GC/MS LM18 DMOP DX410800 DV2S*680 GUBA 05-AUG-93 26-AUG-93 . 19 UGG IN SOIL BY GC/MS LM18 DMOP DX410800 DV2S*680 GUBA 05-AUG-93 26-AUG-93 . 19 UGG	IN SOIL BY GC/MS LM18 DMP DMA/10800 DV2S*498 GUBA DV2S*476 DMA/10800 DV2S*498 DMA/10200 DV2S*498 DMA/10200 DV2S*478 DMA/10200 DV2S*478 DMA/10200 DV2S*478 DMA/10200 DV2S*478 DMA/10200 DV2S*478 DMA/10200 DV2S*488 DMA/10	N SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

88	0000		62. 62. 62. 62. 62. 63.	000000	öööööö
e Units	500 000 000 000 000	990 000 000 000 000 000 000 000 000	990 090 090 090 090	000 000 000 000 000 000	990 090 090 090 090 090
Value	ដដែ	<i>अंअंअंअंअं</i>	880. 880. 880. 880. 87.	86.886.886.	ង់ដង់ដង់ដ
v	 	*****	* * * *	· · · · · ·	* * * * * *
Analysis Date	30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93
Sample Date	11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AuG-93 11-AuG-93 05-AuG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93
Lot	GUHA GUBA GUBA	HZKA GUKA GUBA GUBA	HZKA HZKA GUHA GUBA GUBA	HZKA HZKA GUHA GUHA GUBA GUBA	HZKA GUHA GUBA GUBA
Lab	DV2S*688 DV2S*687 DV2S*498 DV2S*680	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*687	DV25*716 DV25*478 DV25*688 DV25*687 DV25*680	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*498	DV2S*716 DV2S*688 DV2S*688 DV2S*687 DV2S*498 DV2S*498
IRDMIS Field Sample Number	BDXJ0210 BXXJ0210 DX410800 DD410800	8X410230 8D410230 8DX10210 8XX10210 DX410800 DD410800	80410230 8X410230 8DXJ0210 8XXJ0210 DD410800 DX410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	80410230 8X410230 8DXJ0210 8XXJ0210 DX410800 DD410800
Test Name	ENDRNK ENDRNK ENDRNK ENDRNK	ESFS04 ESFS04 ESFS04 ESFS04 ESFS04 ESFS04	FANT FANT FANT FANT FANT	FLRENE FLRENE FLRENE FLRENE FLRENE	GCLDAN GCLDAN GCLDAN GCLDAN GCLDAN
USATHAMA Method Code	LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	EM1 1818 1818 1818 1818
Method Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	A'S IN SOIL BY GC/MS
₹;	6666	8 8 8 8 8 8	8 8 8 8 8 8		BNA BNA BNA BNA BNA

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994, SSI Groups 2,7

89		oooooo	oooooo	öööööö	ooooo
Value Units	2222222 2222222 22222222 2222222222222	.13 UGG .13 UGG .13 UGG .13 UGG .13 UGG	**************************************	%%%%% 88888888888888888888888888888888	.033 UGG .033 UGG .033 UGG .033 UGG
v	; ; v v v v v v	* * * * *	* * * * *	* * * * *	* * * * *
Analysis Date	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93
Sample Date	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93
Lot	HZKA GUHA GUBA GUBA	HZKA GUHA GUBA GUBA	HZKA HZKA GUHA GUBA GUBA	HZKA HZKA GUHA GUBA GUBA	HZKA GUHA GUBA GUBA
Lab Number	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*498	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*498	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*498	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*498	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*498
IRDMIS Field Sample Number	8X410230 BD410230 BDX10210 BXX10210 DX410800 DD410800	BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800	BX410230 BD410230 BDX10210 BXXJ0210 DX410800 DD410800	BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800	8X410230 8D410230 8DX10210 8XXJ0210 DX410800
A Test Name	HC80 HC80 HC80 HC80 HC80 HC80	100 T	HPCLE HPCLE HPCLE HPCLE HPCLE HPCLE HPCLE	IODYR IODYR IODYR IODYR IODYR	I SOPHR I SOPHR I SOPHR I SOPHR
USATHAMA Method Code	LM13 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	81M1 81M1 81M1 81M1 81M1	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	EM18 EM18 EM18 EM18
Method Description	'S IN SOIL BY GC/MS	'S IN SOIL BY GC/MS	'S IN SOIL BY GC/MS	'S IN SOIL BY GC/MS	'S IN SOIL BY GC/MS
₹ E	BNA'S BNA'S BNA'S BNA'S BNA'S BNA'S	BNA'S BNA'S BNA'S BNA'S BNA'S BNA'S	BNA'S BNA'S BNA'S BNA'S BNA'S	BNA'S BNA'S BNA'S BNA'S BNA'S BNA'S	BNA'S BNA'S BNA'S BNA'S

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

<u>8</u>	0.	öööööö	öööööö	öööööö	oooooo	o o o
Value Units	.033 UGG	.27 UGG .27 UGG .27 UGG .27 UGG .27 UGG	8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8	.037 UGG .037 UGG .037 UGG .037 UGG .037 UGG	.045 UGG .045 UGG .045 UGG .045 UGG .045 UGG	. 14 UGG . 14 UGG . 14 UGG
•	. •	* * * * *	* * * * * * *	* * * * * *	* * * * * *	v v v
Analysis Date	26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93
Sample Date	05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93
Lot	O GUBA	6 HZKA 8 HZKA 7 GUHA 8 GUBA 0 GUBA	8 HZKA 6 HZKA 8 GUHA 7 GUHA 8 GUBA 0 GUBA	6 HZKA 7 GUHA 8 GUHA 8 GUBA 0 GUBA	8 HZKA 6 HZKA 8 GUHA 7 GUHA 8 GUBA 0 GUBA	6 HZKA 8 HZKA 8 GUHA
Lab Number	0725*680	0V2S*716 0V2S*478 0V2S*688 0V2S*687 0V2S*498	0V2S*478 0V2S*716 0V2S*688 0V2S*687 0V2S*498	DV2S*478 DV2S*478 DV2S*687 DV2S*688 DV2S*498	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*498	DV2S*716 DV2S*478 DV2S*688
IRDMIS Field Sample Number	DD410800	80410230 8X410230 8DXJ0210 8XXJ0210 DX410800 DD410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	8D410230 8X410230 8XXJ0210 8DXJ0210 8DXJ0210 DX410800 DD410800	8X410230 BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	BD410230 BX410230 BDXJ0210
A Test Name	1 SOPHR		MEXCLR MEXCLR MEXCLR MEXCLR MEXCLR	N N N N N N N N N N N N N N N N N N N	22222	NNDMEA NNDMEA NNDMEA
USATHAMA Method Code	LM18	LM18 LM18 LM18 LM18 LM18	E E E E E E E E E E E E E E E E E E E	LM18 LM18 LM18 LM18 LM18	M 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	LM18 LM18 LM18
Method Description	BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

€ €	1000	o'o'o'o'o'	000000	e e e e e e e e e e e e e e e e e e e	o o o o o o	0.
	•					
	:					
Value Units	999	999999	999999	999999	999999	ngg
S						_
atu	444	uivivivi	66666	444444	444444	1.4
>						
	!					
v		* * * * * *	* * * * * *	· · · · · ·	* * * * * *	v
	!					
, so	30-AUG-93 26-AUG-93 26-AUG-93	10-OCT-93 11-OCT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	Ŕ
Analysis Date		555555		555555	11-0c1-93 10-0c1-93 80-AuG-93 80-AuG-93 26-AuG-93	10-0CT-93
Inal Pate	0.82	888829		9-9-9-8-8	-00000	0
~ ~	. W. G.G.G.		Pipitata		D1011414	•
	ឧឧឧ	222222	222222	***	*****	33
ā	999	993333	993333	993333	993333	di di
Sample Date	11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93
Lot		HZKA GUKA GUBA GUBA	HZKA HZKA GUBA GUBA	HE SEE SEE SEE SEE SEE SEE SEE SEE SEE S	HZKA HZKA GURA GURA GURA	DV2S*478 HZKA
-			88838			82
Lab Number	DV2S*687 DV2S*498 DV2S*680	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*498	DV2S*478 DV2S*688 DV2S*687 DV2S*687 DV2S*690	DV25*478 DV25*716 DV25*688 DV25*687 DV25*498	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*498	7*S
S E E	888	00000	22222	222222	22222	22
	000	00000	00000	00000	00000	0
e e d s	288	0223 0223 080 080	080 080 080 080	080 080 080 080	023 023 021 080 080	053
IRDMIS Field Sample Number	BXXJ0210 DX410800 DD410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800	BX410230
H L O Z			888866		888866	•
				.0.0.0.0.0.0		٠.
est ame	NIDMEA NIDMEA NIDMEA	NNDNPA NNDNPA NNDNPA NNDNPA NNDNPA NNDNPA	KNDPA KNDPA KNDPA KNDPA KNDPA KNDPA	PCB016 PCB016 PCB016 PCB016 PCB016 PCB016	PCB221 PCB221 PCB221 PCB221 PCB221 PCB221	PCB232
ā 18 14 ≥ 18	333	****	33333	22222	22222	2
A¥ P						
USATHAMA Method Code	EX 18 18 18 18 18 18 18	8122 8122 8123 8123 8123	81M18 81M18 1M18 1M18	81 E E E E E E E E E E E E E E E E E E E	81 M 18 M	LM18
250	333	555555	55555	55555	555555	3
	(A (A (A	(A (A (A (A (A (A	(0 (0 (0 (0 (0 (0	(A (A (A (A (A (A	(0 (0 (0 (0 (0 (0	w
	GC/MS GC/MS GC/MS	GC/NS GC/NS GC/NS GC/NS GC/NS GC/NS	GC/MS GC/MS GC/MS GC/MS GC/MS	GC/MS GC/MS GC/MS GC/MS GC/MS	GC/NS GC/NS GC/NS GC/NS GC/NS	GC/MS
ق	© © ©	000000 84444	000000 88888	000000 88888	84444	87 G
Method Description						
SCL	110S 110S 110S	1108 1108 1108 1108 1108	1108 1108 1108 1108 1108	108 2011 2011 2011 2011 2011	1108 1108 2011 2011 2011 2011	SOI
2	222	REEEEE	RESEES	22222	22222	BNA'S IN SOIL
E S	BNA'S BNA'S BNA'S BNA'S	BNA'S BNA'S BNA'S BNA'S BNA'S	BNA'S BNA'S BNA'S BNA'S BNA'S	BNA'S BNA'S BNA'S BNA'S BNA'S BNA'S	BNA'S BNA'S BNA'S BNA'S BNA'S	A'S
ē:	2 2 2 X					8

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number Lot	Sample Date	Analysis Date	, v	alue Units	8PO
BNA'S IN SOIL BY GC/NS BNA'S IN SOIL BY GC/NS BNA'S IN SOIL BY GC/NS BNA'S IN SOIL BY GC/NS BNA'S IN SOIL BY GC/NS	E	PCB232 PCB232 PCB232 PCB232 PCB232	BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	DV2S*716 HZKA DV2S*688 GJHA DV2S*687 GJHA DV2S*498 GJBA DV2S*680 GJBA	ı	11-0cT-93 30-AuG-93 30-AuG-93 26-AuG-93 26-AuG-93		1.4 UGG 1.4 UGG 1.4 UGG 1.4 UGG	
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18 LM18	PCB242 PCB242 PCB242 PCB242 PCB242 PCB242	BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800	DV2s*716 HZKA DV2S*488 GJHA DV2S*687 GJHA DV2S*498 GJBA DV2S*498 GJBA	A 17-SEP-93 A 17-SEP-93 A 11-AUG-93 A 11-AUG-93 A 05-AUG-93 A 05-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	V V V V V V	1.4 UGG 1.4 UGG 1.4 UGG 1.4 UGG 1.4 UGG	e e e e e e e
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18 LM18 HM18	PCB248 PCB248 PCB248 PCB248 PCB248 PCB248	BX410230 BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	DV25*478 HZKA DV25*716 HZKA DV25*688 GUHA DV25*687 GUHA DV25*498 GUBA	A 17-SEP-93 A 17-SEP-93 A 11-AUG-93 A 05-AUG-93 A 05-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	~~~~	2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3	666666
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18 LM18 LM18	PCB254 PCB254 PCB254 PCB254 PCB254 PCB254	BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800	DV2s*716 HZKA DV2S*478 HZKA DV2S*688 GJHA DV2S*687 GJHA DV2S*498 GJBA	A 17-SEP-93 A 17-SEP-93 A 11-AUG-93 A 05-AUG-93 A 05-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93 26-AUG-93	V V V V V V	2.3 UGG 2.3 UGG 2.3 UGG 2.3 UGG 2.3 UGG 2.3 UGG	
BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	LM18 LM18 LM18 LM18 LM18	PCB260 PCB260 PCB260 PCB260 PCB260 PCB260	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	DV2s*478 Hzka DV2s*716 Hzka DV2s*688 GJHA DV2s*687 GJHA DV2s*498 GJBA	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 105-AUG-93 105-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 26-AUG-93 26-AUG-93		2.6 UGG 2.6 UGG 2.6 UGG 2.6 UGG 2.6 UGG	000000

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

890	000000		oooooo	000000	öööö
Value Units	999 000 000 000 000 000 000 000 000 000	33 UGG 33 UGG 12 UGG 16 UGG	111 UGG 060 UGG 060 UGG	27 UGG 27 UGG 27 UGG 27 UGG 27 UGG	31 UGG 31 UGG 31 UGG
Val	<u> កក្កកក្</u> ជាជាជាជាជាជាជាជាជាជាជាជាជាជាជាជាជាជាជា	E		· · · · · · · · · · · · · · · · · · ·	.i.i.i.i
v i	* * * * * *	* * * * *	* * * * * *	* * * * * *	* * * *
Analysis Date	11-0CT -93 10-0CT -93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93
Sample Date	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93
Lot	HZKA GURA GUBA GUBA	HZKA HZKA GUHA GUBA GUBA	HZKA HZKA GUHA GUBA GUBA	HZKA GUHA GUBA GUBA	HZKA HZKA GUHA GUHA
Lab Number	DV25*716 DV25*478 DV25*688 DV25*687 DV25*498	DV25*478 DV25*716 DV25*688 DV25*687 DV25*680	DV25*716 DV25*678 DV25*688 DV25*687 DV25*687	DV25*478 DV25*716 DV25*688 DV25*687 DV25*698 DV25*498	DV2S*716 DV2S*478 DV2S*688 DV2S*687
IRDMIS Field Sample Number	BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800	8X410230 8D410230 8DXJ0210 8XXJ0210 0D410800 DX410800	BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	BD410230 BX410230 BDXJ0210 BXXJ0210
A Test Name	\$ \$ \$ \$ \$ \$ \$	PHANTR PHANTR PHANTR PHANTR PHANTR	PHENOL PHENOL PHENOL PHENOL PHENOL	PP000 PP000 PP000 PP000 PP000 PP000	PPODE PPODE PPODE
USATHAMA Method Code	LM 1888 888 888 888 888 888 888 888 888 8	E E E E E E E E E E E E E E E E E E E	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18 LM18 LM18	LM18 LM18 LM18
Wethod Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	0.0	000000	0. 0. 131.6 131.6	öööööö	öööööö	0.
Value Units	.31 UGG	331 UGG 331 UGG 331 UGG 331 UGG 331 UGG	.033 UGG .033 UGG .033 UGG .033 UGG .033 UGG	2.6 UGG 2.6 UGG 2.6 UGG 2.6 UGG 2.6 UGG 2.6 UGG	0044 UGG 0044 UGG 0044 UGG 0044 UGG 0044 UGG	.0054 UGG
v		* * * * * *	* * * * *	* * * * * *	*****	· v
Analysis Date	26-AUG-93 26-AUG-93	10-0CT-93 11-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93 26-AUG-93	11-0CT-93 10-0CT-93 30-AUG-93 30-AUG-93 26-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 09-AUG-93	22-SEP-93
Sample Date	05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93
Lot		HZKA HZKA GUHA GUBA GUBA	HZKA HZKA GUHA GUBA GUBA	HZKA HZKA GUHA GUBA GUBA	IBEA IBEA GAXA GAXA GARA GARA	1BEA
Lab Number	DV25*498 DV25*680	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*498	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*680	0V2S*716 0V2S*478 0V2S*688 0V2S*687 0V2S*687	DV25*716 DV25*478 DV25*688 DV25*687 DV25*687	DV2S*716
IRDMIS Field Sample Number	DX410800 DD410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	BD410230 BX410230 BDXJ0210 BXXJ0210 DD410800 DX410800	BD410230 BX410230 BDXJ0210 BXXJ0210 DX410800 DD410800	BD410230 BX410230 BDX,10210 BXX,10210 DX410800 DD410800	BD410230
A Test Name	PPODE	PP001 PP001 PP001 PP001 PP001	PYR PYR PYR PYR	TXPHEN TXPHEN TXPHEN TXPHEN	11111111111111111111111111111111111111	112TCE
USATHAMA Method Code	LM18 LM18	81M1 81M1 81M1 81M1 81M1 81M1	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	LM 19 LM 19 19 19 19 19 LM 19 19 19 19	LM19
Method Description	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

SP.	. 00000	oooooo	öööööö		doddd
Value Units	.0054 UGG .0054 UGG .0054 UGG .0054 UGG	.0039 UGG .0039 UGG .0039 UGG .0039 UGG .0039 UGG	.0023 UGG .0023 UGG .0023 UGG .0023 UGG .0023 UGG	.003 UGG .003 UGG .003 UGG .003 UGG	.0017 UGG .0017 UGG .0017 UGG .0017 UGG .0017 UGG
٧		* * * * * *	* * * * * *	* * * * *	v v v v v
Analysis Date	22-SEP-93 18-AUG-93 18-AUG-93 10-AUG-93 09-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 09-AUG-93	22- SEP-93 22- SEP-93 18-AUG-93 10-AUG-93 09-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 09-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 09-AUG-93
Sample Date	17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93
Lot	B GAXA GAXA GAXA GARA	S IBEA B GAXA 7 GAXA 6 GARA 0 GARA	S 18EA B 18EA B GAXA 7 GAXA 0 GARA 8 GARA	B 1BEA 6 1BEA 7 GAXA 7 GAXA 0 GARA	B 1BEA B GAXA 7 GAXA 0 GARA 8 GARA
Lab Number	DV25*478 DV25*688 DV25*687 DV25*680 DV25*680	DV25*716 DV25*478 DV25*688 DV25*687 DV25*498 DV25*498	DV2S*716 DV2S*478 DV2S*688 DV2S*687 DV2S*680	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*690	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*680
IRDMIS Field Sample Number	BX410230 BDXJ0210 BXXJ0210 DD410800 DX410800	BD410230 BX410230 BDX40210 BXX10210 DX410800 DD410800	80410230 8X410230 8DXJ0210 8XXJ0210 9X410800 DX410800	BX410230 BD410230 BDX40210 BXX40210 DX410800 DD410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DD410800 DX410800
Test Name	1121GE 1121GE 1121GE 1121GE 1121GE	110G 110G 110G 110G 110G	1100.E 1100.E 1100.E 1100.E 1100.E	944444 94444 94444 94444 94444 94444	1862 1862 1862 1862 1863 1863 1863 1863 1863 1863 1863 1863
USATHAMA Method Code	LM19 LM19 LM19 LM19	HE WE	EM19 EM19 EM19 EM19	LM19 LM19 LM19 LM19	LM19 LM19 LM19 LM19
Method Description	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	· ·	Value	Units	£
B B €	LM19 LM19	120CLP 120CLP	BX410230 BD410230		18EA 18EA	17-SEP-93 17-SEP-93	22-SEP-93 22-SEP-93	· ·	800	000 1000	0.0
B¥	LM19	120CLP	BDX J0210 BXX J0210		GAXA	11-AUG-93	18-AUG-93	· v v	88	995	900
SOIL BY GC/MS SOIL BY GC/MS	LM 19	187. 187. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19.	DD410800 DX410800	DV25*680 DV25*498	GARA	05-AUG-93 05-AUG-93	10-AUG-93 09-AUG-93		600 600 600	399 090	, o o
88	LM19 LM19	2CLEVE	BX410230 RD410230		IBEA	17-SEP-93 17-SEP-03	22-SEP-93 22-SEP-93	v v	2.5	990	o c
₩	LM19	2CLEVE	BDXJ0210		S S	11-AUG-93	18-AUG-93	, , ,	2	895	; e c
SOIL BY GC/MS SOIL BY GC/MS	LM19	SCLEVE SCLEVE	DX410800 DD410800	DV25*498 (DV25*680 (BARA	05-AUG-93 05-AUG-93 05-AUG-93	10-AUG-93 09-AUG-93 10-AUG-93	, , ,		388	i d d
848	LM19	ACET ACET	BX410230 BD410230		IBEA IBEA	17-SEP-93 17-SEP-93	22-SEP-93 22-SEP-93	· · ·	710	990 Nge Nge	ööö
SOIL BY GC/MS SOIL BY GC/MS SOIL BY GC/MS	E E E E E E E E E E	ACET ACET ACET	BXXJ0210 BXXJ0210 DD410800 DX410800	DV25*687 (DV25*680 (DV25*680 (DV25*680 (DV25*680 (DV25*680 (DV25*698 (DV25*698) (DV25*698 (DV25*698 (DV25*698 (DV25*698 (DV25*698 (DV25*698 (DV25*698) (DV25*698 (DV25*698) (DV25*698 (DV25*698) (DV25*698) (D	SER SE	11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	18-AUG-93 18-AUG-93 10-AUG-93 09-AUG-93	· · · · ·	7007	3888	. 0. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.
84	LM19	ACROLN ACROLN	BX410230 BD410230		IBEA IBEA	17-SEP-93 17-SEP-93	22-SEP-93 22-SEP-93 18-Alicar	* * * *		990	o o o
SOIL BY GC/MS SOIL BY GC/MS SOIL BY GC/MS	E E E E E E E E E E E E E E E E E E E	ACROLN ACROLN	BXXJ0210 DD410800 DX410800	DV2S*687 (DV2S*680 (DV2S*498 (DV2S*4	GARA GARA	11-AUG-93 05-AUG-93 05-AUG-93	18-AUG-93 10-AUG-93 09-AUG-93	· • • •		99999	iooo
SOIL BY GC/MS SOIL BY GC/MS SOIL BY GC/MS SOIL BY GC/MS	LM19 LM19 LM19	ACRYLO ACRYLO ACRYLO ACRYLO	8X410230 BD410230 BDXJ0210 BXXJ0210	DV2S*478 DV2S*716 DV2S*688 DV2S*687	1BEA 1BEA GAXA GAXA	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93	* * * *		990 000 000 000	6666

Chemical Quality Control Report Installation: Fort Devers, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RPO	90	öööööö	öööööö	öööööö	öööööö	
Units	 	990 090 090 090 090	990 090 090 090 090 090	990 090 090 090 090 090	000 000 000 000 000 000 000 000 000 00	990 000
Value		%00. %000. %000. %000. %000.	.0032 .0032 .0032 .0032 .0032	8666666		.012
•	; ;	* * * * * *	* * * * * *	* * * * * *	· · · · · ·	v v
Analysis Date	10-AUG-93 09-AUG-93	22-SEP-93 22-SEP-93 18-Aug-93 10-Aug-93 09-Aug-93	22-SEP-93 22-SEP-93 18-AuG-93 18-AuG-93 10-AuG-93	22-SEP-93 22-SEP-93 18-Aug-93 18-Aug-93 10-Aug-93 09-Aug-93	22- SEP - 93 22- SEP - 93 18- Aug- 93 18- Aug- 93 10- Aug- 93	22-SEP-93 22-SEP-93
Sample Date	05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93
Lot	GARA	1 BEA 1 BEA 2 GAXA 6 GAXA 6 GARA 6 GARA	1BEA 1BEA GAXA GARA GARA	18EA GAXA GAXA GARA	1BEA 1BEA GAXA GAXA GARA	18EA 18EA
Lab Number	DV25*680 DV25*498	DV25*478 DV25*716 DV25*688 DV25*687 DV25*680	0V2S*478 0V2S*716 0V2S*688 0V2S*687 0V2S*680	DV25*478 DV25*716 DV25*688 DV25*687 DV25*687	DV25*478 DV25*716 DV25*688 DV25*687 DV25*680	DV2S*478 DV2S*716
IRDMIS Field Sample Number	DD410800 DX410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DD410800 DX410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DD410800 DX410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DD410800 DX410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DD410800 DX410800	BX410230 BD410230
A Test Name	ACRYLO ACRYLO	BRDCLM BRDCLM BRDCLM BRDCLM BRDCLM	2386 2386 2386 2366 666	CZAVE CZAVE CZAVE CZAVE CZAVE	C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL	CZHSCL
USATHAMA Method Code	LM19 LM19	10000000000000000000000000000000000000	100 00 00 00 00 00 00 00 00 00 00 00 00	LW19 1010 1010 1010 1010 1010 1010 1010 1	LM19 1019 1019 1019 1019 1019 1019 1019 1	LM19 LM19
Method Description	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

85	. 0000	000000	000000	oooooo	000000
Value Units	.012 UGG .012 UGG .012 UGG .012 UGG	0015 UGG 0015 UGG 0015 UGG 0015 UGG 0015 UGG	0059 UGG 0059 UGG 0059 UGG 0059 UGG 0059 UGG	7007 UGG 7007 UGG 7007 UGG 7007 UGG 7007 UGG	.012 UGG .012 UGG .012 UGG .012 UGG .012 UGG
v	·	******	******	* * * * * *	· · · · · · · · · · · · · · · · · · ·
Analysis Date	18-AUG-93 18-AUG-93 10-AUG-93 09-AUG-93	22- SEP-93 22- SEP-93 18- AUG-93 18- AUG-93 10- AUG-93 09- AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 09-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 10-AUG-93 09-AUG-93	22- SEP-93 22- SEP-93 18- AUG-93 18- AUG-93 10- AUG-93 09- AUG-93
Sample Date	11-AUG-93 11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-ALG-93 11-ALG-93 05-ALG-93	17 - SEP - 93 17 - SEP - 93 11 - AUG - 93 11 - AUG - 93 05 - AUG - 93	17 - SEP - 93 17 - SEP - 93 11 - AUG - 93 11 - AUG - 93 05 - AUG - 93	17 - SEP - 93 17 - SEP - 93 11 - AUG - 93 11 - AUG - 93 05 - AUG - 93
Lot	GAXA GARA GARA	18EA 18EA GAXA GAXA GARA GARA	1BEA 1BEA GAXA GAXA GARA GARA	1BEA 1BEA GAXA GAXA GARA GARA	1BEA 1BEA GAXA GAXA GARA GARA
Lab Number	DV2S*688 DV2S*687 DV2S*680 DV2S*498	0V2S*478 0V2S*716 0V2S*688 0V2S*687 0V2S*680	DV25*478 DV25*716 DV25*688 DV25*687 DV25*498	0V25*478 0V25*716 0V25*688 0V25*687 0V25*680	DV25*478 DV25*716 DV25*688 DV25*687 DV25*680 DV25*680
IRDMIS Field Sample Number	BDXJ0210 BXXJ0210 DD410800 DX410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DD410800 DX410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DD410800 DX410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DD410800 DX410800
A Test Name	C2H5CL C2H5CL C2H5CL C2H5CL C2H5CL	9H90 06H6 06H6 06H6 06H6 06H6 06H6	CCL3F CCL3F CCL3F CCL3F CCL3F CCL3F	710 6014 6014 6014 6014 6014	CH2CL2 CH2CL2 CH2CL2 CH2CL2 CH2CL2 CH2CL2
USATHAMA Method Code	LM19 LM19 LM19	10000000000000000000000000000000000000	100 00 00 00 00 00 00 00 00 00 00 00 00	LM19 LM19 LM19 LM19	LM19 1010 1010 1010 1010 1010 1010 1010 1
Method Description	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	. 000	ooo	ööööö	999999	oooooo	ööööö
Value Units		57 UGG 57 UGG 57 UGG	990 88 090 88 090 88 090 88	990 65 990 65 990 65 990 66 990 66	87 UGG 87 UGG 87 UGG 87 UGG 87 UGG	UGG UGG UGG UGG
Val	6000	.0057 .0057 .0057	8800. 8800. 8800. 8800.	6900. 6900. 6900. 6900.	.00087 .00087 .00087 .00087	
•		v v v	* * * * * *	* * * * * *	* * * * * *	* * * * *
Analysis Date	22-SEP-93 22-SEP-93 18-AUG-93	18-AUG-93 10-AUG-93 09-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 10-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 10-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 10-AUG-93 09-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 10-AUG-93
Sample Date	17-SEP-93 17-SEP-93 11-AUG-93	11-AUG-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93
Lot	BEA GAXA		IBEA GAXA GAXA GARA GARA GARA	1BEA GAXA GAXA GARA GARA	18EA 18EA GAXA GAXA GARA GARA	1BEA 1BEA GAXA GAXA GARA
Lab Number	DV25*478 DV25*716 DV25*688	DV2S*687 DV2S*680 DV2S*498	DV25*478 DV25*716 DV25*688 DV25*687 DV25*680 DV25*680	DV25*478 DV25*688 DV25*687 DV25*687 DV25*680	DV25*478 DV25*716 DV25*688 DV25*687 DV25*680	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*687
IRDMIS Field Sample Number	BX410230 BD410230 BDXJ0210	BXXJ0210 DD410800 DX410800	BX410230 BD410230 BDX10210 BXX10210 DD410800 DX410800	8X410230 8D410230 8DXJ0210 8XXJ0210 DD410800 DX410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DD410800 DX410800	BX410230 BD410230 BDXJ0210 BXXJ0210 DD410800
MA Test Name	CH38R CH38R	CH3BR CH3BR CH3BR	585 585 585 585 585 585 585 585 585 585	CHB73 CHB7 CHB7 CHB73 CHB73 CHB73 CHB7 CHB73 CHB73 CHB73 CHB73 CHB73 CHB73 CHB73 CHB73 CHB73 CHB73 CHB		CL282 CL282 CL282 CL282 CL282
USATHAMA Method Code	LM19 LM19	144 144 144 144 144 144 144 144 144 144	H139 H139 H139 H139 H139 H139 H139 H139	MAN 444	H439 H439 H439 H439 H439 H439 H439 H439	LM19 LM19 LM19 LM19
Method Description	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	IN SOIL BY IN SOIL BY IN SOIL BY	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number L	ot t	Sample Date	Analysis Date	v	Value	Value Units	8
VOC'S IN SOIL BY GC/MS	LM19	CL28Z	DX410800	DV2S*498 G	GARA	05-AUG-93	09-AUG-93	i · •	Ξ.	ngg	۰.
VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	22222	CLC6H5 CLC6H5 CLC6H5 CLC6H5 CLC6H5 CLC6H5	BX410230 BD410230 BDXJ0210 BXXJ0210 DD410800 DX410800	DV2S*478 1 DV2S*716 1 DV2S*688 G DV2S*680 G DV2S*680 G	BEA BAXA BAXA BAXA BAXA BAXA	17-SEP-93 17-SEP-93 11-AUG-93 05-AUG-93 05-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 10-AUG-93 09-AUG-93	* * * * *	2000. 2000. 2000. 2000. 2000. 2000.	990 000 000 000 000 000 000 000 000	000000
VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	LM19 LM19 LM19 LM19	22 22 22 22 22 22 22 22 22 22 22 22 22 2	BX410230 BD410230 BDXJ0210 BXXJ0210 DD410800 DX410800	DV25*478 1 DV25*716 1 DV25*688 G DV25*687 G DV25*680 G	BEA BAXA BAXA BARA BARA	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	22- SEP-93 22- SEP-93 18- Aug-93 18- Aug-93 10- Aug-93 09- Aug-93	· · · · · ·	900 4400 4444 4444 4444	990 090 090 090 090	000000
VOC'S IN SOIL BY GC/MS	MM 444	DBRCLM DBRCLM DBRCLM DBRCLM DBRCLM	BX410230 BD410230 BDXJ0210 BXXJ0210 DD410800 DX410800	0V2S*478 1 0V2S*688 G 0V2S*688 G 0V2S*680 G 0V2S*680 G	IBEA GAXA GAXA GAXA GARA	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	22- SEP-93 22- SEP-93 18- AUG-93 10- AUG-93 09- AUG-93	* * * * *		990 090 090 090 090	000000
VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	LM10 LM10 LM10 LM10	ETC6H5 ETC6H5 ETC6H5 ETC6H5 ETC6H5	8X410230 8D410230 8DXJ0210 8XXJ0210 DX410800 DD410800	DV2S*478 1 DV2S*716 1 DV2S*688 G DV2S*687 G DV2S*498 G	IBEA GAXA GAXA GAXA GARA	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	22- SEP-93 22- SEP-93 18- AUG-93 18- AUG-93 09- AUG-93	· · · · · ·		990 990 990 990 990	oooooo
VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	LM19 LM19 LM19	MEC6H5 MEC6H5 MEC6H5	BX410230 BD410230 BDXJ0210	DV25*478 1 DV25*716 1 DV25*688 G	1BEA GAXA	17-SEP-93 17-SEP-93 11-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93	* * *	.00078 .00078 87000.	990 090 090	000

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	£	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number l	Ŕ	Sample Date	Analysis Date	v	Value	Value Units	8
IN SOIL		LM19	MECAHS	RXX.10210	0.784*2CVO	AXA	11-416-07	18-416-07		92000		: '
VOC'S IN SOIL BY	GC/MS	LM19	MEC6H5	DX410800		AR S	05-AIR-93	00-A16-03	/ v		900	; c
IN SOIL		LM19	MEC6H5	DD410800	DV25*680 (GARA	05-AUG-93	10-AUG-93	· v	82000		i o
		LM19	Æ	BX410230	DV25*478	BEA	17-SEP-93	22-SEP-93	v	20	991	_
110S N.I		LM19	五	BD410230	DV2S*716 1	BEA	17-SEP-93	22-SEP-93	· •	6	3 5	
IN SOIL		LM19	荒	BDXJ0210	DV25*688 (XX	11-AUG-93	18-AUG-93	· •	6	990	9
Z	CC/NS	LM19	荒	BXXJ0210	DV25*687 (GAXA	11-AUG-93	18-AUG-93	~	.0.	990	2
N SOIL		LM19	景	00410800	DV25*680 (ARA	05-AUG-93	10-AUG-93	•	20.	990	9
IN SOIL		LM19	Æ	DX410800	DV25*498 (ARA	05-AUG-93	09-AUG-93	v	-00	nee	·
IN SOIL		LM19	MIRK	RX410230		A E	17. CED.03	22-cep-03	•	200	<u> </u>	•
IN SOIL		- M	MIRK	BD 4 10 2 30		Su	17-550-02	20-55-22	, ·	7.50	990	•
I SO NI		M10	MIRK	8XX 10230		¥ ×	11-357-73	40 4110 07	· ·	720	990	÷.
1100 11		7	201	2000		 	26-20-11	10-AUG-93	v	.02/	3	?
VOC'S IN SOIL BY	2 /H2	E 3	7167 71707	BUX 102 10	DV25*088	X	11-AUG-93	18-AUG-93	v	-027	nee	0
1100		E 3 1	YOLE	074 10000		Z Z	US-AUG-95	09-AUG-95	v	.027	99	o.
IN SOIL			MIBK	00410800		¥.	05-AUG-93	10-AUG-93	v	.027	nee	0.
IN SOIL	GC/MS	LM19	MNBK	BX410230		RFA	17-SED-03	22-SED-03	•	C\$0	551	c
Z	GC/MS	LM19	MNBK	RD410230	DV25*716	N N	17-SED-03	22-SEB-03	′ \	3 5	9 5	
IN SOIL	GC/MS	1 M 19	MNRK	RXX.10210		N X	11-415-02	18-416-02	′ \	3 5	990	9.0
IOS NI	GC/MS	- M	MWBY	BDX 10210		5 5	11.415.02	10-704-93	, ,	25.	200	
I OS NI	Cr/Ms	1410	MIDY	200777			20 21 20	10-AUG-93	,	70.	פיני הפיני	٠.
1100	CL/NC	10,10		77410000		¥ :	05-AUG-93	09-AUG-95	v ·	35.	990	•
	2 /2		YOU	20001 +00		Z Z	U3-AUG-Y3	10-AUG-95	~	.032	990	•
×	GC/MS	LM19	STYR	BX410230		IBEA	17-SEP-93	22-SEP-93	v	9200	5	-
IN SOIL		LM19	STYR	BD410230		BEA	17-SFP-03	22-SEP-03	٧	7	3 2	•
IN SOIL		LM19	STYR	BDXJ0210		AXA	11-AIR-03	18-AIIG-03	· 、	925	550	9
IN SOIL		LM19	STYR	BXXJ0210		AXA	11-416-03	18-AIIC-03	′ \	36	200	•
VOC'S IN SOIL BY		LM19	STYR	DX410800		ARA	05-ALIG-03	00-A116-07	· 、	200.	500	, 0
IN SOIL		LM19	STYR	DD410800	085*680	GARA	05-AUG-93	10-AUG-93	, v	988.	990	. 0
VOC'S IN SOIL BY	GC/MS	LM19	T130CP	BX410230	DV2S*478 18FA	RFA	17-SED-03	22-SED-03	•	8000	991	c
								ון ון ון	,	3	200	?

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	•	Value	Units	8
VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS VOC'S IN SOIL BY GC/MS	M19 1419 1419	1130cP 1130cP 1130cP	80410230 80XJ0210 8XXJ0210 D0410800	DV2S*716 DV2S*688 DV2S*687 DV2S*687	GAXA GAXA GAXA	17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	22-SEP-93 18-AUG-93 18-AUG-93 10-AUG-93	: :	0028 8200 8200 8200	990 090 090 090	. 0000
S IN SOIL BY S	EM19 EM19 EM19 EM19	TCLEA TCLEA TCLEA	BX410230 BX410230 BD410230 BDXJ0210 BXXJ0210	DV25*498 DV25*716 DV25*688 DV25*687		US-AUG-93 17-SEP-93 11-AUG-93 11-AUG-93	09-AUG-93 22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93	·	.0024 .0024 .0024 .0024	99999999999999999999999999999999999999	o oooo
IN SOIL BY	LM19	TCLEA	DX410800 DD410800	DV25*498		05-AUG-93 05-AUG-93	09-AUG-93 10-AUG-93	v v	.0024	99 090	öö
VOC'S IN SOIL BY GC/MS	LM19 LM19 LM19 LM19	10.EE 10.EE 10.EE 10.EE	BX410230 BD410230 BDXJ0210 BXXJ0210 DD410800 DX410800	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*680	IBEA IBEA GAXA GARA GARA	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 10-AUG-93 09-AUG-93	v v v v v	.00081 .00081 .00081 .00081 .00081	000 000 000 000 000 000	öööööö
VOC'S IN SOIL BY GC/MS	[M19 [M19 [M19 [M19	TRCLE TRCLE TRCLE TRCLE TRCLE	BX410230 BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*498	IBEA IBEA GAXA GARA GARA	17-SEP-93 17-SEP-93 11-AUG-93 11-AUG-93 05-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 09-AUG-93	v v v v v	.0028 .0028 .0028 .0028 .0028	000 000 000 000 000 000	ococoo
VOC'S IN SOIL BY GC/MS	LM19 LM19 LM19 LM19	XYLEN XYLEN XYLEN XYLEN XYLEN XYLEN	BX410230 BD410230 BDXJ0210 BXXJ0210 DX410800 DD410800	DV2S*478 DV2S*716 DV2S*688 DV2S*687 DV2S*498	IBEA GAXA GAXA GARA GARA	17-SEP-93 17-SEP-93 11-AUG-93 05-AUG-93 05-AUG-93	22-SEP-93 22-SEP-93 18-AUG-93 18-AUG-93 09-AUG-93	* * * * * *	200. 200. 200. 200. 200. 200. 200.	700 1000 1000 1000 1000 1000 1000 1000	oooooo

Chemical Quality Control Report Installation: Fort Devers, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RPO	-	0.	٥.	o.	o.	0	0	o.	0.	0.	o.	٥.	Q.	C	9	9	0	q	o.	۰.	C	C	9		o.
Units		ngg	99 1	990	990	990	990	990	nee	99N	990	99n	9911	990	990	990	990	990	990	nee	9911	990	990	nge	990
Value	887	887	7,488	7,88	87.	84.	%	%7.	.456	.456	.456	.456	727	727	727	.424	.524	.524	.524	.524	999	999	999	999	2.41
v	. ,	•	•	v	v	٧	v	v	v	v	v	v	v	v	~	•	v	v	v	•	٧	v	v	v	•
Analysis Date	29-SEP-93	29-SEP-93	07-SEP-93	07-SEP-93	29-SEP-93	29-SEP-93	07-SEP-93	07-SEP-93	29-SEP-93	29-SEP-93	07-SEP-93	07-SEP-93	29-SEP-93	29-SEP-93	07-SEP-93	07-SEP-93	29-SEP-93	29-SEP-93	07-SEP-93	07-SEP-93	29-SEP-93	29-SEP-93	07-SEP-93	07-SEP-93	29-SEP-93
Sample Date	17-SEP-93	17-SEP-93	05-AUG-93	05-AUG-93	17-SEP-93	17-SEP-93	05-AUG-93	05-AUG-93	17-SEP-93	17-SEP-93	05-AUG-93	05-AUG-93	17-SEP-93	17-SEP-93	05-AUG-93	05-AUG-93	17-SEP-93	17-SEP-93	05-AUG-93	05-AUG-93	17-SEP-93	17-SEP-93	05-AUG-93	05-AUG-93	17-SEP-93
Ę		IGEA					GPHA		IGEA			GPI¥			GPHA		IGEA	,						GPHA	IGEA
Lab Number	DV2S*478	DV2S*716	DV2S*498	DV25*680	DV25*478	DV2S*716	DV25*680	DV25*498	DV25*478	DV2S*716	DV25*498	DV25*680	DV25*478	DV2S*716	DV25*680	DV25*498	DV2S*478	DV2S*716	DV25*680	DV2S*498	DV2S*478	DV2S*716	DV25*680	DV2S*498	DV25*478
IRDMIS Field Sample Number	BX410230	BD410230	DX410800	DD410800	BX410230	BD410230	DD410800	DX410800	BX410230	BD410230	DX410800	DD410800	BX410230	BD410230	DD410800	DX410800	BX410230	BD410230	DD410800	DX410800	BX410230	BD410230	DD410800	DX410800	BX410230
Test Name	135TNB	135TNB	135TNB	155TNB	130NB	130 NB	130NB	130NB	246TNT	246TNT	246TNT	246TNT	24DNT	24DNT	24DNT	24DNT	26DNT	26DNT	26DNT	Z6DNT	Æ	至	¥	¥	88
USATHAMA Method Code	LW12	LW12	LW12	21,412	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12	LW12
Method Description	IN SOIL BY	EXPL.S IN SOIL BY HPLC	IN SOIL BY	IN SUIL BY	EXPL.S IN SOIL BY HPLC	IN SOIL BY	IN SOIL BY	IN SOIL BY	Ś	S IN SOIL BY	IN SOIL BY	S IN SOIL BY	IN SOIL BY	S IN SOIL BY	EXPL.S IN SOIL BY HPLC	S IN SOIL BY	SOIL	IN SOIL BY	IN SOIL BY	IN SOIL BY		IN SOIL BY	z	IN SOIL BY	EXPL.S IN SOIL BY HPLC

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	999	0000	o o o o o	0000	0000	öööööööö
Units	990	990 090 090	990 000 000	000 000 000 000	990 000 000 000	<u> </u>
Value Units	2.41	4444	4444	.587 .587 .583 .587	<u> </u>	243 1 243 1
v	; . v v v !	* * * *	· · · · · · · · · · · · · · · · · · ·			
Analysis Date	29-SEP-93 07-SEP-93 07-SEP-93	29-SEP-93 29-SEP-93 07-SEP-93 07-SEP-93	29-SEP-93 29-SEP-93 07-SEP-93 07-SEP-93	29-SEP-93 29-SEP-93 07-SEP-93 07-SEP-93	29-SEP-93 29-SEP-93 07-SEP-93 07-SEP-93	08-NOV-93 08-NOV-93 08-NOV-93 15-OCT-93 15-OCT-93 15-OCT-93
Sample Date	17-SEP-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 05-AUG-93 05-AUG-93	14-0CT-93 14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93
Lot	GPHA GPHA GPHA	IGEA IGEA GPHA GPHA	IGEA IGEA GPHA GPHA	IGEA IGEA GPHA GPHA	IGEA IGEA GPHA GPHA	
Lab Number	DV2S*716 DV2S*680 DV2S*498	DV2S*478 DV2S*716 DV2S*680 DV2S*498	DV2S*716 DV2S*478 DV2S*680 DV2S*498	DV2S*716 DV2S*478 DV2S*680 DV2S*498	DV2S*716 DV2S*478 DV2S*680 DV2S*498	DV2F*486 DV2F*734 DV2H*734 DV2H*734 DV2F*646 DV2F*727 DV2F*727
IRDMIS Field Sample Number	BD410230 DD410800 DX410800	8X410230 8D410230 DD410800 DX410800	BD410230 BX410230 DD410800 DX410800	BD410230 BX410230 DD410800 DX410800	80410230 8X410230 DD410800 DX410800	MX4103X1 MX4103X1 MX4103X1 MX403X1 MX603X1 MX603X1 MX603X1
MA Test Name	999	9 9 9 9 9 8 9 9	PETN PETN PETN PETN	XOX ROX XOX X	TETRYL TETRYL TETRYL TETRYL	문문문문문문
USATHAMA Method Code	LW12 LW12 LW12	LW12 LW12 LW12 LW12	LW12 LW12 LW12	LW12 LW12 LW12	LE 12 12 12 12 12 12 12 12 12 12 12 12 12	\$801 \$801 \$801 \$801 \$801 \$801
Method Description	EXPL.S IN SOIL BY HPLC EXPL.S IN SOIL BY HPLC EXPL.S IN SOIL BY HPLC	EXPL.S IN SOIL BY HPLC	EXPL.S IN SOIL BY HPLC	EXPL.S IN SOIL BY HPLC	EXPL.S IN SOIL BY HPLC	HG IN WATER BY CVAA HG IN WATER BY CVAA

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

HE IN WATER BY CVAA SSGIT HG NGG30BAZ DIGG+6577 IEBA 21-SEP-93 12-COT-93 12-	Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	_	Sample t Date	Analysis Date	v	Value	. Units	<u> </u>
NATER BY CVAA	IN WATER BY	\$801	말	MXG308X2			:	 v	.243		0.
NAMER BY CVAA	IN WATER BY	SB01	£	MDG308X2	_			v	.243	ց	0
WATER BY CVAA	IN WATER BY	SB01	皇	MXG308X2	_			v	.243	ner ner	0.
IN WATER BY CVAA	IN WATER BY	SB01	皇	MDG308X2	_			v	.243	JSD.	0
IN WATER BY CVAA SB01 HG	IN WATER BY	SB01	웃	MXXJ01X1	_			v	. 243	j	0
IN WATER BY CVAA SSO1 HG MOX.JOTX1 DV2#*650 IENA 04-0CT-93 15-0CT-93 5.23 UGL	IN WATER BY	SB01	皇	MDXJ01X1	_			~	. 243	렬	9
IN WATER BY GFAA S009 11 NX4103X DV2F*426 GAMA 14-OCT-93 14-NOV-93 6.59 UGL NX4103X DV2F*426 GAMA 14-OCT-93 11-NOV-93 6.59 UGL NX4103X DV2F*426 GAMA 04-OCT-93 11-NOV-93 6.59 UGL NX4103X DV2F*426 GAMA 04-OCT-93 11-NOV-93 6.59 UGL	IN WATER BY	SB01	웊	MXXJ01X1	_			v	. 243	9	9
IN WATER BY GFAA SDO9 11. MK4103X1 DV2F*486 GMA 14-OCT-93 14-NOV-93 4-NOV-93 4-SP 16-OCT-93 14-NOV-93 4-SP 16-OCT-93 11-NOV-93 1	IN WATER BY	SB01	띺	MDXJ01X1	_			v	243	널	۰.
IN WATER BY GFAA SDOP 11. MX4103X1 DV2F*486 GWA 14-OCT-93 14-NOV-93 < 6.99 UGL NV4103X1 DV2F*486 GWA 14-OCT-93 14-NOV-93 < 6.99 UGL NX4103X1 DV2F*486 GWA 14-OCT-93 14-NOV-93 < 6.99 UGL NX4103X1 DV2F*486 GWA 14-OCT-93 14-NOV-93 < 6.99 UGL NX4103X1 DV2F*486 GWA 14-OCT-93 11-NOV-93 < 6.99 UGL NX4603X1 DV2F*486 GWA 14-OCT-93 11-NOV-93 < 6.99 UGL NX4603X1 DV2F*486 GWA 14-OCT-93 11-NOV-93 < 6.99 UGL NX4603X1 DV2F*486 GWA 04-OCT-93 11-NOV-93 < 6.99 UGL NX4603X1 DV2F*486 GWA 24-OCT-93 11-NOV-93 < 6.99 UGL NX4603X1 DV2F*486 GWA 24-OCT-93 11-NOV-93 < 6.99 UGL NX4603X1 DV2F*486 GWA 21-SEP-93 02-NOV-93 < 6.99 UGL NX4603X1 DV2F*486 GWA 21-SEP-93 02-NOV-93 < 6.99 UGL NX4603X1 DV2F*487 GWA 21-SEP-93 02-NOV-93 < 6.99 UGL NX4603X1 DV2F*487 GWA 21-SEP-93 02-NOV-93 < 6.99 UGL NX4603X1 DV2F*487 GWA 21-SEP-93 02-NOV-93 < 6.99 UGL NX4603X1 DV2F*486 GWA 04-OCT-93 11-NOV-93 < 6.99 UGL NX4603X1 DV2F*486 INA 04-OCT-93 11-NOV-93 < 6.99 UGL NX4603											
IN WATER BY GFAA SDO9 1L MX4103X1 DVZ#*734 GMA 14-OCT-93 14-NOV-93 < 6.99 UGL MX4103X1 DVZ#*86 GMA 14-OCT-93 14-NOV-93 < 6.99 UGL MX4103X1 DVZ#*86 GMA 14-OCT-93 14-NOV-93 < 6.99 UGL MX4103X1 DVZ#*724 GMA 14-OCT-93 14-NOV-93 < 6.99 UGL MX4603X1 DVZ#*727 GMA 14-OCT-93 11-NOV-93 < 6.99 UGL MX4603X1 DVZ#*727 GMA 04-OCT-93 11-NOV-93 < 6.99 UGL MX18E BY GFAA SDO9 1L MXG308X2 DVZ#*727 GMA 04-OCT-93 11-NOV-93 < 6.99 UGL MXG308X2 DVZ#*727 GMA 21-SEP-93 02-NOV-93 < 6.99 UGL MXG308X2 DVZ#*727 GMA 21-SEP-93 02-NOV-93 < 6.99 UGL MXG308X2 DVZ#*725 GMA 11-NOV-93 < 6.99 UGL MXG308X2 DVZ#*725 GMA 04-OCT-93 11-NOV-93 < 6.99 UGL MXG308X2 DVZ#*725 INJA 04-OCT-93 11-NOV-93 SO.8 UGL MXG403X1 DVZ#*646 INJA 04-OCT-93 11-NOV-93 SO.8 UGL MXG403X1 DVZ#*727 INJA 04-OCT-93 12-NOV-93 SO.8 UGL INJA MXTER BY GFAA SD20 PB NX4603X1 DVZ#*727 INJA 04-OCT-93 12-NOV-93 SO.8 UGL INJA MXTER BY GFAA SD20 PB NX4603X1 DVZ#*727 INJA 04-OCT-93 12-NOV-93 SO.8 UGL INJA MXTER BY GFAA SD20 PB NX4603X1 DVZ#*727 INJA 04-OCT-93 12-NOV-93 SO.8 UGL INJA MXTER BY GFAA SD20 PB NX4603X1 DVZ#*727 INJA 04-OCT-93 12-NOV-93 SO.8 UGL INJA MXTER BY GFAA SD20 PB NX4603X1 DVZ#*727 INJA 04-OCT-93 12-NOV-93 SO.9 UGL INJA MXTER BY GFAA SD20 PB NX4603X1 DVZ#*727 INJA 04-OCT-93 12-NOV-93 SO.9 UGL INJA 04-OCT-93 12-NOV-93 SO.9 UGL INJA 04-OCT-93 12-NOV-93 SO.9 UGL INJA 04-OCT-93 12-	IN WATER	8008	2	MX4103X1				٧	8	2	_
IN WATER BY GFAA SDO9 11 MX4103X1 DVZ#*486 GAWA 14-OCT-93 14-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX4103X1 DVZ#*746 GATA 04-OCT-93 11-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX4603X1 DVZ#*727 GATA 04-OCT-93 11-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX4603X1 DVZ#*727 GATA 04-OCT-93 11-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX6603X1 DVZ#*727 GATA 04-OCT-93 11-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX6308X2 DV3F*527 GADA 21-SEP-93 02-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX6308X2 DV3F*527 GADA 21-SEP-93 02-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX6308X2 DV3F*527 GADA 21-SEP-93 02-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX6308X2 DV3F*527 GADA 21-SEP-93 02-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX6308X2 DV3F*527 GADA 21-SEP-93 02-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX6308X2 DV3F*526 GATA 04-OCT-93 11-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX6308X2 DV3F*526 GATA 04-OCT-93 11-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX6308X2 DV3F*537 GADA 21-SEP-93 02-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX6308X2 DV3F*537 GADA 21-SEP-93 02-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO9 11 MX6403X1 DV2F*650 GATA 04-OCT-93 11-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO0 11 MX6403X1 DV2F*656 GATA 04-OCT-93 11-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO0 11 MX6403X1 DV2F*656 GATA 04-OCT-93 11-NOV-93 < 6.99 UGL NVAFER BY GFAA SDO0 PB MX4603X1 DV2F*656 INJA 04-OCT-93 11-NOV-93 SDO0 PB MX4603X1 DV2F*666 INJA 04-OCT-93 INJA 04-OCT-93 I	IN WATER BY	800s	1	MX4103X1				· •	8		9
IN WATER BY GFAA SDO9 11. MX4603X1 DV2F*646 GMTA 14-NOV-93 4 6.99 UGL NM4603X1 DV2F*727 GMTA 11-NOV-93 4 6.99 UGL 11 MATER BY GFAA SDO9 11. MX4603X1 DV2F*727 GMTA 11-NOV-93 4 6.99 UGL 6.99 UGL 12. MX4603X1 DV2F*727 GMTA 11-NOV-93 4 6.99 UGL 6.99 UGL 13. MATER BY GFAA SDO9 11. MX4603X1 DV2F*727 GMTA 11-NOV-93 4 6.99 UGL 6.99 UGL 12. MX4603X1 DV2F*727 GMTA 11-NOV-93 4 6.99 UGL 6.99 UGL 13. MX4603X1 DV2F*727 GMTA 11-NOV-93 4 6.99 UGL 6.9	IN WATER BY	SD 03	7	MX4103X1				v	8.8	널	0
IN WATER BY GFAA SDO9 TL MC4603X1 MC46003X1 MC4603X1 MC4603X	IN WATER BY	8 8 8	7	MX4103X1				v	8.9	ig i	0
IN WATER BY GFAA SDO9 11 MD4603X1 DV2F*727 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL MX4603X1 DV2M*646 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL MX4603X1 DV2M*646 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL MX4603X1 DV2M*646 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL MXG308X2 DV3F*527 GWGA 21-SEP-93 02-NOV-93 < 6.99 UGL MXG308X2 DV3F*557 GWGA 21-SEP-93 02-NOV-93 < 6.99 UGL MXG308X2 DV3M*647 GWGA 21-SEP-93 02-NOV-93 < 6.99 UGL MXG308X2 DV3M*647 GWGA 21-SEP-93 02-NOV-93 < 6.99 UGL MXG308X2 DV3M*557 GWGA 21-SEP-93 02-NOV-93 < 6.99 UGL MXG308X2 DV3M*550 GWTA 04-OCT-93 11-NOV-93 S.28 UGL MXG403X1 DV2M*560 GWTA 04-OCT-93 11-NOV-93 S.28 UGL MXG403X1 DV2M*566 INJA 04-OCT-93 12-NOV-93 S.28 UGL IN WATER BY GFAA SD20 PB MX4603X1 DV2M*727 INJA 04-OCT-93 12-NOV-93 S.28 UGL IN WATER BY GFAA SD20 PB MX4603X1 DV2M*727 INJA 04-OCT-93 12-NOV-93 S.28 UGL IN WATER BY GFAA SD20 PB MX4603X1 DV2M*727 INJA 04-OCT-93 12-NOV-93 S.28 UGL IN WATER BY GFAA SD20 PB MX4603X1 DV2M*727 INJA 04-OCT-93 12-NOV-93 S.28 UGL IN WATER BY GFAA SD20 PB MX4603X1 DV2M*727 INJA 04-OCT-93 12-NOV-93 S.28 UGL IN WATER BY GFAA SD20 PB MX4603X1 DV2M*727 INJA 04-OCT-93 12-NOV-93 S.28 UGL IN WATER BY GFAA SD20 PB WX4603X1 DV2M*727 INJA 04-OCT-93 12-NOV-93 S.28 UGL IN WATER BY GFAA SD20 PB WX4603X1 DV2M*727 INJA 04-OCT-93 12-NOV-93 S.28 UGL IN WATER BY GFAA SD20 PB WX4603X1 DV2M*727 INJA 04-OCT-93 12-NOV-93 S.28 UGL IN WATER BY GFAA SD20 PB WX4603X1 DV2M*727 INJA 04-OCT-93 12-NOV-93 S.28 UGL INJA 04-OCT-93 12-NOV	IN WATER BY	808 808	7	MX4603X1				v	8.9	UGL	0.
IN WATER BY GFAA SDOY 11 MX4603X1 DV2A**646 GNTA 04-OCT-93 11-NOV-93 < 6.99 UGL NATER BY GFAA SDOY 11 MXG308X2 DV3F**657 GNAA 21-SEP-93 02-NOV-93 < 6.99 UGL NATER BY GFAA SDOY 11 MXG308X2 DV3F**657 GNAA 21-SEP-93 02-NOV-93 < 6.99 UGL NATER BY GFAA SDOY 11 MXG308X2 DV3A**647 GNAA 21-SEP-93 02-NOV-93 < 6.99 UGL NATER BY GFAA SDOY 11 MXG308X2 DV3A**557 GNAA 21-SEP-93 02-NOV-93 < 6.99 UGL NATER BY GFAA SDOY 11 MXG308X2 DV3A**557 GNAA 21-SEP-93 02-NOV-93 < 6.99 UGL NATER BY GFAA SDOY 11 MXG308X2 DV3A**557 GNAA 21-SEP-93 02-NOV-93 < 6.99 UGL NATER BY GFAA SDOY 11 MXG308X2 DV3A**557 GNAA 04-OCT-93 11-NOV-93 < 6.99 UGL NXAJO1X1 DV2A**726 GNTA 04-OCT-93 11-NOV-93 < 6.99 UGL NXAJO1X1 DV2A**726 GNTA 04-OCT-93 11-NOV-93 < 6.99 UGL NXAJO1X1 DV2A**550 GNTA 04-OCT-93 11-NOV-93 < 6.99 UGL NXAJO1X1 DV2A**566 INJA 04-OCT-93 11-NOV-93 SDO DGL NXAJO1X1 DV2A**566 INJA 04-OCT-93 12-NOV-93 SDO DGL NXAJO1X1 DV2A**567 INJA 04-OCT-93 12-NOV-93 SDO DGL NXAJO1X1 DV2A**577 INJA 04-OCT-93 12-NOV-93 SDO DGL NXAJO	IN WATER BY	800s	1	MD4603X1				v	8.9	널	0.
IN WATER BY GFAA SDOY 11. MD4603X1 DV24*727 GNTA 04-OCT-93 11-NOV-93 < 6.99 UGL MG308X2 DV3F*647 GNGA 21-SEP-93 02-NOV-93 < 6.99 UGL MG308X2 DV3F*547 GNGA 21-SEP-93 02-NOV-93 < 6.99 UGL MG308X2 DV3F*557 GNGA 21-SEP-93 02-NOV-93 < 6.99 UGL MG308X2 DV3F*726 GNTA 04-OCT-93 11-NOV-93 < 6.99 UGL MG308X2 DV3F*727 INJA 04-OCT-93 11-NOV-93 < 6.99 UGL MG308X2 DV3F*727 INJA 04-OCT-93 11-NOV-93 SDO DGL MG403X1 DV2F*646 INJA 04-OCT-93 12-NOV-93 SDO DGL MG403X1 DV2F*727 INJA 04-OCT-93 12-NOV-93 SDO DGL	IN WATER BY	8008	=	MX4603X1				v	8.9	ner Ner	o.
IN WATER BY GFAA SDOY 11 MDG308X2 DV3F*647 GNQA 21-SEP-93 O2-NOV-93 < 6.99 UGL MG308X2 DV3F*557 GNQA 21-SEP-93 O2-NOV-93 < 6.99 UGL MATER BY GFAA SDO9 11 MXL01X1 DV2F*726 GNTA 04-OCT-93 11-NOV-93 < 6.99 UGL MATER BY GFAA SDO9 11 MXL01X1 DV2F*726 GNTA 04-OCT-93 11-NOV-93 < 6.99 UGL MXL01X1 DV2F*650 GNTA 04-OCT-93 11-NOV-93 < 6.99 UGL MXL01X1 DV2F*646 INJA 04-OCT-93 11-NOV-93 S.2.82 UGL MXL01X1 DV2F*646 INJA 04-OCT-93 12-NOV-93 S.2.82 UGL MXL01X1 DV2F*646 INJA 04-OCT-93 12-NOV-93 S.2.82 UGL MXL01X1 DV2F*647 INGA 21-SEP-93 O5-NOV-93 S.2.82 UGL	IN WATER BY	800s	≓	MD4603X1				v	8.9	UGL	0
IN WATER BY GFAA SDO9 11 MXG308X2 DV3F*557 GWQA 21-SEP-93 O2-NOV-93 < 6.99 UGL NG308X2 DV3F*557 GWQA 21-SEP-93 O2-NOV-93 < 6.99 UGL NG308X2 DV3F*647 GWQA 21-SEP-93 O2-NOV-93 < 6.99 UGL NG308X2 DV3F*647 GWQA 21-SEP-93 O2-NOV-93 < 6.99 UGL NG308X2 DV3F*726 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL NXJ01X1 DV2F*726 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL NXJ01X1 DV2F*726 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL NXJ01X1 DV2F*726 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL NXJ01X1 DV2F*650 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL NXJ01X1 DV2F*650 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL NXJ01X1 DV2F*650 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL NXJ01X1 DV2F*646 INJA 04-OCT-93 11-NOV-93 < 6.99 UGL NXJ01X1 DV2F*646 INJA 04-OCT-93 11-NOV-93 SD20 PB NX4603X1 DV2F*646 INJA 04-OCT-93 12-NOV-93 SD20 PB NX4603X1 DV2F*647 INGA 21-SEP-93 O5-NOV-93 SD20 PB ND463SX1 DV2F*646 INJA 04-OCT-93 ID-NOV-93 SD20 PB ND463SX1	IN WATER BY	8908 8008	2	MDG308X2				v	8.8	ign Tgn	0.
IN WATER BY GFAA SDO9 11 MDG308X2 DV34*647 GWQA 21-SEP-93 02-NOV-93 < 6.99 UGL NWATER BY GFAA SDO9 11 MG308X2 DV34*726 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL NWATER BY GFAA SDO9 11 MXLJO1X1 DV2F*650 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL NXLJO1X1 DV2F*646 INJA 04-OCT-93 11-NOV-93 < 6.99 UGL NXLJO1X1 DV2F*646 INJA 04-OCT-93 11-NOV-93 SDO PB NXLJO1X1 DV2F*646 INJA 04-OCT-93 12-NOV-93 SDO PB NXLJO1X1 DV2F*647 INGA SDO PB NXLJO1X1 D	IN WATER BY	SD 03	-	MXG308X2				v	8	ig S	0
IN WATER BY GFAA SDO9 11, MXG308X2 DV34*557 GWQA 21-SEP-93 02-NOV-93 < 6.99 UGL NWATER BY GFAA SDO9 11, MXLJ01X1 DV2F*650 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL NWATER BY GFAA SDO9 11, MXLJ01X1 DV2W*650 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL NWATER BY GFAA SDO9 11, MXLJ01X1 DV2W*650 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL NWATER BY GFAA SDO9 11, MXLJ01X1 DV2W*650 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL NWATER BY GFAA SD20 PB MX4603X1 DV2W*650 GWTA 04-OCT-93 12-NOV-93 SD20 PB MX4603X1 DV2W*646 INJA 04-OCT-93 12-NOV-93 SD20 PB ND4603X1 DV2W*727 INJA 04-OCT-93 INJA	IN WATER BY	8008	≓	MDG308X2				v	8.9	ner Ner	0.
IN WATER BY GFAA SDO9 11 MDXJO1X1 DV2F*726 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL IN WATER BY GFAA SDO9 11 MXJO1X1 DV2F*650 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL IN WATER BY GFAA SDO9 11 MXJO1X1 DV2W*726 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL IN WATER BY GFAA SDO9 11 MXJO1X1 DV2W*650 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL IN WATER BY GFAA SD20 PB MX4603X1 DV2F*646 INJA 04-OCT-93 12-NOV-93 3.25 UGL IN WATER BY GFAA SD20 PB MX4603X1 DV2F*646 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX4603X1 DV2W*727 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX663X1 DV2W*727 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX663X1 DV2W*727 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX663X1 DV2W*727 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX663X1 DV3W*727 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX663X1 DV3W*727 INJA 04-OCT-93 12-NOV-93 30.6 UGL	IN WATER BY	800s	7	MXG308X2				v	8.8	ᇋ	۰.
IN WATER BY GFAA SDO9 1L MXXJ01X1 DVZP*650 GWTA 04-DCT-93 11-NOV-93 < 6.99 UGL IN WATER BY GFAA SDO9 1L MXXJ01X1 DVZW*726 GWTA 04-DCT-93 11-NOV-93 < 6.99 UGL IN WATER BY GFAA SDO9 1L MXXJ01X1 DVZW*650 GWTA 04-DCT-93 11-NOV-93 < 6.99 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZP*646 INJA 04-DCT-93 12-NOV-93 3.25 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZW*727 INJA 04-DCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZW*727 INJA 04-DCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZW*727 INJA 04-DCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX603X1 DVZW*727 INJA 04-DCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZW*727 INJA 04-DCT-93 12-NOV-93 30.6 UGL	IN WATER BY	8008	7	MDXJ01X1				v	8.8	Je De	0
IN WATER BY GFAA SDO9 1L MDXJUIX1 DVZM*726 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL IN WATER BY GFAA SDO9 1L MXXJUIX1 DVZM*650 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZF*646 INJA 04-OCT-93 12-NOV-93 3.25 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZM*646 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZM*727 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZM*727 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZM*727 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZM*727 INJA 04-OCT-93 12-NOV-93 30.6 UGL	IN WATER BY	89 88	=	MXXJ01X1				v	8.8	ner ner	0.
IN WATER BY GFAA SD09 TL MXXJ01X1 DVZM*650 GWTA 04-OCT-93 11-NOV-93 < 6.99 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZP*646 INJA 04-OCT-93 12-NOV-93 3.25 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZM*646 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZM*646 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZM*727 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZM*727 INJA 04-OCT-93 12-NOV-93 30.6 UGL	IN WATER BY	8008 8008	7	MDXJ01X1				v	8.8	J _O n	0
IN WATER BY GFAA SD20 PB MX4603X1 DVZF*646 INJA 04-DCT-93 12-NOV-93 3.25 UGL IN WATER BY GFAA SD20 PB MD4603X1 DVZF*727 INJA 04-DCT-93 12-NOV-93 2.82 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZM*646 INJA 04-DCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MD4603X1 DVZM*727 INJA 04-DCT-93 12-NOV-93 30.5 UGL IN WATER BY GFAA SD20 PB MD4603X1 DVZM*727 INJA 04-DCT-93 12-NOV-93 30.5 UGL IN WATER BY GFAA SD20 PB MD4308X2 DV3F*647 INGA 21-SEP-93 05-NOV-93 < 1.26 UGL	IN WATER BY	800s	≓	MXXJ01X1				v	8.8	털	9
IN WATER BY GFAA SD20 PB MX4603X1 DVZF*646 INJA 04-DCT-93 12-NOV-93 3.25 UGL IN WATER BY GFAA SD20 PB MD4603X1 DVZF*727 INJA 04-DCT-93 12-NOV-93 2.82 UGL IN WATER BY GFAA SD20 PB MX4603X1 DVZ#*646 INJA 04-DCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MD4603X1 DVZ#*727 INJA 04-DCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MD4603X1 DVZ#*727 INJA 04-DCT-93 12-NOV-93 30.5 UGL IN WATER BY GFAA SD20 PB MD4030BX2 DV3F*647 INGA 21-SEP-93 05-NOV-93 < 1.26 UGL											
IN WATER BY GFAA SD20 PB MD4603X1 DV2F*727 INJA 04-OCT-93 12-NOV-93 2.82 UGL IN WATER BY GFAA SD20 PB MX4603X1 DV2W*727 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MD4603X1 DV2W*727 INJA 04-OCT-93 12-NOV-93 30.5 UGL IN WATER BY GFAA SD20 PB MDG308X2 DV3F*647 INGA 21-SEP-93 05-NOV-93 < 1.26 UGL	IN WATER BY	2020	88	MX4603X1	_				3.25	UGĻ	14.2
IN WATER BY GFAA SD20 PB MX4603X1 DVZW*646 INJA 04-OCT-93 12-NOV-93 30.6 UGL IN WATER BY GFAA SD20 PB MD4603X1 DVZW*727 INJA 04-OCT-93 12-NOV-93 30.5 UGL IN WATER BY GFAA SD20 PB MDG30BX2 DV3F*647 INGA 21-SEP-93 05-NOV-93 < 1.26 UGL	IN WATER BY	SD20	82	MD4603X1	_				8	UGL	14.2
IN WATER BY GFAA SD20 PB MD4505X1 DVZW*727 INJA 04-DCT-93 12-NOV-93 30.5 UGL IN WATER BY GFAA SD20 PB MD630BX2 DV3F*647 INGA 21-SEP-93 05-NOV-93 < 1.26 UGL	IN WATER BY	20 50	2 2	MX4603X1					30.6	ց	۴.
IN WATER BY GFAA SD2U PB MDG30BX2 DV3F*647 INGA 21-SEP-93 05-NOV-93 < 1.26 UGL	IN WAIER BY	2020	æ :	MD46U5X1					30.5	ց	ΝÌ
	IN WAIEK BY	nzas	2	MDGSUBKZ	_			v	1.26	d S	o.

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	v	Value	• Units	SP OF
PB IN WATER BY GFAA PB IN WATER BY GFAA DB IN MATER BY GEAA	22 8 8 8 8 8	888	MXG308X2 MXG308X2	DV3F*557 DV3W*557	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	21-SEP-93 21-SEP-93	05-NOV-93 05-NOV-93	! ! v	1.26	: 펄펄:	55.0
IN WATER BY GF!	80 80 80 80 80 80	2 2 2 2	MDXJ01X1 MXXJ01X1	DV2F*726 DV2F*726 DV2F*650	NN	04-0CT-93 04-0CT-93	12-NOV-93 12-NOV-93 12-NOV-93	v v	2.58	털털털	
IN WATER BY GF.	80 80 80 80 80	22 22	MDXJ01X1 MXXJ01X1	DV24*726 DV24*650		04-0CT-93 04-0CT-93	12-NOV-93 12-NOV-93		7.81	l 털 털	28.4 28.4
IN WATER BY GF	\$021	SE	MX4103X1	DV2F*486	HSA	14-001-93	17-NOV-93	•	3.02	<u> </u>	c
SE IN WATER BY GFAA SE IN WATER BY GFAA	S021 S021	3 S	MX4103X1 MX4103X1	DV2F*734 DV2U*486		14-0CT-93	18-NOV-93	v v	w.w	털	öc
IN WATER BY GF	8021 1208	# W #	MX4103X1	DV24*734	HINSA	14-0CT-93	17-NOV-93	· v v		불물	, oʻ
IN WATER BY GE	885	: W :	MX4603X1	DV2F*646		64-0C1-93	11-NOV-93	/ V ·	22.5	3 5 5	j o
IN WATER BY GF	8057 1275	, w.	MD4603X1	DV24*727		04-0C1-93	11-NOV-93	v v	3.5	털털	öö
IN WATER BY GE	8021 8021		MXG308X2 MDG308X2	DV3F*557 DV3F*647		21-SEP-93 21-SEP-93	04-NOV-93 04-NOV-93	v v	8.8 8.8	털털	o o
IN WATER BY GE IN WATER BY GE	88 27 12	# F	MDG308X2	0/34*647		21-SEP-93 21-SEP-93	04-NOV-93	v v	200	년 5	o c
IN WATER BY GE	8051 1208 1218	: W :	MDXJ01X1	DV2F*726		04-0C1-93	11-NOV-93	/ v ·	, w.	g g g	, o
IN WATER BY GF	805 121 121	. W.	MDXJ01X1	DV2W*726		04-0C1-93	11-NOV-93	v v	32.	혈	
IN WATER BY GE	SD21	S.	MXXJ01X1	DV2₩*650	HNPA	04-0CT-93	11-NOV-93	v	3.02	J D	٥.
IN WATER BY GF	\$0.52 \$0.53	AS	MD4603X1	DV2F*727		04-0CT-93	12-NOV-93		8.09	UGE	7.0
IN WATER BY GF	22 28 28 28	AS AS	MX4603X1 MX4603X1	DVZF*646 DVZW*646		04-0CT-93 04-0CT-93	12-NOV-93 12-NOV-93		56.7 90.8	걸걸	7.0 .2
AS IN WATER BY GFAA AS IN WATER BY GFAA AS IN WATER BY GFAA	882 882 888	AS AS AS	MD4603X1 MXG308X2 MDG308X2	DV2W*727 DV3F*557 DV3F*647	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	04-0CT-93 21-SEP-93 21-SEP-93	12-NOV-93 05-NOV-93 05-NOV-93	v v	25.2	털털털	400

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RPO	%% 0.0.0.0.0.0	######################################	o'o'o'o'o'
Units	= = = = = = = = = = = = = = = = = = =	<u>ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼</u>	ತ್ರಕ್ಷತ್ರಕ್ಷ
Value	2.57 2.57 2.57 2.54 2.9		44444 666666
v		· · · · · · · · · · · · · · · · · · ·	· · · · ·
Analysis Date	05-NOV-93 05-NOV-93 12-NOV-93 12-NOV-93 12-NOV-93	11-NOV-93 113-NOV-93 11-NOV-93 11-NOV-93 16-NOV-93 16-NOV-93 05-NOV-93 05-NOV-93 16-NOV-93 16-NOV-93 16-NOV-93	08-NOV-93 08-NOV-93 08-NOV-93 08-NOV-93 20-OCT-93
Sample Date	21-SEP-93 21-SEP-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93 14-0CT-93 14-0CT-93 04-0CT-93
Fot		FRAA FRAA FRUA FRUA FRUA FRUA FRUA FRUA	H K B A K B
Lab Number	DV3W*557 DV2F*726 DV2F*650 DV2F*650 DV2W*726	DVZF*486 DVZH*734 DVZH*734 DVZH*734 DVZF*646 DVZH*646 DVZH*646 DVZH*657 DVZH*657 DVZH*650 DVZH*650	0V2F*486 0V2F*734 0V2W*734 0V2W*486 0V2F*727
IRDMIS Field Sample Number	MDG308X2 MXG308X2 MXXJ01X1 MXXJ01X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4103X1 MX4603X1 MX4603X1 MX4603X1 MX6308X2 MXG308X2	MX4103X1 MX4103X1 MX4103X1 MX4103X1 MD4603X1 MX4603X1
Test Name	AS AS AS AS AS	******************	A A A A A A A G G G
USATHAMA Method Code	222222 88228 8823 8823	22222222222222222222222222222222222222	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10
Method Description	AS IN WATER BY GFAA	SB IN WATER BY GFAA	METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	00000	oʻoʻn'nʻoʻ	1.51 1.51 0.0 5.6 6.98		0.
Value Units	9.7 4.4 9.0 6.4 9.0 6.		2920 UGL 25100 UGL 141 UGL 141 UGL 253 UGL 141 UGL	5 UGL 26.4 UGL 26.4 UGL 26.5 UGL 16.3 UGL 6.37 UGL 6.37 UGL 6.37 UGL 6.99 UGL	5 UGL
•		v v v	v v v	v v	•
Analysis Date	20-0C1-93 15-0C1-93 15-0C1-93 15-0C1-93	08-NOV-93 08-NOV-93 08-NOV-93 20-OCT-93	20-051-35 20-051-35 15-051-35 15-051-35 15-051-35 15-051-35	08-NOV-93 08-NOV-93 08-NOV-93 08-NOV-93 20-0CT-93 20-0CT-93 15-0CT-93 15-0CT-93 15-0CT-93 15-0CT-93	08-NOV-93
Sample Date	04-0CT-93 21-SEP-93 21-SEP-93 21-SEP-93 21-SEP-93	14-0CT-93 14-0CT-93 14-0CT-93 14-0CT-93 04-0CT-93	21-SEP-93 21-SEP-93 21-SEP-93 21-SEP-93 21-SEP-93 21-SEP-93	14-001-93 14-001-93 14-001-93 04-001-93 04-001-93 04-001-93 221-889-93 221-889-93 21-889-93	14-0CT-93
Lot	XXXXXX XXXXXX XXXXXX		HE HE HE HE HE	HYPA HYPA HYIA HYIA HYIA	HXPA
Lab Number	DV24*646 DV3F*647 DV3F*557 DV34*647 DV34*557	DV2F*486 DV2F*734 DV2W*734 DV2W*486 DV2F*646	DV24*727 DV24*727 DV3F*646 DV3F*557 DV34*557	DV2F*486 DV2F*734 DV2F*734 DV2F*646 DV2F*6477 DV3F*6477 DV3F*647 DV3F*647 DV3F*657	DV2F*486
IRDMIS Field Sample Number	MX4603X1 MDG308X2 MXG308X2 MDG308X2 MXG308X2	MX4103X1 MX4103X1 MX4103X1 MX4103X1 MX4603X1	M24603X1 M24603X1 M24603X1 MXG308X2 MXG308X2 MCG308X2	MX4103X1 MX4103X1 MX4103X1 MX403X1 MX4603X1 MX4603X1 MX4603X1 MXG308X2 MXG308X2 MXG308X2 MXG308X2	MX4103X1
A Test Name	AG AG AG AG	***	*****	**************************************	38
USATHAMA Method Code	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10	8810 8810 8810 8810 8810	\$\$10 \$\$20 \$\$20 \$\$20 \$\$20 \$\$20 \$\$20 \$\$20	ss10
Method Description	METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP	IN WATER BY IIN WA	METALS IN WATER BY ICAP METALS IN WATER BY ICAP	METALS IN WATER BY ICAP	METALS IN WATER BY ICAP

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RPO		 	00000000
Value Units	~~~~~~~~~ 홈럴릴릭클릴릴릴릴	4370 UGL 4340 UGL 6290 UGL 6200 UGL 62100 UGL 62100 UGL 62100 UGL 62100 UGL 2650 UGL 2650 UGL 2650 UGL 2650 UGL 2650 UGL 2650 UGL 2650 UGL 2650 UGL	6.74.44 6.79.99 6.79.99 6.79.99 6.79.99 6.79.99 6.79.99 6.79.99 6.79.99 6.79.99 6.79.99 6.79.99 6.79.99 6.79.99 6.79.99 6.79.99
v	; ,		* * * * * * *
Analysis Date	08-NOV-93 08-NOV-93 08-NOV-93 20-0CT-93 20-0CT-93 15-0CT-93 15-0CT-93 15-0CT-93 15-0CT-93	08-NOV-93 08-NOV-93 08-NOV-93 08-NOV-93 20-0C1-93 20-0C1-93 15-0C1-93 15-0C1-93 15-0C1-93	08-NOV-93 08-NOV-93 08-NOV-93 20-OCT-93 20-OCT-93 20-OCT-93
Sample Date	14-0ct-93 14-0ct-93 14-0ct-93 04-0ct-93 04-0ct-93 04-0ct-93 21-SEP-93 21-SEP-93 21-SEP-93 21-SEP-93	14-0C1-93 14-0C1-93 14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93 21-8EP-93 21-8EP-93 21-8EP-93	14-0C1-93 14-0C1-93 14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93
Lot	H K K K K K K K K K K K K K K K K K K K	HYND HYND HYND HYND HYND HYND HYND HYND	HXPA HXPA HXLA HXLA HXLA
Lab Number	0VZF*734 0VZF*734 0VZF*646 0VZF*727 0VZF*647 0VZF*647 0VZF*647 0VZF*647	DVZF*734 DVZF*486 DVZF*734 DVZF*727 DVZF*727 DVZF*646 DVZF*6477 DVZF*6477 DVZF*6477 DVZF*6477	DV2F*486 DV2F*734 DV2H*734 DV2H*646 DV2F*77 DV2H*727 DV2H*727
IRDMIS Field Sample Number	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MX4603X1 MX4603X1 MX4603X1 MX4603X1 MX4603X1 MX4603X1 MX4603X1 MX4603X1 MX4603X1 MX4603X1 MX4603X1 MX4603X1	MX4103X1 MX4103X1 MX4103X1 MX4603X1 MX4603X1 MX6603X1 MX6603X1 MX6308X2 MX6308X2 MX6308X2 MX6308X2 MX6308X2	MX4103X1 MX4103X1 MX4103X1 MX4103X1 MX603X1 MD4603X1 MX4603X1
MA Test Name		35555555555 55	88888888
USATHAMA Method Code	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10
Method Description	IN WATER BY IN WAT	METALS IN WATER BY ICAP	METALS IN WATER BY ICAP METALS IN WATER BY ICAP

Chemical Quality Control Report Installation: Fort Devers, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	_	Sample t Date	e de	Analysis Date	v	Value	Value Units	8
METALS IN MATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP	ss10 ss10 ss10 ss10 ss10	8888	MDG308X2 MXG308X2 MDG308X2 MXG308X2	DV3F*647 HX DV3F*557 HX DV3W*647 HX DV3W*557 HX	HXIA 21- HXIA 21- HXIA 21-	21-SEP-93 21-SEP-93 21-SEP-93 21-SEP-93	15-0CT-93 15-0CT-93 15-0CT-93 15-0CT-93		4.01 4.01 7.01	: : : : : : : : : : : : : : : : : : :	. 0000
IN WATER BY IN	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	88888	MX4103X1 MX4103X1 MX4103X1 MX4103X1 MD4603X1 MX4603X1		HXPA 14-1 HXPA 14-1 HXPA 14-1 HXLA 04-1	0CT -93 0CT -93 0CT -93 0CT -93	08-NOV-93 08-NOV-93 08-NOV-93 08-NOV-93 20-OCT-93	* * * * * *	ងងងងងង	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	000000
WATER BY I	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	88888	MD4603X1 MX4603X1 MD6308X2 MX6308X2 MX6308X2 MX6308X2	DV24*727 HX DV24*646 HX DV3F*647 HX DV3F*557 HX DV34*647 HX		04-0C1-93 04-0C1-93 21-8EP-93 21-8EP-93 21-8EP-93	20-0CT-93 20-0CT-93 15-0CT-93 15-0CT-93 15-0CT-93	**	នឧឧឧឧឧឧ	5 55555555555555555555555555555555555	000000
METALS IN WATER BY ICAP	8510 8510 8510 8510 8510 8510 8510 8510	888888888888	MX4103X1 MX4103X1 MX4103X1 MX4603X1 MX4603X1 MX603X1 MX6308X2 MX6308X2 MX6308X2 MX6308X2	DV2F*48 HX DV2F*734 HX DV2F*734 HX DV2F*646 HX DV2F*646 HX DV2F*646 HX DV2F*646 HX DV2F*646 HX DV3F*677 HX DV3F*677 HX	HKPA 14-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	14-001-93 14-001-93 14-001-93 14-001-93 04-001-93 04-001-93 04-001-93 21-8FP-93 21-8FP-93	08-NOV-93 08-NOV-93 08-NOV-93 08-NOV-93 08-NOV-93 20-001-93 20-001-93 20-001-93 15-001-93 15-001-93	· · · · · · · · · · · · · · · · · · ·	6.02 6.02 6.02 6.02 6.02 6.02 6.02	<u>ਫ਼</u> ਫ਼	0.0000000000000000000000000000000000000
IN WATER BY I	ss10 ss10	88	MX4103X1 MX4103X1	DV2F*486 HX DV2F*734 HX		14-0CT-93 14-0CT-93	08-NOV-93 08-NOV-93	, , , ,	8.89		

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

		HCATHAMA		IRDMIS								
Method Description	1	Method Code	Test Name	Sample	Lab Number L	Ę	Sample Date	Analysis Date	v	Value	Units	R
METALS IN WATER BY	ICAP	SS10	3	:			14-0CT-93	08-NOV-93		11.9	Ng	16.2
IN WATER	\$	SS10	3				14-0CT-93	08-NOV-93		7	ᇋ	16.2
IN WATER	<u>8</u>	ss10	3				24-0CT-93	20-0CT-93	v	8 8	ner ner	٥.
IN WATER	S S	ss10	3				24-0CT-93	20-0CT-93	v	8 8	ug.	0.
IN WATER	SP	SS10	3				34-0CT-93	20-0C1-93		41.5	UGF	0.8
IN WATER	Š	SS10	공		DV24*646 H		34-0CT-93	20-0CT-93		38.3	LGL LGL	8.0
IN WATER	3	ss10	3				21-SEP-93	15-0CT-93	v	8.09	UG!	0
IN WATER	ξ	ss10	3				21-SEP-93	15-0CT-93	v	8.09	LGL LGL	o.
IN WATER	<u>8</u>	SS10	8	MDG308X2			21-SEP-93	15-0CT-93	v	8	lg Ne	50.8
IN WATER	ICAP	SS10	금	MXG308X2	DV3W*557 H		21-SEP-93	15-0CT-93		13.6	Je J	50.8
IN WATER	ICAP	SS10	뿐	MX4103X1	DV2F*734 H		14-0CT-93	08-NOV-93	~	38.8	Je Net	100.4
IN WATER	2	SS 10	ш	MX4103X1			14-0CI-93	08-NOV-93		117	191	100.4
METALS IN WATER BY	ICAP	SS10	肥	MX4103X1		HXPA	14-0CT-93	08-NOV-93		8580	150	5.6
IN WATER	ICAP	ss10	Æ	MX4103X1			14-0CT-93	08-NOV-93		8360	Le Le	5.6
IN WATER	g B	ss10	出	MD4603X1			04-0CT-93	20-0CT-93		9260	ug.	3.0
IN WATER	ICAP	ss10	ピ	MX4603X1			04-0CT-93	20-0CT-93		8910	NGL NGL	3.9
IN WATER	3	SS10	뿐	MD4603X1			04-0CT-93	20-0CT-93		26700	UGL	8.5
IN WATER	3	SS10	뿐	MX4603X1			04-oct-93	20-0CT-93		52100	NGL NGL	8.5
IN WATER	<u>8</u>	SS 10	ピ	MDG308X2			21-SEP-93	15-0CT-93	v	38.8	UGL	٥.
IN WATER	S S	SS10	出	MXG308X2			21-SEP-93	15-0CT-93	v	38.8	ng.	۰.
IN WATER	IGP	SS10	뿐	MXG308X2			21-SEP-93	15-0CT-93		334	Jg Ng	7.98
IN WATER	ICAP	ss10	뿐	MDG308X2	DV3W*647 H		21-SEP-93	15-0CT-93		132	J Sn	2.98
IN WATER	_	ss10	~	MX4103X1	DV2F*486 H		14-0CT-93	08-NOV-93		1170	Jen Ner	3.5
IN WATER		ss10	¥	MX4103X1	DV2F*734 H		14-0CT-93	08-NOV-93		1130	ig ig	2,5
IN WATER	_	SS10	¥	MX4103X1	DV2W*734 H		14-0CT-93	08-NOV-93		2850	널	8
IN WATER	_	ss10	¥	MX4103X1	DV2W*486 H		14-oct-93	08-NOV-93		2690	ชื่อ	8
IN WATER	_	ss10	¥	MD4603X1	DV2F*727 H		04-0CT-93	20-0CT-93		2400	Jon Oct	15.7
IN WATER		SS10	¥	MX4603X1	DV2F*646 H		04-0CT-93	20-0CT-93		2020	LGL LGL	15.7
METALS IN WATER BY	ΙζΑ	ss10	¥	MD4603X1	DV24*727 H	¥	04-0CT-93	20-0CT-93		10200	UGL	18.5
IN WATER	_	ss10	¥	MX4603X1	DV2W*646 H		04-0CT-93	20-0CT-93		848	UGE	18.5
IN WATER	_	SS10	¥	MDG308X2	DV3F*647 H		21-SEP-93	15-0CT-93		1050	폌	39.2

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RPD	39.2 29.7 29.7		888 886 886 886 886 886 886 886 886 886	£.6.
Value Units	706 UGL 1240 UGL 919 UGL	1430 UG. 1410 UG. 33180 UG. 15400 UG. 15700 UG. 20600 UG. 500 UG. 500 UG. 500 UG. 500 UG. 500 UG.	3.93 uet 2.73 uet 178 uet 177 uet 177 uet 5520 uet 6430 uet 64.1 uet 67.9 uet 67.9 uet 67.9 uet	5410 UGL 5340 UGL 6080 UGL
•		V V V V	v	
Analysis Date	15-0CT-93 15-0CT-93 15-0CT-93	08-NOV-93 08-NOV-93 08-NOV-93 20-0CT-93 20-0CT-93 15-0CT-93 15-0CT-93 15-0CT-93	08-NOV-93 08-NOV-93 08-NOV-93 08-NOV-93 20-0CT-93 20-0CT-93 15-0CT-93 15-0CT-93	08-NOV-93 08-NOV-93 08-NOV-93
Sample Date	21-SEP-93 21-SEP-93 21-SEP-93	14-001-93 14-001-93 14-001-93 14-001-93 04-001-93 04-001-93 21-SEP-93 21-SEP-93 21-SEP-93	14-001-93 14-001-93 14-001-93 14-001-93 04-001-93 04-001-93 04-001-93 21-88-93 21-88-93 21-88-93	14-0CT-93 14-0CT-93 14-0CT-93
Lot	57 HXIA 47 HXIA 57 HXIA	86 HYPA 34 HYPA 34 HYPA 36 HYPA 57 HYLA 47 HYLA 47 HYLA 57 HYLA 57 HYLA 57 HYLA	86 HKPA 34 HKPA 34 HKPA 36 HKPA 46 HKLA 57 HKLA 657 HKLA 657 HKLA 657 HKLA 657 HKLA 657 HKLA	.86 HXPA 34 HXPA 34 HXPA
Lab Number	DV3F*557 DV3W*647 DV3W*557	DV2F*486 DV2F*734 DV2F*734 DV2F*646 DV2F*646 DV2F*646 DV3F*646 DV3F*646 DV3F*646	DV2F*486 DV2F*734 DV2F*734 DV2F*737 DV2F*646 DV2F*727 DV3F*646 DV3F*647 DV3F*647 DV3F*647	DV2F*486 DV2F*734 DV2W*734
IRDMIS Field Sample Number	MXG308X2 MDG308X2 MXG308X2	MX4103X1 MX4103X1 MX4103X1 MX4603X1 MX4603X1 MX6603X1 MX6308X2 MX6308X2 MX6308X2 MX6308X2 MX6308X2	MX4103X1 MX4103X1 MX4103X1 MX4603X1 MD4603X1 MXG308X2 MDG308X2 MDG308X2 MMG308X2	MX4103X1 MX4103X1 MX4103X1
Test	ス スス	999999999999		A & X
USATHAMA Method Code	\$\$10 \$\$10 \$\$10	\$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10 \$\$10	\$210 \$210 \$210 \$210 \$210 \$210 \$210 \$210	ss10 ss10 ss10
	<u> </u>	255555555555555555555555555555555555555	GAPAGAGAGA	S & S
Method Description	WATER BY WATER BY WATER BY	WATER BY	WATER BY	WATER BY Water by Water by
Desc	222	ZZZZZZZZZZZZZ		222
Method	METALS METALS METALS	METALS METALS METALS METALS METALS METALS METALS METALS METALS	METALS METALS METALS METALS METALS METALS METALS METALS METALS	METALS METALS METALS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

æ	0.v.r.	. w w	7.8	17.8 17.8	0,0	ó	oʻ c	90	8.6	8.6 9.6	-	. 0.	· •	o.	0.6	2.6	90	٥.	10.7	10.7	ခဲ့င	?
Value Units	6020 UGL 53200 UGL 52400 HG		_		34.3 UGL	_			_					_			11.00	_	_			
v					v v	· •	v '	v v			v	/ v	v	v	v		v	v			v	•
Analysis Date	08-NOV-93 20-OCT-93	20-0C1-93 20-0C1-93	15-0CT-93 15-0CT-93	15-0CT-93 15-0CT-93	08-NOV-93	08-NOV-93	08-NOV-93	20-0CI-93	20-0CT-93	20-0CT-93	15-0CT-93	15-0c1-93	15-oct-93	08-NOV-93	08-NOV-93	08-NOV-95	20-0CT-93	20-0CT-93	20-0CT-93	20-0C1-93	15-0CT-93	נא-ואס-נו
Sample Date	14-0CT-93 04-0CT-93	04-0CT-93	21-SEP-93 21-SEP-93	21-SEP-93 21-SEP-93	14-0CT-93	14-0CT-93	14-0CT-93	04-0CI-93	04-0CT-93	04-0CT-93	21-SEP-93	21-SEP-93	21-SEP-93				04-0CI-93					
Lot	A HXPA				K HXPA												27 HXLA					
Lab Number	DV2W*486 DV2F*727	0V24*7	DV3F*557 DV3F*647	DV34*647 DV34*557	DV2F*734	DV2W*4	DV2W*7	DV2F*Q	DV2W*7	DV2W*6	DV3F*6	0.75	DV3W*5	DV2F*734	DV2F*486	DVZWT	DV2F*727	DV2F*6	DV2W*7	DV2W*6	DV3F*647	レバント・・フ
IRDMIS Field Sample Number	MX4103X1 MD4603X1 MX6603X1	MD4603X1	MXG308X2 MDG308X2	MDG308X2 MXG308X2	MX4103X1	MX4103X1	MX4103X1	MX4603X1	MD4603X1	MX4603X1	MDG308X2	MDG308X2	MXG308X2	MX4103X1	MX4103X1	MX4105X1	MD4603X1	MX4603X1	MD4603X1	MX4603X1	MDG308X2	MXGJQQXC
A Test Name	Z Z Z	£	A X	¥ ¥	Z Z	Ë	Z:	žŽ	Z	Z	Z 5	į	Z	>	>:	>:	> >	>	>	>	>:	>
USATHAMA Method Code	SS10 SS10	\$510 \$510	\$\$10 \$\$10	ss10 ss10	SS10	ss10	SS 10	5510 5510	SS 10	SS10	SS 10	5510 SS10	ss10	ss10	ss10	SS10	SS 10	SS 10	SS10	SS10	SS 10	200
Method Description	METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN UATER BY ICAP	WATER BY I	IN WATER BY I	IN WATER BY I	METALS IN WATER BY ICAP	IN WATER BY	IN WATER BY	WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	WATER BY	IN WATER BY	IN WATER BY I	IN WATER BY	IN WATER BY	METALS IN WATER BY ICAP	IN WATER BY	IN WATER BY	IN WATER BY	METALS IN WATER BY ICAP	IN WAIER BY

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	v	Value	Value Units	RPD
METALS IN WATER BY ICAP	SS10 SS10	>>	MDG308X2 MXG308X2	DV3W*647	HXIA	21-SEP-93 21-SEP-93	15-0CT-93 15-0CT-93	. • •	==	펄펄	o o
METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN WATER BY ICAP METALS IN LATED BY ICAD	\$\$10 \$\$10 \$\$10	2222	MX4103X1 MX4103X1 MX4103X1 MX4103X1	DV2F*734 DV2F*486 DV2W*734	HXPA HXPA HXPA	14-0CT-93 14-0CT-93 14-0CT-93	08-NOV-93 08-NOV-93 08-NOV-93	· •	21.1	<u> </u>	0.04.2
IN WATER BY I	SS10 SS10 SS10		MD4603X1 MX4603X1 MX4603X1	DV2F*727 DV2F*646 DV2F*646		04-0CT-93 04-0CT-93 04-0CT-93	20-0C1-93 20-0C1-93 20-0C1-93		39.4		33.5. 35.6. 35.6.
WATER BY I WATER BY I	\$\$10 \$\$10 \$\$10	N N N	MD4603X1 MDG308X2 MXG308X2	DV24#727 DV3F*647 DV3F*557		04-0CT-93 21-SEP-93 21-SEP-93	20-0CT-93 15-0CT-93 15-0CT-93	v v	21.1 21.1		4.0.0
IN WATER BY I	SS10 SS10	Z Z	MDG308X2 MXG308X2	DV34*647 DV34*557		21-SEP-93 21-SEP-93	15-0CT-93 15-0CT-93	v v	21.1		öö
NO2, NO3 IN WATER NO2, NO3 IN WATER	1F22 TF22	TIN	MDG308X2 MXG308X2	DV34*647 DV34*557	EGRA	21-SEP-93 21-SEP-93	04-0C1-93 04-0C1-93		1300	걸걸	16.7 16.7
SO4 IN WATER SO4 IN WATER	1110 1110	ರ ರ	MXG308X2 MDG308X2	DV34*557 DV34*647	IOAA IOAA	21-SEP-93 21-SEP-93	28-SEP-93 28-SEP-93	v	2470	절절	15.3 2.3.3
SO4 IN WATER SO4 IN WATER	1110 1110	% % % %	MDG308X2 MXG308X2	DV34*647 DV34*557	10AA 10AA	21-SEP-93 21-SEP-93	28-SEP-93 28-SEP-93	~ ~	10000	ner ner	66
BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	UM18 UM18 UM18 UM18	124TCB 124TCB 124TCB 124TCB 124TCB	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1	DV2W*486 DV2W*734 DV2W*646 DV2W*727	IFLA IFLA IFLA	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	02-NOV-93 04-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93	· · · · ·	8.1. 8.1. 8.1. 8.1.	렬렬렬렬	.0 .0 .0 182.8 182.8

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RPO	0.	.0 .0 .0 .0 .0 .0	46.2 46.2	85 85 6 6 6 7 8 8 8 7 8 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6	.0 183.7 183.7 0.	.0 183.7 183.7 0.
Value Units	1.8 UGL	1.7 UGL 1.7 UGL 1.7 UGL 40 UGL 1.7 UGL 1.7 UGL	800 UGL 500 UGL	명 명 명 명 명 명 명 명 명 명 명 명 명 명 명 명 명 명 명	1.7 UGL 1.7 UGL 1.7 UGL 40 UGL 1.7 UGL 1.7 UGL	1.7 UGL 1.7 UGL 1.7 UGL 40 UGL 1.7 UGL 1.7 UGL
v	. •	v v v v v		v v v v v	V V V V V	v v v v v
Analysis Date	21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	21-0CT-93 21-0CT-93	02-NOV-93 04-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93
Sample Date	04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93
Ę	IF.	IFPA IFLA IFLA IFLA	AT I	EETTTT	#############	E E E E E E E E E E
Lab Number	DV24*650	DV2W*734 DV2W*486 DV2W*646 DV2W*727 DV2W*726	DV24*727 DV24*646	DVZW*486 DVZW*734 DVZW*727 DVZW*726 DVZW*726	DV24*734 DV24*486 DV24*646 DV24*727 DV24*650	DV2W*486 DV2W*486 DV2W*646 DV2W*727 DV2W*726
IRDMIS Field Sample Number	MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MD4603X1 MX4603X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXJ01X1
Test Name	124TCB	120CB 120CB 120CB 120CB 120CB	120MB 120MB	100 100 100 100 100 100 100 100 100 100	130CLB 130CLB 130CLB 130CLB 130CLB	140CLB 140CLB 140CLB 140CLB 140CLB
USATHAMA Method Code	£ 18	81 MU 20 MU	UM18 UM18	81MU 81MU 81MU 81MU 81MU	81MU 81MU 81MU 81MU 81MU	UM18 UM18 UM18 UM18
Method Description	BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RP3	81 2.081 2.05 0.05 0.05 0.05		0	0. 1.871 1.00. 0.	.0 .0 .0 .0 .0 .0
Value Units	5.2.2 UGP 5.2.2	4.2 UGL 4.2 UGL 4.2 UGL 100 UGL 4.2 UGL 4.2 UGL	2.9 UGL 2.9 UGL 70 UGL 2.9 UGL 2.9 UGL 2.9 UGL	5.8 UGL 5.8 UGL 5.8 UGL 100 UGL 5.8 UGL 5.8 UGL	21 UGL 21 UGL 500 UGL 21 UGL 21 UGL
v	·	·	* * * * * *	* * * * * *	* * * * *
Analysis Date	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93
Sample Date	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93
Lot	E E E E E E E E E E E E E E E E E E E	HELA HERA	A PETA PETA PETA PETA PETA PETA PETA PET	HELA HELA A	EE555
Lab Number	DV2H*734 DV2H*486 DV2H*646 DV2H*727 DV2H*650 DV2H*650	0V2W*734 0V2W*646 0V2W*727 0V2W*727 0V2W*726	DV24#734 DV24#486 DV24#724 DV24#727 DV24#727	DV2W+734 DV2W+486 DV2W+646 DV2W+727 DV2W+726	DV2N*734 DV2N*486 DV2N*727 DV2N*646 DV2N*650
IRDMIS Field Sample Number	MX4103X1 MX4603X1 MX4603X1 MD4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4603X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MXXJ01X1
A Test Name	24510P 24510P 24510P 24510P 24510P 24510P	2461CP 2461CP 2461CP 2461CP 2461CP 2461CP 2461CP	240CLP 240CLP 240CLP 240CLP 240CLP 240CLP	NdWQ72 54DMPN 24	240NP 240NP 240NP 240NP 240NP
USATHAMA Method Code	8 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	81MU 81MU 81MU 81MU 81MU	81MU 81MU 10M18 10M18 10M18	UM18 UM18 UM18 UM18	UM18 UM18 UM18 UM18
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	tion	USATHAMA Method Code	4A Test Name	IRDMIS Field Sample Number	Lab Number Lo	Sar Lot Da	Sample Date	Analysis Date	•	Value	Value Units	8
BNA'S IN WATER BY	BY GC/MS	MS UM18	24DNP	MDXJ01X1	•	IFLA 04	04-0CT-93	21-0CT-93		72	Jeg	0,
BNA'S IN WATER BNA'S IN WATER	BY GC/MS	MS UM18 MS UM18	24DNT 24DNT	MX4103X1 MX4103X1		FPA 14 FPA 14		04-NOV-93 02-NOV-93	v v	4.5	de ner	óó
22	₩ ₩		24DNT 24DNT	MX4603X1 MD4603X1				21-0CT-93 21-0CT-93	, ,	100	UG. UG.	182.8
2 Z	8¥		24DNT 24DNT	MDXJ01X1 MXXJ01X1	DVZW*726 1F DVZW*650 1F		04-0CT-93 04-0CT-93	21-0CT-93 21-0CT-93	v v	4.5	걸로	o o
Z 2	¥ĕ		26DNT	MX4103X1				04-NOV-93	٧,	RR	펄	oʻ d
2	<u> </u>		260NT	MX4603X1				21-0CT-93	, v	<u>:</u> R:	걸걸	184.8
BNA'S IN WATER	RY GC/MS	MS UM 18	260NT 260NT	MXXJ01X1	-	\$\$ }	04-0CT-93 04-0CT-93	21-0CT-93 21-0CT-93	, ,	88	털털	₹ 8.0
Z	æ		260NT	MDXJ01X1	_			21-001-93	•	8	Je J	. o.
			2CLP	MX4103X1				04-NOV-93	v ,	8,8		oʻ.
2	8	_	SCLP	MX4603X1	DV2W*466 18			21-0CT-93	v v	;8 <u>;</u>	불벌	181.1
BNA'S IN WATER BNA'S IN WATER	àä	MS UM18	2G.P	MD4403X1		FLA PA PA PA PA PA	04-0CT-93	21-0CT-93 21-0CT-93	v v	8	털	181.1
Z		_	SCLP	MXXJ01X1	-			21-0CT-93		8	ց	ö
₹:	₩.		2CNAP	MX4103X1	_			04-NOV-93	•	ι,	UGL	o.
BNA'S IN WATER BNA'S IN WATER	S BY GC/MS S BY GC/MS		2CNAP CNAP	MX4103X1 MD4603X1	DVZW*486 11			02-N0V-93 21-0CT-93	v v	νiΈ	럴	0.181
2	8		SCNAP	MX4603X1	_			21-0CT-93	v	i rů	털	181.0
ZZ	5 2	MS UM18	2CNAP 2CNAP	MDXJ01X1	DV2W*726 II	7.5 2.5 2.5	04-0C1-93	21-0CT-93 21-0CT-93	v v	ųνį	털털	óó
2	æ		ZMNAP	MX4103X1				04-NOV-93	v	1.7	JE.	0.
BNA'S IN WATER BNA'S IN WATER	R BY GC/MS R BY GC/MS	MS UM18	2MNAP 2MNAP	MX4103X1 MX4603X1	DV2W*486 11	1FPA 14	14-0CT-93 04-0CT-93	02-NOV-93 21-OCT-93	•	1.7	펄	2.0
								1: :::		,	!	!

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RPO	22.2 .0	0. 281 0. 0. 281 0. 0. 0. 0.	0. 183.5 183.5 0.	87.88 0.0.5.5.0.0.		o.
Value Units	80 VGL 1.7 VGL 1.7 VGL	3.9 UGL 3.9 UGL 3.9 UGL 3.9 UGL 3.9 UGL 3.9 UGL	4.3 UGL 4.3 UGL 100 UGL 4.3 UGL 4.3 UGL	3.7 UG 3.7 UG 3.7 UG 3.7 UG 3.7 UG 3.7 UG 3.7 UG		4.9 UGL
٧.	ಜಜಜ ^ ^	***	***	****	****	۸ د
Analysis Date	21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0C1-93 21-0C1-93 21-0C1-93 21-0C1-93	04-NOV-93 02-NOV-93 21-0C1-93 21-0C1-93 21-0C1-93 21-0C1-93	04-NOV-93 02-NOV-93 21-0c1-93 21-0c1-93 21-0c1-93 21-0c1-93		04-NOV-93
Sample Date	04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93		14-0CT-93
Lot	A I I I	26 1FPA 16 1FPA 16 1FLA 16 1FLA 17 1FLA	26 1FPA 16 1FPA 16 1FLA 16 1FLA 16 1FLA	433738 433738 43174 4317	2.52.52.00 2.52.52.00 2.52.52.00 2.52.52.00 2.52.52.00 2.52.52.50 2.52	4 IFPA
Lab Number	DVZW*727 DVZW*726 DVZW*650	DV2W*734 DV2W*486 DV2W*727 DV2W*727 DV2W*727	DV2W*734 DV2W*486 DV2W*724 DV2W*727 DV2W*726	DV2W*734 DV2W*486 DV2W*727 DV2W*727 DV2W*727	DV2N*734 DV2N*727 DV2N*727 DV2N*726 DV2N*726	DV2W*734
IRDMIS Field Sample Number	MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MXXJ01X1 MDXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MXXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	MX4103X1
A Test Name	ZMNAP Zmnap Zmnap	11111111111111111111111111111111111111	ZNANIL ZNANIL ZNANIL ZNANIL ZNANIL		33000 33000 33000 33000 33000 33000	SHANIL
USATHAMA Method Code	0M18 UM18 UM18	81MU 81MU 81MU 81MU 81MU	81MU 81MU 81MU 81MU 81MU	0 m 18 0 m 18 0 m 18 0 m 18 0 m 18 0 m 18	81MU 1M18 1M18 1M1	UM18
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAWPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	ioi	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	•	Value	Units	8
BNA'S IN WATER BNA'S IN WATER BNA'S IN WATER	BY GC/MS BY GC/MS	UM18	SNANIL SNANIL SNANIL	MX4103X1 MX4603X1	DV24*486 DV24*646	¥5:	14-0CT-93 04-0CT-93	02-NOV-93 21-OCT-93		6.4	: : : : : : : : :	181.3
ZZZ		E E E	SNANIL SNANIL SNANIL	MXXJ01X1 MXXJ01X1 MDXJ01X1	DV2W*650 DV2W*650 DV2W*726	1 1 1 1 1 1 1	04-0C1-93 04-0C1-93 04-0C1-93	21-0C1-93 21-0C1-93 21-0C1-93	.	86.4	털털털	21.5 5.0.0
BNA'S IN WATER BNA'S IN WATER BNA'S IN WATER	BY GC/MS BY GC/MS BY GC/MS	81 WU 81 WU 81 WU	46DN2C 46DN2C 46DN2C	MX4103X1 MX4103X1 MD4603X1	DVZW*734 DVZW*486 DVZW*727		14-0CT-93 14-0CT-93 04-0CT-93	04-NOV-93 02-NOV-93 21-OCT-93	* * *	404 404	5 5 5	0.0.7.881
222		8 8 8 8 8	46DN2C 46DN2C 46DN2C	MX4603X1 MDXJ01X1 MXXJ01X1	DVZW*646 DVZW*726 DVZW*650	555	04-0CT-93 04-0CT-93 04-0CT-93	21-0CT-93 21-0CT-93 21-0CT-93	* * *	777	호호호	183.7 0.
222		81MU 81M	4BRPPE 4BRPPE 4BBDDE	MX4103X1 MX4103X1 MX403X1	DV24*734 DV24*486		14-0CT-93 14-0CT-93	04-NOV-93 02-NOV-93	~ ~ ·	4.25	로 달	0.00
BNA'S IN WATER BNA'S IN WATER BNA'S IN WATER	BY GC/MS BY GC/MS BY GC/MS	2222 5888	48RPPE 48RPPE 48RPPE	MXX101X1 MXX101X1 MDX101X1	DV2W*727 DV2W*650 DV2W*726	1222 1222	04-0C1-53 04-0C1-93 04-0C1-93	21-001-53 21-001-93 21-001-93	v v v v	4644	.	88 9.0.0.0
BNA'S IN WATER BNA'S IN WATER BNA'S IN WATER BNA'S IN WATER	BY GC/MS BY GC/MS BY GC/MS BY GC/MS	81 MU 81 MU 81 MU	4CANIL 4CANIL 4CANIL 4CANIL	MX4103X1 MX4103X1 MX4603X1 MD4603X1	DV2W*734 DV2W*486 DV2W*646	FERE	14-0CT-93 14-0CT-93 04-0CT-93	04-NOV-93 02-NOV-93 21-OCT-93	~ ~ ~ ~	2.7.7. 2.2.5.5.5	<u> </u>	0. 0. 385.9
ZZ		81MU 81	4CANIL 4CANIL	MDXJ01X1 MXXJ01X1	DV2W*726 DV2W*650	žž.	04-0CT-93	21-0CT-93 21-0CT-93	, v v	32.7.	충호호	.00
BNA'S IN WATER BNA'S IN WATER BNA'S IN WATER	BY GC/MS BY GC/MS BY GC/MS	UM18 UM18 8181	40130 40130 40130	MX4103X1 MX4103X1 MD4603X1	DV24*734 DV24*486 DV24*727	IFPA IFPA	14-0CT-93 14-0CT-93 04-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93	* * *	440	절절절	0. 0. 3.45
BNA'S IN WATER BNA'S IN WATER BNA'S IN WATER		2 K Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	40130 40130 40130	MXXJ01X1 MXXJ01X1 MDXJ01X1	DV24*646 DV24*650 DV24*726	Z Z Z	04-0CT-93 04-0CT-93 04-0CT-93	21-0CT-93 21-0CT-93 21-0CT-93	, , ,	444	럴럴럴	8 6.0.0.

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RP3	0.0.180 0.0.4.00 0.0.00	0.0.180 180.2 180.2 0.0	0.0.180 180.2 180.2 0.0	<u>\$</u> 6 6 7 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0. 0. 3. 1. 4. 6.
Value Units	5.1	22.22.62.22 22.22.22 22.22.22 23.22 23.22 23.22 23.22 23.22 23.22 23.22 23.22 23.22 23.22 23.22 23.22 23.22 23.22 23.22	55.2 55.2 56.2 57.2 57.2 57.2 57.2 57.2 57.2 57.2 57	22822 2229 2229 2229 2229 2239 2239 2239	4 4 VGF
Na Va	www			M	~ ~ ~ ~
	• • • • • •		* * * * * *	* * * * * *	• • • •
Analysis Date	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93
Sample Date	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93
Lot T	44444	\$\$5555	\$ \$\$\$\$\$	\$\$ 5555	툫띃૱૱
Lab Number L	DVZW*734 1 DVZW*486 1 DVZW*646 1 DVZW*727 1 DVZW*726 1 DVZW*726 1	DV2W*734 I DV2W*486 I DV2W*727 I DV2W*727 I DV2W*650 I	DV24*734 I DV24*486 I DV24*646 I DV24*727 I DV24*726 I	DV2W*734 I DV2W*727 I DV2W*646 I DV2W*650 I DV2W*726 I	DV24*734 1 DV24*486 1 DV24*727 1 DV24*646 1
IRDMIS Field Sample L	MX4103X1 D MX4103X1 D MX4603X1 D MD4603X1 D MDXJ01X1 D MXXJ01X1 D	MX4103X1 D MX4103X1 D MX4603X1 D MD4603X1 D MXXJ01X1 D MXXJ01X1 D	MX4103X1 D MX4103X1 D MX4603X1 D MD4603X1 D MDXJ01X1 D MXXJ01X1 D	MX4103X1 D MX4103X1 D MD4603X1 D MX4603X1 D MX401X1 D	MX4103X1 D MX4103X1 D MD4603X1 D MX4603X1 D
A Test Name	3dd 107 3dd 107 3dd 107 3dd 107 3dd 107 3dd 107	d d d d d d d d d d d d d d d d d d d	4NANIL 4NANIL 4NANIL 4NANIL 4NANIL	dN 7	ABHC ABHC ABHC ABHC
USATHAMA Method Code	UM18 UM18 UM18 UM18 UM18	UM18 UM18 UM18 UM18 UM18	UM18 UM18 UM18 UM18	UM18 UM18 UM18 UM18 UM18	UM18 UM18 UM18
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS
₹ :					S S S S

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	0.0	0. 180.6 180.6 0.	.0 .0 .0 182.4 182.4 .0	.0 182.0 182.0 .0	.0. 183.7 183.7 0.	
Value Units	4 UGL	555555	<u> </u>	<u> </u>	<u> </u>	혈
Valı			999999	4.7 4.7 100 4.7 4.7	7.1. 7.1. 7.1.	ເກົາ
•	. v v	· · · · · ·	* * * * * *	* * * * * *	· · · · · ·	v v
Analysis Date	21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93
Sample Date	04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0c1-93 14-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93
Lot	AT.	A A H H A A A A A A A A A A A A A A A A	A A A A A A A A A A A A A A A A A A A	EETTAT	A T T T T T T T T T T T T T T T T T T T	FEPA FIFPA
Lab Number	DV2W*726 DV2W*650	DV2W*734 DV2W*486 DV2W*646 DV2W*727 DV2W*726	DV24*734 DV24*486 DV24*727 DV24*7727 DV24*7726	DV24*734 DV24*646 DV24*646 DV24*727 DV24*650	DV24*734 DV24*486 DV24*727 DV24*727 DV24*650	DV2W*734 DV2W*486
IRDMIS Field Sample Number	MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MX4101X1 MX4101X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1
A Test Name	ABHC ABHC	ACLDAN ACLDAN ACLDAN ACLDAN ACLDAN	AENSLF AENSLF AENSLF AENSLF AENSLF AENSLF	ALDRN ALDRN ALDRN ALDRN ALDRN	ANAPNE ANAPNE ANAPNE ANAPNE ANAPNE	ANAPYL ANAPYL
USATHAMA Method Code	UM18 UM18	81MU 81MU 81MU 81MU 81MU	81 M W 81	81M2 81M2 81M2 81M2 81M2	82 82 82 82 82 82 82 82 82 82 82 82 82 8	0M18 UM18
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS
₹ :	8 8 8		888888			8 8

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	181.0 181.0 0.0	0. 181.0 181.0 0.	.0 .0 .185.5 185.5 .0	0.0.67 0.0.60 0.0.00	.0 185.4 185.4 0.
Value Units	5	<i>ស</i> ស់5ស់ស់ ធ្មូធ្មូធ្មូធ្មូធ្ម	1.5 UG 1.5 UG 40 UG 1.5 UG 1.5 UG 1.5 UG	5.3.5 5.3.3.4 5.3.3.9 5.3.9 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0	9.5. 9.6. 9.6. 9.6. 9.6. 9.6. 9.6. 9.6.
v		* * * * * *			
Analysis Date	21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93
Sample Date	04-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93
Lot		**************************************	\$ \$\$\$\$\$	**************************************	A S S S S S S S S S S S S S S S S S S S
Lab Number	DVZW*727 DVZW*646 DVZW*650 DVZW*726	DV24*734 DV24*486 DV24*727 DV24*646 DV24*726 DV24*650	DV2W*734 DV2W*486 DV2W*646 DV2W*727 DV2W*726	DV2W*734 DV2W*646 DV2W*646 DV2W*727 DV2W*720	DV2W*734 DV2W*486 DV2W*646 DV2W*727 DV2W*726
IRDMIS Field Sample Number	MD4603X1 MX4603X1 MXXJ01X1 MDXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MXXJ01X1 MDXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1
A Test Name	ANAPYL ANAPYL ANAPYL ANAPYL	ANTRC ANTRC ANTRC ANTRC ANTRC	82CEXM 82CEXM 82CEXM 82CEXM 82CEXM 82CEXM	82C1PE 82C1PE 82C1PE 82C1PE 82C1PE 82C1PE	B2CLEE B2CLEE B2CLEE B2CLEE B2CLEE B2CLEE
USATHAMA Method Code	81 PU 81 PU 81 PU 81 PU 81 PU	81MU 24MU 81MU 81MU 81MU 81MU 81MU 81MU 81MU 81	81MU 81MU 81MU 81MU 81MU	81 W 1 W 1 W 1 W 1 W 1 W 1 W 1 W 1 W 1 W	81MU 81MU 81MU 81MU 81MU
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devers, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

_				000000	00,0,00
E	999999	0.0.4 <u>%</u> 0.0.4.4.0.0	.0. 182.0 182.0 0.	0.0.85 0.0.2.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	0.0.487 0.0.4.4.0.
Units	: :	55555 55	<u> </u>	55555555555555555555555555555555555555	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Value	4.8 100 4.8 8.8 6.8		4.7 4.7 4.7 7.7 7.7	7.00 4.4.4.4.	4 4 00 4 4
v	~~~~	· · · · · ·	***	· · · · · ·	v v v v v
Analysis Date	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93 21-0C1-93 21-0C1-93 21-0C1-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93
Sample Date	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0c1-93 14-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93
Lot	FEEFF	IFPA IFLA IFLA IFLA IFLA	A TITA	A E E E E E E E E E E E E E E E E E E E	IFPA IFFA IFFA IFFA
Lab Number	DV2N*734 DV2N*734 DV2N*727 DV2N*646 DV2N*650 DV2N*726	DV2W*734 DV2W*486 DV2W*727 DV2W*726 DV2W*726	DV24*734 DV24*486 DV24*727 DV24*726 DV24*726	DV24*734 DV24*486 DV24*727 DV24*726 DV24*726	DV24*734 DV24*486 DV24*727 DV24*646 DV24*650
IRDMIS Field Sample Number	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1 MDXJ01X1	MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX403X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MXXJ01X1
Test Name	825.47 825.47 825.47 825.47 825.47 826.47	BAANTR BAANTR BAANTR BAANTR BAANTR	BAPYR BAPYR BAPYR BAPYR BAPYR	BBFANT BBFANT BBFANT BBFANT BBFANT	88HC 88HC 88HC 88HC
USATHAMA Method Code	81MU 81MU 81MU 81MU 81MU	8182 8182 8183 8184 8184 8184 8184 8184 8184 8184	81 81 81 81 81 81 81 81 81 81 81 81 81 8	81MU 81MU 81MU 81MU 81MU	81 WU 2 W 18 W 19
ription	WATER BY GC/MS	WATER BY GC/MS	WATER BY GC/MS	WATER BY GC/MS	WATER BY GC/MS WATER BY GC/MS WATER BY GC/MS WATER BY GC/MS
Method Description	BNA'S IN WA BNA'S IN WA BNA'S IN WA BNA'S IN WA BNA'S IN WA	BNA'S IN WA BNA'S IN WA BNA'S IN WA BNA'S IN WA BNA'S IN WA	BNA'S IN WA BNA'S IN WA BNA'S IN WA BNA'S IN WA BNA'S IN WA	BNA'S IN WA BNA'S IN WA BNA'S IN WA BNA'S IN WA BNA'S IN WA	BNA'S IN WA BNA'S IN WA BNA'S IN WA BNA'S IN WA

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RPO	0.	.0 .0 .0 .0 .0 .0	182.0 182.4 182.4 0.0	181.0 181.0 181.0 0.0	 183.4 183.4 	.0 .0 188.2
Value Units	UGL	<u> </u>	<u> </u>	55555 5555555555555555555555555555555	55555 5555555555555555555555555555555	벌벌
Value	4	24448 4446	666666 66666	558555	£1 50 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	6.6.6
•	v	· · · · · ·	· · · · · ·	* * * * * *	· · · · · ·	~ ~ ~
Analysis Date	21-0CT-93	04-NOV-93 02-NOV-93 21-0C1-93 21-0C1-93 21-0C1-93 21-0C1-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93 21-OCT-93
Sample Date	04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93
Lot	IFLA	ZZZZZZ ZZZZZZ	A A P A P A P A P A P A P A P A P A P A	HELA A SE	A PETA PETA PETA PETA PETA PETA PETA PET	IFPA IFLA
Lab Number	DV2W*726	DVZW*734 DVZW*486 DVZW*646 DVZW*727 DVZW*726	DV2W*734 DV2W*486 DV2W*646 DV2W*727 DV2W*727	DV24*734 DV24*486 DV24*727 DV24*646 DV24*726	DV2W*734 DV2W*486 DV2W*727 DV2W*650 DV2W*726	DV2W*734 DV2W*486 DV2W*646
IRDMIS Field Sample Number	MDXJ01X1	MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MXXJ01X1 MDXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1
A Test Name	ВВНС	882P 882P 882P 882P 882P 882P	BENSLF BENSLF BENSLF BENSLF BENSLF BENSLF	BENZID BENZID BENZID BENZID BENZID BENZID BENZID	BENZOA BENZOA BENZOA BENZOA BENZOA BENZOA	BGHIPY BGHIPY BGHIPY
USATHAMA Method Code	UM18	81MU 81MU 81MU 81MU 81MU	8 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	81MU 81MU 81MU 81MU 81MU	0M18 0M18 0M18 0M18 0M18	81 M 81 M 81 M
ë	BY GC/MS	BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS	BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS	BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS	BY GC/MS BY GC/MS BY GC/MS BY GC/MS BY GC/MS	BY GC/MS BY GC/MS BY GC/MS
Method Description	BNA'S IN WATER BY	IN WATER IN	IN WATER IN WATER IN WATER IN WATER IN WATER	IN WATER IN	IN WATER IN	IN WATER IN WATER I
Method	BNA'S	BNA'S I BNA'S I BNA'S I BNA'S I BNA'S I	BNA'S BNA'S BNA'S BNA'S BNA'S	BNA'S BNA'S BNA'S BNA'S BNA'S BNA'S	BNA'S BNA'S BNA'S BNA'S BNA'S	BNA'S BNA'S BNA'S

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

SPO O	188.2 .0 .0	0. 183.3 0. 0. 0. 0.	0. 0. 186. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	107.7 107.7 66.7 66.7	.	0. 0. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2
Units	: :	ಶ ಶ ಶ ಶ ಶ ಶ	55555555555555555555555555555555555555	7 10 10 10 10	펄펄	펄펄펄펄
Value Units	200 6.1 6.1	78: 78: 78: 78: 78: 78:	दंदंदंश्वंदं	000 000 000 000 000 000 000 000 000 00	200 200 200	ក់កុះ ទ
v		* * * * *	* * * * * *			* * * * *
Analysis Date	21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93 21-OCT-93	21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93
Sample Date	04-0CT-93 04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0c1-93 14-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93	04-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93
Ę	355	EETTT	EE5555	44 HE	A P	A A P E
Lab Number	DV2W*727 DV2W*726 DV2W*650	DV24*734 DV24*646 DV24*727 DV24*650 DV24*727	DV24*734 DV24*486 DV24*646 DV24*727 DV24*726	DV24*727 DV24*646 DV24*727 DV24*646	DV24#727 DV24#646	DV24*734 DV24*486 DV24*646 DV24*727
IRDMIS Field Sample Number	MD4603X1 MDXJ01X1 MXXJ01X1	HX4103X1 HX4103X1 HX4603X1 HX401X1 HXXJ01X1 HXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MD4603X1 MX4603X1 MD4603X1 MX4603X1	MD4603X1 MX4603X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1
Test Name	BGHIPY BGHIPY BGHIPY	BKFANT BKFANT BKFANT BKFANT BKFANT	BZALC BZALC BZALC BZALC BZALC BZALC	55 55 55 55	හුහ	CARBAZ CARBAZ CARBAZ CARBAZ
USATHAMA Method Code	UM18 UM18 UM18	8 1 M 1 8 1 M 1 8 1 M 1 8 1 M 1 8 1 M 1 8 1 M 1 8 1 M 1 8 1 M 1 8 1 M 1 M	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	81MU 81MU 81MU 81MU	UM18 UM18	81MU 81MU 81MU 81
	GC/MS GC/MS GC/MS	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS	GC/MS GC/MS GC/MS GC/MS	GC/MS GC/MS	GC/MS GC/MS GC/MS GC/MS
ri O	884	84 84 84	8448	87 87 87	8₹	84 84
Aethod Description	WATER WATER WATER	WATER WATER WATER WATER	WATER WATER WATER WATER WATER	WATER WATER WATER	WATER	WATER WATER WATER
Des	333	333333	333333	33 33	33	22223
j od	BNA'S I BNA'S I BNA'S I	BNA'S I BNA'S I BNA'S I BNA'S I BNA'S I	BNA'S I BNA'S I BNA'S I BNA'S I BNA'S I	BNA'S IN BNA'S IN BNA'S IN	BNA'S IN BNA'S IN I	BNA'S BNA'S BNA'S BNA'S
F et	N N N N N N N N N N N N N N N N N N N	N N N N N N N N N N N N N N N N N N N	BEERE		2 Z	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

USATHAMA Method Method Description Code	A Test Name	IRDMIS Field Sample Number	Lab Number	Ę	Sample Date	Analysis Date	,	Value	Units	€ :
JM18	CHRY	MX4103X1	DV24*734	IFPA	14-0CT-93	04-NOV-93	v	2.4	UGF	0.
ω,	CHRY	MX4103X1	DV2W*486	_	14-0CT-93	02-NOV-93	v	2.4	NGL	۹.
m	CHRY	MX4603X1	DV2W*646	_	04-0CT-93	21-0CT-93	v	2.4	NG.	184.6
m	CHRY	MD4603X1	DV2W*727	_	04-0CT-93	21-001-93	v	8	년 기	184.6
m /	CHRY	MDXJ01X1	DV2W*726	_	04-0CT-93	21-0CT-93	v	2.4	ᇹ	o.
20	CHRY	MXXJ01X1	DV2W*650	_	04-0CT-93	21-0CT-93	v	2.4	럴	o.
M18	CL68Z	MX4103X1	DV2W*734	-	14-0CT-93	04-NOV-93	v	1.6	J J	o.
~	CL68Z	MX4103X1	DV2W*486		14-0CT-93	02-NOV-93	v	1.6	UGF	۰.
_	C1.68Z	MX4603X1	DV2W*646	-	04-0CT-93	21-0CT-93	v	1.6	UGL	184.6
~	C1.682	MD4603X1	DV2W*727	_	04-0CT-93	21-0CT-93	v	9	UGL	184.6
~	CL682	MDXJ01X1	DV2W*726	IFLA	04-0CT-93	21-0CT-93	v	1.6	UGL	۰.
_	CL.682	MXXJ01X1	DV24*650	-	04-0CT-93	21-0CT-93	v	1.6	UGL	0.
M18	CL.6CP	MX4103X1	DV2W*734	_	14-0CT-93	04-NOV-93	v	8.6	Je Je	0
	CL6CP	MX4103X1	DV2W*486	IFPA	14-0CT-93	02-NOV-93	v	8.6	UGL	o.
	CL6CP	MX4603X1	DV2W*646	_	04-0CT-93	21-0CT-93	v	8.6	UGL	183.5
	CL6CP	MD4603X1	DV2W*727	_	04-0CT-93	21-0CT-93	v	8	UGL	183.5
	CL6CP	MXXJ01X1	DV2W*650	_	04-0CT-93	21-0CT-93	v	8.6	NGF OGF	o.
	CL6CP	MDXJ01X1	DV2W*726	_	04-0CT-93	21-oct-93	v	8.6	J J	o.
	CL6ET	MX4103X1	DV2W*734	_	14-0CT-93	04-NOV-93	v	1.5	J J	0.
	CL6ET	MX4103X1	DV2W*486	_	14-0CT-93	02-NOV-93	v	5.	NGF.	۰.
	CL6ET	MX4603X1	DV2W*646	_	04-0CT-93	21-0CT-93	v	1.5	텀	185.5
_	CL6ET	MD4603X1	DV2W*727	IFLA	04-0CT-93	21-0CT-93	v	9	펄	185.5
~	CL6ET	MDXJ01X1	DV2W*726	-	04-0CT-93	21-0CT-93	v	7.	UGL	٥.
JM18	CL6ET	MXXJ01X1	DV2W*650	-	04-0CT-93	21-0CT-93	v	7.5	NG.	•
UM18	DBAHA	MX4103X1	DV2W*734	-	14-0CT-93	04-NOV-93	v	6.5	ig Tg	0.
80	DBAHA	MX4103X1	DV2W*486	-	14-0CT-93	02-NOV-93	v	6.5	UGL	0.
<u>~</u>	DBAHA	MX4603X1	DV2W*646	_	04-0CT-93	21-0CT-93	v	6.5	Jg Jg	187.4
	DBAHA	MD4603X1	DV2W*727	IFLA	04-0CT-93	21-0CT-93	v	200	UGL	187.4

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994, SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number Lot	Sample Date	Analysis Date	•	Value	Units	. 8
BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	UM18	DBAHA DBAHA	MDXJ01X1 MXXJ01X1	DVZ4#726 IFLA DVZ4#650 IFLA	1 04-0CT-93 1 04-0CT-93	21-0CT-93 21-0CT-93	~ ~	6.5	펄펄	0.0
BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	82 82 82 82 82 82 82 82 82 82 82 82 82 8		MX4103X1 MX4103X1 MX4603X1 MXXJ01X1 MDXJ01X1	DV24*734 1FPA DV24*486 1FPA DV24*727 1FLA DV24*646 1FLA DV24*650 1FLA	14-0c1-93 114-0c1-93 104-0c1-93 104-0c1-93 104-0c1-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	v v v v v	448444	5 55555555555555555555555555555555555	
BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	DBZFUR DBZFUR DBZFUR DBZFUR DBZFUR	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	DV2M*734 1FPA DV2M*486 1FPA DV2M*727 1FLA DV2M*726 1FLA DV2M*766 1FLA	A 14-0C1-93 A 14-0C1-93 A 04-0C1-93 A 04-0C1-93 A 04-0C1-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	v v v v v	7.1 7.1 7.1 7.1	<u> </u>	.0 183.7 183.7 0.
BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	81MU 81MU 81MU 81MU 81MU		MX4103X1 MX4103X1 MX4603X1 MXX101X1 MXXJ01X1	DVZW734 IFPA DVZW4686 IFPA DVZW727 IFLA DVZW7646 IFLA DVZW7650 IFLA DVZW726 IFLA	A 14-0CT-93 A 14-0CT-93 A 04-0CT-93 A 04-0CT-93 A 04-0CT-93 A 04-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	***	กทพืชทก	<u> </u>	
BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	UM18 UM18 UM18 UM18 UM18	DLDRN DLDRN DLDRN DLDRN DLDRN	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	DV24*734 1FPA DV24*486 1FPA DV24*646 1FLA DV24*727 1FLA DV24*726 1FLA	A 14-0C1-93 A 14-0C1-93 A 04-0C1-93 A 04-0C1-93 A 04-0C1-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	* * * * *	4.7 4.7 4.7 4.7 4.7	55 55 55 55 56 56 56 56	.0 182.0 182.0 .0
BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	UM18 UM18	dwig Dwid	MX4103X1 MX4103X1	DV2W*734 IFPA DV2W*486 IFPA	A 14-0CT-93 A 14-0CT-93	04-NOV-93 02-NOV-93	, ,	2	ner Ner	o.o.

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	185.5 185.5 0.	\$ <u>\$</u> 6 6 6 7 7 7 7 6 6 6	0		\$ <u>\$</u> 0.0.3.4 6.0.0
Value Units	1.5 us. 2.5 us. 1.5 us. 1.5 us.	3.7 UGL 3.7 UGL 90 UGL 3.7 UGL 3.7 UGL 3.7 UGL	15 UG 20 UG 20 UG 15 UG 15 UG 16 UG	7.6 UGL 7.6 UGL 7.6 UGL 200 UGL 7.6 UGL 7.6 UGL	8 06. 200 UG. 200 UG. 8 UG. 8 UG. 8 UG.
v		* * * * * *	· · · · · ·	· · · · · ·	* * * * *
Analysis Date	21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93
Sample Date	04-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93
Lot	2555	A A P I E I E I E I E I E I E I E I E I E I	A A P E E E E E E E E E E E E E E E E E	HELA A	HELA A HE
Lab Number	DV24*646 DV24*727 DV24*650 DV24*726	DV2M*734 DV2M*486 DV2M*646 DV2M*727 DV2M*726	DV2W*734 DV2W*727 DV2W*646 DV2W*650 DV2W*650	DVZW*734 DVZW*486 DVZW*646 DVZW*727 DVZW*726	DV2W*734 DV2W*727 DV2W*727 DV2W*646 DV2W*650
IRDMIS Field Sample Number	MX4603X1 MD4603X1 MXXJ01X1 MDXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDX101X1 MXX101X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1
A Test Name		ONBP ONBP ONBP ONBP ONBP	DNOP DNOP DNOP DNOP DNOP	ENDRN ENDRN ENDRN ENDRN	ENDRNA ENDRNA ENDRNA ENDRNA ENDRNA
USATHAMA Method Code	81MU 81MU 81MU	81 M 2 M 2 M 2 M 2 M 2 M 2 M 2 M 2 M 2 M	81MU UM18 81MU UM18 81MU 81MU	81MU 2418 81MU 2418 81MU 2418	81 M J M S
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

SP.		.0 182.4 182.4 182.4 .0	85.7 85.7	0. 24. 24. 24. 25. 36. 37. 37. 37. 37. 37. 37. 37. 37. 37. 37		o o
Value Units	<u> </u>	######################################	형형	5 55555555555555555555555555555555555	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	펄펄
Value	200 8888	999999 2256	2000	nww ww www.ww	7.7.8 8.7.7.8	
v	\	v v v v v		v v v v v	× × × × ×	v v
Analysis Date	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93	21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93
Sample Date	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93
Lot	FETTE	A HELA A	AT A	EETITE	TELA TELA TELA TELA TELA TELA TELA TELA	FEPA FIFPA
Lab Number	0V2W734 0V2W727 0V2W727 0V2W646 0V2W726	DV24*734 DV24*486 DV24*646 DV24*727 DV24*650 DV24*726	DV2W*727 DV2W*646	DV2N*734 DV2N*486 DV2N*646 DV2N*727 DV2N*726	DV2W*734 DV2W*486 DV2W*646 DV2W*727 DV2W*650 DV2W*650	DV2W*734 DV2W*486
IRDMIS Field Sample Number	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1	HX4103X1 HX4103X1 HX4603X1 HD4603X1 HXXJ01X1	MD4603X1 MX4603X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1
Test Name	ENDRNK ENDRNK ENDRNK ENDRNK ENDRNK	ESFS04 ESFS04 ESFS04 ESFS04 ESFS04 ESFS04	ETC6H5 ETC6H5	FANT FANT FANT FANT FANT	FLRENE FLRENE FLRENE FLRENE FLRENE	GCLDAN
USATHAMA Method Code	UM 18 UM 18 UM 18 UM 18 UM 18	0M18 0M18 0M18 0M18 81MU	UM18 UM18	81MU 81MU 81MU 81MU 81	21 MU WU	UM18 UM18
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RPO	180.6 180.6 .0	.0 .0 .0 .0 .0	81 0. 0. 4. 4. 0. 0.	0. 181 0. 181 0. 0. 0. 0.	0. 183.5 183.5 0. 0.
Value Units	5.1 UGL 5.1 UGL 5.1 UGL	3.4 UG. 3.4 UG. 3.4 UG. 80 UG. 3.4 UG. 3.4 UG.	22.22 22.22 22.22 22.22 22.22 22.22	~~87 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3	8.8 9.8 9.0 9.8 9.8 9.9 9.8 9.8 9.8 9.8 9.8 9.8 9.8
v		* * * * * *	* * * * *	* * * * *	v v v v v
Analysis Date	21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93
Sample Date	04-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93
Lot	2222	E E E E E E E E E E E E E E E E E E E	A A A A A A A	HEA A B E E	ELA LA LE
Lab Number	DV24*646 DV24*727 DV24*726 DV24*650	DV2W*734 DV2W*486 DV2W*646 DV2W*727 DV2W*650	DV2W*734 DV2W*486 DV2W*727 DV2W*646 DV2W*726	DV2W*734 DV2W*486 DV2W*727 DV2W*646 DV2W*650 DV2W*726	DV24*734 DV24*486 DV24*646 DV24*727 DV24*726
IRDMIS Field Sample Number	MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4603X1 MX4603X1 MD4603X1 MXXJ01X1 MDXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1
Test Name	GCLDAN GCLDAN GCLDAN GCLDAN	<u>888888</u>		#PCLE #PCLE #PCLE #PCLE	100 PYR 100 PYR 100 PYR 100 PYR
USATHAMA Method Code	81 WU W 18	81MU 2018 81MU 2018 81MU 2018	81MU 81MU 81MU 81MU 81MU 81MU 81MU 81MU	81MU 81MU 81MU 81MU 81MU	0M18 0M18 0M18 0M18 0M18
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devers, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

5	46.2	.0 181.7 181.7 0.0	184 0.0.4.4.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	22.2 22.2	180.0 180.0 180.0 180.0	0.0.5% 0.0.7.7.0.0
Value Units	800 UGL 500 UGL	4.8 UGL 4.8 UGL 100 UGL 4.8 UGL 4.8 UGL 6.8 UGL	446 444 444 444	500 UGL 400 UGL	5.1.5 5.1.5	5.5 UG. 200 UG. 5.5 UG. 5.5 UG. 5.7 UG.
•	: : : :	* * * * * *	* * * * *		* * * * * *	v v v v
Analysis Date	21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	02-NOV-93 04-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	21-0CT-93 21-0CT-93	02-NOV-93 04-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93
Sample Date	04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93
Lab Number Lot	DVZU*727 IFLA DVZU*646 IFLA	DVZW*734 IFPA DVZW*646 IFPA DVZW*727 IFLA DVZW*550 IFLA DVZW*726 IFLA	DV2W486 IFPA DV2W734 IFPA DV2W727 IFLA DV2W7646 IFLA DV2W726 IFLA DV2W726 IFLA	DVZW*727 IFLA DVZW*646 IFLA	DV24*486 1FPA DV24*4754 1FPA DV24*4646 1FLA DV24*727 1FLA DV24*726 1FLA	DV24*734 1FPA DV24*646 1FLA DV24*727 1FLA DV24*726 1FLA DV24*726 1FLA
IRDMIS Field Sample Number	MD4603X1 MX4603X1	HX4103X1 HX4103X1 HX4603X1 HD4603X1 HXXJ01X1 HXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXJ01X1 MXJ01X1	MD4603X1 MX4603X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDX4101X1 MXX101X1
Test	INDAN	I SOPHR I SOPHR I SOPHR I SOPHR I SOPHR	MANANA CCCCC	MEC6H5 MEC6H5	MEXCLR MEXCLR MEXCLR MEXCLR MEXCLR MEXCLR	NAP NAP NAP NAP
USATHAMA Method Code	UM18 UM18	2	2 M 2 M 2 M 2 M 2 M 2 M 2 M 2 M 2 M 2 M	UM18 UM18	81MU 2000 81MU 2	81MU 81MU 81MU 81MU 81MU
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	c	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number I	Lot	Sample Date	Analysis Date	,	Value	Value Units	줖
BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY	6C/MS 6C/MS 6C/MS 6C/MS 6C/MS 6C/MS	MU 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	99999	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	DV24*734 DV24*486 DV24*727 DV24*646 DV24*650	FEFFF	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	04-NOV-93 02-NOV-93 21-0C1-93 21-0C1-93 21-0C1-93 21-0C1-93	***	ល់ស់ទីលំលំលំ	<u> </u>	181.0 181.0 0.0
BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY	GC/MS GC/MS GC/MS GC/MS GC/MS	81MU 81MU 81MU 81MU 81MU	NNDMEA NNDMEA NNDMEA NNDMEA	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MX4503X1 MXXJ01X1	DV2N*734 DV2N*486 DV2N*727 DV2N*646 DV2N*726	FEFFF	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	* * * * * *	กกฎกก	555555	0. 0. 3. 3. 5. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY	GC/MS GC/MS GC/MS GC/MS	81MU 81MU 81MU 81MU 81MU	NNDNPA NNDNPA NNDNPA NNDNPA NNDNPA	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	DVZW*734 DVZW*486 DVZW*646 DVZW*727 DVZW*726	E E E E E E E E E E E E E E E E E E E	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	v v v v v	4.4.4 4.4.4 4.4.4	55555 5555555555555555555555555555555	0. 183.1 0. 0. 0.
BNA'S IN WATER BY BNA'S IN WATER BY	GC/MS GC/MS GC/MS GC/MS	81MU 81MU 81MU 81MU 81MU	NNDPA NNDPA NNDPA NNDPA NNDPA	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXJ01X1	DV24*734 DV24*734 DV24*727 DV24*646 DV24*726	I ELA I ELA I ELA	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	***	พพธพพพ	ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼ਫ਼	185.5 2.58 0.0 0.0
BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY BNA'S IN WATER BY	GC/MS GC/MS GC/MS	81mu 81mu 81mu	PCB016 PCB016 PCB016 PCB016	MX4103X1 MX4103X1 MD4603X1 MX4603X1	DV2W*734 DV2W*486 DV2W*727 DV2W*646	IFPA IFLA	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93	04-N0V-93 02-N0V-93 21-0CT-93 21-0CT-93	· · · ·	2282	5 5 5 5 5 5	0. 183.9 183.9

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	99	0. 0. 81 0. 0. 6. 81 0. 0. 0. 0.		0. 185.5 185.5 0.		o o
Value Units	21 GE 22 GE	22.23 20.06 22.24 22.24 22.24 22.24 23.24 23.24 24.24	22.2 23.2 24.6 25.2 25.2 25.2 25.2 25.2 25.2 25.2 25	28888888888888888888888888888888888888	28.28 28.28 28.28 28.28	3% UGL 3% UGL
v	. • •	* * * * * *	v v v v v	v v v v v	v v v v v	v v
Analysis Date	21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93 21-OCT-93 21-OCT-93 21-OCT-93 21-OCT-93	04-NOV-93 02-NOV-93
Sample Date	04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93
Lot	žž	ELE LE	ELA PER	ELA LA LE	TEA TEA	FEPA FEPA
Lab Number	0V24#726 DV24#650	DV24#734 DV24#727 DV24#727 DV24#646 DV24#726	DVZ4#734 DVZ4#727 DVZ4#727 DVZ4#646 DVZ4#726	DV24#734 DV24#727 DV24#727 DV24#726 DV24#726	DV24*734 DV24*727 DV24*727 DV24*646 DV24*726	DV24*734 DV24*486
IRDMIS Field Sample Number	MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXJ01X1 MXXJ01X1	MX4103X1 MX4103X1
Test Name	PCB016 PCB016	PCB221 PCB221 PCB221 PCB221 PCB221	PGB232 PGB232 PGB232 PGB232 PGB232	PGB242 PGB242 PGB242 PGB242 PGB242 PGB242	PGB248 PGB248 PGB248 PGB248 PGB248	PCB254 PCB254
USATHAMA Method Code	UM 18 18 18	81MU 81MU 81MU 81MU 81MU 81MU 81MU 81MU	81MU 81MU 81MU 81MU 81MU	UM18 UM18 UM18 UM18	81MU 81MU 81MU 81MU 81MU	UM18 UM18
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

89	186.1 186.1 0.0	0. 0. 1. 2. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	0.0.828 82.88 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	.0 .0 127.9 127.9 .0	.0 .182.4 182.4 .0
Value Units	100 UE XX VE VE VE	700 8 UG 700 8 UG 700 8 UG 700 8 UG 700 8 UG	18 UGL 400 UGL 18 UGL 18 UGL 18 UGL 19 UGL	2,2,5,5 6,2,5,5 7,5,5,5 7,5,5 7,5 7,5 7,5 7,5 7,5 7	9.2 UG 9.2 UG 9.2 UG 9.2 UG 9.2 UG 9.2 UG 9.3 UG
v		* * * * * *	· · · · · ·	* * * * * *	* * * * * *
Analysis Date	21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93 21-0CT-93
Sample Date	04-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93
Lot		A A P E E E E E E E E E E E E E E E E E	E E E E E E E E E E E E E E E E E E E	A PER	EEEEEE
Lab Number	DV24*727 DV24*646 DV24*726 DV24*650	DV24*734 DV24*486 DV24*727 DV24*646 DV24*726 DV24*650	DV24*734 DV24*486 DV24*727 DV24*646 DV24*726 DV24*550	DV24*734 DV24*486 DV24*646 DV24*727 DV24*726 DV24*550	DV2N*734 DV2N*486 DV2N*646 DV2N*727 DV2N*726 DV2N*550
IRDMIS Field Sample Number	MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MX4201X1 MXX101X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1
A Test Name	PCB254 PCB254 PCB254 PCB254	PCB260 PCB260 PCB260 PCB260 PCB260 PCB260	555555	PHANTR PHANTR PHANTR PHANTR PHANTR	PHENOL PHENOL PHENOL PHENOL PHENOL
USATHAMA Method Code	UM18 UM18 UM18 UM18	81MU 24MU 81MU 81MU 81MU 81MU 81MU 81MU 81MU 81	81 M D D D D D D D D D D D D D D D D D D	81 M M M M M M M M M M M M M M M M M M M	81 82 82 82 82 82 82 82 82 82 82 82 82 82
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

B		.0 .0 .0 .0 .0 .0	.0 .0 .0 .0 .0 .0	0.04 40.0		
Value Units	100 us. 100 us. 4 us. 4 us. 4 us. 4 us.	4.7 UGL 4.7 UGL 4.7 UGL 100 UGL 4.7 UGL 4.7 UGL	9.2 UGE 9.2 UGE 9.2 UGE 9.2 UGE 9.2 UGE 9.2 UGE	300 UGL 200 UGL	2.8 ug. 2.8 ug. 70 ug. 2.8 ug. 2.8 ug. 2.8 ug.	38 GE 38 GE
v		* * * * * *	v v v v v	•	* * * * * *	v v
Analysis Date	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93 21-0CT-93 21-0CT-93 21-0CT-93	04-NOV-93 02-NOV-93
Sample Date	14-0c1-93 14-0c1-93 04-0c1-93 04-0c1-93 04-0c1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93
Lot	E EEEEE	885177 5	IFPA IFLA IFLA IFLA IFLA	ΣΞΞ	ELA ELE	IFPA IFPA
Lab Number	DV24*734 DV24*727 DV24*727 DV24*646 DV24*650	DV24*734 DV24*486 DV24*646 DV24*727 DV24*726	DV24*734 DV24*486 DV24*646 DV24*727 DV24*726 DV24*650	DV2W*646 DV2W*727	DV2W*734 DV2W*486 DV2W*646 DV2W*727 DV2W*726	DV2W*734 DV2W*486
IRDMIS Field Sample Number	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MDXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4603X1 MD4603X1	MX4103X1 MX4103X1 MX4603X1 MD4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1
IA Test Name	PP000 PP000 PP000 PP000 PP000 PP000	PP00E PP00E PP00E PP00E PP00E	PP001 PP001 PP001 PP001 PP001	PRC6H5 PRC6H5	PYR PYR PYR PYR	TXPHEN TXPHEN
USATHAMA Method Code	20 20 20 20 20 20 20 20 20 20 20 20 20 2	81 M M M M M M M M M M M M M M M M M M M	81MU 81MU 81MU 81MU 81MU	UM 18 UM 18	81MU 81MU 81MU 81MU	UM18
Method Description	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Value Units	1000 UGL 186.1 36 UGL 186.1 36 UGL .0 36 UGL .0
v	
Analysis Date	3 21-0C1-93 3 21-0C1-93 3 21-0C1-93 3 21-0C1-93
Sample Lot Date	IFLA 04-0CT-93 IFLA 04-0CT-93 IFLA 04-0CT-93 IFLA 04-0CT-93
Lab Number Lo	DV2W*727 IF DV2W*646 IF DV2W*650 IF
romis Field Sample Number	MD4603X1 MX4603X1 MXXJ01X1 MDXJ01X1
AMA d Test Name	TXPHEN TXPHEN TXPHEN TXPHEN
ヹ ^	81 M J 81
USATHAMA Method Code	GC/MS GC/MS GC/MS GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	900	öööööö	öööööö	ocicio	28.6 28.6	ööööö
Value Units	50 VG. 5. VG. 23 VG.	5.288.25 2.882.21	88 <i>2:2</i> 999999	68.8 ===================================	8000 UGL 6000 UGL	.5 50 UGE 50 UGE 50 UGE 50 UGE
Š					∞.∞	
•		V V V V V	V V V V V	V V V V V		* * * * *
Analysis Date	07-0CT-93 07-0CT-93 11-0CT-93	25-0CT-93 25-0CT-93 07-0CT-93 11-0CT-93 07-0CT-93	25-0C1-93 25-0C1-93 07-0C1-93 07-0C1-93 11-0C1-93	25-0C1-93 25-0C1-93 07-0C1-93 11-0C1-93 07-0C1-93	07-0CT-93 07-0CT-93	25-0C1-93 25-0C1-93 07-0C1-93 11-0C1-93
Sample Date	04-0CT-93 04-0CT-93 04-0CT-93	14-0cr-93 14-0cr-93 04-0cr-93 04-0cr-93 04-0cr-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93
Ę	S S S S S S S S S S S S S S S S S S S	A A A A A A	CONACCA	S S S S S S S S S S S S S S S S S S S	CNA	CONTRACTOR
Lab Number	DVZW*646 DVZW*726 DVZW*650	DV24*486 DV24*734 DV24*727 DV24*646 DV24*650	DV24*486 DV24*734 DV24*727 DV24*646 DV24*506	DV2N*486 DV2N*734 DV2N*727 DV2N*646 DV2N*650 DV2N*726	DVZW*646 DVZW*727	DV2W*734 DV2W*486 DV2W*727 DV2W*646 DV2W*650
IRDMIS Field Sample Number	MX4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1	MX4603X1 MD4603X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MXXJ01X1
IA Test Name	1117GE 1117GE	112TGE 112TGE 112TGE 112TGE 112TGE	1006 1006 1006 1006	170CLE 170CLE 170CLE 170CLE	124TMB 124TMB	64444 6444 6444 6444 6444 6444 6444 64
USATHAMA Method Code	UM20 UM20 UM20	UM20 UM20 UM20 UM20 UM20	UM20 UM20 UM20 UM20	UM20 UM20 UM20 UM20 UM20	UM20 UM20	UM20 UM20 UM20 UM20
Method Description	WATER BY GC/MS Water by GC/ms Water by GC/ms	WATER BY GC/MS	WATER BY GC/MS	WATER BY GC/MS	WATER BY GC/MS Water by GC/ms	WATER BY GC/MS WATER BY GC/MS WATER BY GC/MS WATER BY GC/MS
escr	333				\$ \$	
8	ZZZ		NNNNNN	NNNNNN	SE	NENER
Meth	000's 000's 000's	\$,000 \$,000	000'S 000'S 000'S 000'S 000'S	8,00C,8 8,00C,8 8,00C,8 8,00C,8	VOC'S IN	8,000's 800's 800's 800's 800's

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RPO	0.	öööööö	000000	o o	66.7 66.7	oooooo	öööö
Value Units	.5 UGL	65 85 85 85 85 85 85 85 85 85 85 85 85 85	55 50 - 52 50 - 52 50 - 52 50 - 53 50 - 53	2000 UGL 2000 UGL	7000 ner 2000 ner	1 USE 1 1 US	30 UGL 30 UGL 1000 UGL 1000 UGL
v	: :	* * * * * *	· · · · · ·			· · · · · ·	* * * *
Analysis Date	07-0CT-93	25-0C1-93 25-0C1-93 07-0C1-93 07-0C1-93 11-0C1-93	25-0CT-93 25-0CT-93 07-0CT-93 07-0CT-93 07-0CT-93	07-0CT-93 07-0CT-93	07-0CT-93 07-0CT-93	25-0C1-93 25-0C1-93 07-0C1-93 07-0C1-93 11-0C1-93	25-0CT-93 25-0CT-93 07-0CT-93 07-0CT-93
Sample Date	04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93
Lot	CICKA	ICZA ICNA ICNA ICNA ICNA	ICNA A SOL	CICNA	I CNA	ICZA ICZA ICNA ICNA ICNA	ICZA ICZA ICNA
Lab Number	DV24*726	DVZW*734 DVZW*486 DVZW*727 DVZW*646 DVZW*650 DVZW*726	DV2W*734 DV2W*727 DV2W*727 DV2W*726 DV2W*726	DV24#727 DV24#646	DV2W*727 DV2W*646	0V24*734 0V24*727 0V24*727 0V24*646 0V24*650 0V24*726	DV2W*734 DV2W*486 DV2W*727 DV2W*646
IRDMIS Field Sample Number	MDXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MXX101X1 MXX101X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	MD4603X1 MX4603X1	MD4603X1 MX4603X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1
A Test Name	120CE	1800 1800 1800 1800 1800 1800 1800 1800	1800 1800 1800 1800 1800 1800 1800 1800	135TMB 135TMB	1E2MB 1E2MB	20.EVE 20.EVE 20.EVE 20.EVE 20.EVE 20.EVE	ACET ACET ACET ACET
USATHAMA Method Code	UM20	02000000000000000000000000000000000000	02000000000000000000000000000000000000	UM20 UM20	UM20 UM20	0200 04450 04450 04450 04450	UM20 UM20 UM20
Method Description	VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	90	öööööö	000000	oooooo	50.0 50.0	öööööö
Value Units	13 UGL 13 UGL	200 UGL 200 UGL 10000 UGL 10000 UGL 100 UGL	200 UGL 200 UGL 10000 UGL 1000 UGL 100 UGL	66 65: 58 66: 59 46: 59 46:	5000 UGL 3000 UGL	8 88.88.88.88.98.98.98.98.98.98.98.98.98.9
v	. v v	* * * * * *	· · · · · ·	* * * * *		* * * * * * *
Analysis Date	11-0CT-93 07-0CT-93	25-0C1-93 25-0C1-93 07-0C1-93 07-0C1-93 11-0C1-93	25-0CT-93 25-0CT-93 07-0CT-93 07-0CT-93 11-0CT-93	25-0C1-93 25-0C1-93 07-0C1-93 11-0C1-93 07-0C1-93	07-0C1-93 07-0C1-93	25-0C1-93 25-0C1-93 07-0C1-93 07-0C1-93 11-0C1-93
Sample Date	04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93
Ę	S ICPA	S ICZA 7 ICZA 7 ICNA 8 ICNA 9 ICNA 6 ICNA	4 ICZA 5 ICZA 7 ICNA 6 ICNA 6 ICNA 0 ICPA	4 ICZA 6 ICZA 7 ICNA 6 ICNA 6 ICNA 6 ICNA	6 ICNA 7 ICNA	4 1CZA 6 1CZA 7 1CNA 6 1CNA 6 1CNA 6 1CNA
Lab Number	DV2W*650 DV2W*726	DV2W*486 DV2W*734 DV2W*646 DV2W*650 DV2W*650	DV2W*734 DV2W*486 DV2W*727 DV2W*726 DV2W*726	DV2W*734 DV2W*486 DV2W*727 DV2W*646 DV2W*650 DV2W*726	DV24*646 DV24*727	DV2W*734 DV2W*727 DV2W*727 DV2W*646 DV2W*650 DV2W*726
IRDMIS Field Sample Number	MXXJ01X1 MDXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1 MDXJ01X1	MX4603X1 MD4603X1	MX4103X1 MX4103X1 MX4603X1 MXX301X1 MXXJ01X1
A Test Name	ACET ACET	ACROLN ACROLN ACROLN ACROLN ACROLN	ACRYLO ACRYLO ACRYLO ACRYLO ACRYLO ACRYLO	BRDCLM BRDCLM BRDCLM BRDCLM BRDCLM BRDCLM	55	C130CP C130CP C130CP C130CP C130CP
USATHAMA Method Code	UM20 UM20	UM20 UM20 UM20 UM20	UM20 UM20 UM20 UM20 UM20	UM20 UM20 UM20 UM20 UM20	UM20	UM20 UM20 UM20 UM20 UM20
Method Description	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

PP :	öööööö	000000	oooooo	000000	öööö
Value Units	20 UGL 20 UGL 800 UGL 8.3 UGL 8.3 UGL	5 UG 300 UG 300 UG 300 UG 2.6 UG 2.6 UG	4 UGL 200 UGL 200 UGL 200 UGL 1.9 UGL 1.9 UGL	882: 99 99 99 99 99	3 UGE 3 UGE 100 UGE 100 UGE
v i	* * * * * *	· · · · · ·	***	v v v	* * * *
Analysis Date	25-0C1-93 25-0C1-93 07-0C1-93 07-0C1-93 11-0C1-93	25-0CT-93 25-0CT-93 07-0CT-93 07-0CT-93 11-0CT-93	25-0CT-93 25-0CT-93 07-0CT-93 07-0CT-93 11-0CT-93	25-0CT-93 25-0CT-93 07-0CT-93 07-0CT-93 11-0CT-93	25-0C1-93 25-0C1-93 07-0C1-93 07-0C1-93
Sample Date	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93
Lot	ICZA ICZA ICNA ICNA	ICZA ICNA ICNA ICNA ICNA	ICZA ICNA ICNA ICNA ICNA	CON ICON ICON ICON ICON ICON ICON ICON I	ICZA ICZA ICNA ICNA
Lab Number	DV24*734 DV24*727 DV24*727 DV24*726 DV24*726	DV24*734 DV24*486 DV24*646 DV24*650 DV24*650	DV24*734 DV24*486 DV24*646 DV24*526 DV24*526	DV24*734 DV24*486 DV24*727 DV24*646 DV24*650 DV24*726	DV24*734 DV24*486 DV24*727 DV24*646
IRDMIS Field Sample Number	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MX401X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1
/A Test Name	CZAVE CZAVE CZAVE CZAVE CZAVE	C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL C2H3CL	C2H5CL C2H5CL C2H5CL C2H5CL C2H5CL C2H5CL C2H5CL	9H90 9H90 9H90 9H90 9H90	CCL3F CCL3F CCL3F CCL3F
USATHAMA Method Code	UM20 UM20 UM20 UM20 UM20	0.000000000000000000000000000000000000	UM20 UM20 UM20 UM20 UM20	UMZO UMZO UMZO UMZO	UM20 UM20 UM20 UM20
Method Description	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994, SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	ro t	Sample Date	Analysis Date	v	Value	Value Units	8
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UMZO	CCL3F CCL3F	MXXJ01X1 MDXJ01X1	DV24*650 DV24*726	ICPA ICNA	04-0CT-93 04-0CT-93	11-0CT-93 07-0CT-93		4.1	별	90
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20	0014 0014 0014	MX4103X1 MX4103X1 MD4603X1	DVZW*734 DVZW*486 DVZW*727	ICZA ICZA ICNA	14-0CT-93 14-0CT-93 04-0CT-93	25-0CT-93 25-0CT-93 07-0CT-93	v v v	8	형형형	ööö
IN WATER BY (IN WA	UM20 UM20 UM20	7 007 007 007	MX4603X1 MDXJ01X1 MXXJ01X1	DVZW*646 DVZW*726 DVZW*650		04-0CT-93 04-0CT-93 04-0CT-93	07-0CT-93 07-0CT-93 11-0CT-93	v v v	ខಜ಼ಜ಼	펄펄펄	
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20	CH2CL2 CH2CL2 CH2CL2 CH2CL2 CH2CL2 CH2CL2	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	DV24*734 DV24*486 DV24*727 DV24*646 DV24*526	CCA CCA CCA CCA CCA CCA CCA	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	25-0C1-93 25-0C1-93 07-0C1-93 07-0C1-93 11-0C1-93	***	2000 2000 233 233	5 55555555555555555555555555555555555	oooooo
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20	CK3BR CK3BR CK3BR CK3BR CK3BR CK3BR	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXX101X1 MXX101X1	DVZW*734 DVZW*727 DVZW*646 DVZW*650 DVZW*650	ICZA ICNA ICNA ICNA ICNA	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	25-0C1-93 25-0C1-93 07-0C1-93 07-0C1-93 11-0C1-93	· · · · · ·	0000 0000 0000 0000 0000 0000 0000 0000 0000	<u> </u>	öööööö
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20	CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL CH3CL	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDX101X1 MXXJ01X1	DV2W*734 DV2W*486 DV2W*727 DV2W*646 DV2W*726	ICZA ICZA ICNA ICNA ICNA	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	25-0C1-93 25-0C1-93 07-0C1-93 07-0C1-93 07-0C1-93	· · · · · ·	33.200	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	000000
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20	CHBR3 CHBR3	MX4103X1 MX4103X1	DV24*734 DV24*486	ICZA ICZA	14-0CT-93 14-0CT-93	25-0CT-93 25-0CT-93	v v	IV IV	15 N	. .

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	0000	666666	000000	öööööö	öööööö
/alue Units	명 명 명 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	7 US 50 US 50 US 50 US 10 US	<u> </u>	222222 222222	1 ug. 50 ug. 50 ug. 55 ug. 5. ug.
Val	300 300 2.6 2.6	M M −i −i	22000 1000 1000 1000 1000 1000 1000 100	000viv	ın ın ∵i
v		v vvv	* * * * *	* * * * * *	· · · · · ·
Analysis Date	07-0CT-93 07-0CT-93 11-0CT-93 07-0CT-93	25-0c1-93 25-0c1-93 07-0c1-93 07-0c1-93 11-0c1-93	25-0C1-93 25-0C1-93 07-0C1-93 11-0C1-93 07-0C1-93	25-0C1-93 25-0C1-93 07-0C1-93 11-0C1-93 07-0C1-93	25-0C1-93 25-0C1-93 07-0C1-93 07-0C1-93 11-0C1-93
Sample Date	04-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93
Lot	CONTRACTOR	ICZA ICZA ICNA ICNA ICNA ICNA	ICZA ICZA ICNA ICNA ICNA	ICZA ICZA ICNA ICNA ICNA	ICZA ICZA ICNA ICNA ICNA
Lab Number	DVZW*727 DVZW*646 DVZW*650 DVZW*726	DV2W734 DV2W728 DV2W727 DV2W726 DV2W726 DV2W726	DV24*734 DV24*486 DV24*727 DV24*650 DV24*650	DV2W*734 DV2W*727 DV2W*727 DV2W*646 DV2W*650 DV2W*726	DV2W*734 DV2W*727 DV2W*727 DV2W*726 DV2W*726 DV2W*726
IRDMIS Field Sample Number	MD4603X1 MX4603X1 MXXJ01X1 MDXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MXXJ01X1 MDXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1
A Test Name	CHBR3 CHBR3 CHBR3 CHBR3	CHCL3 CHCL3 CHCL3 CHCL3 CHCL3	CL282 CL282 CL282 CL282 CL282 CL282	CLC6H5 CLC6H5 CLC6H5 CLC6H5 CLC6H5 CLC6H5	CS2 CS2 CS2 CS2 CS2 CS3 CS3
USATHAMA Method Code	UM20 UM20 UM20	UM20 UM20 UM20 UM20 UM20	UM20 UM20 UM20 UM20 UM20	UM20 UM20 UM20 UM20 UM20	UM20 UM20 UM20 UM20 UM20
Method Description	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

RPO :	999999	40.0 40.0	oʻoʻoʻoʻoʻ	öööööö	ööööö	öö
Value Units	8 8 8 8 8 8 8 8	3000 UGL 2000 UGL	1 UGL 3000 UGL 3000 UGL 55 UGL 5 UGL	000 000 000 	10 UG 600 UG 600 UG 6.4 UG 6.4 UG	197 9 9
•	***		v v v	· · · · ·	· · · · · ·	~ ~
Analysis Date	25-0C1-93 25-0C1-93 07-0C1-93 11-0C1-93 07-0C1-93	07-0C1-93 07-0C1-93	25-0C1-93 25-0C1-93 07-0C1-93 11-0C1-93 07-0C1-93	25-0C1-93 25-0C1-93 07-0C1-93 11-0C1-93 07-0C1-93	25-0C1-93 25-0C1-93 07-0C1-93 07-0C1-93 11-0C1-93	25-0CT-93 25-0CT-93
Sample Date	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93
Lot	ICZA ICZA ICCZA ICCZA ICCZA	ICNA	ICZA ICZA ICNA ICNA ICNA ICNA	ICZA ICZA ICNA ICNA ICNA	ICZA ICZA ICNA ICNA ICNA	1624 1624
Lab Number	DVZN*734 DVZN*727 DVZN*646 DVZN*646 DVZN*650	DV2W*646 DV2W*727	DVZW*734 DVZW*727 DVZW*646 DVZW*650 DVZW*650	DV2M*734 DV2M*734 DV2M*727 DV2M*646 DV2M*650	DV2N*486 DV2N*734 DV2N*727 DV2N*646 DV2N*726	DV24#486 DV24#734
IRDMIS Field Sample Number	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1 MXJ01X1	MX4603X1 MD4603X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1 MXXJ01X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	MX4103X1 MX4103X1
WA Test Name	DBRCLM DBRCLM DBRCLM DBRCLM DBRCLM	ET4MBZ ET4MBZ	ETC6H5 ETC6H5 ETC6H5 ETC6H5 ETC6H5 ETC6H5	MECGHS MECGHS MECGHS MECGHS MECGHS	ĂĂĂĂĂ	MIBK MIBK
USATHAMA Method Code	0202020 02020 02020 02020 02020	UMZO	UM20 UM20 UM20 UM20 UM20	UM20 UM20 UM20 UM20	UM20 UM20 UM20 UM20	UM20 UM20
Method Description	VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devers, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	v	Value	e Units	8
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20	M M M M M M M M M M M M M M M M M M M	MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	DV24*727 DV24*646 DV24*726 DV24*650	E CNA	04-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	07-0CT-93 07-0CT-93 07-0CT-93 11-0CT-93		00m 00m 00m	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	. 0000
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20	MANBK MANBK MANBK MANBK MANBK	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MDXJ01X1 MXXJ01X1	DV24*734 DV24*486 DV24*727 DV24*726 DV24*726	CON TOTAL	14-001-93 14-001-93 04-001-93 04-001-93 04-001-93	25-0C1-83 25-0C1-83 07-0C1-83 07-0C1-83 11-0C1-83	· · · · · ·	400 400 3.6 3.6	ទី ទីទីទីទីទី	. 000000
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20	STYR STYR STYR STYR STYR	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXXJ01X1 MDXJ01X1	DV24*734 DV24*486 DV24*727 DV24*650 DV24*650	ICZA ICNA ICNA ICNA	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93 04-0CT-93	25-0C1-93 25-0C1-93 07-0C1-93 11-0C1-93 07-0C1-93	· · · · · ·	88vii	<u> </u>	öööööö
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	07.00 07.00	1130¢ 1130¢ 1130¢ 1130¢ 1130¢	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MXX101X1	DV24*734 DV24*486 DV24*727 DV24*646 DV24*726	ICZA ICNA ICNA ICNA ICNA	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	25-001-93 25-001-93 07-001-93 07-001-93 11-001-93	· · · · · ·	RR'.':	5 55555555555555555555555555555555555	öööööö
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20 UM20 UM20	TCLEA TCLEA TCLEA TCLEA TCLEA	MX4103X1 MX4103X1 MD4603X1 MX4603X1 MXXJ01X1 MDXJ01X1	DV2U*486 DV2U*734 DV2U*727 DV2U*646 DV2U*650 DV2U*726	ICZA ICNA ICNA ICNA	14-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	25-0C1-93 25-0C1-93 07-0C1-93 11-0C1-93 07-0C1-93	* * * * * *	882:2	ತ್ರತ್ರ ತ್ರತ್ರತ್ರ	000000

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

SP CP	. 00000		66.7 66.7	120.0 120.0	66.7 66.7	66.7 66.7	100.0	.0 28.6 28.6
Value Units	200 x		2000 UGL 1000 UGL	4000 UGL 1000 UGL	8000 UGL 4000 UGL	2000 UGL 1000 UGL	3000 UGL 1000 UGL	2 UG. 2 UG. 4000 UG. 3000 UG.
•		·						v v
Analysis Date	25-0CT-53 25-0CT-53 07-0CT-53 07-0CT-53	25-0C1-93 25-0C1-93 07-0C1-93 07-0C1-93 11-0C1-93	07-0CT-93 07-0CT-93	07-0CT-93 07-0CT-93	07-0CT-93 07-0CT-93	07-0CT-93 07-0CT-93	07-0CT-93 07-0CT-93	25-0CT-93 25-0CT-93 07-0CT-93 07-0CT-93
Sample Date	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93	04-0C1-93 14-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93 04-0C1-93	04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	04-0CT-93 04-0CT-93	14-0CT-93 14-0CT-93 04-0CT-93 04-0CT-93
Lot	Z Z A N Z		ICNA ICNA	ICNA	ICNA	ICNA	ICNA	ICZA ICZA ICNA
Lab Number	DV24*734 DV24*486 DV24*727 DV24*646 DV24*726	DV24**534 DV24**734 DV24**734 DV24**725 DV24**650	DV24*646 DV24*727	DVZW*646 DVZW*727	DV24*646 DV24*727	DV2W*646 DV2W*727	DV2W*646 DV2W*727	DV2W*734 DV2W*486 DV2W*727 DV2W*646
IRDMIS Field Sample Number	MX4103X1 MX4103X1 MX4603X1 MX4603X1 MX4603X1	MX4.103X1 MX4.103X1 MX4.603X1 MX4.603X1 MX4.01X1 MXX.01X1	MX4603X1 MD4603X1	MX4603X1 MD4603X1	MX4603X1 MD4603X1	MX4603X1 MD4603X1	MX4603X1 MD4603X1	MX4103X1 MX4103X1 MD4603X1 MX4603X1
4A Test Name		TACLE TACLE TACLE	UNK159 UNK159	UNK190 UNK190	UNK193 UNK193	UNK195 UNK195	UNK 196 UNK 196	XYLEN XYLEN XYLEN XYLEN
USATHAMA Method Code	02000000000000000000000000000000000000	02000000000000000000000000000000000000	UM20 UM20	UM20 UM20	UM20 UM20	UM20 UM20	UM20 UM20	UM20 UM20 UM20
Method Description	VOC'S IN WATER BY GC/MS	WATER BY	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number Lot	Sample Date	Analysis Date	•	Value	Value Units	8
VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	UM20 UM20	XYLEN	MDXJ01X1 MXXJ01X1	DVZW*726 ICNA DVZW*650 ICPA	A 04-0CT-93	07-0CT-93 11-0CT-93	· • •	ૹ૽ૹ૽	걸걸	66
PETN/NG IN WATER BY HPLC PETN/NG IN WATER BY HPLC	UW19 UW19	NG NG	MX4103X1 MX4103X1	DVZW*486 DMYA DVZW*734 DMYA	A 14-0CT-93 A 14-0CT-93	29-0CT-93 29-0CT-93	v v	55	1 10 10 10 10 10 10 10 10 10 10 10 10 10	o.o.
PETN/NG IN WATER BY HPLC Petn/ng in water by HPLC	UM19 UM19	PETN PETN	MX4103X1 MX4103X1	DV24*486 DMYA DV24*734 DMYA	A 14-0CT-93 A 14-0CT-93	29-0CT-93 29-0CT-93	v v	ୟୟ	75 NG NG NG	0.0
EXPLOSIVES IN WATER EXPLOSIVES IN WATER	UM32 UM32	135TNB 135TNB	MX4103X1 MX4103X1	DVZW*486 HTSA DVZW*734 HTSA	A 14-0CT-93 A 14-0CT-93	13-NOV-93 13-NOV-93	v v	677	1 10 10 10 10 10 10 10 10 10 10 10 10 10	66
EXPLOSIVES IN WATER EXPLOSIVES IN WATER	UM32 UM32	130NB 130NB	MX4103X1 MX4103X1	DVZW#486 HTSA DVZW#734 HTSA	A 14-0CT-93 A 14-0CT-93	13-NOV-93 13-NOV-93	~ ~	.611 .611	ner ner	0.0
EXPLOSIVES IN WATER EXPLOSIVES IN WATER	UM32 UM32	246TNT 246TNT	MX4103X1 MX4103X1	DVZW*486 HTSA DVZW*734 HTSA	A 14-0CT-93 A 14-0CT-93	13-NOV-93 13-NOV-93	~ ~	.635 .635	1 15 15 15 15 15 15 15 15 15 15 15 15 15	0.0
EXPLOSIVES IN WATER EXPLOSIVES IN WATER	UM32 UM32	24DNT 24DNT	MX4103X1 MX4103X1	DVZW*486 HTSA DVZW*734 HTSA	A 14-0CT-93 A 14-0CT-93	13-NOV-93 13-NOV-93	~ ~	.0637 .0637	<u>ಕ</u> ್ಷ	
EXPLOSIVES IN WATER EXPLOSIVES IN WATER	UM32 UM32	26DNT 26DNT	MX4103X1 MX4103X1	DVZW*486 HTSA DVZW*734 HTSA	A 14-0CT-93	13-NOV-93 13-NOV-93	~ ~	.0738 .0738	1 19 19 19 19 19 19 19 19 19 19 19 19 19	
EXPLOSIVES IN WATER EXPLOSIVES IN WATER	UM32 UM32	H H	MX4103X1 MX4103X1	DVZW*486 HTSA DVZW*734 HTSA	A 14-0CT-93 A 14-0CT-93	13-NOV-93 13-NOV-93	~ ~	1.21	ner Ner	
EXPLOSIVES IN WATER EXPLOSIVES IN WATER	UM32 UM32	8 8 8	MX4103X1 MX4103X1	DVZW*486 HTSA DVZW*734 HTSA	A 14-0CT-93 A 14-0CT-93	13-NOV-93 13-NOV-93	v v	54. 54.	ner ner	öö
EXPLOSIVES IN WATER	UM32	RDX	MX4103X1	DVZW*486 HTSA	34 14-0CT-93	13-NOV-93	•	1.17	UGF	o.

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SAMPLE DUPLICATES 1993-1994 SSI Groups 2,7

8	0.	
Value Units	UGL	.56 UGL .56 UGL
Value	< 1.17 UGL	1.56 UGL 1.56 UGL
•	· •	v v
IRDMIS USATHAWA Field Hab Sample Analysis Method Test Sample Lab Sample Analysis Code Name Number Lot Date Oate < Value Units RPD	13-NOV-93	13-NOV-93 13-NOV-93
Sample Date	DV2N*734 HTSA 14-0CT-93 13-NOV-93	DV2W*734 HTSA 14-0CT-93 DV2W*486 HTSA 14-0CT-93
Lot	HTSA	HTSA HTSA
Lab Number	DV2W*734	DVZW*734 DVZW*486
IRDMIS Field Sample Number	MX4103X1	MX4103X1 MX4103X1
A Test Name	RDX	TETRYL TETRYL
USATHAMA Method Code	UM32	UM32 UM32
Method Description	EXPLOSIVES IN WATER	EXPLOSIVES IN WATER EXPLOSIVES IN WATER

TABLE E-18

Chemical Quality Control Report Installation: Fort Devens, MA (DV) VOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	\$5555555555555555555555555555555555555	14.0 108.0 124.0 116.0 102.0
Units		9999999
Value	0.05 0.05	.057 .062 .058 .058 .051
Spike Value	<i>ឧទ់ឧទ់ឧទ់ឧទៃឧទ</i> ឧទនេទទនេទទនេទទនេទទនេទ	ខខេត្តខំនុ
Analysis Date	22.58. 22.58. 22.58. 23.58. 24.6.46. 36.58.	22-SEP-93 22-SEP-93 22-SEP-93 22-SEP-93 09-Aug-93 10-Aug-93
Sample Date	17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 05-AUG-93 05-AUG-93 05-AUG-93 17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 20-SEP-93 21-SEP-93 21-SEP-93 21-SEP-93 21-SEP-93 21-SEP-93 21-SEP-93 11-AUG-93 06-AUG-93	17-SEP-93 17-SEP-93 17-SEP-93 16-SEP-93 05-AUG-93 05-AUG-93
Lot		1BEA 1BEA 1BEA GARA GARA GASA
Lab Number	0V25*476 0V25*477 0V25*477 0V25*500 0V25*500 0V25*5500 0V25*5300 0	DV25*476 DV25*477 DV25*479 DV25*497 DV25*497
IRDMIS Field Sample Number	BX410202 BX410204 BX410205 BX410700 DX411000 DX411000 DX411000 DX411000 BXX60119 BXX60320 BXX60320 BXX60525 BXX60525 BXX60525 BXX60525 BXX60525 BXX60525 BXX60525 BXX60508 BXX60508 BXX60508 BXX60508 BXX608017 BXX60903 BX	8X410202 8X410204 8X410230 8X410335 DX410700 DX410800 DX410900
Test Name	12004 12004	48F8 48F8 48F8 48F8 48F8 48F8
USATHAMA Method Code		M13 M13 M13 M13 M13 M13 M13 M13 M13 M13
	66.78 67.78 67	GC/MS GC/MS GC/MS GC/MS GC/MS GC/MS
Method Description		84 884 84 84 84 84
scri		1108 1108 1108 1108 1108 1108
<u>م</u> 0		
Meth	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	00000000000000000000000000000000000000

Chemical Quality Control Report Installation: Fort Devens, MA (DV) VOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	76. 76. 76. 76. 76. 76. 76. 76.	98.0 172.0 172.0 172.0 172.0 172.0 172.0 172.0 172.0
Units		990 1000 1000 1000 1000 1000 1000 1000
Value t	0.052 0.054 0.056 0.058 0.053 0.053 0.054 0.056	9.00.00.00.00.00.00.00.00.00.00.00.00.00
Spike Value	សសសសសសសសសសសសសសសសសសស	ខ ់ខគ់ខគ់ខគ់ខគ់ខគ់ខ
Analysis Date	09-Aug-93 09-Aug-93 09-Aug-93 25-SEP-93 23-SEP-93 23-SEP-93 23-SEP-93 20-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93 10-Aug-93 10-Aug-93 11-Aug-93 11-Aug-93 11-Aug-93	22- SEP-93 22- SEP-93 22- SEP-93 22- SEP-93 09- AuG-93 09- AuG-93 09- AuG-93 09- AuG-93 23- SEP-93 23- SEP-93
Sample Date	05-AUG-93 05-AUG-93 06-AUG-93 06-AUG-93 17-SEP-93 17-SEP-93 17-SEP-93 14-SEP-93 14-SEP-93 20-SEP-93 21-SEP-93 21-SEP-93 21-SEP-93 21-SEP-93 05-AUG-93 05-AUG-93	17-SEP-93 17-SEP-93 17-SEP-93 16-SEP-93 05-AUG-93 05-AUG-93 05-AUG-93 05-AUG-93 17-SEP-93 17-SEP-93
Lot	GARA GARA GARA GARA GARA IBGA IBBA IBBA IBBA IBBA IBBA IBBA IBB	5 18EA 7 18EA 8 18EA 9 GARA 9 GARA 1 GARA 8 GARA 9 18WA
Lab Number	DV25*50 DV25*57 DV25*53 DV25*53 DV25*53 DV25*53 DV25*53 DV25*54 DV25*54 DV25*54 DV25*54 DV25*54 DV25*54 DV25*54 DV25*54 DV25*54 DV25*54 DV25*54 DV25*54 DV25*54 DV25*54 DV25*54 DV25*54 DV25*54	DV25*476 DV25*477 DV25*477 DV25*479 DV25*497 DV25*499 DV25*500 DV25*500 DV25*500 DV25*500 DV25*500
IRDMIS Field Sample Number	DX411000 DX411100 BXXG0119 BXXG0324 BXXG03312 BXXG0320 BXXG0362 BXXG03625 BXXG0525 BXXG0525 BXXG0525 BXXG0525 BXXG0508 BXXG0508 BXXG0508 BXXG0508 BXXG0508 BXXG0912 BXXG0912 BXXG0912 BXXG0912 BXXG0912 BXXG0912 BXXG0913 BXXG0913 BXXG0912 BXXG0913 BXXG0912 BXXG0913 BXXG0913 BXXG0910	8X410202 BX410202 BX410230 BX410230 DX410230 DX411030 DX41100 BXX60119 BXX60224 BXX60322 BXX60322
و به	1818 1818 1818 1818 1818 1818 1818 181	minimum maximum maximum mecch8 mecch9 mecch8 mecch9 mecch8 mecch9 mecch8 mecch8 mecch8 mecch8 mecch8 mecch8 mecch8 mecch8 mecch9
HAMA lod Test Name	8487 8487 8487 8487 8487 8488 8487 8488 8487 8488 848 848 8488 8488 8488 8488 8488 8488 8488 8488 8488 8488 8488 8488 848	
USATHA Method Code	MAG 2	44444444444444444444444444444444444444
c	6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S 6C/8S	6C/MS 6C/MS 6C/MS 6C/MS 6C/MS 6C/MS 6C/MS 6C/MS 6C/MS 6C/MS 6C/MS
iptio	SOIL BY SOIL B	SOIL BY SOIL B
Descr		
Method Description	\$ 200 \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$

Chemical Quality Control Report Installation: Fort Devens, MA (DV) VOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	88 50 50 50 50 50 50 50 50 50 50 50 50 50	7.57.58.59.59.59.59.59.59.59.59.59.59.59.59.59.
Value Units	.053 UGG .052 UGG .052 UGG .053 UGG .057 UGG .057 UGG .053 UGG .053 UGG .053 UGG .054 UGG .055 UGG .056 UGG .057 UGG	22222222222222222222222222222222222222
Spike Value	<i>ត</i> ន់សត់សត់សត់សត់សត់សត់	22222222222222222222222222222222222222
Analysis Date	23-56-93 18-56-93 18-56-93 20-56-93 30-56-93 30-56-93 30-56-93 30-56-93 11-AUG-93 16-AUG-93 18-AUG-93 18-AUG-93	06-0CT-92 13-JAN-93 22-0CT-93 22-0CT-93 22-0CT-93 22-0CT-93 22-0CT-93 22-0CT-93 22-0CT-93 22-0CT-93 23-JAN-94 23-JAN-94 23-DAN-94 23-DAN-94 33-DAN
Sample Date	17. SEP -93 17. SEP -93 14. SEP -93 14. SEP -93 14. SEP -93 20. SEP -93 21. SE	25 - SEP - 92 07 - JAN - 93 15 - 001 - 93 15 - 001 - 93 15 - 001 - 93 26 - JAN - 94 14 - 001 - 93 26 - JAN - 94 15 - 001 - 93 26 - JAN - 94 27 - 94 28 - 94 30 - SEP - 93 30 - SEP - 93
Lab Number Lot	DVS*532 1804 DVS*533 1804 DVS*534 1804 DVS*535 1804 DVS*536 1884 DVS*541 1804 DVS*541 1804 DVS*541 1804 DVS*541 1804 DVS*546 1804 DVS*546 1804 DVS*546 0604 DVS*546 0604 DVS*546 0604 DVS*638 0604 DVS*638 0604 DVS*638 0604	DVZW*253 ATX DVZW*254 CMG DVZW*482 ICXA DVZW*482 ICXA DVZW*483 ICXA DVZW*483 ICXA DVZW*484 ICXA DVZW*484 ICXA DVZW*484 ICXA DVZW*484 ICXA DVZW*486 ICXA DVZW*560 ICXA DVZW*560 ICXA DVZW*560 ICXA DVZW*560 ICXA
IRDMIS Field Sample Number	BXX60408 BXX60412 BXX60425 BXX60512 BXX60512 BXX60508 BXX60608 BXX60817 BXX60817 BXX60912 BXX60920 BXX60920 BXX60920 BXX60200 BXX10110 BXX10110 BXX10110 BXX10205 BXX10205	MX4101X1 MX4101X2 MX4101X2 MX4101X2 MX4101X2 MX4102B1 MX4103X1 MX4103X1 MX4105X1 MX4105X1 MX4105X1 MX4111XX MX4111XX MXAF01X2 MXAF01X2 MXAF01X2 MXAF01X2 MXAF01X2 MXAF01X2 MXAF01X2 MXAF01X2 MXAF01X2 MXAF01X2 MXAF01X2 MXAF01X2 MXAF0XX
Test	MECCAB MECAB MEC	86644666446664666666666666666666666666
USATHAMA Method Code	22222222222222222222222222222222222222	UM20 UM20 UM20 UM20 UM20 UM20 UM20 UM20
Method Description	VOC'S IN SOIL BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devers, MA (DV) VOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	120.0 177.0 177.0 177.0 177.0 178.0	88874748888 00000000000000000
Value Units	6552335335556 65555555555555555555555555	44444444444444444444444444444444444444
Spike Value	22222222222222222222222222222222222222	222222222222
Analysis Date	99-FEB-92 07-001-93 07-001-93 07-001-93 07-001-93 08-001-93 08-FEB-92 01-FEB	06-0C1-92 13-Jan-93 22-0C1-93 22-0C1-93 22-0C1-93 29-Jan-94 25-0C1-93 26-Jan-94 22-0C1-93 22-0C1-93 22-0C1-93
Sample Date	22-58-93 23-	25-SEP-92 07-JAN-93 15-0CT-93 15-0CT-93 15-0CT-93 26-JAN-94 14-0CT-93 20-JAN-94 14-0CT-93 26-JAN-94 14-0CT-93
ab lumber Lot	DV24*565 XDPB DV24*566 ICNA DV24*566 ICNA DV24*566 ICNA DV24*567 ICNA DV24*567 ICNA DV24*577 XDUB DV24*577 XDUB DV24*577 XDUB DV24*645 XULB DV24*647 XDLB DV24*655 ICNA DV24*655 XDLB DV24*656 ICNA DV24*666 ICNA DV	DV24*253 ATX DV24*254 CMQ DV24*482 ICXA DV24*483 ICXA DV24*483 XDKB DV24*484 ICXA DV24*484 ICXA DV24*484 ICXA DV24*484 ICXA DV24*484 ICXA DV24*484 ICXA DV24*489 ICXA
IRDMIS Field Sample Number	MXAF03X2 MXAF05X1 MXAF05X1 MXAF05X2 MXAF05X2 MXAF05X2 MXAF05X2 MXAF07X1 MXAF07X1 MXAF02X2 MXAF02X2 MXAF02X2 MXAF02X2 MXAF03X2 MXAF03X2 MXAF03X2 MXAF03X2 MXAF03X2 MXAF03X2 MXAF03X2 MXAF03X2 MXAF03X1 MXAF03X2 MXAF03X2 MXAF03X1 MXAF03X2 MXAF03X1 MXAF03X1 MXAF03X1 MXAF03X1 MXAF06X2 MXAF06	MX4101X1 MX4101X2 MX4101X2 MX4101X2 MX4102B1 MX4102B1 MX4102B2 MX4102B2 MX4102B2 MX4103X1 MX4103X1 MX4103X1 MX4105X1 MX4105X1
Test Name	1884 1886 1886 1886 1886 1886 1886 1886	48F8 48F8 48F8 48F8 48F8 48F8 48F8 48F8
USATHAMA Method Code	00000000000000000000000000000000000000	UM20 UM20 UM20 UM20 UM20 UM20 UM20 UM20
Method Description	VOC'S IN WATER BY GC/MS	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devers, MA (DV) VOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	\$88.888.888.888.866.868.868.868.868.866.866.868.868.868.866.868.866.86	92.0 88.0 92.0 92.0 96.0
Value Units		50 99 99 99 99 99 99 99 99 99 99 99 99 99
Spike Value	222222222222222222222222222222222222222	22222
Analysis Date	29-JAN-96 13-AUG-93 13-AUG	06-0CT-92 13-JAN-93 22-0CT-93 22-0CT-93 22-0CT-93 29-JAN-94
Sample Date	26 - JAN -94 C5- JAN -94 C5- JAN -94 C5- JAN -94 C5- JAN -94 C5- JAN -94 C5- JAN -94 C6- C6- C6- C6- C6- C6- C6- C6- C6- C6-	25-SEP-92 07-JAN-93 15-0CT-93 15-0CT-93 15-0CT-93 26-JAN-94
Lab Number Lot		DV24*253 ATX DV24*482 CMQ DV24*482 ICXA DV24*482 ICXA DV24*482 ICXA
IRDMIS Field Sample Number	MX4.105X2 MX4.110X MX4.110X MX4.110X MX4.110X MX4.110X MX4.105X1 MX4.105X1 MX4.003X1 MX4.003X2 MX4.003X2 MXX.101X1 MXX.101X2 MXX.103X1 MXX.103X1 MXX.103X1 MXX.104X2 MXX.104X2	MX4101X1 MX4101X2 MX4101X2 MX4101X2 MX4101X2 MX4101X2
A Test Name	48FB 48FB 48FB 48FB 48FB 48FB 48FB 48FB	MEC608 MEC608 MEC608 MEC608 MEC608
USATHAMA Method Code	200 CANDO CA	CANZO CANZO
Method Description	NIN	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) VOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	88888888888888888888888888888888888888	
Value Units	24 25 25 25 24 25 25 25 25 25 25 25 25 25 25 25 25 25	
Spike Value	22222222222222222222222222222222222222	
Analysis Date	22-0c1-93 25-1AN-94 25-1AN-94 25-0c1-93 29-1AN-94 22-0c1-93 29-1AN-94 113-Aug-93 13-Aug-93 13-Aug-93 13-Aug-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 13-0c1-93 14-0c1-93 14-0c1-93 14-0c1-93 14-0c1-93 14-0c1-93 14-0c1-93 14-0c1-93 16-0c1-93 16-0c1-93 17-0c1-93 17-0c1-93 17-0c1-93 17-0c1-93 17-0c1-93 17-0c1-93	
Sample Date	15-OCT -93 26-JAN-94 14-OCT -93 26-JAN-94 14-OCT -93 26-JAN-94 15-OCT -93 26-JAN-94 15-OCT -93 26-JAN-94 15-OCT -93 30-SEP-93	
Ę	TICKA MANUAL MANUAL MA	
Lab Number	DVZ#*486 DVZ#*488 DVZ#*489 DVZ#*562 DVZ#*564 DVZ#*564 DVZ#*564 DVZ#*564 DVZ#*564 DVZ#*564 DVZ#*564 DVZ#*564 DVZ#*564 DVZ#*564 DVZ#*564 DVZ#*564 DVZ#*564 DVZ#*564 DVZ#*564 DVZ#*654 DVZ#*654 DVZ#*654 DVZ#*654 DVZ#*654 DVZ#*654 DVZ#*654 DVZ#*654 DVZ#*656	
IRDMIS Field Sample Number	MX410281 MX410282 MX4103X2 MX4103X2 MX4105X2 MX4105X2 MX4105X2 MX4105X2 MX4105X2 MX4105X2 MX4F01X1 MXAF01X1 MXAF03X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF05X1 MXAF01X1 MXAF03X1 MXAF03X1 MXAF03X1 MXAF03X1 MX4603X1 MXX104X2 MXX106XX1	
Test Name	MECGD8 ME	
USATHAMA Method Code	UM20 UM20 UM20 UM20 UM20 UM20 UM20 UM20	
Method Description	VOC'S IN WATER BY GC/MS VOC'S	

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	% C	84.8
Value Units	4 7 4 4 4 7 7 7 7 6 6 6 6 6 6 6 6 6 6 6	2.8 UGG
Spike Value		3.3
Analysis Date	10-001-93 10-001-93 10-001-93 10-001-93 10-001-93 10-001-93 10-001-93 10-001-93 11-001-93	10-0cT-93
Sample Date	17-SEP-93 17-SEP	17-SEP-93
Lab Number Lot	DV25*477 HZKA DV25*514 HZKA DV25*521 HZKA DV25*521 HZKA DV25*521 HZKA DV25*531 HZKA DV25*532 HZKA DV25*531 HZKA DV25*531 HZKA DV25*532 HZKA DV25*533 HZKA DV25*533 HZKA DV25*534 HZSA DV25*534 HZSA DV25*535 GURA DV25*639 GURA DV	DV2S*476 HZKA
IRDMIS Field Sample Number	8X410202 8X410204 8X410204 8X410204 8X410204 8X410200 DX41000 DX41000 DX41000 DX411000 DX411000 DX411000 DX411000 DX411000 DX410000 DX410000 DX410000 DXX60220 BXX60212 BXX60212 BXX60513 BXX605	BX410202
A Test Name	2,6618P 2,6618	2FBP
USATHAMA Method Code	:	LM18
Method Description	BNA'S IN SOIL BY GC/RS	BNA'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	######################################	104.5 116.4
Value Units	. 5555555555555555555555555555555	7.8 UGG
Spike Value	សមាលម្តេសមាលម្តេសមាលម្តេសមាលម្តេសមាលម្តេសមាលម្តេសមាលម្ត សមាលមាលមាលមាលមាលមាលមាលមាលមាលមាលមាលមាលមាលម	6.7 6.7
Analysis Date	10-0ct - 93 10-0ct - 93 10-0ct - 93 10-0ct - 93 10-0ct - 93 26-Aug- 93 26-Aug- 93 26-Aug- 93 10-0ct - 93 11-0ct - 93 11-0ct - 93 13-0ct - 93	10-0CT-93 10-0CT-93
Sample Date	17- SEP -93 17- SE	17-SEP-93 17-SEP-93
Lab Number Lot	DV25*4,77 HZKA DV25*4,77 HZKA DV25*4,77 HZKA DV25*4,77 HZKA DV25*4,97 GJBA DV25*4,97 GJBA DV25*5,91 GJBA DV25*5,91 GJBA DV25*5,91 GJBA DV25*5,931 HZKA DV25*5,	DV2S*476 HZKA DV2S*477 HZKA
IRDMIS Field Sample L	BX410204 BX410204 BX410204 BX410204 DX410200 DX411000 DX411000 DX411000 DX411000 DX411000 BXX60214 BXX60214 BXX60212 BXX60212 BXX60512 BXX60512 BXX60512 BXX60512 BXX60512 BXX60512 BXX60512 BXX60512 BXX60512 BXX60512 BXX60512 BXX60512 BXX60512 BXX60512 BXX60512 BXX60512 BXX60512 BXX605110 BXX60508 BXX60508 BXX60508 BXX60508 BXX60508 BXX60508 BXX605110 BXX60508 BXX60508 BXX60508 BXX60508 BXX60508 BXX60509 BXX60509 BXX60509 BXX10205 BXX10205 BXX10205	BX410202 BX410204
AAMA d Test Name	i NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN	2FP 2FP
USATHAMA Method Code		LM18
od Description	N SOIL BY GC/NS N SOIL BY GC/N	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	85915934834814815865486585854515969536855555555555555555555555555555555	90.9 100.0 93.9
Value Units		3 UGG 13 UGG 1 UGG
Vał	ト トトゥ ゆゆゆめのストトゥトトゥののトゥトゥ トゥ トゥの・・・・・・・・・・・・・・・・・・・・・	жж. ж.т.
Spike Value	, , , , , , , , , , , , , , , , , , ,	พพพ พัพพ์
Analysis Date	28-Aug-38 31-Aug-38 30-Aug-38 30-Aug-38 30-Aug-38 31-Aug-38 31-Aug-38 30-Aug-38 31-Aug-38 31-Aug-38 31-Aug-38 31-Aug-38	10-0CT-93 10-0CT-93 10-0CT-93
Sample Date	17 - SEP - 93 17 - SEP - 93 18 - 93 11 - 844 - 93	17-SEP-93 17-SEP-93 17-SEP-93
Lot		76 HZKA 77 HZKA 71 HZKA
Lab Number	DV25*477 DV25*477 DV25*478 DV25*529 DV25*531 DV25*631 DV2	0V2S*476 0V2S*477 0V2S*477
IRDMIS Field Sample Number		BX410202 BX410204 BX410204
lest Name	22777777777777777777777777777777777777	NB05 NB05 NB05
USATHAMA Method Code		LM18 LM18 818
tion		BY GC/MS BY GC/MS BY GC/MS
Method Description		IN SOIL IN SOIL IN SOIL
Method		BNA'S BNA'S BNA'S

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	8652727555556666666666666666666666666666	98.5 107.5 100.0 98.5
Value Units		6.6 UGG 7.2 UGG 6.7 UGG 6.6 UGG
Spike Value	សម្រុកម្មានមួយក្រុមមួយក្រុមមួយក្រុមមួយក្រុមមួយក្រុមមួយក្រុមមួយក្រុមមួយក្រុមមួយក្រុមមួយក្រុមមួយក្រុមមួយក្រុមមួយ ក្រុមប្រុស្មាស្ត្រក្រុមប្រុស្មានក្រុមប្រុស្មានក្រុមប្រុស្មានក្រុមប្រុស្មានក្រុស្មានក្រុមប្រុស្មានក្រុមប្រុស្មា	7.7.9 7.7.7.
Analysis Date	10-0C1-93 10-0C1-93 26-AUG-93 26-AUG-93 26-AUG-93 26-AUG-93 26-AUG-93 10-0C1-93 11-0C1-93 11-0C1-93 11-0C1-93 13-0C1-93	10-ocr-93 10-ocr-93 10-ocr-93 10-ocr-93
Sample Date		17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93
Lab Number Lot		DV2S*476 HZKA DV2S*477 HZKA DV2S*477 HZKA DV2S*477 HZKA
IRDMIS Field Sample Number	BX410204 BX410230 BX410230 DX41000 DX41000 DX411000 DX411000 DX411000 DX411000 DX401100 BXXG0119 BXXG0224 BXXG0320 BXXG0320 BXXG0320 BXXG0320 BXXG0320 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0513 BXXG0	8X410202 8X410204 8X410204 BX410204
A Test Name	NBD5 NBD5 NBD5 NBD5 NBD5 NBD5 NBD5 NBD5	PHEND6 PHEND6 PHEND6 PHEND6
USATHAMA Method Code		LM18 LM18 LM18
	BNA'S IN SOIL BY GC/MS	BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS BNA'S IN SOIL BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	ទុក្ខដូរ មួន ស្ត្រី ទុស្ស ស្ត្រី ទេស ស្ត្រី ទេស្ស ស្ត្រី ទេស ស្ត្រី	45.5 48.5 54.5 54.5
Units	: : : : : : : : : : : : : : : : : : : :	99999
Value L	NBOLLW/84048040404040/8004040484	~i ~
Va		
Spike Value		พพพพพ พพพพพพ
S	ន់និងនិងនិងនិងនិងនិងនិងនិងនិងនិងនិងនិងនិងន	ន់ន់ន់ន់ន
Analysis Date	28-Aug-93 28-Aug-93	10-0C1-93 10-0C1-93 10-0C1-93 10-0C1-93 10-0C1-93
₹ ∆		
Ð	55-Aug-93 56-Aug-93	7-SEP-93 7-SEP-93 7-SEP-93 7-SEP-93 7-SEP-93
Sample Date	17-5EP-93 17-5EP-93	17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93 17-SEP-93
ot		HZKA HZKA HZKA
Lab Number	DV25*4778 DV25*4778 DV25*4778 DV25*520 DV25*520 DV25*520 DV25*521 DV25*521 DV25*527	0V2S*476 0V2S*477 0V2S*477 0V2S*477
-1 Z		
IRDMIS Field Sample Number	8X410230 9X410230 9X410300 9X410300 9X410300 9X411000 9X4111000 9X4111000 9X4111000 9X4111000 9XX601230 9XX601300 9XX601300 9XX601300 9XX601300 9XX601300 9XX601300 9XX601300 9XX601300 9XX60100 9XX60100 9XX60100 9XX10200 9XX10200 9XX10200 9XX10200	8X410202 8X410204 8X410204 8X410204 8X410204
5.5.25		****
		<u> </u>
Test	PERNO	TRP014 TRP014 TRP014 TRP014 TRP014
THAMA hod e		භ භ භ භ භ
USAT Meth Code		EEEEE
	* \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	& & & & & &
ક		GC/MS GC/MS GC/MS GC/MS GC/MS
Method Description		SOIL BY SOIL BY SOIL BY SOIL BY SOIL BY
Desci		SSSSS
1 p ot		
Meti	BNA SOLO SOLO SOLO SOLO SOLO SOLO SOLO SOL	BNA'S BNA'S BNA'S BNA'S

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1993-1994, SSI Groups 2,7

Percent Recovery	28.28.88.83.33.83.23.88.22.88.82.88.82.88.82.88.82.83.83.82.83.83.82.83.82.83.82.83.82.83.82.83.82.83.82.83.82.83.82.83.82.83.83.83.83.83.83.83.83.83.83.83.83.83.	62.0 87.0 55.0 67.0
Value Units	2.1 USS USS USS USS USS USS USS USS USS US	82 Kg 84 Kg
Spike Value	៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳៳ ៳៳៓៳៳៓៳៓៳៳៓៳	\$5 <u>\$</u> \$\$
Analysis Date	10-0CT-93 26-Aug-93 26-Aug-93 26-Aug-93 26-Aug-93 26-Aug-93 10-0CT-93 11-0CT-93	13-0CT-92 19-JAN-93 02-NOV-93 18-FEB-94 18-FEB-94
Sample Date	16-SEP-93 05-AUG-93 05-AUG-93 05-AUG-93 05-AUG-93 05-AUG-93 03-AUG-93 17-SEP-93 17-SEP-93 17-SEP-93 14-SEP-93 14-SEP-93 14-SEP-93 14-SEP-93 20-SEP-93 21-SEP	25-SEP-92 07-JAN-93 1 15-OCT-93 3 26-JAN-94 3 26-JAN-94
Lab Number Lot	DV25*4.97 GJBA DV25*4.97 GJBA DV25*500 GJBA DV25*500 GJBA DV25*510 GJBA DV25*521 HZKA DV25*521 HZKA DV25*532 HZKA DV25*533 HZKA DV25*534 HZKA DV25*534 HZKA DV25*534 HZKA DV25*535 HZKA DV25*536 HZKA DV25*536 HZKA DV25*536 HZKA DV25*536 HZKA DV25*536 HZKA DV25*536 HZKA DV25*546 HZSA DV25*549 HZSA DV25*639 GJHA DV25*639 GJHA DV25*639 GJHA DV25*639 GJHA DV25*639 GJHA	DV24*253 AVI DV24*254 CKMA DV24*482 IFPA DV24*483 NDBB DV24*483 NDBB
IRDMIS Field Sample Number	8X410345 DX410300 DX410300 DX410000 DX411000 DX411000 BXXG0119 BXXG0124 BXXG0320 BXXG0320 BXXG0412 BXXG0412 BXXG0412 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0512 BXXG0513	MX4101X1 MX4101X2 MX4101X2 MX4101X2 MX4101X2
Test Name	TRP014 TR	2461BP 2461BP 2461BP 2461BP 2461BP
USATHAMA Method Code	E E E E E E E E E E E E E E E E E E E	81MU 81MU 81MU 81MU
od Desc	BNA'S IN SOIL BY GC/MS	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devers, MA (DV) SVOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	53.0	58.0 53.0	56.0	65.0	53.0	59.0	0.12	58.0	59.0	12.0	13.0	26.0	42.0	13.0	13.0	25.0	13.0	2.5	43.0	37.0	41.0	53.0	13.0	13.0	0.5	22.0	17.0	50.0	16.0	26.0	0.0	77	13.0	13.0
Value Units	53 UG 54 UG						750 74 750 750 750 750 750 750 750 750 750 750	_	29 UGL	7. t	13 UGL	_	42 UG		_				_	_	. 14 15 15 15 15 15 15 15 15 15 15 15 15 15		_	13 UGL		2 t		_	_	28 UG		4	13 UGL	다 다
Spike Value	100	<u>8</u> 6	55	<u>5</u>	100	9£	<u>8</u> 8	9	56	35	9	100	85	36	9	90,	25	35		100	85	<u>8</u> 6	100	9	9	35	<u> </u>	<u>5</u>	9	5	35	35	5	905
Analysis Date	17-FEB-94 02-NOV-93	17-FEB-% 02-NOV-93	03-FEB-94	04-NOV-93	02-NOV-93	17-FEB-94	17-FEB-52	08-SEP-93	08-SEP-93	05-FEB-94	22-0CT-93	22-0CT-93	21-FEB-94	23-0CT-93	23-001-93	05-FEB-94	22-0CI-93	23-0CT-93	23-0CT-93	22-0CT-93	21-FEB-94	65-EB-\$2	23-0CT-93	21-FEB-94	21-FEB-94	21-reb-%	17-FEB-94	21-0CT-93	17-FEB-94	21-0CT-93	21-0c1-02	21-FEB-94	30-0CT-93	05-FEB-94
Sample Date	26-JAN-94 15-0CT-93	14-0CT-93	20-JAN-94	14-0CT-93	14-0CT-93	26-JAN-94 15-OCT-93	26-JAN-94	05-AUG-93	05-AUG-93	25-JAN-94	30-SEP-93	30-SEP-93	02-FEB-94	29-SEP-93	29-SEP-93	25-JAN-94	26-14N-02	30-SEP-93	30-SEP-93	30-SEP-93	01-FEB-94	25-JAN-94	29-SEP-93	01-FEB-94	01-FEB-94	04-0CT-03	27-JAN-94	04-0CT-93	27-JAN-94	04-0CT-93	07071-04	02-FEB-94	07-0CT-93	25-JAN-94
Lot	1588 178	IFPA	MOYA 1554	IFPA	1FPA	1588 1584	989	₹ 25	₹ 2	LDZA	IFIA	IFIA	312	IFIX	IFIA	¥29	1 L	IFIS A	IFIA	IFIA	10.18 11.18	20.5	IFIA	운 :	9 9	TEL A	88	IFLA	FD88	EF.	200	9	IFMA	MDZA
Lab Number	DV24*483 DV24*484	DV2W*485	DV2W*487	DV2W*488	DV2W*488	DV2W*489	DV2W*491	DV24*495	DVZW#496	DV2W*561	DV2W*562	DV21#564	DV2W7565	DV24*566	DV2W*566	DV211*567	DVZWTDOS	DV2W570	DV2W*570	DV24*570	DV24577	DV2W*573	DV2W*574	DV2W*575	575745VG	DV2W*644	DV2W*645	DV2W*646	DV2W*647	DV2W*648	DV2WA650	DV2W*651	DV2W*652	DV2W*653
IRDMIS Field Sample Number	MX4101X2 MX4102B1	MX4103X1	MX4103X2 MX4104X1	MX4104X1	MX4104X1	MX4104X2 MX4105X1	MX4105X2	WX4110XX	WX4111XX	MXAF01X2	MXAF02X1	MXAF03X1	MXAFUSXZ MXAFUSX1	MXAF05X1	MXAF05X1	MXAF05X2	MYACOKY	MXAF07X1	MXAF07X1	MXAF07X1	MXAFU/XZ	MXXG01X2	MXXG02X1	MXXG02X2	MXXG02X2	MX4602X1	MX4602X2	MX4603X1	MX4603X2	MX4604X1	MYX 101X1	MXXJ01X2	MXXJ02X1	MXX J02X2
Test Name	2461BP 2461BP	2461BP	246TBP 246TBP	246TBP	246TBP	246TBP 246TBP	246TBP	246TBP	246TBP	246TBP	246TBP	246TBP	2401BP	246TBP	246TBP	246TBP	2401BP	246TBP	246TBP	246TBP	24618P	246TBP	246TBP	246TBP	246TBP 2/4TBD	246TBP	246TBP	246TBP	246TBP	246TBP	2461BP	246TBP	246TBP	246TBP
USATHAMA Method Code	SE 25	E 5	SE SE	UM18	UM 18	E 418	UM18	EM18	<u> </u>	E 5	UM18	E 13	2 K	₹ 2 2 2 2 3 3 3 3	UM18	EM 18	E 2	E 5	UM18	E 13	2 E E	E#19	UM18	₹ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	E 13	2 E E	UM18	UM18	EM18	2 Z	2 X	UM 18	UM18	UM18
Method Description	IN WATER BY IN WATER BY	IN WATER	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN LIATED BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN UATED BY	IN WATER BY	IN WATER BY	IN WATER

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	36.0 26.0 64.0 27.0 37.3 10.0 87.0	8.88.55.57.88.88.88.88.55.58.88.88.88.88.88.88.88.	0.4%
. Units	ਭ ਭ ਭ ਭ ਜ ਭ ਜ ਭ ਜ	<u> </u>	
Value	%% % %	\$	Ŧ
Spike Value	000 100 100 100 100	122222222222222222222222222222222222222	Š
Analysis Date	30-0C1-93 04-NOV-93 04-NOV-93 21-FEB-94	13-0C1-92 19-LAN-93 18-FEB-94 17-FEB	
Sample Date	07-0c1-93 15-0c1-93 14-0c1-93 02-FEB-94	25-SEP-92 07-JAN-92 26-JAN-92 26-JAN-92 26-JAN-92 26-JAN-92 15-OCT-93 26-JAN-92 14-OCT-93 14-OCT-93 14-OCT-93 20-JAN-92 15-OCT-93 20-JAN-92 20-JAN-92 20-JAN-92 20-SEP-93 30-SEP-93	29-SEP-93
Lot	IFMA IFPA IFPA WDFB	- 2012 22 22 22 22 22 22 22 22 22 22 22 22 2	IFIA
Lab Number	DV2N*656 DV2N*658 DV2N*734 DV2N*751	DV24*253 DV24*483 DV24*483 DV24*483 DV24*483 DV24*483 DV24*483 DV24*489 DV24*489 DV24*489 DV24*489 DV24*560 DV2	DV24*574
IRDMIS Field Sample Number	MXX.104X1 MXX.103X1 MX4.103X1 MXX.104X2 **	MX4101X1 MX4101X2 MX4101X2 MX4102B1 MX4102B2 MX4103X1 MX4104X1 MX4104X1 MX4104X1 MX4104X1 MX4105X1 MX4105X1 MX4105X1 MX4105X1 MX4105X1 MX4F01X1 MXAF01X1 MXAF01X1 MXAF05X1	MXXG02X1
Test Name	24618P 24618P 24618P 24618P ************************************	22.23.23.23.23.23.23.23.23.23.23.23.23.2	2FBP
USATHAMA Method Code	81 81 81 81 81 81 81 81 81 81 81 81 81 8	MAN	UM18
	GC/MS GC/MS GC/MS GC/MS	6C/AS 6C/AS	GC/MS
tion	88 4 8		æ
Method Description	WATER WATER WATER	WATER	WATE
d De	REER		3
Metho	BNA'S BNA'S BNA'S BNA'S	BNA'S I BNA'S I	BNA,

Chemical Quality Control Report Installation: Fort Devers, MA (DV) SVOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	826848848848888888888888888888888888888	6.000000000000000000000000000000000000
Units		<u> </u>
Value t	833年5833824742884834	825288888888886558867555
Spike Value	222222222222222222222222222222222222222	555555555555555555555555555555555555555
Analysis Date	21-78-94 21-78-94 21-78-94 17-	13-0C1-92 19-JAN-93 102-NOV-93 17-FEB-94 17-FEB-94 02-NOV-93 03-NOV-93 05-NOV-93 17-FEB-94 05-NOV-93 17-FEB-94 02-NOV-93 17-FEB-94 02-NOV-93 05-NOV-93 05-NOV-93 05-NOV-93 06-SEP-93 08-SE
Sample Date	01-FEB-94 01-FEB-94 04-0CT-93 27-JAN-94 04-0CT-93 04-0CT-93 02-FEB-94 07-0CT-93 15-0CT-93 14-0CT-93 14-0CT-93	25- SEP -92 16- JAN -93 16- JAN -94 26- JAN -94 26- JAN -94 15- OCT -93 20- JAN -94 14- OCT -93 14- OCT -93 14- OCT -93 14- OCT -93 15- OCT -93 26- JAN -94 15- OCT -93 26- JAN -94 16- OCT -93 26- JAN -94 16- OCT -93 26- JAN -94 16- OCT -93 26- JAN -94
Lot		AVI CKMA LIFPA WDBB WDBB WDBB LIFPA LIFFA LIFPA LIFFA LIFPA LIFFA
Lab Number	DV2#575 DV2#575 DV2#644 DV2#645 DV2#647 DV2#647 DV2#647 DV2#651 DV2#651 DV2#655 DV2#655 DV2#655 DV2#655 DV2#655 DV2#655	DV2#*253 DV2#*483 DV2#*483 DV2#*483 DV2#*484 DV2#*484 DV2#*484 DV2#*486 DV2#*486 DV2#*490 DV2#*490 DV2#*490 DV2#*490 DV2#*490 DV2#*490 DV2#*490 DV2#*490 DV2#*490 DV2#*490 DV2#*490 DV2#*490
IRDMIS Field Sample Number	MXG02X2 MXG02X2 MXG02X2 MXG02X2 MXG03X1 MXG03X2 MXC101X1 MXC101X1 MXC101X2 MXC102X1 MXC102X1 MXC102X1 MXC102X1 MXC103X2 MXC103X1 MXC104X1 MXC104X1 MXC104X1	MX4101X2 MX4101X2 MX4101X2 MX4101X2 MX4101X2 MX4102B1 MX4102B1 MX4103X1 MX4104X1 MX4104X1 MX4104X1 MX4105X1 MX4110XX MX4110XX MX4110XX MX4105X1 MX410XX MXX MX410XX MX410XX MXX MX410XX MXX MXX MXX MXX MXX MXX MXX MXX MXX
10 th	2589 2589 2589 2589 2589 2589 2589 2589	
4A Test Name	2.689 2.689 2.689 2.689 2.689 2.689 2.689 2.689 2.689 2.689 2.689 2.689 2.689 2.689 2.689 2.689 2.689 2.689 3.899 3.999	
USATHAMA Method Code	######################################	######################################
_	66/78 66/78 66/78 66/78 66/78 66/78 66/78 66/78 66/78	6C/MS 6C/MS
Description	***************************************	
Jescri	MATER NATER	N WATER WATE
ethod D	BNA'S IN BNA'S IN	BNA'S II BNA'S II
E		

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1993-1994, SSI Groups 2,7

Percent Recovery	72.0	12.0	0.2	17.0	110.0	25.0	110.0	2.0	17.0	17.0	17.0	17.0	33.0 17.0	17.0	29.0	110.0	17.0	17.0	17.0	17.0	۲. نون	59.0	56.9 17.0 130.0	90.0	38.5	80.0	8 5. 0	30.0
Value Units	12 GE	14: 14:	4.4 2.4 2.4 4.4 4.4 4.4 4.4 4.4 4.4 4.4				15 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13		_	14 Cler	17 UGL	17 UGL	33 UGL 17 UGL							17 17 16							27 UGL 43 UGL	
Spike Value	5 55	<u>5</u>	3 6	55	35	6 5	99	96	9	35	9	1 00	<u> </u>	19	9	9	86	9	<u></u>	9 9 5	<u>5</u>	100		ខ្លួ	និន្ន	200	20 20 20 20	20
Analysis Date	21-FEB-94 22-0CT-93	25-55 25-55	05-FEB-% 22-0CT-93	05-FEB-94	23-0C1-33	22-0CT-93 21-FFB-04	23-0CT-93	05-FEB-94 23-001-93	21-FEB-94	21-FEB-24	21-0CT-93	17-FEB-94	21-0CT-93 17-FEB-94	21-0CT-93	17-FEB-94	21-0CT-93 21-558-04	30-0CT-93	05-FEB-94	17-FEB-94	30-0CT-93	04-NOV-93	21-FEB-94		13-0CT-92	02-NOV-93	18-FEB-94 18-FEB-94	17-FEB-94 02-NOV-93	17-FEB-94
Sample Date	02-FEB-94 29-SEP-93 29-SEP-02	29-SEP-93	20-SEP-93	25-JAN-94	30-SEP-93	30-SEP-93	28-SEP-93	25-JAN-94 20-SFP-93	01-FEB-94	01-FEB-94	04-0CT-93	27-JAN-94	04-0CT-93 27-JAN-94	04-0CT-93	27-JAN-94	04-0CT-93	07-0CT-93	25-JAN-94	27-JAN-94	07-0CT-93 15-0CT-03	14-0CT-93	02-FEB-94		25-SEP-92	15-0CT-93	26-JAN-94 26-JAN-94	26-JAN-94 15-0CT-93	26-JAN-94
Lab Number Lot	DV24*565 UDFB DV24*566 IFIA	DVZW*566 IFIA		DV2W*569 MDZA		DVZW*570 IFIA			DVZL#575 NDFB	DVZWS75 WDFB					_	DVZW*650 IFLA			_	DVZW*656 IFMA		DVZW*751 WDFB		DVZW*253 AVI			DV2W*483 MDBB DV2W*484 1FPA	
IRDMIS Field Sample Number	MXAF03X2 MXAF05X1 MXAE05X1		MXAFUSXZ MXAF06X1	MXAF06X2		MXAF07X1 MXAF07X2		MXXG01XZ MXXG02X1	MXXG02X2	MXXG02X2	MX4602X1	MX4602X2			MX4603X2	IXLOCXXII	MXXJ02X1	MXXJ02X2	MXX J03X2	MXXJ04X1	MX4103X1	MXXJ04X2		MX4101X1	MX4101X2	MX4101X2 MX4101X2	MX4101X2 MX4102B1	MX4102B2
A Test Name	245 245 345 345 345 345 345 345 345 345 345 3	14. 14.	3.F	2FP	14. 14.	6 6	2F	4 4	₩.	7 G	7	2FP	44 44 44	2FP	2FP	75 65 65 65 65 65 65 65 65 65 65 65 65 65	2FP	ZFP	2FP	5. C.	E	2FP ******	avg minimum maximum	NBD5	200	NBO 2 NBO 2	NB05 NB05	NBD5
USATHAMA Method Code	81 M 2		E 5	UM 18	E M 8 8	E 47 87 € 87	E 18	E 43	EM 3	2 <u>8</u>	UM18	E 13	2 E	STM 2	CM18	E E	2 E	UM18	E 13	E E	UM18	M 8		UM18	E E E	E 81	E E E	UM 18
Method Description	A'S IN WATER BY GC/M A'S IN WATER BY GC/M	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER BY	IN WATER	IN WATER BY	IN WATER BY	IN WATER	IN WATER BY	IN WATER BY		IN WATER	IN WATER BY	IN WATER BY	BNA'S IN WATER BY GC/MS BNA'S IN WATER BY GC/MS	IN WATER BY

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1993-1994 SSI Groups 2,7

88.0 88.0 0.0 0.0 88.0 88.0	8238688 6000000000000000000000000000000000	780.0 780.0 130.0 130.0	187.287.28 16.00.00.00.00.00.00.00.00.00.00.00.00.00	5.00.088888.23.23.23.23.23.23.23.23.23.23.23.23.23.	2444 26.0.244 26.0.244 26.0.0.0.244 26.0.0.0.0.244 26.0.0.0.0.000 26.0.0.000 26.0.0.000 26.0.0000 26.0.000 26.0.000 26.0.000 26.0.000 26.0.000 26.0.000 26.0.0000 26.0.000 26.0.000 26.0.000 26.0.000 26.0.000 26.0.000 26.0.0000 26.0.000 26.0.000 26.0.000 26.0.000 26.0.00000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.0000 26.0.00000 26.0.00000 26.0.00000 26.0.00000 26.0.00000 26.0.00000 26.0000000 26.0000000000
8888	388888	28888888	3222222	2888888888	2222222222
02-NOV-93 03-FEB-94 02-NOV-93 05-NOV-93	04-100-93 17-FEB-94 02-100-93 17-FEB-94 08-SEP-93	25-55-55 05-66-8 05-66-8 22-66-8 21-66-8 33-66-8	22-001-88 05-FEB-96 05-FEB-96 05-FEB-96 22-001-88 23-001-88	22-07-34 06-07-34 22-07-38 21-68-4 21-07-38 21-61-38	21-051-38 17-FEB-36 21-051-38 30-051-38 17-FEB-36 04-NOV-38 04-NOV-38
14-0CT-93 20-JAN-94 14-0CT-93 14-0CT-93	14-0CT-93 26-JAN-94 15-0CT-93 26-JAN-94 05-ANG-93	29-82-93 20-88-93 30-88-93 30-88-93 29-88-93 29-88-93	29-SEP-93 25-JAN-94 30-SEP-93 30-SEP-93 30-SEP-93 30-SEP-93	28-56-53 28-56-53 28-56-53 01-68-9 01-68-9 01-68-9 04-001-93	04-041-93 27-JAN-94 04-061-93 02-FEB-94 07-061-93 27-JAN-94 07-061-93 15-061-93
IFPA IFPA IFPA	LEPA LEPA GCUA	IFIA IFIA IFIA IFIA IFIA	WDZA IFIA IFIA IFIA IFIA IFIA IFIA IFIA IF	E FERRE RESTANCE TO THE FERRE RESTANCE TO TH	WDBB WDBB IFLA WDFB IFWA WDFB IFWA WDBB IFWA IFFWA IFF
DVZW*486 DVZW*487 DVZW*488 DVZW*488	DVZW*488 DVZW*489 DVZW*491 DVZW*495	DV24*561 DV24*561 DV24*562 DV24*564 DV24*565		DV2#572 DV2#573 DV2#573 DV2#573 DV2#573 DV2#644 DV2#644	DV2#************************************
MX4103X1 MX4103X2 MX4104X1 MX4104X1	MX4104X1 MX4104X2 MX4105X1 MX4105X1 MX4110XX	MX4F01X1 MX4F01X2 MX4F03X1 MX4F03X1 MX4F03X1 MX4F03X1	MXAFO5X1 MXAF05X2 MXAF06X1 MXAF07X1 MXAF07X1 MXAF07X1	MXXG01X1 MXXG01X2 MXXG02X1 MXXG02X2 MXXG02X2 MXXG02X2 MXXG02X2 MXXG02X2 MXXG02X1	MX4603X2 MX4603X2 MXX101X1 MXX102X1 MXX102X1 MXX102X2 MXX103X2 MXX103X2 MXX103X1 MXX103X1
M 805 M 805 M 805 M 805	2000 N M M M M M M M M M M M M M M M M M	M M M M M M M M M M M M M M M M M M M	M M M M M M M M M M M M M M M M M M M	M W W W W W W W W W W W W W W W W W W W	88888888888888888888888888888888888888
0.418 0.418 0.418 0.418	2	2	# # # # # # # # # # # # # # # # # # #	2	E M M M M M M M M M M M M M M M M M M M
IN WATER BY IN WATER BY IN WATER BY IN WATER BY	IN WATER BY	IN WATER BY IN WAT	IN WATER BY IN WAT	MATER BY WATER BY WAT	IN WATER BY IN WAT
	IN WATER BY GC/MS UM18 NBD5 MX4103X1 DVZW*486 IFPA 14-0CT-93 02-NOV-93 50 44 UGL IN WATER BY GC/MS UM18 NBD5 MX4103X2 DVZW*487 MDYA 20-JAN-94 03-FEB-94 50 34 UGL IN WATER BY GC/MS UM18 NBD5 MX4104X1 DVZW*488 IFPA 14-0CT-93 02-NOV-93 50 43 UGL MX4104X1 DVZW*488 IFPA 14-OCT-93 02-NOV-93 50 43 UGL	IN WATER BY GC/MS LW18 NBD5 NK4103X1 DV2M*486 IFPA 14-OCT-93 02-NOV-93 50 44 UGL IN WATER BY GC/MS LW18 NBD5 NK4103X2 DV2M*487 NDYA 20-JAN-94 03-FEB-94 50 34 UGL IN WATER BY GC/MS LW18 NBD5 NK4104X1 DV2M*488 IFPA 14-OCT-93 02-NOV-93 50 43 UGL IN WATER BY GC/MS LW18 NBD5 NK4104X1 DV2M*488 IFPA 14-OCT-93 05-NOV-93 50 43 UGL IN WATER BY GC/MS LW18 NBD5 NK4104X2 DV2M*488 IFPA 14-OCT-93 04-NOV-93 50 38 UGL IN WATER BY GC/MS LW18 NBD5 NK4104X2 DV2M*499 WDB8 26-JAN-94 77-FEB-94 50 32 UGL IN WATER BY GC/MS LW18 NBD5 NK4105X2 DV2M*491 WDB8 26-JAN-94 17-FEB-94 50 36 UGL IN WATER BY GC/MS LW18 NBD5 NK4105X2 DV2M*491 WDB8 26-JAN-94 17-FEB-94 50 36 UGL IN WATER BY GC/MS LW18 NBD5 NK4105X2 DV2M*491 WDB8 26-JAN-94 17-FEB-94 50 36 UGL IN WATER BY GC/MS LW18 NBD5 NK4105X2 DV2M*491 WDB8 26-JAN-94 17-FEB-94 50 36 UGL	IN WATER BY GC/MS UM18 NBD5 NK4103X1 DV2M*486 IFPA 14-OCT-93 O2-NOV-93 50 44 UGL NMATER BY GC/MS UM18 NBD5 NK4104X1 DV2M*488 IFPA 14-OCT-93 O2-NOV-93 50 43 UGL NMATER BY GC/MS UM18 NBD5 NK4104X1 DV2M*488 IFPA 14-OCT-93 O2-NOV-93 50 43 UGL NMATER BY GC/MS UM18 NBD5 NK4104X1 DV2M*488 IFPA 14-OCT-93 O5-NOV-93 50 43 UGL NMATER BY GC/MS UM18 NBD5 NK4104X2 DV2M*489 IFPA 14-OCT-93 O5-NOV-93 50 38 UGL NMATER BY GC/MS UM18 NBD5 NK4105X2 DV2M*490 IFPA 15-OCT-93 O4-NOV-93 50 36 UGL NMATER BY GC/MS UM18 NBD5 NK4105X2 DV2M*490 IFPA 15-OCT-93 O6-NOV-93 50 40 UGL NMATER BY GC/MS UM18 NBD5 NK4105X2 DV2M*490 IFPA 15-OCT-93 O8-SEP-93 50 40 UGL NMATER BY GC/MS UM18 NBD5 NK4105X2 DV2M*490 IFPA 15-OCT-93 O8-SEP-93 50 08-SEP-93 50 UGL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*560 IFIA 29-SEP-93 22-OCT-93 50 37 UGL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*562 IFIA 30-SEP-93 22-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 22-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NMATER BY GC/MS UM18 NBD5 NKAF01X1 DV2M*564 IFIA 30-SEP-93 23-OCT-93 50 GCL NM	IN WATER BY GC/MS LW18 NBD5 NK4103X1 DVZAM-486 IFPA 14-OCT-93 OZ-NOV-93 50 44 UGL N WATER BY GC/MS LW18 NBD5 NK4103X2 DVZAM-488 IFPA 14-OCT-93 OZ-NOV-93 50 34 UGL N WATER BY GC/MS LW18 NBD5 NK4104X1 DVZAM-488 IFPA 14-OCT-93 OZ-NOV-93 50 38 UGL N WATER BY GC/MS LW18 NBD5 NK4104X1 DVZAM-488 IFPA 14-OCT-93 OZ-NOV-93 50 38 UGL N WATER BY GC/MS LW18 NBD5 NK4105X2 DVZAM-489 IFPA 14-OCT-93 OZ-NOV-93 50 38 UGL N WATER BY GC/MS LW18 NBD5 NK4105X2 DVZAM-489 IFPA 14-OCT-93 OZ-NOV-93 50 38 UGL N WATER BY GC/MS LW18 NBD5 NK4105X2 DVZAM-489 IFPA 14-OCT-93 OZ-NOV-93 50 38 UGL N WATER BY GC/MS LW18 NBD5 NK4105X2 DVZAM-489 IFPA 14-OCT-93 OZ-NOV-93 50 38 UGL N WATER BY GC/MS LW18 NBD5 NKA105X2 DVZAM-59 GCLM 0Z-NOV-93 08-SEP-93 50 40 UGL N WATER BY GC/MS LW18 NBD5 NKA105X1 DVZAM-56 UZA 0Z-NOV-93 08-SEP-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X1 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X1 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X1 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X2 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X2 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X2 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X2 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X2 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X2 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X2 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X2 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X2 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X2 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 04 UGL N WATER BY GC/MS LW18 NBD5 NKA105X2 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 06 UGL N WATER BY GC/MS LW18 NBD5 NKA105X2 DVZAM-56 IFIA 3D-SEP-93 2Z-OCT-93 50 06 UGL N WATER BY GC	MATER BY GC/MS LW18 NBD5 NG4103X1 DV24/4266 IFPA 14-OCT-93 O2-N0V-93 MATER BY GC/MS LW18 NBD5 NG4103X1 DV24/4268 IFPA 14-OCT-93 O5-N0V-93 MATER BY GC/MS LW18 NBD5 NG4104X1 DV24/4268 IFPA 14-OCT-93 O5-N0V-93 MATER BY GC/MS LW18 NBD5 NG4104X1 DV24/4269 IFPA 14-OCT-93 O5-N0V-93 O5-N0V-93 MATER BY GC/MS LW18 NBD5 NG4104X1 DV24/4269 LWB 26-JAN-94 OF-NOV-93 MATER BY GC/MS LW18 NBD5 NG4105X1 DV24/4269 LWB 26-JAN-94 OF-NOV-93 NG4104X1 DV24/4269 LWB 26-JAN-94 OF-NOV-93 NG4104X1 DV24/4269 LWB 26-JAN-94 OF-NOV-93 NG4104X1 DV24/4269 GCUA O5-ALG-93 O2-NOV-93 NG4104X1 DV24/4261 IFA 30-SEP-93 O2-NOV-93 NG4104X1 DV24/4561 IFA 30-SEP-93 O2-NOV-93 NG4104X1 DV24/4561 IFA 30-SEP-93 O2-NOV-93 NG4104X1 DV24/457 IFA 30-SEP-93 O2-NOV-93 NG4104X1 IFA 30-SEP-93

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1993-1994, SSI Groups 2,7

Percent Recovery	78.0 80.1 22.0 130.0	\$8¢\$\frac{7}{2}\\$\x\\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	36.0
Value Units	39 UGE	%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%	
Spike Value	20	<u>5555555555555555555555555555555555555</u>	100
Analysis Date	21-FEB-94	13-001-38 14-28 14-28 14-28 14-28 14-28 14-28 14-28 14-28 14-28 14-28 14-28 14-28 14-28 14-28 14-28 14-28 14-28 14-28 14-28 14-38 14	21-FEB-94
Sample Date	02-FEB-94	25-SEP-92 26-JAN-92 26-JAN-92 26-JAN-92 15-OCT-93 14-OCT-93 14-OCT-93 14-OCT-93 14-OCT-93 14-OCT-93 14-OCT-93 14-OCT-93 14-OCT-93 14-OCT-93 14-OCT-93 14-OCT-93 14-OCT-93 14-OCT-93 14-OCT-93 14-OCT-93 15-OCT-93 16-OCT-93 16-OCT-93 17-OCT-93 16-OCT-93	01-FEB-94
Lot	8.0	AVI 11FPA WUBBB WUBB	3 3 3
Lab Number	15	DV24*255 DV24*255 DV24*482 DV24*483 DV24*484 DV24*484 DV24*489 DV24*489 DV24*489 DV24*560 DV24*560 DV24*560 DV24*560 DV24*570 DV24*570 DV24*570 DV24*570 DV24*570 DV24*570 DV24*570	DV2W*575
IRDMIS Field Sample Number	HXXJ04X2	MX4101X1 MX4101X2 MX4101X2 MX4101X2 MX4102B1 MX4102B1 MX4103X1 MX4103X1 MX4103X1 MX4105	MXXG02X2
Test Name	NBD5 ********** avg minimum maximum	PHENDS PH	PHEND6
USATHAMA Method Code	UM18	######################################	Ç¥18
	GC/MS	66/78 66/78 66/78 66/78 66/78 66/78 66/78 66/78 66/78 66/78 66/78 66/78 66/78 66/78 66/78 66/78	GC/MS
ti ga			≅
crip	ATER	MATER WATER	WATER
Des	Z.		Z
Method Description	BNA'S IN WATER BY	BNA'S S S S S S S S S S S S S S S S S S S	BNA'S

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1993-1994 SSI Groups 2,7

Percent Recovery	88888888888888888 66666666666666666666	55 55 55 55 55 55 55 55 55 55 55 55 55
Value Units	%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%	2588888846846888888888888888888888888888
Spike Value	<u> </u>	222222222222222222222222222222222222222
Analysis Date	21-001-93 17-ff8-% 21-001-93 17-ff8-% 21-001-93 21-ff8-% 30-001-93 30-001-93 05-ff8-% 17-ff8-% 21-ff8-% 21-ff8-% 21-ff8-% 21-ff8-%	13-0C1-92 19-JAN-93 10-LIVV-93 18-FEB-94 11-FEB-94 17-FEB-94 17-FE
Sample Date	04-0CT-93 27-JAN-94 04-0CT-93 27-JAN-94 04-0CT-93 02-0CT-93 25-JAN-94 27-JAN-94 07-0CT-93 15-0CT-93 14-0CT-93 02-FEB-94	25-SEP-92 07-JAN-93 26-JAN-94 26-JAN-94 26-JAN-94 26-JAN-94 14-OCT-93 20-JAN-94 14-OCT-93 26-JAN-94 14-OCT-93 26-JAN-94 15-OCT-93 26-JAN-94 26-JAN
Lot	HELA HELA HELA HELA HELA HELA HELA HELA	AVI CCCA MIRPA MIR
Lab Number	DVZH*644 DVZH*645 DVZH*645 DVZH*657 DVZH*655 DVZH*655 DVZH*655 DVZH*655 DVZH*655 DVZH*655 DVZH*655 DVZH*655 DVZH*655	DV2#*253 DV2#*254 DV2#*483 DV2#*483 DV2#*483 DV2#*484 DV2#*484 DV2#*484 DV2#*484 DV2#*484 DV2#*560 DV2#*560 DV2#*561 DV2#*562 DV2#*564 DV2#*564
IRDMIS Field Sample Number	MX4602X1 MX4603X1 MX4603X2 MX4603X2 MXXJ01X2 MXXJ01X2 MXXJ01X2 MXXJ02X1 MXXJ03X2 MXXJ03X3 MXXJ03X1 MXXJ03X1 MXXJ03X1	MX4101X1 MX4101X2 MX4101X2 MX4101X2 MX4101X2 MX4102B1 MX4102B1 MX4102X1 MX4104X1 MX4104X1 MX4105X1 MX4105X1 MX4110XX MX4111XX MX4111XX MX4111XX MX410XX1 MX1 MX1 MX1 MX1 MX1 MX1 MX1 MX1 MX1
Test Name	PHEND6 PH	TRP014 TR
USATHAMA Method Code	2	8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Method Description	BNA'S IN WATER BY GC/MS	BNA'S IN WATER BY GC/MS

Chemical Quality Control Report Installation: Fort Devens, MA (DV) SVOC SURROGATES 1993-1994 SSI Groups 2,7

Percent ts Recovery	E	7.03
Value Units	\$	
Spike Value	222222222222222222222222222222222222222	
Analysis Date	22-01-3 23-	
Sample Date	29 SEP -93 30 SEP -93	
Lot	1512 1513 1513 1513 1513 1513 1513 1513	
Lab Number	. 0.024*568 0.024*568 0.024*568 0.024*577 0.024*577 0.024*577 0.024*577 0.024*644 0.024*644 0.024*646 0.024*646 0.024*646 0.024*646 0.024*646 0.024*656 0.024*656 0.024*656	
IRDMIS Field Sample Number	HXAF05X1 HXAF05X1 HXAF05X2 HXAF07X1 HXAF07X1 HXXG01X2 HXXG01X2 HXXG02X2	
A Test Name	TRPD14 TR	
USATHAMA Method Code	######################################	
Method Description	BNA'S IN WATER BY GC/NS	

ARARS

ABB Environmental Services, Inc.

W0039366APP.CVR 7053-07



USATHAMA

U.S. Army Toxic and Hazardous Materials Agency

ASSESSMENT OF LOCATION-SPECIFIC APPLICABLE OR RELEVANT AND APPROPRIATE REQUIREMENTS (ARARS) FOR FT. DEVENS, MASSACHUSETTS

DRAFT REPORT

CHEMICAL HAZARD EVALUATION PROGRAM HEALTH AND SAFETY RESEARCH DIVISION OAK RIDGE NATIONAL LABORATORY OAK RIDGE, TN 37831-6050

April 28, 1992

U.S. ARMY TOXIC AND HAZARDOUS MATERIALS AGENTY INSTALLATION RESTORATION DIVISION ABERDEEN PROVING GROUND, MD 21010-5401

ASSESSMENT OF LOCATION-SPECIFIC APPLICABLE OR RELEVANT AND APPROPRIATE REQUIREMENTS (ARARS) FOR FT. DEVENS, MASSACHUSETTS

DRAFT REPORT

April 28, 1992

CHEMICAL HAZARD EVALUATION PROGRAM INFORMATION RESEARCH AND ANALYSIS SECTION HEALTH AND SAFETY RESEARCH DIVISION

ARAR TASK GROUP

Elizabeth P. McDonald Patricia S. Hovatter Robert H. Ross

SUPPORTED BY
U.S. ARMY TOXIC AND
HAZARDOUS MATERIALS AGENCY
Aberdeen Proving Ground, Maryland 21010-5401

Contracting Officer's Representative
Robert Muhly
Environmental Branch,
Technology Division
U.S. ARMY TOXIC AND
HAZARDOUS MATERIALS AGENCY
Aberdeen Proving Ground, Maryland

^{*}Managed by Martin Marietta Energy Systems, Inc., for the U.S. Department of Energy under Contract No. DE-AC05-84OR21400

TABLE OF CONTENTS

1.	INTE	RODUCTION	1
2	LOC	ATION-SPECIFIC ARARs	2
	2.1.	Faults	2
	22	Caves, salt-dome formations, salt-bed formations, underground mines	
	2.3.	Floodplains and wetlands	
	2.4.	Wilderness areas, wildlife refuges, wildlife resources, scenic river	
	2.5.	Rare, threatened, or endangered species	
a.	26.	Archaeological resources and historic sites	
REF	ERENC	TES	12
Арре	endix .		-1
		LIST OF TABLES	
1.	Tenta	ative Location-Specific Applicable or Relevant and Appropriate Requirements for	or

ASSESSMENT OF LOCATION-SPECIFIC APPLICABLE OR RELEVANT AND APPROPRIATE REQUIREMENTS (ARARS) FOR FT. DEVENS, MASSACHUSETTS

1. INTRODUCTION

The Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980 was passed by Congress and signed into law on December 11, 1980 (Public Law 96-510). This act was intended to provide for "liability, compensation, cleanup, and emergency response for hazardous substances released into the environment and cleanup of inactive waste disposal sites." The Superfund Amendments and Reauthorization Act (SARA), adopted on October 17, 1986 (Public Law 99-499), did not substantially alter the original structure of CERCLA, but provided extensive amendments to it.

In particular, § 121 of CERCLA specifies that remedial actions for cleanup of hazardous substances must comply with requirements or standards under federal or more stringent state environmental laws that are applicable or relevant and appropriate to the hazardous substances or circumstances at a site. Inherent in the interpretation of applicable or relevant and appropriate requirements (ARARs) is the assumption that protection of human health and the environment is ensured. The purpose of this report is to supply a preliminary list of available federal and state location-specific ARARs that might be considered for Ft. Devens (FTD).

Location-specific requirements "set restrictions upon the concentration of hazardous substances or the conduct of activities solely because they are in special locations" (53 FR 51394). In determining the use of location-specific ARARs for selected remedial actions at CERCLA sites, one must investigate the jurisdictional prerequisites of each of the regulations. Basic definitions, exemptions, etc., should be analyzed on a site-specific basis to confirm the correct application of the requirements.

The following is an explanation of the terms used throughout this report:

Applicable requirements are "those cleanup standards, standards of control, and other substantive environmental protection requirements, criteria, or limitations promulgated under federal or state law that specifically address a hazardous substance, pollutant, contaminant, remedial action, location, or other circumstances at a CERCLA site" (52 FR 32496, August 27, 1987).

Relevant and appropriate requirements are "those cleanup standards, standards of control, and other substantive environmental protection requirements, criteria, or limitations promulgated under federal or state law that, while not applicable to a hazardous substance, pollutant, contaminant, remedial action, location, or other circumstance at a CERCLA site, address problems or situations sufficiently similar to those encountered at the CERCLA site that their use is well suited to the particular site" (52 FR 32496).

Requirements under federal or state law may be either applicable or relevant and appropriate to CERCLA cleanup actions, but not both. However, requirements must be both relevant and appropriate for compliance to be necessary. In the case where both a federal and a state ARAR are available, or where two potential ARARs address the same issue, the more stringent regulation must be selected. However, CERCLA §121(d)(4) provides several ARAR waiver options that may be invoked, providing that the basic premise of protection of human health and the environment are not

ignored. A waiver is available for state standards that have not been uniformly applied in similar circumstances across the state. In addition, CERCLA §121(d)(2)(C) forbids state standards that effectively prohibit land disposal of hazardous substances.

CERCLA on-site remedial response actions must only comply with the substantive requirements of a regulation and not the administrative requirements to obtain federal, state, or local permits [CERCLA §121(e)]. In order to ensure that CERCLA response actions proceed as rapidly as possible, the EPA has reaffirmed this position in the final National Contingency Plan (NCP) (55 FR 8756, March 8, 1990). Substantive requirements pertain directly to the actions or conditions at a site, while administrative requirements facilitate their implementation. The EPA recognizes that certain of the administrative requirements, such as consultation with state agencies, reporting, etc., are accomplished through the state involvement and public participation requirements of the NCP. These administrative requirements should be observed if they are useful in determining cleanup standards at the site (55 FR 8757).

In the absence of federal- or state-promulgated regulations, there are many criteria, advisories, guidance values, and proposed standards that are not legally binding, but may serve as useful guidance for remedial actions. These are not potential ARARs but are "to-be-considered" (TBC) guidance. These standards, etc., may be addressed in the text of this report as deemed appropriate.

2. LOCATION-SPECIFIC ARARS

Table 1 lists the major federal and state location-specific ARARs that might be pertinent to remedial actions at FTD. The text of some regulations under the Code of Massachusetts Regulations (CMR) were not available to the authors at the time of publication of this document. They will be referred to in the text based on sources who indicate their applicability and should be consulted should any of the relevant resources be present or suspected at a given remedial site. However, if the text is not available for analysis, the regulations will not appear on Table 1.

2.1. Faults

FTD is located in the Upland Subprovince of the New England Physiographic Province (EAISD 1991). This area is characterized by glacial deposits underlain by a complex of intensely folded and faulted metamorphic and igneous rock (EAISD 1991; ESE 1982). There are no faults with Holocene displacement under FTD (Sinnott 1992). However, the area has experienced a number of major earthquakes since the early 1700's that, while not involving fault displacement, have involved liquification of sediments (Sinnott 1992).

Under current RCRA regulations FTD is exempted from compliance with the RCRA seismic requirements of 40 CFR 264.18 since 264.18(a) stipulates that all facilities located within political jurisdictions other than those listed in Appendix VI are assumed to be in compliance for location of new treatment, storage or disposal (TSD) facilities. Massachusetts is not listed in the Appendix. However, EPA intends to propose additional seismic restrictions for location of TSD facilities [Notice of Proposed Rule Making (NPRM) March 1992; Final Rule expected March 1994]. At that time the new regulations may become applicable to FTD.

TABLE 1. Tentative Location -Specific Applicable or Relevant and Appropriate Requirements for FTD

Location Characteristic(s)	Operating Condition(s)	Roquirement(s)	(Nuction(s)
Prodplains Within 100-year floodplain	 Treatment, storage or disposal facility RCRA*-defined listed or characteristic hazardous waste (40 CFR 261) -or- RCRA- permitted facility 	 Facility must be designed, constructed, operated, and maintained to prevent washout of any hazardous waste by 100 year flood. 	• 40 CFR 264.18(b)
• Within "lowland and relatively flat areas adjoining inland and coastal waters and other floodprone areas such as offshore islands, including at a minimum, that area subject to a one percent or greater chance of flooding in any given year." [Executive Order 11988 § 6(c) and 40 CFR 6, Appendix A § 4(d)]	• Federal agency action which involves: - acquiring, managing, and disposing of lands and facilities - providing federally undertaken, financed, or assisted construction and improvements - conducting federal activities and programs affecting land use	 Federal agencies shall take action to reduce the risk of flood loss, minimize the impact of floods on human safety, health and welfare, and restore and preserve the natural and beneficial values of floodplains. Federal agencies shall evaluate potential effects of actions in floodplains and ensure consideration of flood hazards and 	• Executive Order 11988 • 40 CFR 6.302(b) • 40 CFR 6 (Appendix A)
3		If action is taken in floodplains, federal agencies shall consider alternatives to avoid adverse effects, incompatible development, and minimize potential harm.	
• Inland and coastal land subject to flooding	• Treatment, storage or disposal facility subject to regulations under CMR ⁴ tit. 310 § 30.800 • Hazardous waste subject to regulation under CMR tit. 310 § 30.000	 Active portions of new treatment or storage facilities are prohibited within the boundary of land subject to flooding from the statistical 100-year frequency storm. Active portions of landfills, land treatment units, surface impoundments, or waste piles are prohibited within the boundary of land subject to flooding from the statistical 500-year frequency storm. 	• CMR tit 310 \$ 30.701

TABLE 1. (Continued)

Requirement(s) (Mation(s)	 Whenever possible, federal agency actions Whenever possible, federal agency actions Executive Order 11990 Wetlands and act to preserve and enhance 40 CFR 6.302(a) their natural and beneficial values. Agencies should particularly avoid new construction in wetlands areas unless there are no practicable alternatives. Federal agencies shall incorporate wetlands protection considerations into planning, regulating, and decision-making processes. 	or destruction of wetlands to the extent or destruction of wetlands to the extent or destruction of wetlands to the extent possible. Discharges for which there are practicable alternatives with less adverse impacts or those which would cause or contribute to significant degradation are prohibited. If adverte impacts are unavoidable, action must be taken to enhance, restore, or create alternative wetlands.	eatment • Designated facilities cannot be constructed • CMR tit. 310 § 30.705(a) ste pile in, or expanded into, a wetlands
Operating Condition(s)	 Federal agency action which involves: acquiring, managing, and disposing of lands and facilities providing federally undertaken, finances, or assisted construction and improvements conducting federal activities and programs affecting land use 	Action involving discharge of dredge or fill material into wetlands	 Active portion of landfill, land treatment unit, surface impoundment, or waste pile
Location Characteristic(s)	Wetlands • Presence of wetlands as defined in Executive Order 11990 § 7(c) and 40 CFR 6, Appendix A § 4(j)	• Presence of wetlands as defined in 40 CFR 230.3(1) and 33 CFR 328.3(b)	• Presence of wetlands as defined in MGL ^c ch. 131 § 40, MGL ch. 130 § 105, or

Wilderness areas, wildlife resources, wildlife refuges, or seeds there

 Within wildlife refuge as designated in 16 USC 668dd -or- within range in which action could impact such an area

· Action which will impact wildlife refuges

 A refuge's administering agency and its appropriate regulations must be consulted to determine prohibited activities and possible exemptions.

exemptions.

• The effects of actions on the values of the wildlife refuge must be considered.

 National Wildlife Refuge System Administration Act of 1966 (16 USC 668dd-ec)

TABLE 1. (Continued)

I

Charton(s)	on • Fish and Wildlife Coordination Act (16 USC 661 et seq.) • 40 CFR 6.302(g) (applies to federal sigate, agencies only) • A. W.	c • Clean Water Act § 404 ent • 40 CFR 230 • 33 CFR 320-330
Requirement(s)	 The effects of water-related projects on fish and wildlife resources must be considered. Action must be taken to prevent, mitigate, or compensate for project-related damages or loxes to fish and wildlife resources. Off-site actions which alter a resource require consultation with the FWS⁴, NMFS⁴, and/or the appropriate state agency. Consultation with the responsible agency is also strongly recommended for on-site actions. 	 Degradation or destruction of aquatic ecosystems must be avoided to the extent possible. Discharges which cause or
Operating Condition(s)	• Action which results in the control or structural modification of a natural stream or body of water	 Action involving the discharge of dredge or fill material into aquatic ecosystem
Location Characteristic(s)	Within area affecting stream or river - and- presence of fish or wildlife resources	 Location encompassing aquatic ecosystem with dependent fish, wildlife, other aquatic life, or habitat

Undergreed, threatened or rare species

5

species as designated in 50 CFR 17, 50 CFR Presence of endangered or threatened species -or- critical habitat of such 226, or 50 CFR 227

- · Action which is likely to jeopardize species or destroy or adversely modify critical habitat
- must be avoided or appropriate mitigation Actions which jeopardize species/habitat measures taken.

contribute to significant degradation of the

water of such ecosystem are prohibited.

- Off-eite actions which affect species/habitat NMFS, and/or state agencies, as appropriate, species or adversely modify or destroy critical eopardize the continued existence of the to ensure that proposed actions do not require consultation with DOP, FWS, habitat.
- · Consultation with the responsible agency is also strongly recommended for on-site

- Endangered Species Act of 1973 (16 USC 1531 et seq.)

 - 50 CFR 402
 40 CFR 6.302(h) (applies to federal agencies only)
- Fish and Wildlife Coordination Act (16 USC 661 et seq.)

TABLE 1. (Continued)

Location Characteristic(s)	Operating Condition(s)	Requirement(s)	Chation(s)
• Presence of endangered or threatened species or critical habitat (see above citation) of same within an aquatic ecosystem as defined in 40 CFR 230.3(c)	Action involving discharge of dredge or fill material into aquatic ecosystem	 Dredge or fill material shall not be discharged into an aquatic ecosystem if it would jeopardize such species or would likely result in the destruction or adverse modification of a critical habitat of the species 	• Clean Water Act § 404 • 40 CFR 230.10(b)
• Presence of special concern, threatened, or endangerd species as listed pursuant to MGL ch. 131A § 1 et seq., 50 CFR 17, 50 CFR 226, 50 CFR 227, or significant habitats as designated pursuant to MGL ch. 131A § 1 et seq.	 Action likely to jeopardize species or alter significant habitst 	 Action which jeopardize species or alter significant habitat must be avoided if possible with minimization and adequate mitigation as necessary. 	• MGL ch. 131A § 1 et seq.
Archaeological and bistoric resources • Presence of archaeological resources on public land:	Action which would impact resources	 Steps must be taken to protect archaeological resources and sites. 	 Archaeological Resources Recovery Act of 1979 (16 USC 470aa-ll) 43 CFR 7 32 CFR 229
• Presence of archaeological or historic resources	 Action involving dam construction or other alteration of terrain which might cause irreparable loss or destruction of significant scientific, prehistoric, historic, or archaeological data 	 The Secretary of the Interior must be advised of the presence of such data. A survey must be conducted of affected areas for resources and data. Steps must be taken to recover, protect, and preserve data therefrom or DOI formally requested to do so. 	 Archaeological and Historic Preservation Act (16 USC 469a-c) 40 CFR 6.301 32 CFR 650.181 et seq.

6

TABLE 1. (Continued)

Chatica(s)	National Historic Preservation Act (16 USC 470a-w) Executive Order 11593 40 CFR 6.301 36 CFR 800 32 CFR 650.181 et seq.	
Requirement(s)	 • Cultural resources included on, or eligible for inclusion on, the National Register of Historic Places (36 CFR 60) or National Historic Landmark Program (36 CFR 65) must be identified. • A determination must be made as to whether proposed action(s) will affect such resources and, if so, alternatives to the action(s) must be examined and considered. • When alteration or destruction of the resource is unavoidable, steps must be taken to minimize or mitigate the impacts and to preserve records and data of the resource. • When all or part of a remedial action is off-site, the consultation requirements of 16 USC 470f must be completed. • Consultation is also strongly recommended for on-site actions. 	FR 260.10
Operating Condition(s)		*RCRA = Resource Conservation and Recovery Act; definitions appear at 40 CFR 260.10
Location Characteristic(s)	Presence of federally owned, administered, or controlled prehistoric or historic resources -or- the likelihood of undiscowered resources 2	*RCRA = Resource Conservation an

*CMR = Code of Massachusetts Regulations
*MGL = Massachusetts General Laws
*FWS = U. S. Fish and Wildlife Service
*NMFS = National Marine Fisheries Service
*DOI = Department of Interior

2.2. Caves, salt-dome formations, salt-bed formations, and underground mines

FTD is located in north central Massachusetts in the counties of Middlesex and Worchester. The terrain is generally rolling to hilly (EAISD 1991; ESE 1982). The land surface consists primarily of unconsolidated glacial till, outwash and lake deposits (ESAISD 1991). FTD is underlain largely by glacial outwash sequences each with a diverse lithology (ESE 1982). There are no salt formations or caves on FTD (Shepherd 1992). In addition, there are no underground mines at FTD, although there are some gravel pits (Waugh 1992).

2.3. Floodplains and wetlands

FTD is located in the Nashua River Basin and the Nashua River flows through the installation (EAISD 1991; ESE 1982). Tributaries to the Nashua River, as well as numerous natural lakes and ponds, are located on FTD (EAISD 1991; ESE 1982; EEI 1992). There are also man-made impoundments on the installation (EAISD 1991). Given the extent of these resources, a complete catalogue is beyond the scope of this text. They are described in the Master Environmental Plan for Ft. Devens, Massachusetts (EAISD 1991) and the Installation Assessment of Headquarters Ft. Devens (ESE 1982).

There are several floodplains on FTD (Craig 1992). All along the portions of the Nashua River located within FTD are 100- and 500- year floodplains (Craig 1992). There are also 500- year floodplains around several of the water impoundments on the installation, including Robbins Pond and Mirror Lake (Craig 1992). To the west of Robbins Pond, there are 100- and 500- year floodplains along Cold Spring Brook. In addition, much of the entire South Post area is located within floodplains (Craig 1992). Given the abundancy of these resources, any specific site chosen for remedial action should be surveyed for floodplains.

Any remedial actions impacting floodplains would be subject to ARARs under 40 CFR 264.18(b), Executive Order 11988, 40 CFR 6.302(b), and 40 CFR 6 (Appendix A). In addition, Massachusetts hazardous waste facility location regulations, located at CMR tit. 310 § 30.701, would be ARAR. These latter regulations are framed in terms of facilities within the boundaries of land subject to flooding from the statistical 100-year and 500-year frequency storm, as well as differentiating between the active portions of different types of facilities, ie. new treatment or storage facilities, as opposed to landfills, etc. In addition, the removal, dredge, fill, or alteration of land subject to flooding is addressed at Massachusetts General Laws (MGL) ch. 131 § 40 and CMR tit. 314 § 9.01.

There are also numerous wetlands on and around FTD (Poole 1992a; EEI 1992; EAISD 1991; USFWS 1991; ESE 1982). Again, a complete description of all of these resources is beyond the scope of this text, but resource material is readily available in the sources cited in this section, as well as in National Wetlands Inventory Maps. Notably, the Oxbow National Wildlife Refuge is contiguous with the east-central portion of FTD (ESE 1982). This large wetlands area was deeded by FTD to the U.S. Department of the Interior (DOI) in 1973 (ESE 1982). In addition, wetlands along the Nashua River, as well as the Slaterock, Ponakin, and Cranberry Brook drainages have been identified by the Massachusetts Natural Heritage and Endangered Species Program's "Estimated Habitat Map of State-listed Rare Wetlands Wildlife" (USFWS 1991). Wetlands located on FTD along the Nashua River and its tributaries are also within one of Massachusetts' focus areas for wetlands habitats and resources (USFWS 1991). Clearly, any site chosen for remediation should be carefully surveyed for wetlands resources.

Any remedial activities that impact wetlands would develop ARARs under Executive Order 11990, 40 CFR 6.302(a), 40 CFR 6, Appendix A, Clean Water Act § 404, 40 CFR 230, and 33 CFR 320-330. Massachusetts regulations located at CMR tit. 310 § 30.705(6) prohibit location of the active portion of a landfill, land treatment unit, surface impoundment, or waste pile within a wetland. For the purposes of these regulations wetlands are defined according to MGL ch. 130 § 105, MGL ch. 131 § 40, or the regulations promulgated pursuant to those statutes. In addition, the dredge, fill, removal, or alteration of wetlands, wet meadows, etc. are controlled under MGL ch. 131 § 40 and wetlands protection is addressed at CMR tit. 310 § 10.01 et seq. The texts of the latter regulations are not available for full analysis at publication of this document. However, sources indicate that the requirements of these regulations are more stringent that their federal counterparts (Poole 1992a). For example, the regulations restrict actions that would affect wetlands to a distance of greater than 100 feet of the wetland boundary. The regulations have been ordered and will be analyzed in the next draft of this document.

2.4. Wilderness areas, wildlife refuges, wildlife resources, scenic rivers

There are no scenic rivers or wilderness areas on FTD, or within reasonable impact range of the installation. However, there is a wildlife refuge, the Oxbow National Wildlife Refuge, that abuts the east central portion of FTD (ESE 1982). This is a wetlands area that was once part of FTD, but was deeded to DOI in 1973 (ESE 1982). Any remedial action that could impact this resource would be subject to ARARs under the National Wildlife Refuge System Administration Act of 1966 (16 USC 668dd-ee), which requires that the effects of actions on the value of the wildlife refuge be considered.

There are also several state resources located in the vicinity of FTD. The Ayre State Game Area is located less than 1 kilometer north of the Moore Airfield (EAISD 1991). Lancaster State Forest is located to the west of the South Post area (EAISD 1991). Bolton Flats State Wildlife Management Area is located to the southeast of the South Post area (EAISD 1991). If any remedial activities appear likely to impact any of these areas, the appropriate state official and/or management personnel should be contacted for guidance as to any applicable requirements.

Given the broad range of natural resources and habitats on FTD, the presence of abundant and diverse wildlife resources is predictable. The draft report Risk Assessment Approach for Shepley's Hill Landfill and Cold Spring Brook Landfill Site, Ft. Devens, Massachusetts specifically details and characterizes the various terrestrial and aquatic ecosystems and their attendant wildlife (EEI 1992). Wildlife resources have also been summarized in a U.S. Fish and Wildlife Service (USFWS) report prepared for the U.S. House of Representative Appropriations Committee (USFWS 1991). A rich variety of resources are present at FTD and any site chosen for remediation should be carefully surveyed for wildlife resources and habitat. The impacts of any activity on these resources should be carefully considered.

Any remedial activity that results in the control of a natural stream or water body with fish or wildlife resources would be subject to ARARs under the Fish and Wildlife Coordination Act (16 USC 661 et seq.) and 40 CFR 6.302(g). Any action involving the discharge of dredge or fill material into an aquatic ecosystem with dependant fish, wildlife, other aquatic life, or habitat would dictate consideration of the Clean Water Act § 404, 40 CFR 230, and 33 CFR 320-220.

2.5. Rare, threatened, or endangered species

Although early information indicated no presence of rare, threatened, or endangered species at FTD, more recent studies and research have discovered a number of such species (ESE 1982; EEI 1992; USFWS 1991; Poole 1992c). For example, the peregrine falcon (falco peregrinus) and the bald eagle (Haliaeetus leucocephalus), both federally endangered species, have been observed at FTD during migration (Poole 1992c; USFWS 1991; EEI 1992). A current list of rare, threatened, and endangered species at the installation, provided by the Forestry, Fish and Wildlife Section at FTD, is reproduced in the Appendix of this report. In addition to those species, climbing fern (Lygodium palmatum), a state special concern species, has been documented within a 1.5 mile radius of the Shepley's Hill Landfill site (EEI 1992).

As part of an ongoing effort to monitor species at FTD there are currently several surveys and studies underway, or planned for this year, at the installation (Poole 1992a; Poole 1992b). An inventory of amphibians, reptiles, and their habitats being conducted at the FTD annex has documented a blue spotted salamander (Ambystoma laterale), which is a species of state concern (Poole 1992b; Poole 1992c). A radio-telemetry study of Blanding's turtle (Emydoidea blandingii) will begin this year (Poole 1992b; Poole 1992c). Two specialists are conducting surveys for butterfly species and a study of tiger beetles is underway (Poole 1992b; Poole 1992c). Finally, FTD is also sponsoring a survey for additional rare species, particularly bats and wetlands species (Poole 1992b; Poole 1992c).

Any site chosen for remedial action should be carefully surveyed for the presence of rare, threatened, or endangered species. If any are located, ARARs would develop under the Endangered Species Act of 1973 (16 USC 1531 et seq.), 50 CFR 402, 40 CFR 6.302(h), and the Fish and Wildlife Coordination Act (16 USC 661 et seq.). Moreover, if any activity involves the discharge of dredge or fill material into an aquatic ecosystem, the provisions of the Clean Water Act § 404 and 40 CFR 230.10(b) would also be applicable. Finally, ARARs would also derive from The Massachusetts Endangered Species Act (MGL ch. 131A § 1 et seq.) and its attendant regulations.

2.6. Archaeological resources and historic sites

There has not been a complete survey of FTD for archaeological resources (Simon 1992). However, sources at the Massachusetts Historical Commission indicate that there is approximately a 90% chance that such resources are present on the installation (Simon 1992). In addition, a historic district has been established around the parade field in the central portion of FTD (Winter 1992). The district includes the post headquarters, residential quarters, and barracks-type buildings constructed in the 1920's and the 1930's (Winter 1992). This district has been nominated to the National Register of Historic Places (Winter 1992; Simon 1992). The state has commented favorably on the nomination and the district will also be included on the comparable state list (Simon 1992).

A survey for archaeological resources and additional historic sites is warranted. If any are located and would be impacted by remedial activities, ARARs would develop under the Archaeological Resources Recovery Act of 1979 (16 USC 470aa-II), 43 CFR 7, 32 CFR 229, the Archaeological and Historic Preservation Act (16 USC 469a-c), 40 CFR 6.301, and 32 CFR 650.181 et seq. In addition, the property in the historic district, or any other property that is eligible for the National Register of Historic Places or the National Historic Landmark Program, would be subject to ARARs under the National Historic Preservation Act (16 USC 470a-w), Executive Order 11593, 40 CFR 6.301, 36 CFR 800, and 32 CFR 650.181 et seq. ARARs may also develop under MGL ch.

9 §§ 26-27c, CMR tit. 950 §§ 70-71, MGL ch. 7 § 38A, MGL ch. 38 § 6(b), MGL ch. 30 §§ 61-62, and CMR tit. 301 § 10.

REFERENCES

- Craig, J. 1992. Chief, Basin Management Division, U.S. Army Corps of Engineers, Waltham, MA. Personal communication, April 24, 1992 (617-647-8381).
- EAISD. Environmental Assessment and Information Sciences Division. 1991. Master Environmental Plan for Ft. Devens, Massachusetts. U. S. Department of Energy Contract No. W-31-109-Eng-38. Environmental Assessment and Information Sciences Division, Argonne National Laboratory, Argonne, IL.
- EEI. Ecology and Environment, Inc. 1992. Risk Assessment Approach for Shepley's Hill Landfill and Cold Spring Brook Landfill Site, Ft. Devens, Massachusetts (Draft Report). Contract No. DAAA15-90-D-0012. Ecology and Environment, Inc., Arlington, VA.
- ESE. Environmental Science and Engineering, Inc. 1982. Installation Assessment of Headquarters. Fort Devens, Report No. 326. Environmental Science and Engineering, Inc., Gainesville, FL.
- Poole, T. 1992a. Chief, Forestry, Fish and Wildlife Section, Department of Engineering and Housing, Ft. Devens, MA. Personal communication, March 27, 1992 (508-796-3021).
- Poole, T. 1992b. Chief, Forestry, Fish and Wildlife Section, Department of Engineering and Housing, Ft. Devens, MA. Personal communication, April 24, 1992 (508-796-3021).
- Poole, T. 1992c. Memorandum, Rare Species on Ft. Devens (prepared at the request of the authors). Forestry, Fish and Wildlife Section, Department of Engineering and Housing, Ft. Devens, MA. March 27, 1992.
- Shepherd, T. 1992. Information Officer, U.S. Geological Service, Marborough, MA. Personal communication, February 21, 1992 (508-485-6360).
- Simon, B. 1992. Deputy State Historical Preservation Officer/State Archaeologist, Massachusetts Historical Commission, Boston, MA. Personal communication, April 3, 1992 (617-727-8970).
- Sinnott, J. 1992. State Geologist, Executive Office of Environmental Affairs, Boston, MA. Personal communication, April 16, 1992 (617-727-9800, ext. 213).
- USFWS. United States Fish and Wildlife Service. 1991. Survey and Evaluation of Wetlands and Wildlife Habitat, Ft. Devens, Massachusetts (prepared for the U.S. House of Representatives Appropriations Committee). U.S. Fish and Wildlife Service, Region 5, Newton Corners, MA.
- Waugh, J. 1992. Environmental Protection Specialist, Environmental Office, Ft. Devens, MA. Personal communication, March 25, 1992 (508-796-3839).
- Winter, B. 1992. Transition Officer, Base Closure and Transition Team, Ft. Devens, MA. Personal communication, March 25, 1992 (508-796-3711).

APPENDIX: STATUS OF RARE SPECIES ON FORT DEVENS
(Adapted from Memorandum furnished by Thomas Poole of the Forestry, Fish and Wildlife Section.
Ft. Devens, MA)

·		STATUS	OCCURS
MAMMALS			
Water Shrew	Sorex palustris	SC	r
Southern Bog Lemming	Synaptomys cooperi	SC	?, 1
New England Cottontail	Sylvilagus transitionalis	FC	h, 1
BIRDS			
Common Loon	Gavia immer	SC	m
Pied-billed Grebe	Podilymbus podiceps	ST	b(?), m, t
American Bittern	Botaurus lentiginosus	.sc	?, 1
Least Bittern	Ixobrychus exilis	ST	?, 1
Cooper's Hawk	Accipiter cooperii	SC	b(?), m, t
Sharp-shinned Hawk	Accipiter striatus	SC	m, t
Northern Harrier	Circus cyaneus	ST	m, t
Bald Eagle	Haliaeetus leucocephalus	FE	m, t, *
Peregrine Falcon	Falco peregrinus ssp.	FE	m
King Rail	Rallus elegans	ST	?, 1
Upland Sandpiper	Bartramia longcauda	SE	b, m, t
Sedge Wren	Cistothorus platensis	SE	?, 1
Henslow's Sparrow	Ammodramus henslowii	FC, SE	?, 1, **
Grasshopper Sparrow	Ammodramus savannarum	SC	b, m, t
Blackpoll Warbler	Dendroica striata	SC	m
REPTILES			
Blanding's Turtle	Emydoidea blandingii	ST	r
Spotted Turtle	Clemmys gutta	SC	r
Wood Turtle	Clemmys insculpta	SC	r
Eastern Box Turtle	Terrapene carolina	SC	r, #
AMPHIBIANS			
Blue-spotted Salamander	Ambystoma laterale	SC	r
Jefferson Salamander	Ambystoma jeffersonianum	SC	?, 1
Marbled Salamander	Ambystoma opacum	ST	?, 1

Four-toed Salamander	Hemdactylium scutatum	SC	?,
INVERTEBRATES			
Mystic Valley Amphipod	Crangonyx aberrans	SC	r
PLANTS			
Cattail Sedge	Carex typhina	ST	r
Midland Sedge	Carex mesochorea	SE	r
Houghton's Flatsedge	Cyperus houghterii	SE	r
Ovate Spike-sedge	Eleocharis obtusa var. ovata	SE	r
Blazing Star	Liatris borealis	FC	r

KEY

FE = Federal Endangered

SE = State Endangered

ST = State Threatened

SC = Special Concern (State category below threatened)

FC = Federal Candidate (Listed as a C1 or C2 candidate for inclusion on the endangered species list.)

r = resident; found year-round on the installation

b = breeds on the installation, may not stay year-round

? = no recent (>10 yrs.) records on site

1 = local; records on similar habitats within 20 miles

m = migrant; remains one day or less during seasonal travel

t = transient; remains for 1 - 5 + days, any season

h = historical; records indicate species occured on installation 10+ years ago

Species designated?, I or h, I are subject to systematic census efforts to determine if the species occurs on the installation. For example, American Bitterns breed on the Oxbow National Wildlife Refuge adjacent to FTD. Efforts have been intensified to locate calling bitterns on similar habitats during breeding season.

- * = Bald Eagle reintroduction efforts in Massachusetts have been very successful. There is a strong possibility that the Wachusetts Reservoir and Nashua River Valley may be colonized by breeding pairs in the next 10 years.
- ** = Henslow's Sparrows may occur on site. Unconfirmed sightings are recorded on the drop zone and marshes.
- # = A Box Turtle was found on site in 1980. State officials believe it to be a released pet and not representative of a reproducing population.

Table F-1
ARARs and TBC Guidance
Groundwater and Surface Water

Groups 2 and 7 Site Investigation Fort Devens, Massachusetts

L				Federal Standards and Guidance	and Guidance		
				Ci Ambient Wa	Clean Water Act (CWA) Ambient Water Quality Criteria (AWQC) (b)) AWGC) (b)	
	Analyte	Safe Drinking Water Act	er Act (SDWA) (a)	For Protection of Human Healt	For Protection of Human Health	For Protection of Aquatic Life	Region III Tap Water
		Drinking Water MCL (µg/1)	Drinking Water MCLG (øg/l) (c)	Water and Fish Consumption (#g/I)	Fish Consumption Only (#g/l)	Fresh Water Acute/Chronic (#g/l)	(wg/1)
	Volatile Organics						
	acetone	1	•	1		-/-	3,700
	benzene	5	zero	99:0	40	5,300/- (2)	0.35
1	carbon tetrachloride	5	1	0.4	6.94	35,200/- (2)	0.22
	chloroform	100 (3)	1	0.19	15.7	28,900/1,240 (2)	0.21
	ethylbenzene	700	200	1,400	3,280	32,000/- (2)	1,300
I	styrene	100	100	1	•	-/-	0.47
L	1,1,2,2-tetrachloroethane		t	0.17	10.7	-/2,400 (2)	0.07
	tetrachloroethylene	5	0	0.8	8.85	5,280/840 (2)	1.4
	toluene	1,000	1,000	14,300	424,000	17,500/- (2)	750
-	1,1,1-trichloroethane	200	200	18,400	1,030,000	-/-	1,300
	trichloroethylene	5	0	2.7	80.7	45,000/21.900 (2)	2.1
	trichlorofluoromethane		1	1	\$	-/-	1,300
	xylenes (total)	10,000	10,000	,	•	-/-	12,000
•							

Table F-1
ARARs and TBC Guidance
Groundwater and Surface Water

		C Ambient W	Clean Water Act (CWA) Ambient Water Quality Criteria (AWQC) (b)	A) (AWQC) (b)	
Analyte Safe Drinking Water Act (SDW	(SDWA) (a)	For Pro of Huma	For Protection of Human Health	For Protection of Aquatic Life	Region III Tap Water
Drinking Water Drinking MCL (µg/I) MCLG (µg	Drinking Water MCLG (#g/l) (c)	Water and Fish Consumption (#g/I)	Fish Consumption Only (wg/I)	Fresh Water Acute/Chronic (#g/l)	(va/1)
Semivolatile Organics					
acenaphthylene -	•	1	•	-/-	•
∿ anthracene -	•	1	•	-/-	11,000
bis(2-ethylhexyl)phthalate	•	1	•	-/-	6.1
benzo(a)anthracene 0.1 (5)	0 (5)	r	•	-/-	0.08
benzo(a)pyrene 0.2 (d) (5) C	0 (d) (5)	•	F	-/-	0.012
benzo(b)fluoranthene 0.2 (5)	0 (5)	1		-/-	•
benzo(g,h,i)perylene	ı	•		-/-	1
benzo(k)fluoranthene 0.2 (5)	0 (5)	1		-/-	•
benzyl alcohol	1	•	•	-/-	11,000
carbazole -		9	1	-/-	4.3
chrysene 0.2 (5)	0 (5)		1	-/-	1
dibenzofuran	1	•	1	-/-	1
di-n-butyl phthalate	1	•	•	-/-	3,700
fluoranthene	ı	-		-/-	1,500



Table F-1
ARARs and TBC Guidance
Groundwater and Surface Water

Groups 2 and 7 Site Investigation Fort Devens, Massachusetts

			Federal Standards and Guidance	and Guidance		
			C Ambient W	Clean Water Act (CWA) Ambient Water Quality Criteria (AWQC) (b)	,) AWGC) (b)	
Analyte	Safe Drinking Water Act	er Act (SDWA) (a)	For Pro of Hume	For Protection of Human Health	For Protection of Aquatic Life	Region III Tap Water
	Drinking Water MCL (µg/I)	Drinking Water MCLG (µg/l) (c)	Water and Fish Consumption (#g/l)	Fish Consumption Only (#g/l)	Fresh Water Acute/Chronic (vrg/I)	(n/8 <i>a</i>)
fluorene	1	-	-	-	-/-	1,500
indeno(1,2,3-c,d)pyrene	0.4 (5)	0 (5)	1	•	-/-	0.042
2-methylnaphthalene	1	1	•	•	-/-	
naphthalene	1	1	١	1	2,300/620 (2)	1,500
n-nitrosodiphenylamine	1	1	4.9	16.1	-/-	17
phenanthrene	,	1	1	đ	30/6.3 (5)	1,100
pyrene	•	1	•	•	-/-	1,100
Inorganics						
aluminum	50 to 200 (8)	3			-/-	11,000
antimony	(p) 9	3 (5)	146	45,000	88/30 (5)	18
arsenic	50 (1)	1	0.0022	0.0175	360/190 (2, 7)	1
barium	2,000	2,000	1,000		-/-	2,600
beryllium	4 (d)	4 (d)	0.0037	0.0641	130/5.3 (2)	0.02
cadmium	S	S.	10	•	3.9/1.1 (4)	18
calcium	1	1			-/-	-

FTDEVENS\FEDLGWSW\T-3

Table F-1
ARARs and TBC Guidance
Groundwater and Surface Water

			Federal Standards and Guidance	and Guidance		
			C Ambient Wa	Clean Water Act (CWA) Ambient Water Quality Criteria (AWQC) (b)	.) AWGC) (6)	
Analyte	Safe Drinking Water Act	er Act (SDWA) (a)	For Pro of Huma	For Protection of Human Health	For Protection of Aquatic Life	Region III Tap Water
	Drinking Water MCL (#g/I)	Drinking Water MCLG (μg/l) (c)	Water and Fish Consumption (#g/I)	Fish Consumption Only (#g/I)	Fresh Water Acute/Chronic (#g/I)	(I/6 <i>m</i>)
chromium (total)	100	100	1	1	1,700/210 (4, 8)	180 (9)
cobalt	_		•	•	-/-	10
copper	TT (10)	1,300	5	•	18/12 (4)	1,400
Iron	300 (8)		300	ı	-/1,000	'
lead	TT (11)	0	50		83/3.2 (4)	
madnesium	_	1	•	1	-/-	•
mandanese	50 (8)	200 (8)	50	100	-/-	3,700
mercury	2	2	0.144	0.146	2.4/0.012	11
nickel	100 (d) (5)	100 (d) (5)	13.4	100	1,400/160 (4)	730
potassium	B.		1	-	-/-	•
selenium	50	50	10	•	20/5	180
silver	100 (8)	1	50	•	4.1/0.12 (4, 6)	180
sodium	1		•	•	-/-	ı
vanadium	•					260
zinc	5,000 (8)	•	•		12/110 (4)	11,000



Table F-1
ARARs and TBC Guidance
Groundwater and Surface Water

Groups 2 and 7 Site Investigation Fort Devens, Massachusetts

			Federal Standards and Guidance	and Guidance		
			C Ambient W	Clean Water Act (CWA) Ambient Water Quality Criteria (AWQC) (b)	AWQC) (b)	
Analyte	Safe Drinking Water Act	er Act (SDWA) (a)	For Pro of Huma	For Protection of Human Health	For Protection of Aquatic Life	Region III Tap Water
	Drinking Water MCL (µg/I)	Drinking Water MCLG (µg/I) (c)	Water and Fish Consumption (#g/I)	Fish Consumption Only (µg/l)	Fresh Water Acute/Chronic (#g/l)	(L/8a)
Pesticide/PCBs						
DDT	•	•	.000024	.000024	1.1/0.001	0.25
DDD	,	•		•	-/-	0.35
DDE	•	•	•	•	1,050/- (2)	0.25
endrin	2	2	1.0	•	0.18/.0023	11
alpha chlordane	2 (14)	zero (14)	0.00046 (14)	0.00048 (14)	2.4/0.0043 (14)	0.066 (14)
gamma chlordane	2 (14)	zero (14)	0.00046 (14)	0.00048 (14)	2.4/0.0043 (14)	0.066 (14)
heptachlor	0.4	zero	0.00028	0.00029	0.52/.0038	0.0031
PCB 1248	0.5 (15)	zero (15)	0.000079 (15)	0.000079 (15)	2.0/0.014 (15)	0.011 (15)
PCB 1254	0.5 (15)	zero (15)	0.000079 (15)	0.000079 (15)	2.0/0.014 (15)	0.011 (15)
PCB 1260	0.5 (15)	zero (15)	0.000079 (15)	0.000079 (15)	2.0/0.014 (15)	0.011 (15)
Explosives						
cyclotetramethylenetetranitramine (HMX)	ſ	1	1	ą.	-/-	,
cyclonite (RDX)	1	1	ı		-/-	0.77
2,4-dinitrotoluene	t	•	1			73

ζ

FTDEVENS\FEDLGWSW\T-5

Groundwater and Surface Water ARARs and TBC Guidance Table F-1

Groups 2 and 7 Site Investigation Fort Devens, Massachusetts

			Federal Standards and Guidance	and Guidance		
			C Ambient W	Clean Water Act (CWA) Ambient Water Quality Criteria (AWQC) (b)	ı) Awac) (b)	
Analyte	Safe Drinking Water Act (SDWA) (a)	er Act (SDWA) (a)	For Pro of Huma	For Protection of Human Health	For Protection of Aquatic Life	Region III Tap Water
	Drinking Water MCL (µg/I)	Drinking Water MCLG (µg/l) (c)	Water and Fish Consumption (#g/I)	Fish Consumption Only (#g/I)	Fresh Water Acute/Chronic (µg/l)	(I/6 <i>m</i>)
2,6-dinitrotoluene	•	1	1	1	-/-	0.13
nitrodiycerine	•	,				•
2,4,6-trinitrotoluene		1		-	-/-	2.8
Cations/Anions						
chloride	250,000 (8)	•	•	•	860K/230K	
phosphate	1	9		•	-/-	1
sulfate	400K/500K (5)	400K/500K (5)	•	1	-/-	1
alkalinity	•	•	•		-/20,000	•
Other						
nitrate/nitrite	10,000/1,000 (12)	•	-/000/-			58,000
ТРН	•	•				,

NOTES:

300

U.S. Environmental Protection Agency (USEPA), SDWA National Primary Drinking Water Regulations per 40 CFR 141; MCLs and MCLGs.
USEPA, "Water Quality Criteria Summary", Office of Science and Technology, Health and Ecological Criteria Division, Washington, D.C.; May 1, 1991.
USEPA, "Drinking Water Standards and Health Advisories", Office of Water, Washington, D.C.; November 1991.
USEPA, "Drinking Water Standards and Health Advisories", Office of Water Synthetic organic Chemicals and Inorganic Chemicals; Final Rule", 57FR3177; July 17, 1992, effective January 1, 1994.

Treatment technique required.

Clean Water Act



= USEPA Health Advisory

| Maximum Contaminant Level | No federal or state guidance criteria or standards exist. | No federal or state guidance criteria or standard for contaminant Level | No federal or state guidance criteria or standard for contaminant Level | No federal or state guidance criteria are not contaminant Level | No federal or state guidance criteria are not develop criteria. Autua presented is the standard for total trihadomethanes (i.e., the sum of concentrations of chloroform, bromodichloromethane, dibromochloromethane, and bromoform). Refer to 56FR3579. Hardness dependent criteria (100 mg/l CaCQ, used). | No federal or standard based on aesthetic. | No mg/l cacq, are not trivalent species. | No federal or standard based on aesthetic. | No federal or standard based on aesthetic. | No federal or standard dotal nitrate and nitrite is 10,000 μg/l. | Ireatment technique action level 130 μg/l; concantation measured at top. | Nitrate or nitrite as nitrogen; standard dotal nitrate and nitrite is 10,000 μg/l. | No more than 1 sample/month may be positive. | No more than 1 sample/month may be positive. | No federal or chlordane (CAS # 1336-36-3)

Table E12
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 2 and 7

RPD	ööö	o o o	o.o.	.e.e.e	0.0.	oo o	ööö	o o o o o		000000	
Value Units	0.500 UGL 0.500 UGL 0.500 UGL	222	222	1.200 UGL 1.200 UGL 1.200 UGL				0.500 UGL 0.500 UGL 0.500 UGL 0.500 UGL		0.680 UG 0.680 UG 0.680 UG 0.680 UG 0.680 UG	
•		· · ·	v v	v v v	v v	v v v	v v v	.	· · ·	· · · · · ·	v v
Analysis Date	28-SEP-1992 28-SEP-1992 03-SEP-1992	03-SEP-1992 03-SEP-1992 03-SEP-1992	27-AUG-1992 27-AUG-1992	28-SEP-1992 28-SEP-1992 03-SEP-1992	SEP-	AGG-	SEP-	03-SEP-1992 03-SEP-1992 03-SEP-1992 27-AUG-1992	27-AUG-1992 28-SEP-1992 28-SEP-1992	03-SEP-1992 03-SEP-1992 03-SEP-1992 03-SEP-1992 27-Aug-1992	28-SEP- 28-SEP-
Sample Date	22-SEP-1992 21-SEP-1992 27-AUG-1992	27-AUG-1992 25-AUG-1992 25-AUG-1992	18-AUG-1992 18-AUG-1992	22-SEP-1992 21-SEP-1992 27-Aug-1992	27-AUG-1992 25-AUG-1992	25-AUG-1992 18-AUG-1992 18-AUG-1992	22-SEP-1992 21-SEP-1992 27-Aug-1992	27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992	18-AUG-1992 22-SEP-1992 21-SEP-1992	27-AUG-1992 27-AUG-1992 25-AUG-1992 25-AUG-1992 18-AUG-1992	SEP-1
Lot	ATT	A A IN	ATF	ATT	ATR	ATN ATF ATF	ATT ATT	AIN	ATT	ATN ATN ATN ATF	ATT
IRDMIS Sample Number	MD2702X1 MX2702X1 MD1302XX	WX1302XX WD4102XX WX4102XX	WD4203XX WX4203XX	MD2702X1 MX2702X1	WX1302XX WD4102XX	WX4102XX WD4203XX WX4203XX	MD2702X1 MX2702X1 MD1302XX	WX 1302XX WD 4 102XX WX 4 102XX WD 4 203XX	WX4203XX MD2702X1 MX2702X1	ND 1302XX NX 1302XX ND 4 102XX NX 4 102XX ND 4 203XX	MD2702X1 MX2702X1
A Test Name	1111GE 1111GE 1111GE	1111GE	111106	112TCE 112TCE	1127CE 1127CE	112TGE 112TGE 112TGE	110GE	110GE	110CE 110CLE	100E 100E 100E	120CE 120CE
USATHAMA Method Code	UM20 UM20 UM20	UM20 UM20	02W50	UM20 UM20	0.420 0.420 0.420	UM20 UM20 UM20	UM20 UM20 UM20	UM20 UM20 UM20	UM20	UM20 UM20 UM20 UM20	UMZO
Method Description	VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS VOC'S IN WATER BY GC/MS	IN WATER BY In Water by In Water ry	IN WATER BY	IN WATER BY IN WATER BY	IN WATER IN WATER	WATER BY Water by Water by	IN WATER BY IN WATER BY IN WATER BY	IN WATER BY IN WATER BY IN WATER BY	IN WATER		IN WATER BY IN WATER BY

	Massachu	setts Standards and C	Buidance
Analyte	MMCL/ORSG Drinking Water (a) (µg/l)	Class I Groundwater (b) (µg/l)	Class B Surface Water (c) (µg/l)
Volatile Organics			
acetone	3000 (2)	-	- (6)
benzene	5	-	- (6)
carbon tetrachloride	5	_	- (6)
chloroform	5 (2)	100 (3)	- (6)
ethylbenzene	700	-	- (6)
styrene	100		- (6)
1,1,2,2-tetracloroethane			- (6)
tetrachloroethylene	5	-	- (6)
toluene	1000	-	- (6)
1,1,1-trichloroethane	200	-	- (6)
trichloroethylene	5	-	- (6)
trichlorofluoromethane	-	-	- (6)
xylenes (total)	10,000	<u> </u>	- (6)
Semivolatile Organics			
acenaphthylene	_	•	- (6)
anthracene	•	_	- (6)
bis(2-ethylhexyl)phthalate	6 (2)		- (6)
benzo(a)anthracene		-	- (6)
benzo(a)pyrene	0.2 (2)	-	- (6)
benzo(b)fluoranthene	-		- (6)
benzo(g,h,i)perylene	_	-	- (6)
benzo(k)fluoranthene		-	- (6)
benzyl alcohol	-		- (6)
carbazole	-	-	- (6)
chrysene	_	-	- (6)
dibenzofuran	-	-	- (6)
di-n-butyl phthalate			
fluoranthene	-	-	- (6)

	Massachu	setts Standards and	Guidance
Analytë	MMCL/ORSG Drinking Water (a) (vg/l)	Class I Groundwater (b) (µg/I)	Class B Surface Water (c) (µg/l)
fluorene	-	-	- (6)
indeno(1,2,3-c,d)pyrene	-		- (6)
2-methylnaphthalene	-	-	(6)
naphthalene	-		- (6)
n-nitrosodiphenylamine	-		- (6)
phenanthrene	-		- (6)
pyrene	-	-	- (6)
Inorganics			
aluminum	-	_	- (6)
antimony	6 (2)	-	- (6)
arsenic	50	50	- (6)
barium	2,000	1,000	- (6)
beryllium	4 (2)	_	- (6)
cadmium	5	10	- (6)
calcium	-	_	- (6)
chromium (total)	100	50	- (6)
cobalt	-	-	- (6)
copper	1,300 (2)	1,000	- (6)
iron	-	300	- (6)
lead	15	50	- (6)
magnesium	-	_	- (6)
manganese	-	50	- (6)
mercury	2	2	- (6)
nickel	100 (2)	-	- (6)
potassium	-	-	- (6)
selenium	50	10	- (6)
silver	50	50	- (6)
sodium	28,000 (2)	_	- (6)

	Massachu	setts Standards and (auldance
Analyte	MMCL/ORSG Drinking Water (a) (#g/l)	Class I Groundwater (b) (µg/l)	Class B Surface Water (c) (µg/!)
vanadium	-	-	- (6)
zinc	-	5,000	- (6)
Pesticides/PCBs			
DDT	-		- (6)
DDD	-	-	- (6)
DDE	-		- (6)
endrin	2	0.2	- (6)
alpha chiordane	0.5 (9)		- (6)
gamma chlordane	0.5 (9)	-	- (6)
heptachlor	0.4		- (6)
PCB 1248	0.5 (10)	-	- (6)
PCB 1254	0.5 (10)	_	- (6)
PCB 1260	0.5 (10)	-	- (6)
Explosives			
cyclotetramethylenetetranitramine (HMX)	-	-	- (6)
cyclonite (RDX)	-	-	- (6)
1,2-dinitrotoluene	-	-	-
2,6-dinitrotoluene	-	-	- (6)
nitroglycerine	-	-	- (6)
2,4,6-trinitrotoluene		-	- (6)
Cations/Anions			
chloride	-	-	- (6)
phosphate	-	_	- (6)
sulfate	-	250,000	- (6)
alkalinity	_		- (6)

Groups 2 and 7 Site Investigation Fort Devens, Massachusetts

	Massachu	setts Standards and	Guldance
Analytë	MMCL/ORSG Drinking Water (a) (µg/l)	Class I Groundwater (b) (µg/I)	Class B Surface Water (c) (µg/l)
Other			
nitrate/nitrite (total)	10,000	10,000 (8)	- (6)
TPH	-	•	- (6)

NOTES:

(a)	MADEP	- Office of	Research	and	Standards;	Massachusetts	Drinking	Water	Standards	and	Guidelines,	(310	CMR	22.00)
1.7				4000	•									

Massachusetts MCLs; Autumn 1992. (b)

MADEP - Division of Water Pollution Control; Massachusetts Surface Water Quality Standards, (314 CMR 6.06) Minimum GW Quality Criteria - Class I; promulgated December 31, 1986.

MADEP - Division of Water Pollution Control; Massachusetts Surface Water Quality Standards, (314 CMR 4.05[b]) Class B criteria; MADEP - Division of Water Pollution Control; Massachusetts Surface Water Quality Standards, (314 CMR 4.05[b]) Class B criteria; (c)

promulgated July 20, 1990.
MADEP; Massachusetts Drinking Water Standards; (310 CMR 22.05[8]) Maximum Microbiological Contaminant Levels; promulgated (d) November 20, 1992.

DWS

Drinking Water Standards Maximum Contaminant Level Goal MCLG =

Massachusetts Maximum Contaminant Level MMCL = Office of Research and Standards Guideline ORSG =

micrograms per liter Standard not established. µg/I =

MMCL established for 1,4-dichlorobenzene isomer (more stringent than for 1,2- isomer). Reported values are totals (isomers not (1)

distinguished.)
Value is an Office of Research and Standards guideline. Standard indicated is concentration of total trihalomethanes (i.e., the sum of concentrations of chloroform, bromodichloromethane, dibromochloromethane, and bromoform).

Defers to EPA DWS; see federal MCLs/MCLGs.

Mean value per any set of samples.

Defers to federal CWA Section 304(a); see federal AWQC.

Numerical standard does not exist. MMCL is based on presence or absence of coliform.

Nitrate as nitrogen. Value reported for chlordane Value reported for PCBs

Table F-3
ARARs and TBC Guidance
Soil and Sediment

Groups 2 and 7 Site Investigation Fort Devens, Massachusetts

	Region III/ Residential Soil	Region III/ Commercial/ Industrial Soil (a)	NYSDEC Sediment (b)	NOAA Effects Range - Low Sediment (c)	USEPA SQC (d) (mg/kg organic
Analyte	(a) (mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	carbon)
Volatile Organics					
acetone	7,800	100,000		1	1
benzene	59	66		1	0
carbon tetrachloride	13	22	1	•	t
chloroform	280	470		1	4
ethylbenzene	7,800	100,000		-	1
styrene	57	95		1	1
tetrachloroethylene	33	52		1	
toluene	16,000	200,000	•	1	1
1,1,1-trichloroethane	7,000	92,000		5	•
1,1,2,2-tetrachloroethane	8.5	14	ı	•	1
trichloroethylene	150	260	1	•	t
trichlorofluoromethane	23,000	310,000		e e	
xylenes (total)	160,000	2,000,000		•	ľ
Semivolatile Organics					
acenaphthylene	•	4			1
anthracene	23,000	310,000		0.085	P.
bis(2-ethylhexyl)phthalate	120	200	119.7	•	
benzo(a)anthracene	1.6	2.7		0.230	1,317

Table F-3
ARARs and TBC Guidance
Soil and Sediment

Groups 2 and 7 Site Investigation Fort Devens, Massachusetts

Analyte	Region III/ Residential Soil (a) (mg/kg)	Region III/ Commercial/ Industrial Soil (a) (mg/kg)	NYSDEC Sediment (b) (mg/kg)	NOAA Effects Range - Low Sediment (c) (mg/kg)	USEPA SQC (d) (mg/kg organic carbon)
benzo(a)pyrene	0.23	0.39		0.4	1,063
benzo(b)fluoranthene	•		1	•	t
benzo(g,h,i)perylene	•		1	•	1
benzo(k)fluoranthene	•		1	•	1
benzyl alcohol	23,000	310,000	1	•	ı
carbazole	85	140		1	,
chrysene	•	•		0.4	-
dibenzofuran	•	•		•	8
di-n-butyl phthalate	7,800	100,000	*	,	
fluoranthene	3,100	41,000	•	9.0	1,883
fluorene	3,100	41,000		0.035	•
indeno(1,2,3-c,d)pyrene	0.84	1.4		,	ı
2-methylnaphthalene	•	1	,	•	0.065
naphthalene	3,100	41,000		0.34	•
n-nitrosodiphenylamine	350	580		•	
phenanthrene	2,300	30,000	139 (3)	0.225	139
pyrene	2,300	30,000		- 0.35	1,311
total PAHs	• !			- 4.0	1
Inorganics					

FIDEVENS\SOIL&SED\T-2

Table F-3
ARARs and TBC Guidance
Soil and Sediment

Groups 2 and 7 Site Investigation Fort Devens, Massachusetts

Analyte	Region III/ Residential Soil (a) (mg/kg)	Region III/ Commercial/ Industrial Soil (a) (mg/kg)	NYSDEC Sediment (b) (mg/kg)	NOAA Effects Range - Low Sediment (c) (mg/kg)	USEPA SQC (d) (mg/kg organic carbon)
aluminum	230,000	3,000,000	1		7
antimony	39	510	0.8	0.002	•
arsenic	23	310	5	0.033	•
barium	5,500	72,000		9	t
beryllium	0.4	0.67		5	•
cadmium	39	510	ı	0.005	
calcium	•	,	1	1	•
chromium	390 (1)	5,100 (1)	26	080.0	•
cobalt	•	9	1	1	a
copper	2,900	28,000	19	0.070	•
iron	•		24,000	1	
lead	(e) 200 (e)	t	27	0.035	
magnesium	1	1	1	•	•
manganese	7,800	100,000	428	•	•
mercury	23	310	0.11	0.00015	1
nickel	1,600	20,000	22	0.030	•
potassium	8	P	1	•	•
selenium	390	5,100	•	•	•
silver	390	5,100	• .	0.001	1

Table F-3
ARARs and TBC Guidance
Soil and Sediment

Groups 2 and 7 Site Investigation Fort Devens, Massachusetts

sodium vanadium zinc Pesticides/PCBs	550	- 000 F		comment (c) (mg/kg)	(mg/kg organic carbon)
vanadium zinc Pesticides/PCBs	23,000	7 000		•	
zinc Pesticides/PCBs	23,000	7,200	¥.		•
Pesticides/PCBs		310,000	85	0.120	•
lul	5	8.4	s 50	.001	0.828
DDD	7.1	12	. 50	.002	
DDE	5	8.4	> 50	.002	•
endrin	23	310	0.8	.00002	.0332
alpha chlordane	1.3 (4)	2.2 (4)	0.006 (4)	.0005 (4)	1
gamma chlordane	1.3 (4)	2.2 (4)	0.006 (4)	.0005 (4)	•
heptachlor	.38	.64	0.03	•	0.110
PCB 1248	0.22 (5)	0.37 (5)	< 276 (5)	.05 (5)	•
PCB 1254	0.22 (5)	0.37 (5)	< 276 (5)	.05 (5)	19.5
PCB 1260	0.22 (5)	0.37 (5)	< 276 (5)	.05 (5)	•
Explosives					·
cyclotetramethylenetetranitramine (HMX)	1	•		1	•
cyclonite (RDX)	15	26	•		•
2,6-dinitrotoluene	2.5	4.2	•	•	•
2,4,6-trinitrotoluene	39	95	•	ı	1

FTDEVENS\SOIL&SED\T4

ARARs and TBC Guidance Soil and Sediment Table F-3

Groups 2 and 7 Site Investigation Fort Devens, Massachusetts

Analyte	Region III/ Residential Soil (a) (mg/kg)	Region III/ Commercial/ Industrial Soil (a) (mg/kg)	NYSDEC Sediment (b) (mg/kg)	NOAA Effects Range - Low Sediment (c) (mg/kg)	USEPA SOC (d) (mg/kg organic carbon)
nitroglycerine	•		•		1
Other					
nitrate/nitrite	30,000	1,600,000		•	•
ТРН	,	1		1	•

NOTES:

5

Chromium IV values. Dry weight. Defers to USEPA SQC. <u>-0040@</u>

Values reported for chlordane (CAS # 57-74-9).

Values reported for chlordane (CAS # 1336-36-3).

U.S. Environmental polychlorinated biphenyls (CAS # 1336-36-3).

U.S. Environmental protection Agency (USEPA) annuary 1993. Memorandum from Roy L. Smith to RBC (Risk-Based Concentration) Table Mailing List, Subject: Risk-Based Concentration Table, First Quarter 1993. January 28, 1993.

NYSDEC Sediment Criteria (NYSDEC, 1989); Values reported for organic constituents must be carbon-normalized; Guideline value is lowest of Aquatic Toxicity or Wildlife residue basis. ē

Ö

National Oceanic and Atmospheric Administration (NOAA), March 1990. "The Potential for Biological Effects of Sediment-sorbed Contaminants Tested in the National States and Trends Program": NOAA Technical Memorandum NOS OMA52. (Edward R. Long and Lee G. Morgan, authors)
USEPA, May 1988. "Interim Sediment Quality Criteria Values for Nonpolar Hydrophobic Organic Contaminants"; SDC#17.
USEPA OSWER Directive 193554-02.

Do

milligrams per kilogram National Oceanic and Atmospheric Administration New York State Department of Environmental Conservation

mg/kg NOAA NYSDEC

Sediment Quality Criteria
No federal or state guidance criteria or standards exist.

11 11

တ္တ

BACKGROUND CONCENTRATION CALCULATIONS

ABB Environmental Services, Inc.

W0039366APP.CVR 7053-07

CALCULATED BACKGROUND CONCENTRATIONS FORT DEVENS, MASSACHUSETTS

	SOIL	GROUN	GROUNDWATER
ANALYTE	CONCENTRATION	ANALYTE	CONCENTRATION
	(8/8n)		(ug/L)
Aluminum	15,000	Aluminum	6,870
Antimony	!	Antimony	3.03
Arsenic	21	Arsenic	10.5
Barium	42.5	Barium	39.6
Beryllium	0.347	Beryllium	5.00
Cadmium	2.00	Cadmium	4.01
Calcium	1,400	Calcium	14,700
Chromium	31	Chromium	14.7
Cobalt	1	Cobalt	25.0
Copper	8.39	Copper	8.09
Iron	15,000	Iron	9,100
Lead	48.4	Lead	4.25
Magnesium	5,600	Magnesium	3,480
Manganese	300	Manganese	291
Mercury	0.22	Mercury	0.243
Nickel	14.0	Nickel	34.3
Potassium	1,700	Potassium	2,370
Sclenium	. 1	Selenium	3.02
Silver	980	Silver	4.60
Sodium	131	Sodium	10,800
Thallium	i	Thallium	6.99
Vanadium	28.7	Vanadium	11.0
Zinc	35.5	Zinc	21.1

BKGDTAB.WK1 05-Mar-93

SOIL BACKGROUND CONCENTRATIONS REPRESENTATIVE SAMPLES FORT DEVENS, MASSACHUSETTS

SAMPLE I.D.	LOCATION	SOIL ASSOCIATION	SAMPLE TYPE
SOIL – 1	North Post	Hinkley	Surface
SOIL – 2	North Post	Quonset	Surface
SOIL – 3	North Post	Quonset	Surface
SOIL – 4	North Post	Winooski	Surface
SOIL – 5	Main Post	Hinkley	Surface
SOIL – 6	Main Post	Hinkley	Surface
SOIL - 7	Main Post	Hinkley	Surface
SOIL -8	Main Post	Hinkley	Surface
8OIL – 9	Main Post	Paxton	Surface
SOIL - 10	Main Post	Winooski	Surface
SOIL - 11	Main Post	Winooski	Surface
SOIL – 12	Main Post	Winooski	Surface
SOIL – 13	Main Post	Paxton	Surface
SOIL – 14	South Post	Hinkley	Surface
SOIL – 15	South Post	Winooski	Surface
SOIL – 16	South Post	Paxton	Surface
SOIL - 17	Main Post	Hinkley	Boring
SOIL - 18	Main Post	Hinkley	Boring
SOIL – 19	Main Post	Hinkley	Boring
SOIL - 20	Main Post	Hinkley	Boring

D	ATA	CALCULAT	CIONS
	ALUMINUM		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 8	2500	1	
SOIL - 17	4300		
SOIL - 1	6400		
SOIL - 14	6900		
SOIL - 19	7100		
SOIL - 20	7100	Minimum -	2500
SOIL - 12	7400		• 4000
SOIL - 15	8000	Maximum -	24000
SOIL - 10	8500	Mann	10000
SOIL - 4	8800	Mean -	10000
SOIL - 5	9900	95th %ile -	15000
SOIL - 11 SOIL - 18	11000 11000	93th 70He -	13000
SOIL - 16 SOIL - 3	12000		
SOIL - 7	12000		
SOIL - 6	13000	Background	
SOIL - 16	13000	Concentration -	15000
SOIL - 2	14000	Concontinuon	1000
SOIL - 13	18000		
SOIL -9	24000		
	ANTIMONY		
	NO DATA AVAILAB	BLE	
	ARSENIC		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 15	4.6	-	
SOIL - 12	7.1		
SOIL - 3	9.3		
SOIL - 4	9.4		
SOIL - 17	9.5		
SOIL - 1	9.6	Minimum -	4.6
SOIL - 14	11		
SOIL - 19	- 11	Maximum -	32
SOIL - 16	11		4.4
SOIL - 5	12	Mean -	14
SOIL - 11	13	95th %ile -	21
SOIL - 2	13	95th %ne -	21
SOIL - 10	14	İ	
SOIL - 7	15 15		
SOIL - 8 SOIL - 20	19	Background	
SOIL - 20 SOIL - 9	25	Concentration -	21
	28	COHOMINATION	~-
SOII - 13			
SOIL - 13 SOIL - 6	32		

Method Detection Limit Likely Statistical Outlier

E)ATA	CALCULA	TIONS
	BARIUM		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 17	9.7	-	
SOIL - 10	11.5		
SOIL - 6	11.5	<u> </u> -	
SOIL - 12	12.9	1	
SOIL - 1	14.2		
SOIL - 4	14.2	Minimum -	9.7
SOIL - 19	14.2		
SOIL - 3	14.5	Maximum -	67.2
SOIL - 5	15.5	·	
SOIL – 8	15.6	Mean -	25.8
SOIL - 15	16.2		
SOIL - 14	16.6	95th %ile –	42.5
SOIL - 18	29.0		
SOIL - 20	31.0		
SOIL - 2	35.0		
SOIL - 7	36.0	Background	
SOIL - 16	46.0	Concentration -	42.5
SOIL - 11	52.0		
SOIL - 9	54.0		-
SOIL - 13	67.2		
	BERYLLIUM		
SAMPLE	CONCENTRATION		
I.D.	ug/g	İ	
SOIL - 10	0.039		
SOIL - 18	0.039		
SOIL - 3	0.039		
SOIL - 17	0.039		•
SOIL - 19	0.104		0.020
SOIL - 6	0.108	Minimum -	0.039
SOIL - 1	0.119	36	0.672
SOIL - 5	0.124	Maximum -	0.672
SOIL - 2	0.126	Mos-	0.185
SOIL - 7 SOIL - 4	0.133	Mean -	0.185
SOIL - 8	0.141	95th %ile -	0.347
SOIL - 8 SOIL - 15	0.142 0.145	33th /one -	0.547
SOIL - 13	0.145		
SOIL - 12	0.172		!
SOIL - 12	0.172	Background	i
SOIL - 9	0.335	Concentration -	0.347
SOIL - 11	0.350		J
SOIL - 16	0.533		
SOIL - 13	0.672		i :

Method Detection Limit Likely Statistical Outlier

D)ATA	CALCULAT	rions
	CADMIUM		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 1	0.212	-	
SOIL - 20	0.212		
SOIL - 12	0.212		
SOIL - 3	0.212		
SOIL - 4	0.212		
SOIL - 5	0.212	Minimum -	0.212
SOIL - 19	0.212		
SOIL - 17	0.212	Maximum -	4.48
SOIL - 15	0.212		
SOIL - 8	0.212	Mean -	0.823
SOIL - 18	0.212		
SOIL - 16	0.212	95th %ile -	2.00
SOIL - 2	0.212		
SOIL - 14	0.212		
SOIL - 7	1.060		
SOIL - 9	1.060	Background	2.00
SOIL - 6	1.280	Concentration -	2.00
SOIL - 10 SOIL - 13	2.100		
SOIL - 13	3.520 4.480		
	CALCIUM		
SAMPLE	CONCENTRATION		
I.D.	ug/g	_	
SOIL - 15	144		
SOIL - 8	310		
SOIL - 3	330		
SOIL - 17 SOIL - 5	350 430		
SOIL - 3 SOIL - 2	430 610	Minimum -	144
SOIL - 1	610	William —	144
SOIL - 4	630	Maximum -	2800
SOIL - 18	650	WIAAMIUIII	2000
SOIL - 9	650	Mean -	840
SOIL - 6	710		0.0
SOIL - 19	710	95th %ile -	1400
SOIL - 16	720		
SOIL - 14	740		
SOIL - 12	810		
SOIL - 20	810	Background	
SOIL - 7	1400	Concentration -	1400
SOIL - 13	1500		
SOIL - 11	1800		į
SOIL - 10	2800	1	

Method Detection Limit

^{**} Likely Statistical Outlier

I	DATA	CALCULA'	TIONS
	CHROMIUN	A	
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 15	2.0		•
SOIL - 12	6.0		
SOIL - 1	7.1		
SOIL - 3	7.6		
SOIL - 17	7.7		
SOIL - 5	8.2	Minimum –	2.0
SOIL - 20	9.3	N G = C C C C C C C C C C	56.5
SOIL - 8	9.6	Maximum -	56.5
SOIL - 4	10.2	Mana	177
SOIL - 2 SOIL - 1	11.1	Mean -	17.7
SOIL - 1 SOIL - 14	12.5	95th %ile -	21.2
SOIL - 14 SOIL - 19	13.8 14.1	33th 70he -	31.3
SOIL - 19	19.5		
SOIL - 11	27.1		
SOIL - 7	29.0	Background	
SOIL - 6	30.3	Concentration -	31
SOIL - 13	33.0	Constitution	21
SOIL - 18	39.5		
SOIL - 9	56.5		
	COBALT		
	NO DATA AVAILAI	BLE	
	COPPER		
SAMPLE	CONCENTRATION		
I.D.	ug/g	į	
SOIL – 3	0.98		
SOIL - 16	0.98		
SOIL - 12	0.98		
SOIL - 2	2.45		
SOIL - 15	2.52	1	
SOIL - 8	2.53	Minimum -	0.98
SOIL - 5	4.10	\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	
SOIL - 17	4.78	Maximum -	12.0
SOIL – 4 SOIL – 1	4.81	Mean -	5 24
SOIL - 1 SOIL - 20	5.25 5.48	IVICALI —	5.24
SOIL - 6	6.55	95th %ile -	8.39
SOIL - 14	6.86	, , , o no	J,
SOIL - 19	7.12		
SOIL - 9	7.62		Ì
SOIL - 7	9.38	Background	
SOIL - 10	10.0	Concentration -	8.39
SOIL - 18	12.0		į
SOIL - 13	27.8 **		
SOIL – 11	30.2 **		

Method Detection Limit

^{**} Likely Statistical Outlier

D	ATA	CALCULA	rions
	IRON		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 14	5000	-	
SOIL - 10	5000		
SOIL - 1	6000		
SOIL - 17	6000		
SOIL - 15	6100		
SOIL - 5	6800	Minimum -	5000
SOIL - 12	6900		
SOIL - 4	7100	Maximum -	27000
SOIL - 19	7300		0000
SOIL - 20	7400	Mean –	9980
SOIL - 8	8200	0541 07:1-	15000
SOIL - 16	8500	95th %ile -	15000
SOIL - 3	9400		
SOIL - 11 SOIL - 2	11000 12000		
SOIL - 13	15000	Background	
SOIL - 6	17000	Concentration -	15000
SOIL - 18	18000	Concentration	15000
SOIL - 9	27000		
SOIL - 7	50000 **		
	LEAD		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 20	2.7		
SOIL - 17	3.4		
SOIL - 5	8.7		•
SOIL - 1	9.7		
SOIL - 15	10.3)	2.50
SOIL - 8	11.0	Minimum –	2.70
SOIL - 18	11.3	Maximum -	106.0
SOIL - 19	12.7	iviaximum —	100.0
SOIL - 9 SOIL - 2	14.8 16.3	Mean -	24.7
SOIL - 20	16.3 17.3	Mican -	44.7
SOIL - 10	18.6	95th %ile -	48.4
SOIL - 16	21.2	75th /6HC	דיטד
SOIL - 4	25.3		
SOIL - 6	42.8	ļ	
SOIL - 12	42.9	Background	
SOIL - 7	46.6	Concentration -	48.4
SOIL - 14	47.1		
SOIL - 11	106		
SOIL - 13	326 ••		

Method Detection Limit

Likely Statistical Outlier

D	ATA	CALCULA	TIONS
	MAGNESIUM		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 15	490	-	
SOIL - 3	700		
SOIL - 4	910		
SOIL - 12	1000		
SOIL - 5	1300		
SOIL - 1	1500	Minimum -	490
SOIL - 8	1800		11000
SOIL - 17	2000	Maximum -	11000
SOIL - 20	2200	Mann	2100
SOIL - 11	2300	Mean -	3100
SOIL - 2	2300	95th %ile -	5600
SOIL - 10	2500	95th %ne -	3000
SOIL - 14	2600		
SOIL - 16	2700		,
SOIL - 19	3200	Background	
SOIL - 6	4500 4900	Concentration -	5600
SOIL - 13 SOIL - 7	5500	Concentration	5000
SOIL - 7 SOIL - 18	7900		
SOIL - 9	11000		•
	MANGANESE		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 3	73		
SOIL – 8	85		
SOIL – 5	87		
SOIL – 4	100		
SOIL - 17	110	26: :	<i>2</i> 22
SOIL - 11	110	Minimum -	73
SOIL - 1	130	Marries	460
SOIL - 19	130	Maximum -	40 0
SOIL - 14	130	Mean -	190
SOIL - 20	150 170	Mican —	130
SOIL - 12	170	95th %ile -	300
SOIL - 10 SOIL - 16	190	75.11 /0110	230
SOIL - 15	220		
SOIL - 6	230		
SOIL - 7	240	Background	
SOIL - 18	300	Concentration -	300
SOIL - 13	350		
SOIL - 2	380		
SOIL - 9	460		

Method Detection Limit Likely Statistical Outlier

D	ATA	CALCULAT	IONS
	MERCURY		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 5	0.013	-	
SOIL - 8	0.013		
SOIL - 20	0.013	į	
SOIL - 7	0.013		
SOIL - 19	0.013		
SOIL - 17	0.013	Minimum -	0.01
SOIL - 18	0.035		
SOIL - 1	0.042	Maximum -	0.41
SOIL - 16	0.053		
SOIL - 6	0.055	Mean –	0.10
SOIL - 14	0.056	05.4 64.11	0.00
SOIL – 3	0.060	95th %ile -	0.22
SOIL - 15	0.068		
SOIL - 2	0.081		
SOIL - 9	0.085	Doolessand	
SOIL - 12	0.110	Background Concentration -	0.22
SOIL - 13 SOIL - 10	0.260	Concentration -	0.22
SOIL - 10	0.290 0.330		İ
SOIL - 11	0.410		
3012 11	NICKEL		
SAMPLE	CONCENTRATION	T	
I.D.	ug/g		
SOIL - 16	1.23	-]
SOIL - 1	1.23		i
SOIL - 15	1.23		
SOIL – 3	1.23		
SOIL - 8	1.23		
SOIL - 5	1.23	Minimum -	1.2
SOIL – 4	1.23		
SOIL – 2	1.23	Maximum -	27.0
SOIL - 12	1.23		, .
SOIL - 11	1.23	Mean –	6.5
SOIL - 14	4.06	05+6 07:1-	140
SOIL - 17	4.80	95th %ile -	14.0
SOIL - 20	5.51 \$ 01		•
SOIL - 19	5.91		
SOIL - 6 SOIL - 7	6.81 11.2	Background	
SOIL - 7 SOIL - 10	11.2	Concentration -	14.0
SOIL - 10 SOIL - 13	14.6	Concentration -	14.0
SOIL - 13 SOIL - 18	24.4		
SOIL - 18 SOIL - 9	24.4 27.0		

Method Detection Limit

Likely Statistical Outlier

DATA		CALCULA	TIONS
	POTASSIUM		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 15	250	1	
SOIL - 4	310		
SOIL - 5	470		
SOIL – 3	530		
SOIL - 17	590		
SOIL - 12	600	Minimum -	250
SOIL - 1	620		_
SOIL - 8	630	Maximum -	2400
SOIL – 2	660		
SOIL - 14	700	Mean –	1000
SOIL - 19	880		
SOIL - 10	990	95th %ile -	1700
SOIL - 20	1000		
SOIL - 11	1100		
SOIL - 6	1100		
SOIL - 18	1700	Background	
SOIL - 7	1700	Concentration -	1700
SOIL - 13	2200		
SOIL – 9	2400		
SOIL - 16	2400		
	SELENIUM		
	NO DATA AVAILABL	E	
	SILVER		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 1	0.043		
SOIL - 20	0.043		
SOIL - 12	0.043		
SOIL - 3	0.043		
SOIL - 13	0.043		0.045
SOIL - 5	0.043	Minimum –	0.043
SOIL - 1	0.043	١	
SOIL - 7	0.043	Maximum -	0.043
SOIL - 15	0.043		0.045
SOIL - 9	0.043	Mean –	0.043
SOIL - 16	0.043	04.1 64.1	
SOIL - 2	0.043	95th %ile –	NA
SOIL - 17	0.043		
SOIL - 8	0.043		
SOIL - 19	0.043	Dackmound	
SOIL - 4	0.043	Background	0.086 *
SOIL - 10	0.043	Concentration -	0.000
SOIL - 18	0.043		
SOIL - 6	0.210 **		
SOIL - 11	0.580 **		<u></u>

Method Detection Limit

^{**} Likely Statistical Outlier

D	PATA	CALCULAT	CIONS
	SODIUM		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 1	26.0	1	
SOIL - 12	26.0		
SOIL - 15	26.0		
SOIL – 3	26.0		
SOIL - 8	26.0		
SOIL - 4	26.0	Minimum -	26.0
SOIL - 17	57.5		
SOIL - 2	58.6	Maximum -	231
SOIL - 5 SOIL - 6	71.2 79.8	Maan	70.7
SOIL - 9	79.8 85.8	Mean -	79.7
SOIL - 19	86.7	95th %ile -	131
SOIL - 20	93.9	75th 70th -	131
SOIL - 14	100		
SOIL - 7	117		
SOIL - 11	123	Background	
SOIL - 18	124	Concentration -	131
SOIL - 16	130		
SOIL - 13	231		
SOIL - 10	680 **		
	THALLIUM		
	NO DATA AVAILABI	E	
	VANADIUM		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 17	6.1		
SOIL - 15	6.2		
SOIL - 10	6.5		
SOIL - 20 SOIL - 1	7.2		
SOIL - 1 SOIL - 5	7.6 7.9	Minimum -	6.1
SOIL - 8	8.0	waningii —	0.1
SOIL - 19	9.9	Maximum -	46.6
SOIL - 4	11.7		
SOIL - 14	13.8	Mean -	17.0
SOIL - 12	16.3		
SOIL - 2	16.6	95th %ile -	28.7
SOIL - 16	17.5		
SOIL – 3	17.9		
SOIL - 11	18.1	Do alcomo	
SOIL - 18	22.8	Background	20.7
SOIL - 7	23.4	Concentration -	28.7
SOIL - 6 SOIL - 9	32.3 44.3		
SOIL - 13	46.6		}:

- Method Detection Limit
- ** Likely Statistical Outlier

DATA		CALCULAT	IONS
	ZINC		
SAMPLE	CONCENTRATION		
I.D.	ug/g		
SOIL - 17	11.2		l
SOIL - 15	11.7		
SOIL – 8	13.2		
SOIL - 20	13.5		ł
SOIL – 4	13.6		
SOIL - 19	14.2	Minimum -	11.2
SOIL - 3	14.6		40.0
SOIL - 5	14.7	Maximum -	40.0
SOIL - 1	16.5		
SOIL - 12	17.7	Mean -	23.9
SOIL - 14	22.2		
SOIL - 16	23.4	95th %ile -	35.5
SOIL – 2	27.7		İ
SOIL - 11	40.0]
SOIL - 18	40.0		
SOIL - 13	40.0	Background	
SOIL - 6	40.0	Concentration -	35.5
SOIL - 10	40.0		1
SOIL - 7	40.0		
SOIL - 9	130.0 **		

Method Detection Limit

^{**} Likely Statistical Outlier

GROUNDWATER BACKGROUND CONCENTRATIONS REPRESENTATIVE SAMPLES FORT DEVENS, MASSACHUSETTS

MONITORING WELL	LOCATION	TOTAL SUSPENDED SOLIDS (ug/L)	ALUMINUM (ug/L)
G6M-92-09X	NORTH POST	37,000	230
G6M-92-11X	NORTH POST	53,000	1,920
WWTMW-01	NORTH POST	20,000	2,330
WWTMW-13	NORTH POST	30,000	3,150
WW'FMW-14	NORTH POST	25,000	9,130
G3M-92-01X	MAIN POST	<4,000	71
13M-92-01X	MAIN POST	.1	7,270
12M-92-01X	SOUTH POST	ı	179
27M-92-04X	SOUTH POST	ı	8,700
28M-92-01X	SOUTH POST	i	2,280

H2ODATAWKI 05-Mar-93

Е	ATA	CALCULA	ΓΙΟΝS
	ALUMINUM		
MONITORING	CONCENTRATION		
WELL	(ug/L)	Minimum -	71
G3M-92-01X	71) (- m'	0140
12M-92-01X G6M-92-09X	179 230	Maximum –	9140
G6M-92-11X	1920	Mean -	3527
28M-92-01X	2280		
WWTMW-01	2330	95th %ile -	6874
WWTMW-13	3150	D 1	
13M-92-01X 27M-92-04X	7270 8700	Background Concentration –	6870
WWTMW-14	9140	Concentration –	0670
	ANTIMONY		
MONITORING	CONCENTRATION		
WELL		Minimum -	1.52
WELL WWTMW-14	(ug/L)	- Williamum -	1.52
WWTMW-13	1.52	Maximum -	1.52
WWTMW-01	1.52		
G6M-92-11X	1.52	Mean -	1.52
G6M-92-09X	1.52	0541 077	N7.4
G3M-92-01X 28M-92-01X	1.52 1.52	95th %ile -	NA
27M-92-01X	1.52	Background	
13M-92-01X	1.52	Concentration -	3.03 *
12M-92-01X	1.52		
	ARESNIC		
MONITORING	CONCENTRATION		
WELL	(ug/L)	Minimum -	1.27
G6M-92-11X	1.27		15.00
12M-92-01X	1.27	Maximum -	15.20
G6M-92-09X G3M-92-01X	1.27 1.77	Mean -	5.65
28M-92-01X	3.94		5.05
WWTMW-13	5.39	95th %ile -	10.5
WWTMW-01	9.81	1	1
13M-92-01X	10.9	Background	10.5
WWTMW-14 27M-92-04X	15.2 32.3 **	Concentration -	10.5
27M-92-04A	BARIUM		
MONITORING	CONCENTRATION	<u> </u>	
WELL	(ug/L)	Minimum -	2.5
12M-92-01X	2.5	-	##~J
G6M-92-09X	7.6	Maximum -	52.0
G3M-92-01X	10.7		
WWTMW-01	12.4	Mean –	22.6
28M-92-01X	14.4	95th %ile -	39.6
G6M-92-11X WWTMW-13	16.1 19.5	75th 76the -	.77.0
13M-92-01X	44.5	Background	
WWTMW-14	46.3	Concentration -	39.6
27M-92-04X	52.0		

- Method Detection Limit
- ** Likely Statistical Outlier

D	ATA	CALCULA	ΓIONS
	BERYLLIUM		
MONITORING	CONCENTRATION		
WELL	(ug/L)	Minimum -	2.50
G3M-92-01X	2.50		
12M-92-01X	2.50	Maximum -	2.50
G6M-92-09X	2.50	Mann	2.50
G6M-92-11X	2.50 2.50	Mean -	2.50
28M-92-01X WWTMW-01	2.50	95th %ile -	NA
WWTMW-13	2.50) Jan 7000	****
13M-92-01X	2.50	Background	
27M-92-04X	2.50	Concentration -	5.00 *
WWTMW-14	2.50	<u> </u>	
	CADMIUM		
MONITORING	CONCENTRATION		
WELL	(ug/L)	Minimum -	2.01
WWTMW-14	2.01	1	
WWTMW-13	2.01	Maximum -	2.01
WWTMW-01	2.01		2.01
G6M-92-11X	2.01	Mean -	2.01
G6M-92-09X G3M-92-01X	2.01 2.01	95th %ile -	NA
28M-92-01X	2.01	John John	1421
27M-92-04X	2.01	Background	
13M-92-01X	2.01	Concentration -	4.01 *
12M-92-01X	2.01		
	CALCIUM		
MONITORING	CONCENTRATION		
WELL	(ug/L)	Minimum -	179
12M-92-01X	179		2222
28M-92-01X	1910	Maximum –	23200
WWTMW-14	2490	Mean -	7801
WWTMW-13 G6M-92-11X	3280 5780	Wiean -	7601
WWTMW-01	6940	95th %ile -	14747
G3M-92-01X	7710	75111 75115	
27M-92-04X	8820	Background	
G6M-92-09X	17700	Concentration -	14700
13M-92-01X	23200		
	CHROMIUM		
MONITORING	CONCENTRATION		:
WELL	(ug/L)	Minimum –	3.0
G3M-92-01X	3.01	1	10.5
G6M-92-09X	3.01	Maximum -	18.7
28M-92-01X	3.01	Mean -	8.7
12M-92-01X	3.01	Mean -	0.7
WWTMW-01	6.04 6.36	95th %ile -	14.7
G6M-92-11X WWTMW-13	10.1	7544 70110	A 70.
27M-92-04X	16.4	Background	
13M-92-01X	16.9	Concentration -	14.7
WWTMW-14	18.7		

- Method Detection Limit
- Likely Statistical Outlier

INORGANIC ANALYTES IN WATER FORT DEVENS, MASSACHUSETTS

D	ATA	CALCULATIONS		
	COBALT			
MONITORING	CONCENTRATION			
WELL	(ug/L)	Minimum -	12.5	
G3M-92-01X	12.5			
12M-92-01X	12.5	Maximum -	12.5	
G6M-92-09X	12.5	Mean -	12.5	
G6M-92-11X 28M-92-01X	12.5 12.5	Mean -	12.3	
WWTMW-01	12.5	95th %ile -	NA	
WWTMW-13	12.5			
13M-92-01X	12.5	Background		
27M-92-04X	12.5	Concentration -	25.0 *	
WWTMW-14	12.5			
	COPPER			
MONITORING	CONCENTRATION			
WELL	(ug/L)	Minimum –	4.05	
G3M-92-01X	4.05		C 53	
WWTMW-14	4.05	Maximum -	6.52	
28M-92-01X WWTMW-01	4.05 4.05	Mean -	4.36	
G6M-92-09X	4.05	Wican	42.0	
12M-92-01X	4.05	95th %ile -	5.2	
G6M-92-11X	4.05			
WWTMW-13	6.52	Background	0.00 +	
13M-92-01X	18.60 **	Concentration -	8.09 *	
27M-92-04X	19.00 **	<u> </u>		
	IRON	T		
MONITORING	CONCENTRATION			
WELL	(ug/L)	Minimum -	171	
G3M-92-01X	171	Manimum	12000	
G6M-92-09X	331 373	Maximum -	12900	
12M-92-01X G6M-92-11X	2390	Mean -	4611	
28M-92-01X	2410	***************************************	4011	
WWTMW-01	3250	95th %ile -	9104	
WWTMW-13	3830			
WWTMW-14	9250	Background	0100	
27M - 92 - 04X	11200	Concentration -	9100	
13M-92-01X	12900	_ I		
MONITORING	LEAD CONCENTRATION			
	_	Minimum -	0.65	
WELL	(ug/L)	- Minimum -	0.65	
G6M-92-09X	0.65 2.00	Maximum -	5.70	
WWTMW-01 28M-92-01X	2.17	Marinani	5.10	
G3M-92-01X	2.30	Mean -	2.81	
G6M-92-11X	2.30			
WWTMW-13	3.10	95th %ile -	4.25	
12M - 92 - 01X	4.23			
WWTMW-14	5.70	Background Concentration -	4.25	
13M-92-01X	12.10 **			

Method Detection Limit

Likely Statistical Outlier

INORGANIC ANALYTES IN WATER FORT DEVENS, MASSACHUSETTS

D	ATA	CALCULATIONS		
MAGNESIUM		[
MONITORING	CONCENTRATION			
WELL	(ug/L)	Minimum -	693	
28M-92-01X	693	1		
G6M-92-11X	857	Maximum -	4500	
G3M-92-01X	1000	Maan	2157	
WWTMW-13	1390 1600	Mean -	2157	
G6M-92-09X WWTMW-01	1900	95th %ile -	3477	
WWTMW-14	1970)3.m /0.mc		
27M-92-04X	3550	Background		
12M-92-01X	4110	Concentration -	3480	
13M-92-01X	4500			
,	MANGANESE			
MONITORING	CONCENTRATION			
WELL	(ug/L)	Minimum -	23.40	
G6M-92-09X	23.4	Manin	486.00	
12M-92-01X	69.9	Maximum -	400.00	
WWTMW-01 28M-92-01X	77.7 86.4	Mean -	156.93	
G6M-92-11X	102	Moun	100.50	
WWTMW-13	107	95th %ile -	290.7	
13M-92-01X	227			
WWTMW-14	233	Background Concentration —	291	
G3M-92-01X	486	Concentration -	291	
27M-92-04X	MERCURY			
NONTERNA		T		
MONITORING	CONCENTRATION	Minimum -	0.12	
WELL	(ug/L)	Minimum -	0.12	
WWTMW-01 G3M-92-01X	0.12 0.12	Maximum -	0.70	
12M-92-01X	0.12	Maximon	0.70	
13M-92-01X	0.12	Mean -	0.18	
WWTMW-14	0.12			
28M-92-01X	0.12	95th %ile -	0.35	
G6M-92-11X	0.12	D. alasman d		
G6M-92-09X	0.12	Background Concentration - (243 *	
27M-92-04X WWTMW-13	0.12 0.70	Concentration — (1.24.)	
WIMW-13	NICKEL			
MONITORING	CONCENTRATION			
MONITORING		Minimum -	17.20	
WELL	(ug/L)	- wimmum -	17.20	
G6M-92-09X	17.2 17.2	Maximum -	17.20	
WWTMW-01 28M-92-01X	17.2	Manufalleni	120	
G3M-92-01X	17.2	Mean -	17.20	
G6M-92-11X	17.2		_	
WWTMW-13	17.2	95th %ile -	NA.	
12M-92-01X	17.2	D 1		
WWTMW-14	17.2	Background	34.3 *	
13M-92-01X	17.2	Concentration -	34.3	
27M-92-04X	3 17.2	<u> </u>		

Method Detection Limit

Likely Statistical Outlier

INORGANIC ANALYTES IN WATER FORT DEVENS, MASSACHUSETTS

I	DATA	CALCULATION		
	POTASSIUN	1		
MONITORING	CONCENTRATION			
WELL	(ug/L)	Minimum -	461	
28M-92-01X	461		401	
G6M-92-11X	645	Maximum -	2790	
WWTMW-13	1080			
G3M - 92 - 01X	1450	Mean –	1644	
12M - 92 - 01X	1500	_		
WWTMW-01	1980	95th %ile -	2370	
WWTMW-14	1980			
G6M-92-09X 13M-92-01X	1980	Background	0050	
27M-92-04X	2570 2790	Concentration -	2370	
2101 72 047		<u></u>		
MONITORING	SELENIUM			
WELL	CONCENTRATION	Mi=:	1 51	
G6M-92-09X	(ug/L)	Minimum –	1.51	
12M-92-01X	1.51 1.51	Maximum -	1.51	
WWTMW-01	1.51	Wiaxiiiluii —	1.51	
28M-92-01X	1.51	Mean -	1.51	
G6M-92-11X	1.51		11	
WWTMW-13	1.51	95th %ile -	NA	
13M - 92 - 01X	1.51			
WWTMW-14	1.51	Background		
G3M - 92 - 01X	1.51	Concentration -	3.02 *	
27M-92-04X	1.51			
	SILVER			
MONITORING	CONCENTRATION			
WELL	(ug/L)	Minimum -	2.30	
WWTMW-01	2.30			
G3M-92-01X	2.30	Maximum -	2.30	
12M - 92 - 01X	2.30			
13M-92-01X	2.30	Mean -	2.30	
WWTMW-14	2.30			
28M-92-01X	2.30	95th %ile -	NA	
G6M-92-11X	2.30	Doole		
G6M-92-09X	2.30	Background	4.00 +	
27M-92-04X WWTMW-13	2.30 2.30	Concentration -	4.60 *	
W W 1 W W - 15				
MONITORING	SODIUM			
MONITORING	CONCENTRATION		4000	
WELL	(ug/L)	Minimum -	1380	
28M-92-01X	1380		40000	
G6M-92-09X	2000	Maximum -	18000	
WWTMW-14	2100	Mas-	5771	
G6M-92-11X	2430	Mean –	5771	
27M-92-04X	3070 4250	95th %ile -	10041	
12M-92-01X WWTMW-13	4250 4610	93th %He -	10841	
	4610			
;	9570	Rackeeanad		
G3M-92-01X WWTMW-01	8570 11300	Background Concentration -	10800	

Method Detection Limit

Likely Statistical Outlier

INORGANIC ANALYTES IN WATER FORT DEVENS, MASSACHUSETTS

D)ATA	CALCULA'	TIONS
	THALLIUM		
MONITORING	CONCENTRATION		
WELL	(ug/L)	Minimum -	3.50
28M-92-01X	3.50		
G6M-92-11X	3.50	Maximum -	3.50
WWTMW-13	3.50		
G3M-92-01X	3.50	Mean –	3.50
12M-92-01X	3.50		
WWTMW-01	3.50	95th %ile -	3.50
WWTMW-14	3.50		
G6M-92-09X	3.50	Background	6.00
13M-92-01X	3.50	Concentration -	6.99
27M-92-04X	3.50		
	VANADIUM		
MONITORING	CONCENTRATION		
WELL	(ug/L)	Minimum -	5.50
G6M-92-09X	5.50		
12M-92-01X	5.50	Maximum -	14.50
WWTMW-01	5.50		
28M-92-01X	5.50	Mean -	7.13
G6M-92-11X	5.50	05.1 67.7	10.41
WWTMW-13	5.50	95th %ile -	10.41
13M-92-01X	5.50	Dealessand	
G3M-92-01X	5.50	Background Concentration -	11.0 *
27M-92-04X	12.8	Concentration -	11.0
WWIMW-14	TMW-14 14.5		
	ZINC	,	
MONITORING	CONCENTRATION	·	İ
WELL	(ug/L)	Minimum –	10.6
WWTMW-13	10.6		47.0
G6M-92-09X	10.6	Maximum –	47.0
WWTMW-01	10.6	1	20.5
28M-92-01X	10.6	Mean -	20.5
G6M-92-11X	10.6	0544 07:1-	34.9
G3M-92-01X	10.6	95th %ile -	34.9
WWTMW-14	32.0	Dooleanound	.
27M-92-04X	41.7	Background Concentration -	21.1 *
12M-92-01X	47.0	Concentration -	21.1
13M-92-01X	78.5 **		

Method Detection Limit Likely Statistical Outlier

ECOLOGICAL DATA TABLES INFORMATION AND REFERENCES

W0039366APP.CVR 7053-07

DEVELOPMENT OF SURFACE SOIL PROTECTIVE CONTAMINANT LEVELS

No state or federal standards or guidelines exist for surface soil exposure, so this medium has been evaluated through comparison of maximum analyte concentrations in surface soils to benchmark values protective contaminant levels (PCLs) obtained through a computer-generated chronic exposure food web model. In order to establish conservative PCLs for the screening level PREs, an acceptable level of risk (Hazard Index [HI] equals 1) associated with chronic exposure to each surface soil analyte detected at Fort Devens was established.

The terrestrial food web model was developed to estimate the potential dietary exposure levels of contaminants for several potential receptor species representing various trophic levels within the ecological community at Fort Devens. Indicator receptor species were chosen to represent various taxonomic groups and trophic levels. It was assumed that each species evaluated is representative of other species within a given trophic level at Fort Devens (i.e., a trophic guilding approach was employed).

The following six indicator species were selected to represent exposure to terrestrial organisms via ingestion of food and surface soil at Fort Devens:

- Short-tailed Shrew (Blarina brevicauda). This carnivorous small mammal has a limited home range, a small body size, and a voracious appetite (Godin, 1977), factors which increase the likelihood that it will encounter significant environmental contaminant concentrations. Short-tailed shrews frequent woody regions with moist, loose humus, and can be found in marshes and meadows. The short-tailed shrew tends to avoid dry sites, and is active both day and night.
- White-footed mouse (*Peromyscus leucopus*). The white-footed mouse occupies a small home range of up to 0.5 acre in grassy fields. Though occupying a similar niche as the carnivorous short-tailed shrew, the white-footed mouse was chosen as an indicator species because it is primarily herbivorous, and is found in a variety of habitats, including deciduous, mixed, and carnivorous forests, clearings, pastures, streamside thickets, and around buildings (DeGraff and Rudis, 1983).

- American Robin (*Turdus migratorius*). This abundant passerine songbird occurs throughout open woodlands, forest edges, clearings, fields, and grassy areas. Robins forage on earthworms and insects, and may include fruits in their diet (DeGraaf and Rudis, 1983). They are frequently encountered in developed regions.
- Garter Snake (*Thamnophis sirtalis*). The garter snake was chosen to be representative of the reptile community at Fort Devens. This carnivorous snake feeds on small mammals, amphibians, and invertebrates, and has a home range of approximately 5 acres. Garter snakes occur in a variety of habitats, but are most common in the vicinity of wetlands.
- Red fox (Vulpes vulpes). This omnivorous mammal prefers open woodlands and grassy fields, and is most active in the night, and at dawn and dusk. It is an opportunistic predator, feeding on small mammals, birds, reptiles, amphibians, and invertebrates, as well as berries and other fruits (Burt and Grossenheider, 1976). The red fox has a home range of approximately 250 acres.
- Red-tailed Hawk (*Buteo jamaicensis*). This bird of prey prefers foraging in open country, frequently on woodland edges. It feeds primarily on small mammals, although invertebrates, reptiles, and small birds are also included in its diet.

Detailed information for each of the above species regarding diet, home-range, and other biological exposure parameters used in the food-web model are provided in Table I-1.

The food-web model was used to estimate contaminant levels in various primary prey items (e.g., invertebrates and plants) consumed by each receptor species. Estimated contaminant tissue residues in each prey species were estimated using specific bioaccumulation factors (BAFs) obtained directly or extrapolated from values in the scientific literature, as shown in the following equation:

Prey Tissue Concentration (mg/kg) = Soil Concentration (mg/kg) × Bioaccumulation Factor (BAF)

Other BAFs were used to estimate tissue concentrations in secondary prey items such as small birds, rodents, and reptiles. Chemical-specific BAF values used in the food-web model are provided in Table I-2.

The potential dietary exposure (PDE) level, for each modeled receptor species, was calculated by multiplying each predicted prey species tissue concentration by the proportion of that prey type in the diet, summing these values, adding soil exposure, and multiplying by the Site Foraging Frequency (SFF) of the given receptor species. Incidental soil ingestion associated with foraging, preening, and cleaning activities, was conservatively assumed to represent five percent of total dietary intake. The PDE is represented by the following equation:

PDE =
$$\sum_{1\rightarrow n} [P_1 \times T_1 + P_2 \times T_2 + ... + P_n \times T_n + \text{soil exposure}] \times SFF$$

where:

PDE = Potential dietary exposure (mg/kg)

P_n = Percent of diet composed of prey item n T_n = Tissue concentration in prey item n (mg/kg)

Soil Exposure = (0.05)(Soil concentration in mg/kg)

SFF = Site Foraging Frequency; Area of Contaminated Soil

(acres)/Home range (acres)

Finally, the potential dietary exposure for each receptor species was multiplied by the receptor-specific ingestion rate and divided by the estimated body weight to calculate a Total Body Dose (TBD):

$$TBD = PDE \times IR \times \frac{1}{BW}$$

where:

TBD = Total Body Dose (mg/kgBW-day)
PDE = Potential dietary exposure (mg/kg)

IR = Ingestion rate (kg/day)

BW = Body weight (kg)

Because the TBD estimates are normalized to the ingestion and body weight of the particular receptor being evaluated, they are directly comparable to estimated Reference

ABB Environmental Services, Inc.

Toxicity Values (RTVs) values derived from the literature. The comparison of the TBD estimate with the appropriate RTV results in an index (the Hazard Index) of potential impact associated with exposure to that particular chemical.

Toxicity data evaluated for terrestrial receptors consists of acute and chronic oral ingestion studies which were preferentially chosen in the following order: 1) feeding studies, 2) gavage studies, 3) drinking water studies. Based on these data, RTVs were developed to represent a threshold dosage for effects to terrestrial organisms. RTVs are expressed in mg/kg BW (body weight)/day (dose normalized to body weight). From the toxicological data set evaluated (Table I-3), compound-specific chronic toxicity values for each type of receptor (indicator species) were selected as the Fort Devens RTVs. These RTVs are presented in Table I-4.

The RTV selection procedure included the following general guidelines:

- Taxon-specific toxicological data were used whenever possible, regardless of study status (acute vs chronic, etc). When taxon-specific data were unavailable, available toxicological data were applied to the indicator species. Because reptile toxicological data are scarce, bird toxicity values were used to represent garter snake RTVs.
- Chronic RTVs are based on the average of reported Lowest Observed Adverse Effect Levels (LOAEL) for non-mortality endpoints from chronic studies (i.e., those lasting >364 days). However, when chronic non-mortality data were unavailable, the average of reported LOAEL non-mortality data from sub-chronic studies (those lasting 15-364 days) were used for the RTV. Mortality data from chronic studies were used only when data from chronic or sub-chronic non-mortality studies were unavailable. LOAELs extrapolated from acute or No Observable Adverse Effect Levels (NOAEL) were not included when LOAELs were averaged to derive RTVs.
- When chronic or sub-chronic studies were not available, acute study values were used. In these cases, two factors are applied to the acute Lethal Dose Fifty (LD₅₀) (the single dose lethal to 50 percent of the test organisms). These include: (1) a factor of 0.2 for extrapolating from the oral LD₅₀ to a value expected to protect 99.9 percent of the population from acute effects (USEPA, 1986); and (2) a factor of 0.1 for extrapolating

from acute to chronic values (the acute-chronic ratio for many chemicals is approximately 10 (Newell et al., 1987)). Additionally, in cases where only a NOAEL value was available, a factor of 5 was used to extrapolate an estimated LOAEL from the NOAEL value. LOAELs extrapolated from chronic or sub-chronic NOAEL data were preferentially used over data extrapolated from acute studies.

• When no studies were available in the ABB-ES data base for a given contaminant, the contaminant was assigned an appropriate surrogate chemical for which adequate toxicological data exists (i.e., benzo(a)pyrene was used as a surrogate for dibenzo(a,h)anthracene).

Development of Protective Contaminant Levels (PCLs)

In order to develop PCLs, an acceptable level of risk associated with exposure to each contaminant (Hazard Index [HI] = 1) was multiplied by the particular contaminant-specific RTV to estimate a Target Intake Dosage (TID), expressed as mg/kgBW-day, as shown by the following equation:

$$TR \times RTV = TID$$

TR = Target Risk (HI = 1.0)

RTV = Reference Toxicity Value (mg/kgBW-day)
TID = Target Intake Dosage (mg/kgBW-day)

The TID was multiplied by the Dietary Contribution Factor (DCF) (the inverse of the equation used to derive TBD) to estimate the PCL of the particular contaminant, as shown by the following equation:

TID = Target Intake Dosage (mg/kgBW-day)

DCF = Dietary Contribution Factor (kgBW-day/kg)

PCL = Protective Contaminant Level (mg/kg)

ABB Environmental Services, Inc.

PCLs were developed for all analytes for each of the six terrestrial receptor organisms evaluated through the food web model. The lowest resultant PCLs were selected as the PCL values for use in these PREs; these PCLs are presented in Table 3-5 (in report text). For the majority of the contaminants evaluated, the short-tailed shrew (due to its small home range, voracious appetite, and insectivorous diet) was found to be the ecological receptor species with the lowest PCL. The PCL values used in the risk evaluation represent the concentration of each analyte in surface soil that, if not exceeded, is protective of all terrestrial organisms, including the short-tailed shrew. Because suitable habitat for the shrew does not exist at several Groups 2 and 7 SAs, additional details regarding the use of alternative PCLs is presented in the individual PREs.

Because of the numerous conservative assumptions included in the chronic exposure risk assessment model, the lowest PCL for four inorganic analytes (aluminum, barium, lead, and vanadium) are below their respective background concentrations established for Fort Devens. For these four analytes, the background concentration (rather than the PCL generated through the food web model) was used as the screening tool for evaluating surface soil at the Groups 2 and 7 sites. Collecting, the computer-generated PCLs and the background concentrations for these 4 analytes are referred to as surface soil benchmark values in the Fort Devens PREs. In general, the benchmarks developed through this approach are at least as conservative as available guidelines for evaluating surface soil contamination (i.e., Fitchko, 1989; Beyer, 1990).

PRE GENERAL ASSUMPTIONS AND UNCERTAINTIES

ASSUMPTIONS AND UNCERTAINTIES

General assumptions and uncertainties for the Fort Devens PREs include, but are not limited to, the following:

- 1. The human health standards and guidelines used in these PREs are based on standard USEPA exposure assumptions. Quantitative human health risk assessments based on SA-specific characteristics and exposure potential have not been conducted.
- 2. The USEPA Region III Risk-Based Concentrations are readily available screening values used in the human health PREs. They do not represent target cleanup levels. Because they are based on standard USEPA risk assessment assumptions and methodology, the risk-based concentrations are considered to be reasonable screening values.
- 3. The food web models used to estimate surface soil protective concentrations involve numerous exposure parameters, some of which are values from the literature, and some of which are assumed or estimated. Efforts were made to select exposure parameters representative of a variety of species or feeding guilds, so that exposure estimates would be representative of more than a single species. However, numerous extrapolations relating measurement and assessment endpoints have been included in these PREs. These include extrapolations between taxa, between responses, and from laboratory to field studies.
- 4. The exposure models from which protective surface soil levels were derived assume that organisms will spend equal amounts of time in all habitats within their home ranges. In actuality, organisms will spend varying amounts of time in different habitats which would affect their exposures. The limitation of this assumption is that exposures to the particular species modeled may be overestimated or under-estimated in these PREs.
- 5. Information regarding the presence or absence of ecological receptors at the site was obtained from a review of literature, habitat characteristics, and short-term field studies. Actual occurrence and/or utilization of the site by many ecological receptors is uncertain.

ABB Environmental Services, Inc.

- 6. Neither dermal contact nor inhalation were evaluated in the protective surface soil food web model because of a lack of information concerning uptake rates for wildlife. Therefore, total ecological exposure may be greater than predicted based solely on modeled ingestion scenarios. However, the relative contribution of dermal contact to total ecological risk is expected to be much lower than that of food and sediment ingestion, because of the protective fur, feathers, or hardened skin covering most species of semi-terrestrial wildlife.
- 7. The PREs evaluate potential ecological effects to individual organisms, and do not evaluate potential population-level risks. In many circumstances, acute or chronic effects may occur to individual organisms with little potential population or community level effects; however, as the number of individual organisms experiencing toxic effects increases, the probability that population-level effects will occur also increases. As a result of this assumption, the calculated protective concentrations may be overly protective of community or population level effects.
- 8. An assumption was made that all analytes in the Fort Devens surface soil and surface water are bioavailable, and that all inorganics in sediments are bioavailable. In actuality, it is likely that only a portion of these analytes are bioavailable; therefore, these PREs may over-estimate risk.
- 9. The PCLs developed through the back-calculated food web model represent a screening tool to determine whether or not an analyte may present risk to ecological receptors. These PCLs do not represent target cleanup levels.

PRE REFERENCES

REFERENCES

- Allen, J.R. et al., 1979. "Comparative Toxicology of Chlorinated Compounds on Mammalian Species"; Pharmac. Ther.; 7: 513-549.
- ATSDR, 1987. "Toxicological Profile for Chlordane"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, October 1987.
- ATSDR, 1987. "Toxicological Profile for Nickel"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, October, 1987.
- ATSDR, 1988. "Toxicological Profile for Cadmium"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service
- ATSDR, 1988. "Toxicological Profile for DDT, DDE, and DDD"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, December 1988
- ATSDR, 1988. "Toxicological Profile for Di(2-ethylhexyl)phthalate"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.
- ATSDR, 1988. "Toxicological Profile for 2,4-Dinitrotoluene and 2,6-Dinitrotoluene"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.
- ATSDR, 1988. "Toxicological Profile for N-nitrosodiphenylamine"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, January 1988.
- ATSDR, 1988. "Toxicological Profile for Lead"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, February 1988.
- ATSDR, 1989. "Toxicological Profile for Polycyclic Aromatic Hydrocarbons (Acenaphthene, Acenaphthylene, Anthracene, Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Benzo(k)fluoranthene, Chrysene, Dibenzo(a,h)anthracene, Fluoranthene, Fluorene, Indeno(1,2,3-cd)pyrene, Phenanthrene, and Pyrene)"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, October 1989.
- ATSDR, 1989. "Toxicological Profile for Selenium"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, April 1989.

ABB Environmental Services, Inc.

- ATSDR, 1990. "Toxicological Profile for Manganese"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, October 1990.
- ATSDR, 1990. "Toxicological Profile for Naphthalene and 2-Methylnaphthalene"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, February, 1990.
- ATSDR, 1990. "Toxicological Profile for Silver"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.
- ATSDR, 1991. "Toxicological Profile for Antimony"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.
- ATSDR, 1991. "Toxicological Profile for Chromium"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service
- ATSDR, 1991. "Toxicological Profile for Cobalt"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.
- ATSDR, 1991. "Toxicological Profile for Vanadium"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.
- ATSDR, 1992. "Toxicological Profile for Arsenic"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.
- ATSDR, 1992. "Toxicological Profile for Beryllium"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.
- ATSDR, 1992. "Toxicological Profile for Cadmium"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service
- ATSDR, 1992. "Toxicological Profile for Chloroform"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service
- ATSDR, 1993. "Toxicological Profile for Toluene"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service
- Baker, R.H., 1983. Michigan Mammals; Michigan State University Press; 642 pp.

- Bernuzzi, V., D.Desor, and P.R. Lehr, 1989. "Effects of Postnatal Aluminum Lactate Exposure on Neuromotor Maturation in Rat"; <u>Bulletin of Environmental Contamination and Toxicology</u> 42:451-5.
- Beyer, W. Nelson, 1990. <u>Evaluating Soil Contamination</u>; U.S. Deprtment of the Interior, Fish and Wildlife Service, Washington, D.C.
- Burt, W.H., 1987. Mammals of Michigan; Ann Arbor, MI, University of Michigan Press, 248 pp.
- Conant, Roger, 1975. A Field Guide to the Reptiles and Amphibians of Eastern and Central North America; Houghton Mifflin Co.; Boston, MA; 729 pp.
- DeGraaf, R.M., and D.D. Rudis, 1986. "New England Wildlife: Habitat, Natural History, and Distribution"; USDA Forest Service, Northeastern Forest Experiment Station, General Technical Report NE-108.
- Demayo, A., M.C. Taylor, and K.W. Taylor, 1982. <u>Effects of Copper on Humans</u>, <u>Laboratory and Farm Animals</u>, <u>Terrestrial Plants</u>, and <u>Aquatic Life</u>; CRC Critical Reviews in Environmental Control; August 1982; pp. 183-255.
- Diercxsens, P., D. deWeck, N. Borsinger, B. Rosset, and J. Tarradellas, 1985. "Earthworm Contamination by PCBs and Heavy Metals"; <u>Chemosphere</u> 14:511-522.
- Eisler, R. 1985. "Cadmium Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85(1.2), 46 pp.
- Eisler, R. 1985. "Selenium Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85(1.5), 57 pp.
- Eisler, R., 1986. "Chromium Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85 (1.6), 60 pp.
- Eisler, R., 1986. "Polychlorinated Biphenyl Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85 (1.7), 72 pp.

- Eisler, R., 1987. "Mercury Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85 (1.10), 90 pp.
- Eisler, R., 1987. "Polycyclic Aromatic Hydrocarbon Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85 (1.11), 81 pp.
- Eisler, R., 1988. "Arsenic Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85 (1.12), 92 pp.
- Eisler, R., 1988. "Lead Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85 (1.14), 134 pp.
- Fimreite, N., 1979. "Accumulation and Effects of Mercury on Birds"; Pages 601-626 in The Biogeochemistry of Mercury in the Environment, J.O. Nriagu (Ed.); Elsevier/North Holland Biomedical Press, New York.
- Fitchko, J., 1989. <u>Criteria for Contaminated Soil/Sediment Cleanup.</u> Pudvan Publishing Company, Northbrook, Illinois
- Godin, A.J., 1977. Wild Mammals of New England; The Johns Hopkins University Press, Baltimore, MD.
- Hansch, C.H. and A. Leo, 1979. <u>Substituent Constants for Correlation Analysis in Chemistry and Biology</u>; John Wiley and Sons, Inc., 330 pp.
- Hill, E.F. et al., 1975. "Lethal Dietary Toxicities of Environmental Pollutants to Birds"; U.S. Fish and Wildlife Service Special Scientific Report, Wildlife No. 191, Washington, D.C.
- Hill, E.F., and M.B. Camardese, 1986. "Lethal Dietary Toxicities of Environmental Contaminants and Pesticides to Coturnix", U.S. Fish and Wildlife Service Tech. Rep. No. 2, Washington, D.C.
- Integrated Risk Information System (IRIS), 1988-1993. "Volumes I and II. Chemical Files". U.S. Environmental Protection Agency.

- Kenaga, E.E., 1973. "Factors to be Considered in the Evaluation of Pesticides to Birds in Their Environment"; in Environmental Quality and Safety. Global Aspects of Chemistry, Toxicology and Technology as Applied to the Environment; Volume 2, Academic Press, New York, NY; p. 166-181.
- Kennedy, G., D. Arnold, and J.C. Calandra, 1975. "Teratogenic Evaluation of Lead Compounds in Mice and Rats"; Food and Cosmetics Toxicology 13: 629-632
- Llobet, J.M. et al., 1988. "Subchronic Oral Toxicity of Zinc in Rats"; <u>Bulletin of Environmental Contamination and Toxicology</u> 41:36-43.
- Longcore, J.R., and R.C. Stendell, 1977. "Shell Thinning and Reproductive Impairment in Black Ducks After Cessation of DDE Dosage"; <u>Arch. Environm. Contam.</u> Toxicol. 6:293-304.
- Martin, A.C. et al., 1951. <u>American Wildlife and Plants, A Guide to Wildlife Food Habits</u>; Dover Publications, Inc. New York.
- McClain, R.M., and B.A. Becker, 1972. "Effects of Organo-lead Compounds on Rat Embryonic and Fetal Development"; <u>Toxicology and Applied Pharmacology</u> 21: 265-274
- Mcfadyen, Amyan, 1980. Advances in Ecological Research, Volume II; Academic Press, NY, 1980; 327 pp.
- National Institute for Occupational Safety and Health (NIOSH), 1985. "Registry of Toxic Effects of Chemical Substances"; NIOSH Publication No. 86-103, U.S. Department of Health and Human Services.
- National Toxicology Program (NTP), 1989. "Toxicology and Coarcinogenesis Studies of Benzofuran in Rats and Mice"; Technical Report Series No. 370., U.S. Department of Health and Human Services; October 1989.
- Newell, A.J., D.W. Johnson, and L.K. Allen, 1987. "Niagara River Biota Contamination Project: Fish Flesh Criteria for Piscivorous Wildlife"; Technical Report 87-3, Division of Fish and Wildlife.

7053.07

- Peakall, D.B., and M.C. Peakall, 1973. "Effect of Polychlorinated Biphenyl on the Reproduction of Artificially Incubated Dove Eggs"; <u>Journal of Applied Ecology</u> 10: 863-868.
- Sanders, O.T., and R.L. Kirkpatrick, 1975. "Effects of a Polychlorinated Biphenyl (PCB) on Sleeping Times, Plasma Corticosteroids, and Testicular Activities of Whitefooted Mice"; Environmental Physiology and Biochemistry 5(5): 308-313.
- Sax, N.I., 1984. <u>Dangerous Properties of Industrial Material</u>; 6th Edition; Van Nostrand Reinhold Company, New York.
- Stokinger, H.E., 1982. "Aliphatic Nitro Compounds, Nitrates, Nitrites"; In: <u>Patty's Industrial Hygiene and Toxicology</u>"; G.D. Clayton and F.E. Clayton (Eds.); John Wiley & Sons; New York.
- Suzuki, T., 1979. "Dose-effect and Dose-response Relationships of Mercury and its Derivatives"; Pages 399-431 in The Biogeochemistry of Mercury in the Environment, J.O. Nriagu (Ed.); Elsevier/North Holland Biomedical Press, New York.
- Terres, J.K., 1987. <u>Audubon Encyclopedia of North American Birds</u>; Published by Alfred Knopf, New York, 1109 pp.
- Toxicology Data Bank (TDB), 1984. National Library of Medicine.
- U.S. Environmental Protection Agency (USEPA), 1976. National Conference on Polychlorinated Biphenyls, Conference Proceedings, USEPA Office of Toxic Substances, EPA-560/6-75-004. 471 pp.
- USEPA, 1980. "Ambient Water Quality Criteria for Copper"; Environmental Criteria and Assessment Office; Office of Water Regulations and Standards Criteria Division, EPA-440/5-80-036.
- USEPA, 1984. "Health Effects Assessment for Acenapthylene", Environmental Criteria and Assessment Office, September, 1984.
- USEPA, 1984. "Ambient Water Quality Criteria for Arsenic"; Washington, D.C.; Report No. 44/5-84-033.

ABB Environmental Services, Inc.

- USEPA, 1984. "Health Effects Assessment for Benzo(a)pyrene"; Office of Emergency and Remedial Response, United States Environmental Protection Agency, ECAO-CIN-H)22; September 1984.
- USEPA, 1984. "Health Assessment Document for Manganese", U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office, EPA-600/8-83-013F; Cincinnati, Ohio; August, 1984.
- USEPA, 1985. "Chemical, Physical, and Biological Properties of Compounds Present at Hazardous Waste Sites"; Final Report Prepared by Clement Associates, Inc.; September, 1985.
- USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Arsenic"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.
- USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Benzo(a)pyrene"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.
- USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Beryllium"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.
- USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Chromium"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.
- USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: DDT/DDE/DDD"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.
- USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Lead"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.

- USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Mercury"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.
- USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Nickel"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.
- USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Polychlorinated Biphenyls"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.
- USEPA, 1986. "Hazard Evaluation Division Standard Evaluation Procedure: Ecological Risk Assessment"; Office of Pesticide Programs; EPA 540/9-85-001; Washington, D.C.
- USEPA, 1986. "Health and Environmental Effects Profile for Carbazole"; Environmental Criteria and Assessment Office; April 1986.
- USEPA, 1987. "Health Advisories for 16 Pesticides"; Office of Drinking Water; Washington, D.C.; PB87-200176.
- USEPA, 1988. "Health Effects Advisory for Lead"; Office of Drinking Water, Washington, D.C.
- USEPA, 1988. "Recommendations for and Documentation of Biological Values for Use in Risk Assessment"; PB 88-179874, EPA 600/6-87-008, Washington, D.C.
- USEPA, 1988. "Health Effects Advisory for Chlordane"; Office of Drinking Water, Washington, D.C.
- USEPA, 1990. "Basics of Pump-and-Treat Ground Water Remediation Technology"; U.S. Environmental Protection Agency, Office of Research and Development, EPA-600/8-90/003.
- USEPA, 1990. "Exposure Factors Handbook." EPA/600/8-89/043; USEPA Office of Health and Environmental Assessment; Washington, DC, July, 1989.

- USEPA, 1990. "Health Effects Advisory for Naphthalene"; U.S. Environmental Protection Agency, Office of Drinking Water, Washington, D.C.
- USFWS, 1988. "National List of Plant Species that Occur in Wetlands Northeast (Region I)"; Biological Report 88(26.1); prepared for U.S. Department of the Interior (in cooperation with the National and Regional Interagency Review Panels).
- Verschueren, Karel, 1983. <u>Handbook of Environmental Data on Organic Chemicals:</u> Second Edition; Van Nostrand Reinhold, New York, 1310 pp.
- Wiemeyer, S.N., et al., 1986. "Residues in American Kestrels and Relations to Reproduction"; U.S. Fish and Wildlife Service Technical Report No. 6, Washington D.C.

TABLE H-1 ECOLOGICAL EXPOSURE PARAMETERS

SITE INVESTIGATION REPORT FORT DEVENS

RECEPTOR SPECIES	EXPOSURE PARAMETER	REPORTED VALUES	REFERENCE	VALUE SELECTED FOR PRE
White - footed Mouse (Peromyscus leucopus)	Home Range (acres)	0.16-0.54 acres	DeGraaf and Rudis, 1986	0.3 Ac [a]
•	Percent Prey Items	Acorns, blueberry, knotweed, pine, maple, tubers.	Martin et al., 1951	Invertebrates: 10% Plants: 85%
		Insects, snails, small birds		Soil: 5%
	Ingestion Rate (kg/day)	0.00375 kg/day (measured in laboratory)	USEPA, 1988	0.00375 kg/day [b]
	Body Weight (kg)	0.015 – 0.03 kg	Baker, 1983 Godin, 1977	0.025 kg
	Drinking water Intake Rate (Vday)	0.0355 L/day (measured in laboratory)	USEPA, 1988	0.0355 L/day

NOTES: [a] Selected as conservative value; actual range may greater

EXP_PARA.wk1

TABLE H-1 ECOLOGICAL EXPOSURE PARAMETERS

SITE INVESTIGATION REPORT FORT DEVENS

RECEPTOR	EXPOSURE	REPORTED		VALUE SELECTED FOR
SPECIES	PARAMETER	VALUES	REFERENCE	PRE
American Robin (Turdus migratorius)	Home Range (acres)	Territory sizes of: 0.3 - 0.75 Ac; 0.11 - 0.6 Ac; Avg. of 0.30 Ac	DeGraaf and Rudis, 1986	0.30 Ac
	Percent Prey Items	Fruits, earthworms, insects; diet is approximately 60% plant material.	DeGraaf and Rudis, 1986	Invertebrates: 40% Plants: 55%
		Caterpillars, beetles, earthworms, true bugs, flies, sowbugs, snails,	Martin et al., 1951	Soil: 5%
		spiders, termites, millipedes, centipedes, fruits, various plants. The		
		percentage of plant material in diet varies seasonally as shown below:		
		Season No. Month Percent		
		Winter 5 64%		
		Spring 2 21%		
		Summer 3 60%		
		Fall 2 81%		
		Estimated Year-round Average 59%		
	Ingestion Rate	Allometric relationship between body weight (W) and food ingestion	USEPA, 1988	0.0084 kg/day
	(kg/day)	rate (F) for chickens:		
		$F = 0.073 \text{ W} \cdot 0.6449$		
	Body Weight (kg)	0.0648 – 0.0842 kg	Terres, 1987	0.0745 kg [a]
	Drinking Water	Allometric relationship between body weight (W) and drinking water	USEPA, 1988	0.018 I/day
	Intake Rate	rate (L) for chickens:		
	(Vday)	$L = 0.13 \text{ x W} ^{\circ} 0.7555$		

NOTES: [a] Average of reported values

TABLE H-1 ECOLOGICAL EXPOSURE PARAMETERS

SITE INVESTIGATION REPORT FORT DEVENS

RECEPTOR SPECIES	EXPOSURE PARAMETER	REPORTED VALUES	REFERENCE	VALUE SELECTED FOR PRE
Eastern garter snake (Thamnophis sirtalis)	Home Range (acres)	5, 2, 35 (males), 22.2 (females)	DeGraaf and Rudis, 1986	5 [a]
	Percent Prey Items	Earthworms are 80% of diet; rest is amphibians, carrion, fish, leeches, caterpillars, insects, small birds, rodents, slugs, snakes,	De Graaf and Rudis, 1986	Invertebrates: 85% Small Mammals: 5%
		monusks, crayush, and sowougs		Soil: 5%
	Ingestion Rate (kg/day)	Allometric relationship between body weight (W) and food ingestion rate (F) for all species: $F = 0.065 \times W \sim 0.7919$		0.023 kg/day
	Body Weight (kg)			0.27 kg [b]
	Drinking Water	Allometric relationship between body weight (W) and drinking water		0.039 l/day
	Intake Kate (I/day)	rate (L) for all species: L = $0.11x$ W ~ 0.7872		

NOTES:

[a] Selected as conservative value; actual range may be greater.
[b] Estimated assuming the density of water (1 gm/cu.cm), an average length of 55 cm (Conant, 1975), and and an assumed diameter of 2.5 cm.

EXP_PARA.wk1

TABLE H-1 ECOLOGICAL EXPOSURE PARAMETERS

SITE INVESTIGATION REPORT FORT DEVENS

RECEPTOR	EXPOSURE	REPORTED				A	VALUE SELECTED FOR
SPECIES	PARAMETER	VALUES			REF	REFERENCE	PRE
Red Fox	Home Range (acres)	< 3 miles in diameter; 142 - 400 Ac	Ac		DeG	De Graaf and Rudis, 1986	250 [a]
(codin codin)		< 5 miles in diam.			Godi	Godin, 1977	
		142 to 1280; 900; 1495; 955 acres			Bake	Baker, 1983	
	Percent Prey Items	Birds, turtles, frogs, snakes, eggs, snowshoe hare, deer,	, snowshoe hare,	deer,	DeG	DeGraaf and Rudis, 1986	Invertebrates: 20%
		porcupine, and berries and fruit when available	when available				Plants: 10% Small Mammals: 40%
		Small mammals, birds and their	birds and their eggs, insects, earthworms, turtles	thworms, turtles	Godi	Godin, 1977	Herpetofauna: 15%
		and their eggs, frogs, snakes, wild berries, sarsparilla, grapes,	l berries, sarspar	illa, grapes,			Birds: 10%
		plums, and appies. Intrequently eats nuts and grains, and sometimes ingests rope, twine, paper, sticks, and trash.	eats nuts and gra aper, sticks, and	uns, and trash.			Soll: 3%
		Mice, rabbits, other small mammals and birds, insects, carrion,	ials and birds, ins	sects, carrion,			
-		sleshy fruits, and seeds. The percentage of plant material in diet	centage of plant	material in diet			
		varies seasonally as shown below:	Ŀ				
		Season No.	No. Month Per	Percent	Mart	Martin, et al., 1951	
		Winter	5	4%			
		Spring	2	%0			
		Summer	3	31%			
		Fall	2 2	23%			
		Estimated Year-round Average		13%			
	Ingestion Rate.	Allometric relationship between body weight (W) and food ingestion	body weight (W) and food ingestion			0.23 kg/day
	(kg/day)	rate (F) for all species:					
		$F = 0.065 \text{ x W} ^{\circ} 0.7919$					
	Body Weight (kg)	3.6 to 5.4 kg			God	Godin, 1977	4.9 [b]
		3.6 to 6.8 kg			Bake	Baker, 1983	
	Drinking Water	Allometric relationship between body weight (W)	body weight (W	(OSE	USEPA, 1988	0.38 l/day
	Intake Rate	and drinking water intake rate (L) for all species:	L) for all species:				
	(Vday)	$L = 0.11 \text{ x W} ^{\circ} 0.7872$					

NOTES:

[a] Selected as conservative value; actual range may be much greater [b] Average of reported values

TABLE H-1 ECOLOGICAL EXPOSURE PARAMETERS

SITE INVESTIGATION REPORT FORT DEVENS

RECEPTOR SPECIES	EXPOSURE PARAMETER	REPORTED VALUES	VALUE SI REFERENCE	VALUE SELECTED FOR PRE
Short-tailed Shrew (Blarina brevicauda)	Home Range (acres)	2.88, 1, 0.21, 1.46, 1.39, 0.25, 4.43 1, 1.25, 0.5, 1 0.5	Baker, 1983 DeGraaf and Rudis, 1986 Burt, 1987	2 [a]
	Percent Prey Items	Insects, invertebrates, small vertebrates, worms	Baker, 1983 Inverte Pla	Invertebrates: 85% Plants: 10%
		Insects, plants, worms, sowbugs, snails, small vertebrates, centipedes, millipedes, spiders	De Graaf and Rudis, 1986 S.	Soil: 5%
		Insects, earthworms, vertebrates, invertebrates, occasionally plants	Godin, 1977	
	Ingestion Rate (kg/day)	50% to 300% of its body weight/day	Baker, 1983 0.03 (100%)	0.021 kg/day 100% of BW/day)
······································	Body Weight (kg)	0.018 to 0.030 kg	Baker, 1983 0.0 Godin, 1977	0.021 kg [a]
	Drinking Water Intake Rate (Vday)	Allometric relationship between body weight (W) and drinking water rate (L) for mammals: L = $0.10 \text{x} \text{W} \sim 0.7377$	8	0.0058 l/day

NOTES: [a] Average of reported values

EXP_PARA.wk1

TABLE H-1 ECOLOGICAL EXPOSURE PARAMETERS

SITE INVESTIGATION REPORT FORT DEVENS

RECEPTOR SPECIES	EXPOSURE PARAMETER	REPORTED VALUES	VALU	VALUE SELECTED FOR PRE
Red-tailed hawk (Buteo jamaicensis)	Home Range (acres)	Breeding: 192–1376 acres Winter: up to 2560 acres	DeGraaf and Rudis, 1986	500 [a]
	Percent Prey Items	Small mammals, amphibians, reptiles, nesting birds, insects, carrion, domestic animals	DeGraaf and Rudis, 1986	Small mammals: 55% Invertebrates: 5% Plants: 5% Birds: 20% Herpetofauna: 10% Soil: 5%
·	Ingestion Rate (kg/day)		Terres, 1987	0.23 kg/day [b]
	Body Weight (kg)	1.5 kg	Terres, 1987	1.5
	Drinking Water Intake Rate (Vday)	Allometric relationship (all species) L = 0.11 * W ~ 0.7872 W = Weight = 1.50 kg.	EPA, 1988	0.151 l/day
	Density (#/acre)	0.0014 (1 pair/2.2 square miles) 0.00076 (1 pair/4.1 square miles) 0.00625 (1 pair/0.5 square miles)	DeGraaf and Rudis, 1986	0.0028 [c]
	Lifespan (years)	4 years	Terres, 1987	4

NOTES:

- [a] Selected as conservative value; actual range may be much greater [b] Ingestion rate based upon ratio of ingestion rate to body weight for golden eagle (Terres, 1987).
 - using 1.5 kg body weight for hawk [c] Average of reported values

TABLE H-2 SUMMARY OF BIOACCUMULATION FACTORS

SITE INVESTIGATION REPORT FORT DEVENS

		BIOACCI	JMULATION I			4. 1. 1.	
CHEMICAL	LOG Kow		(BAFs) [a]		. Start ge.		
		PLANT [b]	INVERTE-	SMALL	SMALL	REPTILE	
		·	BRATES	MAMMAL	BIRD		
VOLATILE ORGANICS							
Acetone	-0.2{c}	1.000	1	1	1	1	
Chloroform	1.97 [c]						
Tetrachloroethene	2.6 [c]	1.000	1	1	1	1	
Toluene	2.69 [d]	1.000	1	1	1	1	
Trichlorofluoromethane	2.53 [c]	1.000	1	1	1	1	
SEMI-VOLATILE ORGANICS							
Acenaphthylene	4.07 [d]	0.172	1	1	1	1	
Anthracene	4.45 [d]	0.104	1	1	1	1	
Benzo(a)anthracene	5.6 [d]	0.022	1	1	1	1	
Benzo(a)pyrene	6.04 [f]	0.012	1	1	1	1	
Benzo(b)fluoranthene	6.06 [c]	0.012	1	1	1	1	
Benzo(g,h,i)perylene	7.23 [f]	0.003	1	1	1	1	
Benzo(k)fluoranthene	6.06 [c]	0.012	1	1	1	1	
bis(2-ethylhexyl)phthalate	5.3 [d]	0.033	1	1	1	1	
Carbazole	3.72	0.274	1	1	1	1	
Chrysene	5.61 [d]	0.022	1	1	1	1	
Dibenzofuran	3.12 [c]	0.609	1	1	1	1	
di-n-butylphthalate	4.8	0.065	1	1	1	1	
2,4-DNT	2 [c]	1.000	1	1	1	1	
2,6-DNT	2 [c]	1.000	1	1	1	1	
Fluoranthene	5.33 [d]	0.032	1	1	1	1	
Fluorene	4.18 [g]	0.149	1	1	1	1	
Indeno(1,2,3-cd)pyrene	6.49 [c]	0.007	1	1	1	1	
2-methylnaphthalene	3.86 [g]	0.227	1	1	1	1	
Naphthalene	3.44 [c]	0.398	1	1	1	1	
n-nitrosodiphenylamine	2.57 [c]	1.000	1	1	1	1	
nitroglycerine		1.000	1	1	1	1	
Phenanthrene	4.46 [d]	0.102	1	1	1	1	
Pyrene	4.88 [g]	0.059	1	1	1	1	
PESTICIDES/PCBS							
a-chlordane	2.78 [d]	0.958	2.04 [i]	2.91 [g]	2.91 [g]	2.91 [g]	
g-chlordane	3.32 [d]	0.467	2.04 [i]	2.91 [g]		2.91 [g]	
4,4'-DDD	6.04 [d]	0.038 [h]	2.04 [i]	2.91 [g]		2.91 [g]	
4,4'-DDE	5.69 [d]	0.038 [h]	2.04 [i]	2.91 [g]	2.91 [g]	2.91 [g]	
4,4'-DDT	4.48 [d]	0.038	2.04 [i]	2.91 [g]		2.91 [g]	
Heptachlor	2.7 [c]	1.000	2.04 [i]	2.91 [g]	2.91 [g]	2.91 [g]	
Aroclor – 1254	5.75 [c]	0.114	5.82 [i]	2.91 [g]	2.91 [g]	2.91 [g]	

TABLE H-2 SUMMARY OF BIOACCUMULATION FACTORS

SITE INVESTIGATION REPORT FORT DEVENS

CHEMICAL	LOG Kow	BIOACC	UMULATION F (BAFs) [a]	ACTORS		
		PLANT [b]	INVERTE- BRATES	SMALL MAMMAL	SMALL BIRD	REPTILE
INORGANIC COMPOUNDS						
Aluminum		1	1	1	1	1
Antimony		1	1	1	1	1
Arsenic		0.2 [k]	1	0.37 [1]	0.56 [m]	1
Barium		1	1	1	1	1
Beryllium		1	1	1	1	1
Cadmium		15 [n]	17 [o]	2.61 [o]	10 [n]	10 [n]
Chromium		0.1 [p]	0.16	1	1	1
Cobalt		1	1	1	1	1
Copper		10 [n]	9.25 [o]	1	1	1
Lead		0.2 [q]	2.43 [o]	0.43 [o]	0.38 [q]	1
Manganese		1	1	1	1	1
Mercury		1	0.34	5 [r]	2.33 [s]	10 [n]
Nickel		3.2 [t]	1.85 [o]	0.12 [t]	1	1
Selenium		1	1	1	1	1
Silver		1	1	1	1	1
Vanadium		1	· 1	1	1	1
Zinc		10 [n]	7.31 [o]	5.11 [o]	10 [n]	10 [n]

NOTES:

- [a] Bio-accumulation Factors (BAFs) were conservatively estimated to be 1 when empirical data were unavailable.
 - Plant BAFs were set equal to 1 when equation presented in [c] exceeded 1.
- [b] Calculated using the following equation in USEPA (1990) unless otherwise indicated: $log(Plant\ Uptake\ Factor) = 1.588 0.578 log\ Kow$
- [c] Value from USEPA (1990).
- [d] From USEPA (1985).
- [e] From Verschueren (1983).
- [f] From Eisler (1987).
- [g] Value from Hansch and Leo (1979).
- [h] Geometric mean of values reported for various plant species in USEPA (1985)
- [i] Geometric mean of values for earthworms, beetles, and slugs reported in USEPA (1985)
- [j] BAF value for earthworms from Diercxsens et al (1985)
- [k] Plant value from Eisler (1988).
- [l] Mammal value from USEPA (1985).
- [m] Bird value from USEPA (1985)
- [n] Conservative BAF estimation in excess of 1.
- [0] Values for earthworms and small mammals from McFadyen (1980).
- [p] Plant value from USEPA (1985).
- [q] Earthworm and chicken value from USEPA (1985).
- [r] Mammal value from USEPA (1985).
- [s] Invertebrate, mammal, and bird value from USEPA (1985)
- [t] Plant and small mammal value from USEPA (1985).

TABLE H-3 SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

SITE INVESTIGATION REPORT FORT DEVENS

					ACUTE.	723	CHRONIC		
					V IV av	ACUTE ORAL Prev			
CHEMICAL	TEST SPECIES	TEST TYPE	DURATION	BHTECT	LD50	⊴ ≨	LOAEL NOAEL (marker Widen)	NOAEL REFERENCE	ence
VOLATILE ORGANICS					7	1	(fam.)		
Acetone	Rat	Single oral dose		Mortality	9750	1950 [a]		Sax, 1984	
	Rat	Oral (subchronic)		Increased liver/kidney weight; nephrotoxicity			{p] 005	100 IRIS 1991	-
Chloroform	Rat	Oral (chronic)	180 weeks	Hepatic necrosis, significantly decreased body weight gain	in		200	ATSDR, 1992	1992
	Rat	Oral (chronic)	78 weeks	Nodular hyperplasia of liver			138	ATSDR, 1992	1992
	Dog (beagle)	Oral (chronic)	7.5 years	Liver cyst formation			12.9	IRIS, 1991	=
Tetrachloroethene	Mouse	Single oral dose		Mortality	8100	1620 [a]		TDB 1984	*
	Mouse	Oral (subchronic)	6 weeks	Hepatotoxicity			71	14 IRIS 1991	1
	Rat	Single oral dose		Mortality	8850	1770 [a]		NIOSH, 1985	1985
Toluene	Rat	Single oral dose		Mortality	2000	1000 [a]		NIOSH, 1985	1985
	Rat	Oral (subchronic)	13 weeks	Liver and kidney weight changes		4460 [b]	446	223 IRIS, 1991	-
	Rat	Oral (subchronic)	6 months	NOAEL for hepatic, renal, and hematological alterations	15		2950 [d]	590 ATSDR, 1989	1989
	Rat	Oral (subchronic)	42 days	NOAEL for CNS effects			98.5 [d]	19.7 ATSDR, 1989	1989
Trichlorofluoromethane	Rat	Oral (chronic)	78 weeks	Mortality		4880 [b]	488	IRIS, 1991	1
SEMIVOLATILE ORGANICS	CS								
Acenapthylene	Rat	Oral (subchronic)	40 days	Physiological changes		(q) 0009	009	USEPA, 1984	1984
Authracene	Rodents	Oral (chronic)	SN	Carcinogenicity		33000 [b]	3300	Eisler, 1987	187
	Mouse	Oral (subchronic)	90 days	No effects				1000 IRIS, 1990	0
Benzo(a)anthracene	Rodents	Oral (chronic)	NS	Carcinogenicity		20 [b]	2	Eisler, 1987	187
Benzo(a)pyrene	Rat	Oral (subchronic)	Pregnancy	Sterility in offspring			40	USEPA, 1984	1984
	Rodents	Oral (chronic)	SN	Carcinogenicity		0.02 [b]	0.002	Eisler, 1987	187
	Rat	Oral (chronic)	SN	Papillomas in stomach			2.5	USEPA, 1985	1985
	Rat	Oral (subchronic)	Pregnancy	Decreased gonad weight			10	USEPA, 1984	1984
	Rat	Oral (subchronic)	3.5 months	Reproductive effects			20	USEPA, 1984	1984
	Rodents	Single oral dose		Mortality	20	10 [a]	1 [b]	Eisler, 1987	187
Benzo(b)fluoranthene	Rodents	Oral (chronic)	SN	Carcinogenicity		400 [b]	40	Eisler, 1987	187
Benzo(k)fluoranthene	Rodents	Oral (chronic)	SZ	Carcinogenicity		720 [b]	72	Eisler, 1987	187
Benzofuran (surrogate	Rodents	Oral (subchronic)	13 weeks	Decrease in body weight			2.4 [c]	NTP, 1989	6
(for dibenzofuran)	Rodents	Oral (chronic)	2 years	Mortality		[q] 9	0.6 [c]	NTP, 1989	61
Bis(2-ethylhexyl)phthalate	Rat	Single oral dose		Mortality	8600	1720 [a]	172 [b]	NIOSH, 1985	1985
	Guinea pig	Oral (chronic)	1 year	Increased liver weight			19	IRIS, 1992	2
	Rat	Single oral dose		Mortality	26000	5200 [a]	520 [b]	ATSDR, 1988	1988
Carbazole	Rat	Single oral dose		Mortality	200	100 [a]	10 [b]	USEPA, 1986	1986
Chrysene (surrogate	Rodents	Oral (chronic)	SZ	Carcinogenicity		[9] 066	[1] 66	Eisler, 1987	
for benzofg, hilperylene)									

TOX.wk1

23-Apr-93

TABLE H-3 SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

SITE INVESTIGATION REPORT FORT DEVENS

					ACUTE	œ.	CHRONIC		
						ACUTE ORAL			
					ORAL	RISK			
CHEMICAL	TEST SPECIES	TEST TYPE	DURATION	EFFECT	LD50		LOABL	NOAEL REFERENCE	ERENCE
					(mg/kgBW)		(mg/kgBW/day) (mg/kgBW/day)		
Di-n-Butylphthalate	Rat	Oral (chronic)	1 year	Mortality		[4] 0009	009	125 IRIS	IRIS, 1991
2,4-DNT (also surrogate	Mouse	Single oral dose		Mortality	790	158 [a]	16 [b]	OIN	NIOSH, 1985
for 2,6-DNT)	Mouse	Oral (chronic)	24 months	Liver dysplasia			98	ATS	ATSDR, 1988
	Rat	Single oral dose		Mortality	268	54 [a]		NIO	NIOSH, 1985
	Rat	Oral (chronic)	24 months	Anemia			40	ATS	ATSDR, 1988
	Guinea pig	Single oral dose		Mortality	1300			NIO	NIOSH, 1985
	Dog	Oral (subchronic)	13 weeks	Mortality	25	5 [a]	1 [b]	ATS	ATSDR, 1988
	Dog	Oral (chronic)	24 months	Biliary hyperplasia			10	ATS	ATSDR, 1988
Fluoranthene	Rodents	Single oral dose		Mortality	2000	400 [a]	40 [b]	Eisl	3isler, 1987
	Mouse	Oral (subchronic)	90 days	Liver weight/physiological changes			250	125 IRE	RIS 1990
Fluorene	Mouse	Oral (subchronic)	13 weeks	Hematological changes		2500 [b]	250	125 IRE	IRIS, 1990
Indeno(1,2,3-cd)pyrene	Rodents	Oral (chronic)	SN	Carcinogenicity	ě	720 [b]	72	Eisl	Eisler, 1987
2-Methylnaphthalene	Rat	Single oral dose		Mortality	1630	330 [a]	33 [9]	NIC	NIOSH, 1985
Naphthalene	Mouse	Single oral dose		Mortality	533	110 [a]		AT	ATSDR, 1990
	Rat	Oral (subchronic)	13 weeks	Decreased body weight gain			35.7	ISA	JSEPA, 1990
	Rat	Oral (chronic)	100 weeks	Ocular lesions			41	OSI	USEPA, 1990
	Rat	Oral (chronic)	700 days	NOAEL for death			205 [d]	41 AT	ATSDR, 1990
Nitroglycerine	Cat	S.C. (subchronic)		Methemoglobinemia and severe hypotension			9	Stol	Stokinger, 1981
N-nitrosodiphenylamine	Rat	Oral (chronic)	2 years	Bladder toxicity		[4] 005	20	AT	ATSDR, 1988
Phenanthrenc	Rodents	Single oral dose		Mortality	700	140 [a]	14 [b]	Bis	Eisler, 1987
	Rat	Oral (subchronic)	6 months	Increased liver weight			120	AT	ATSDR, 1990
Pyrene	Mouse	Single oral dose		Mortality	800	160 [a]		ZIZ	NIOSH, 1985
	Mouse	Oral (subchronic)	13 weeks	Renal effects			125	75 IRI	IRIS, 1990
	Rat	Single oral dose		Mortality	2700	540 [a]		ž	NIOSH, 1985
PESTICIDES/PCBs									
Chlordane	Mouse	Oral (chronic)	2 years	Increased liver to BW ratio			60'0	OS	USEPA, 1988
	Rat (male)	Single oral dose		Mortality	335	67 [a]		All	Allen et al., 1979
	Rat (female)	Single oral dose		Mortality	430	86 [a]		Ϋ́	Allen et al., 1979
	Rat	Oral (chronic)	130 weeks	Hepato cellular necrosis			0.045	OS	USEPA, 1987
	Rat	Oral (chronic)	30 month	Regional liver hypertrophy (females)			0.273	0.055 IRI	IRIS, 1991
	Rabbit	Single oral dose		Mortality	300	60 [a]		Ψ	Allen et al., 1979
	Rabbit	Single oral dose		Mortality	100	20 [a]	2 [6]	ΉV	Allen et al., 1979
	Goat	Single oral dose		Mortality	180	36 [a]		All	Allen et al., 1979
	Cattle	Single oral dose		MLD		130	13 [b]	Ν	Allen et al., 1979
	Japanese quail	Oral (acute)	5 days	Mortality	35 [c]	7 [8]	0.70 [b]	Hil	Hill et al, 1975

23-Apr-93

TOX.wk1

TABLE H-3 SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

SITE INVESTIGATION REPORT FORT DEVENS

					ACUTE	· 日·	CHRONIC	NIC	
						ACTITE ORAL			
					ORAL	RISK			
CHEMICAL	TEST SPECIES	TEST TYPE	DURATION	EFFECT	LD50	CRITERIA	LOAEL	NOAEL	NOAEL REFERENCE
				The state of the s	(mg/kgBW)	(mg/kgBW) ((mg/kgBW/day) (mg/kgBW/day)	(mg/kgBW/day)	
	Bobwhite	Oral (acute)	5 days	Mortality	29 [c]	5.8 [a]	0.58 [b]		Hill et al, 1975
	Mallard	Oral (acute)	5 days	Mortality	62 [c]	12 [a]	1.20 [b]		Hill et al., 1975
	Pheasant	Single oral dose		Mortality	24	5 [a]	0.50 [b]		USFWS, 1984
	Dog	Single oral dose		Mortality	200	36 [a]	3.6 [b]		Allen et al., 1979
	Dog	Single oral dose		MLD		200	20 [b]		Allen et al., 1979
	Dog	Oral (chronic)	2 years	Histologic changes			0.375		USEPA, 1988
DDT	Mouse	Single oral dose		Mortality	200				USEPA, 1985
(surrogate for DDD,DDE)	Mouse	Oral (chronic)	24 month	Hepatocellular swelling and necrosis (males)			0.75	0.15	IRIS, 1991
	Rat	Single oral dose		Mortality	100	20 [a]	2 [b]		USEPA, 1985
	Rat	Oral (subchronic)	27 weeks	Kidney necrosis			10		ATSDR, 1988
	Rat	Oral (chronic)	2 year	Liver lesions		5 [b]	0.5		IRIS, 1991
	Rat	Oral (chronic)	3 generations	Reproductive effects		,	0.2		IRIS, 1991
	Chicken	Oral (subchronic)	10 weeks	Decreased reproductive success; toxic symptoms			91.4 [c]		USEPA, 1985
	Rock dove	Single oral dose		Mortality	4000				USFWS, 1984
	Black duck	Oral (chronic)	2 years	Reduced eggshell thickness			0.14 [c]		Longcore and Stendell, 1977
	Mallard	Single oral dose		Mortality	2240				USFWS, 1984
	Mallard	Oral (chronic)	43-417 day	Mortality			7.2 [c]		USFWS, 1984
	Mallard	Oral (subchronic)	96 days	Reduced eggshell thickness			2.8 [c]		Longcore and Stendell, 1977
	California quail	Single oral dose		Mortality	595	119 [a]	12 [b]		USFWS, 1984
	Japanese quail	Single oral dose		Mortality	841				USFWS, 1984
	Pheasant	Single oral dose		Mortality	1334				USFWS, 1984
	Sandhill crane	Single oral dose		Mortality	1200	240 [a]	24 [b]		USFWS, 1984
	Kestrel	Oral (chronic)	7 wk - 1 year	Reduced eggshell thickness			0.56 [c]		USEPA, 1985
	Kestrel	Oral (chronic)	1 year	Reduced eggshell thickness			0.16 [c]		Wiemeyer, et al., 1986
	Barn Owl	Oral (chronic)	2 years	Reduced eggshell thickness		1.4 [b]	0.14 [c]		Longcore and Stendell, 1977
	Bullfrog	Single oral dose		Mortality	2000	400 [a]			USEPA, 1985
	Frog (Rana temporaria)	Oral (subchronic)	20 days	Mortality		76 [b]	9.2.		Harri et al., 1979
	Dog	Single oral dose		Mortality	09	12 [a]	1.2 [b]		USEPA, 1985
	Dog	Oral (chronic)	3 generations	Premature puberty		50 [b]	5.0		ATSDR, 1988
	Dog	Oral (chronic)	40 months	Liver damage			80		ATSDR, 1988
Heptachlor (also surrogate	Rat	Oral (chronic)	2 year	Increased liver/BW ratio		2.5 [b]	0.25		IRIS, 1991
for Heptachlor Epoxide)	Rat	Oral (chronic)	1 generation	Increased pup death			0.35		IRIS, 1991
	Cat	Oral (chronic)	2 year	Increased liver weight		1.5 [b]	0.15		USEPA, 1987
	Dog	Oral (chronic)	60 weeks	Increased liver weight		5 [b]	0.5		USEPA, 1987
rcDs	Mouse	Oral (acute)	7 WCCKS	increased liver weight		1310	1 10		Sanders and Kirkpatrick, 1975

TOX.wk1

23-Apr-93

TABLE H-3 SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

SITE INVESTIGATION REPORT FORT DEVENS

CHEMICAL TEST SPECIES Mouse (Arodor 1254) Rat Rat Rat Rat Rat Rat Rat Rat									_
(95)					ACUTE ORAL				
(54)				ORAL	RISK				_
	TEST TYPE	DURATION	BFFECT	LD50	CRITTERIA	LOABL	NOAEL R	NOAEL REFERENCE	
				(mg/kgBW)	(mg/kgBW) (mg/kgBW/day) (mg/kgBW/day	(kgBW/day) (mg/k	اہ		
	Oral (subchronic)	6-11 months	Hepatomegaly			13-65		USEPA 1985	_
Rat Rat Rat Chicken Rock over	Single oral dose		Mortality	200	100 [a]		ш	Eisler, 1986	
Rat Rat Chicken Rode dove Tananece anail	Oral (chronic)	2 generations	Reduced litter size			7.6	נ	USEPA 1985	_
Rat Chicken Rock dove	Oral (subchronic)	9 weeks	Fetal mortality/maternal toxicity			4.9	⋖	ATSDR, 1987	
Chicken Rock dove	Oral (chronic)	SN	Increase in F1 male liver weights			90.0	1	JSEPA, 1976	_
Rock dove	Oral (chronic)	NS	Embryonic mortality			(o) (c)	. ر	USEPA, 1976	_
lient assert	Oral (chronic)	SN	Parental incubation behavior		9.0 [b]	[o] 6:0	Δ,	Peakall and Peakall, 1973	_
numb acounting	Oral (chronic)	SN	Reproduction unimpaired		20 [p]	5.0 [c]	щ	Eisler, 1986	
American kestrel	Oral (subchronic)	69 days	Reduced sperm concentration	,	90 [b]	6	ш.	Eisler, 1986	_
Mink	Single oral dose		Mortality	4000	800 [a]			Eisler, 1986	
INORGANICS									_
Aluminum Mouse	Oral (chronic)	2-3 genrins	Reduced body weight gain of newborns			425	Z .	NIOSH, 1985	
Rat	Oral (subchronic)	15 days	Reduced growth		1000 [b]	100	H	Bernuzzi, et al., 1989	_
Antimony Mouse	Oral (chronic)	504-909 days	NOAEL			1.75 [d]	0.35	ATSDR, 1989	_
Arsenic Rat	Oral (chronic)	SN	Weight loss		75 [6]	7.5	_	USEPA, 1984	
Rat	Oral (subchronic)	90 days	No hematological, hepatic and renal effects			28.5 [d]	5.7	ATSDR, 1989	
Mallard	Single oral dose		Mortality	323	64.6 [a]	6.5 [b]	-	Eisler, 1988	-
California quail	Single oral dose		Mortality	47.6	9.5 [a]	1.0 [b]	_	Bisler, 1988	
Pheasant	Single oral dose		Mortality	386	77.2 [a]	7.7 [b]	-	Eisler, 1988	_
Dog	Oral (chronic)	SN	Mortality		2500 [b]	250 [d]	_	USEPA, 1984	
Barium Mouse	Oral (chronic)	lifetime	NOFIL			4.13 [d]	0.825	IRIS, 1990	
Rat	Oral (chronic)	16 months	NOEL			25.5 [d]	5.1	IRIS, 1990	
Rat	Oral (chronic)	lifetime	NOEL		10 [b]	1 [d]	0.25	IRIS, 1990	
Rat	Oral (subchronic)	13 weeks	NOEL			157.5 [d]	31.5	IRIS, 1990	
Beryllium Rat	Single oral dose		Mortality	10	2.0 [a]		_	USEPA, 1985	_
Rat	Oral (chronic)	3.2 years	No respiratory, hepatic, renal, or cardiovascular effects	ects		4.25 [d]	0.85	ATSDR, 1989	_
Rat	Oral (chronic)	SN	Increase in lung sarcomas			0.22	_	USEPA, 1985	
Cadmium Mouse	Oral (chronic)	18 months	Histopathological effects		18 [b]	1.75	•	ATSDR, 1988	
Mouse	Oral (subchronic)	28 days	Alteration in blood chemistry			0.32	_	Eisler, 1985	
Mouse (young)	Oral (subchronic)	28 days	Blood chemistry aftered				1.8	Eisler, 1985	_
Rat	Single oral dose		Mortality	250	S0 [a]		_	Eisler, 1985	
Rat	Single oral dose		Testicular damage				100	Eisler, 1985	
Rat	Oral (subchronic)	12 weeks	Hepatic and Renal necrosis			4		ATSDR, 1992	
Guinea pig	Single oral dose		Mortality	150	30 [a]	3 [6]		Eisler, 1985	
Japanese quail	Oral (subchronic)	6 weeks	Bone marrow hypoplasia		76 [b]	7.6		Eisler, 1985	
Mailard	Oral (subchronic)	90 days	Egg production suppressed		100 [b]	10 [d]	200	Eisler, 1985	_

23-Apr-93

TOX.wk1

TABLE H-3 SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

					ACUTE*	re:	CHRONIC	,	
						ACUTE ORAL			
					ORAL	RISK			
CHEMICAL	TEST SPECIES	TEST TYPE	DURATION	BFFECT	LD50	CRITERIA	LOABL	NOAEL R	NOAEL REFERENCE
				The second secon	(mg/kgBW)	(mg/kgBW) (m	(mg/kgBW/day) (mg/kgBW/day)	(kgBW/day)	
	Mallard	Oral (subchronic)	90 days	NOEL				200 E	Eisler, 1985
	Dog	Oral (subchronic)	3 months	NOAEL			3.75 [d]	0.75	
	Mallard (young)	Oral (subchronic)	12 weeks	Kidney lesions				20 E	Eisler, 1985
Chromium	Mouse	Oral (subchronic)	13 weeks	Testicular degeneration		S7 [b]	5.7	•	ATSDR, 1991
(Cr+3)	Mouse	Oral (subchronic)	19 days	Fetal resorptions, gross anomalies			57	4	ATSDR, 1989
	Rat	Oral (subchronic)	28 days	Renal and neurological deficits			86	•	ATSDR, 1989
	Rabbit	Oral (subchronic)	6 weeks	Liver and blood chemistry effects		17 [b]	1.7	щ	Bisler, 1986
(Cr+6)	Chicken	Oral (subchronic)	32 days	Growth, survival				8 E	Eisler, 1986
(Cr+6)	Black duck	Oral (subchronic)	5 months	Growth patterns altered			3.5	щ	Eisler, 1986
(Potassium dichromate)	Japanese quail	Oral (acute)	5 days	Mortality	126 [c]	25 [a]	2.5 [b]	11	Hill and Camardese, 1986
Cobalt	Rat	Single oral dose		Mortality	16	18 [a]	1.8 [b]	٩	ATSDR, 1991
	Rat	Single oral dose		Hepatic/renal hyperemia		157.3		٩	ATSDR 1991
	Rat	Oral (subchronic)	8 weeks	Decreased body weight gain			4.2	•	ATSDR, 1991
	Rat	Oral (acute)	1 week	Stunted growth during gestation			0.0 [b]	4	ATSDR, 1991
	Rat	Oral (subchronic)	98 days	Testicular degeneration			13.25	•	ATSDR, 1991
	Rat	Oral (subchronic)	69 days	Testicular atrophy			20	4	ATSDR, 1991
	Guinea pig	Oral (subchronic)	5 week	Mortality		20		•	ATSDR, 1991
	Dog	Oral (subchronic)	4 weeks	Increased red blood cell count		50 [b]	\$	•	ATSDR, 1991
Copper	Rat	Single oral dose		TDIo for reproductive effects		152	15.2 [b]	2	NIOSH, 1985
	Rat	Oral (subchronic)	22 weeks	Fetotoxicity; CNS abnormalities			152	4	NIOSH, 1985
	Rat	Oral (subchronic)	35 weeks	Pre-implantation mortality		12 [b]	1.21	۷.	NIOSH, 1985
	Swine	Oral (subchronic)	9 months	Mortality			1.4	,	USEPA, 1980
	Mallard	Oral (subchronic)	29 days	No effect on survivorship		2.09	0.2 [b]	ч	Demayo et al., 1982
	Mallard	Oral (subchronic)	NS	LOAEL			29	4	NRC, 1977

TOX.wk1

23-Apr-93

TABLE H-3 SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

Part Part						ACL	ACUTE.	CHRONIC	
Mouse							ACUTE ORAL		
Mouse						ORAL	RISK		
Rain	НЕМІСАГ	TEST SPECIES	TEST TYPE	DURATION	BIFFECT	LD50 (mg/kgBW)	12 N	LOABL NOAEL (mg/kgBW/day)	NOAEL REFERENCE
Rat Single ond dose Montally 12 Rat Oral (subchousic) Days 12-14 (prez) Increased fetal BW 17 2 Rat Oral (subchousic) Days 12-14 (prez) Increased fetal BW 17 2 Rat Oral (subchousic) 3 wecks Increased focomotor activity 1 Rat Oral (subchousic) 3 wecks Increased locomotor activity 24 Rabb Oral (subchousic) 3 wecks Increased locomotor activity 24 Rabb Oral (subchousic) 3 wecks Increased locomotor activity 24 Rabb Oral (subchousic) 3 wecks Increased locomotor activity 24 Rabb Oral (subchousic) 3 wecks Increased locomotor activity 24 Rabb Oral (subchousic) 3 wecks Increased locomotor activity 24 Mallard Oral (subchousic) 3 wecks Increased locomotor activity 24 Mallard Oral (subchousic) 3 wecks Increased locomotor activity 24 Sanifie Oral (subchousic) 3		Mouse	Oral (subchronic)	NS	Reduced sucess of implanted ova			1.5	Eisler, 1988
Rat Single cond dose LDLO Rat Oral (subchronic) Days 12-14 (preg) Increased fenil BW 7 Rat Oral (subchronic) Days 12-15 (preg) Increased recomption rate; decreased fenil BW 7 Rat Oral (subchronic) 3 weeks Increased locomotor activity 1 Rat Oral (subchronic) 3 weeks Increased locomotor activity 24 Rabbt Oral (subchronic) 3 weeks LDLO 24 Rabbt Oral (subchronic) 4 weeks Growth net suppressed 24 Kalabt Oral (subchronic) NS Some mortality, kidney damage 75 Mallard Oral (subchronic) NS Some mortality and ALAD decrease 151 Mallard Oral (subchronic) 12 weeks Oracease in ALAD activity 24 Sanding Oral (subchronic) 11 days Reduced food consumption 24 Kestrel (acetlings) Oral (subchronic) 10 days Abortality 24 Sanding Oral (subchronic) 10 days Mortality 24 24<	-	Rat	Single oral dose		Mortality	12	2 [a]		Bisler, 1988
Rat One (stubchronic) Days 12—14 (prex) Increased feath recorption rate; decreased feath BW 2 Rat Oral (stubchronic) Days 2—15 (prex) Increased consolutions/dam 1 Rat Oral (stubchronic) 2 years Decreased locomotor activity 2 Rabbt Oral (stubchronic) 3 weets Decreased locomotor activity 2 Rabbt Oral (stubchronic) 3 weets Decreased locomotor activity 24 Rabbt Oral (stubchronic) NS Mortality 24 Rabbt Oral (stubchronic) 17 weets Growth nate; without damage 75 Mailard Oral (stubchronic) 17 weets Mortality 24 75 Mailard Oral (stubchronic) 17 weets Mortality 24 24 Sarting Oral (stubchronic) 10 days Activacy development elected 15 24 Kestrel (sestlings) Oral (stubchronic) 10 days Mortality 24 24 Kestrel (sestlings) Oral (stubchronic) 10 days Mortality 24 24<		Rat	Single oral dose		IDLO	11	3 [a]	0.3 [b]	Eisler, 1988
Rat Oral (subchronie) Days 5-15 (precg) Increased recorptions (dam Rat Oral (subchronie) 3 weekt Increased locomotor activity 24 Rat Oral (subchronie) 2 weekt Increased locomotor activity 24 Rabbt Single oral dose NS Mortality 24 Rabbt Oral (subchronie) NS Mortality 24 Rabbt Oral (subchronie) NS Mortality 107 Mallard Oral (subchronie) 12 weekt Growth rate suppressed 151 Mallard Oral (subchronie) 12 weekt Growth rate suppressed 151 Sanding Oral (subchronie) 12 weekt Growth rate suppressed 151 Sanding Oral (subchronie) 12 weekt Growth rate suppressed 151 Sanding Oral (subchronie) 10 days Abormal development 246 Sanding Oral (subchronie) 10 days Abormal development 246 Kestrel (cardings) Oral (subchronie) 10 days Mortality 246 Kestrel		Rat	Oral (subchronic)	Days 12-14 (preg	Increased fetal resorption rate; decreased fetal BW		2.5	0.3 [b]	McClain and Becker, 1972
Rat Ond (subchouse) 3 week Increased locomotor activity 24 Rat Oral (subchouse) 3 week Increased locomotor activity 24 Rabbs Oral (subchouse) 3 week IDLO 24 Rabbs Oral (subchouse) NS Mortality Annality 24 Chicken Oral (subchouse) NS Some mortality, kidney damage 75 Annality Malland Oral (subchouse) NS Some mortality, kidney damage 75 75 Malland Oral (subchouse) NS Some mortality, kidney damage 75 75 Malland Oral (subchouse) NS Some mortality, kidney damage 75 76 Malland Oral (subchouse) 11 days Some mortality, kidney damage 75 76 Statiel Oral (subchouse) 10 days Abortality and cavolomental effects 76 76 Kestrel (sestlings) Oral (subchouse) 3 months Mortality and developmental effects 76 76 Kestrel (sestlings) Oral (s		Rat	Oral (subchronic)	Days 5-15 (preg)			1	0.1 [b]	Kennedy et al., 1975
Rat Oral (chronic) 2 years Decreased ALAD synthesis 24 Rabbt Single oral doze IDDO 24 24 Rabbt Oral (chronic) NS Morality 24 24 Chicken Oral (chronic) NS Morality 24 5 Mallard Oral (subchronic) NS Some morality kidney damage 75 Mallard Oral (subchronic) NS Some morality kidney damage 75 Mallard Oral (subchronic) 12 weeks Morality 107 Mallard Oral (subchronic) 12 weeks Morality 246 Santing Oral (subchronic) 10 days Abnormal development prior 246 Kestrel (seetlings) Oral (subchronic) 10 days Abnormal development prior 246 Kestrel (seetlings) Oral (subchronic) 5 months Morality 246 4 Moral (callegs) Oral (subchronic) 10 days Abnormal developmental effects 10 Kestrel Oral (subchronic)		Rat	Oral (subchronic)	3 weeks	Increased locomotor activity		1.5 [c]	0.2 [b]	Eisler, 1988
Rabb Oral (subchronic) 1 weeks Increased locomotor activity 24 Rabbs Oral (sthonic) NS Mortaly 24 Childer Oral (sthonic) NS Some mortality, kidney damage 75 Ringed turtle—dove Oral (stubchronic) NS Some mortality, kidney damage 75 Mailard Oral (stubchronic) 12 weeks Oron mortality, kidney damage 75 Mailard Oral (stubchronic) 12 weeks Decrease in ALAD activity 107 Mailard Oral (stubchronic) 12 weeks Decrease in ALAD activity 24.6 Startiting Oral (stubchronic) 11 days Aboormal development 107 Kestrel (neetlings) Oral (stubchronic) 10 days ALAD depression 11 Kestrel (neetlings) Oral (stubchronic) 5 months NOBL NOBL Kestrel (neetlings) Oral (stubchronic) 10 days Mortality And developmental effects 6 Kestrel (neetlings) Oral (subchronic) 103 days Mortality Anoreal 100 <td></td> <td>Rat</td> <td>Oral (chronic)</td> <td>2 years</td> <td>Decreased ALAD synthesis</td> <td></td> <td></td> <td>2.16 [c]</td> <td>ATSDR, 1988</td>		Rat	Oral (chronic)	2 years	Decreased ALAD synthesis			2.16 [c]	ATSDR, 1988
Rabbt Single ond dose LDLO 24 Rabbt Oral (chronic) NS Mortality 75 Chiker Oral (subchronic) NS Some mortality kidney damage 75 Mallard Oral (subchronic) NS Some mortality kidney damage 75 Mallard Oral (subchronic) 12 weeks Mortality 107 Mallard Oral (subchronic) 12 weeks Mortality 246 Sarding Oral (subchronic) 11 days Reduced food consumption 246 Kestrel (nestlings) Oral (sucle) 10 days Abnormal development 11 Kestrel (nestlings) Oral (sucle) 10 days Abnormal development 6 Kestrel (nestlings) Oral (subchronic) 5 months Mortality 10 Kestrel (nestlings) Oral (subchronic) 10 days Abnormal development 10 Kestrel (nestlings) Oral (subchronic) 10 days Abnormal development 10 Mouse Oral (subchronic) 10 days Abnormal development		Rat	Oral (subchronic)	3 weeks	Increased locomotor activity			25	Eisler 1988
Rabbt Oral (chronic) NS Mortality Chicken Oral (chronic) 4 weeks Growth rate suppressed 75 Ringed turtle – dove Oral (subchronic) NS Some mortality, kidney damage 75 Mallard Oral (subchronic) 12 weeks Decrease in ALAD actually 107 Mallard Oral (subchronic) 12 weeks Decrease in ALAD actually 107 Amallard Oral (subchronic) 11 days Reduced doorsum piton 24.6 Starting Oral (suche) 10 days ALAD depression 24.6 Kestrel (nestlings) Oral (suche) 10 days Mortality and developmental effects 6 Kestrel (nestlings) Oral (suche) 10 days Mortality and developmental effects 6 Kestrel (nestlings) Oral (subchronic) 5 months Mortality ALAD depression 10 Kestrel (nestlings) Oral (subchronic) 105 days Mortality ALAD depression 10 Mouse Oral (subchronic) 105 days ALAD depression 10		Rabbit	Single oral dose		TDLO	24	S [a]	0.5[b]	ATSDR, 1988
Chicken Onl (subchronic) 4 weeks Growth rate suppressed 75 Ringed untle-dove Oral (scute) NS Some mortality; kidney damage 75 Mallard Oral (subchronic) NS Some mortality and ALAD decrease 107 Mallard Oral (subchronic) 12 weeks Decrease in ALAD activity 24.6 Mallard Oral (subchronic) 12 weeks Decrease in ALAD activity 24.6 Startified Oral (subchronic) 10 days Abornal development 24.6 Kestrel (restlings) Oral (scute) 10 days ALAD depression 11 Kestrel (restlings) Oral (scute) 10 days Mortality and developmental effects 6 Kestrel (calves) Oral (subchronic) 5 months Mortality And ALAD reduced 80% 6 Cattle (calves) Oral (subchronic) 105 days Mortality And ALAD reduced 80% 6 Dog Oral (subchronic) 103 days Mortality And ALAD reduced 80% 6 Mouse Oral (subchronic) 103 weeks M		Rabbit	Oral (chronic)	NS	Mortality		5.1 [b]	0.51 [c]	USEPA, 1988
Ringed turtle—dove Oral (acute) NS Some mortality, kidney damage 75 Mallard Oral (subchronic) 2 week Mortality 107 Mallard Oral (subchronic) 12 week Decrease in ALAD activity 151 Mallard Oral (subchronic) 12 week Mortality 24.6 151 Starling Oral (scute) 10 days Abnormal development 24.6 4.6 Kestrel (nestlings) Oral (scute) 10 days ALAD depression 24.6 4.6 Kestrel (nestlings) Oral (scute) 10 days ALAD depression 24.6 4.6 Kestrel (nestlings) Oral (scute) 10 days Mortality ALAD depression 1.6 4.6		Chicken	Oral (subchronic)	4 weeks	Growth rate suppressed			169 [c]	Eisler, 1988
Mailard Single oral dose Mortality and ALAD decrease 107 Mailard Oral (subchronic) 12 weeks Some mortality and ALAD decrease 151 Mailard Oral (subchronic) 12 weeks Decrease in ALAD activity 24.6 Japanese quail Single oral dose Mortalist Actacle (social medical		Ringed turtle dove	Oral (acute)	SN	Some mortality; kidney damage	75	15 [a]		Eisler, 1988
Mailard Oral (subchronic) NS Some mortality and ALAD decrease 151 Mailard Oral (subchronic) 12 weeks Decrease in ALAD activity 24.6 Japaneze quail Single oral dose Mortality 24.6 24.6 Starting Oral (acute) 11 days Reduced food consumption 24.6 24.6 Kestrel (nestlings) Oral (acute) 10 days Aboutal development 1 Kestrel (nestlings) Oral (acute) 10 days Abot ALAD depression 1 Kestrel (nestlings) Oral (subchronic) 5 months NOPL 1 Kestrel (nestlings) Oral (subchronic) 155 days Mortality 6 Kestrel (nestlings) Oral (subchronic) 180 days Anorexia and convulsions 6 Mouse Oral (subchronic) 180 days Anorexia and convulsions 1 Mouse Oral (subchronic) 10 days Mortality 410 Rat Oral (subchronic) 20 days Mortality 410 Rat Oral (subchronic)		Mallard	Single oral dose		Mortality	101	21 [a]	2.1 [b]	Eisler, 1988
Mallard Oral (subchronic) 12 weeks Decrease in ALAD activity 24.6 4.6 4.6 4.6 Abortality 24.6 4.6		Mallard	Oral (subchronic)	SN	Some mortality and ALAD decrease	151	30 [a]	3.0 [b]	Eisler, 1988
Starling Oral (acute) 11 days Reduced food consumption 24.6 4.6		Mallard	Oral (subchronic)	12 weeks	Decrease in ALAD activity			1.75 [c]	Eisler, 1988
Starling Oral (acute) 11 days Reduced food consumption 1 Kestrel (nestlings) Oral (acute) 10 days Abnormal development 1 Kestrel (nestlings) Oral (acute) 10 days ALAD depression 1 Kestrel (nestlings) Oral (subchronic) 5 months Mortality and developmental effects 6 Kestrel Oral (subchronic) 5 months NOEL Anotality 8 Horse Oral (subchronic) 105 days Mortality 3 3 Horse Oral (subchronic) 103 weeks Mortality 3 3 Mouse Oral (subchronic) 6 months Mortality 410 410 Mouse Oral (subchronic) 90 days Delayed growth of testes 410 410 Rat Oral (subchronic) 20 days Mortality 410 410 Rat Oral (subchronic) 10 weeks Hepatic effects 410 Rat Oral (subchronic) 20 days Decreased litter weight during gestation 12		Japanese quail	Single oral dose		Mortality	24.6	4.9 [a]		Eisler, 1988
Kestrel (nestlings) Oral (acute) 10 days Abnormal development 1 Kestrel (nestlings) Oral (acute) 10 days ALAD depression 1 Kestrel (nestlings) Oral (acute) 10 days Mortality and developmental effects 6 Kestrel Oral (subchronic) 5 months NOEL 6 6 Kestrel Oral (subchronic) 105 days Mortality 8 6 I Horse Oral (subchronic) NS Mortality 3 3 Dog Oral (subchronic) 103 weeks Mortality 410 410 Mouse Oral (subchronic) 90 days Delayed growth of testes 410 410 Rat Oral (subchronic) 20 days Mortality 410 410 Rat Oral (subchronic) 10 weeks Hepatic effects 410 410 Rat Oral (subchronic) 20 days Decreased litter weight during gestation 125		Starling	Oral (acute)	11 days	Reduced food consumption			2.8	Eisler, 1988
Kestrel (nestlings) Oral (acute) 10 days ALAD depression Kestrel Oral (subchronic) 5 months Mortality and developmental effects 6 Kestrel Oral (subchronic) 5 months Mortality Mortality Mortality Cattle (calves) Oral (subchronic) 5 months Blood ALAD reduced 80% 6 Horse Oral (subchronic) 105 days Mortality Mortality 3 Dog Oral (subchronic) 180 days Anorexia and convulsions 3 3 Mouse Oral (subchronic) 6 months Mortality Mortality 410 Rat Single oral dose Mortality Mortality 20 days Declayed growth of testes Rat Oral (subchronic) 103 weeks Mortality 410 410 Rat Oral (subchronic) 20 days Declayed growth of testes 410 410 Rat Oral (subchronic) 20 days Decreased litter weight during gestation 225		Kestrel (nestlings)	Oral (acute)	10 days	Abnormal development		125	12.5[b]	Eisler, 1988
Kestrel (nestlings) Oral (acute) 10 days Mortality and developmental effects 6 Kestrel Oral (subchronic) Smonths NOEL. Kestrel Oral (subchronic) Smonths Blood ALAD reduced 80% Cattle (calves) Oral (subchronic) 105 days Mortality Horse Oral (subchronic) NS LDLO Dog Oral (subchronic) 180 days Anorexia and convulsions 3 Mouse Oral (subchronic) 6 months Mortality Mortality 410 Rat Single oral dose Mortality Mortality 225 Rat Oral (subchronic) 10 weeks Hepatic effects Rat Oral (subchronic) 20 days Declased litter weight during gestation 225		Kestrel (nestlings)	Oral (acute)	10 days	ALAD depression		25	2.5 [b]	Eisler, 1988
Kestrel Oral (subchronic) Smonths NOEL Kestrel Oral (subchronic) Smonths Blood ALAD reduced 80% Cattle (calves) Oral (subchronic) 105 days Mortality Horse Oral (subchronic) NS LDLO Dog Oral (subchronic) 180 days Anorexia and convulsions 3 Mouse Oral (subchronic) 6 months Mortality Mortality 410 Rat Oral (subchronic) 103 weeks Mortality Mortality 410 Rat Oral (subchronic) 10 days Declayed growth of testes 410 Rat Oral (subchronic) 20 days Mortality 225 Rat Oral (subchronic) 20 days Decreased litter weight during gestation 225		Regrel (neglings)	Oral (acute)	10 days	Mortality and developmental effects		625		Eisler, 1988
Kestrel Oral (subchronic) 5 months Blood ALAD reduced 80% Cattle (calves) Oral (subchronic) 105 days Mortality Horse Oral (aucte) NS Mortality Dog Oral (subchronic) 180 days Anorexia and convulsions 3 Mouse Oral (subchronic) 6 months Mortality Mortality Mouse Oral (subchronic) 103 weeks Mortality 410 Rat Oral (subchronic) 20 days Mortality 225 Rat Oral (subchronic) 10 weeks Hepatic effects 225 Rat Oral (subchronic) 20 days Decreased litter weight during gestation 12		Kearel	Oral (subchronic)	5 months	NOEL				0.89 [c] Eisler, 1988
Cattle (calves) Oral (subchronic) 105 days Mortality Horse Oral (calves) NS Mortality 3 Dog Oral (subchronic) 180 days Anorexia and convulsions 3 Mouse Oral (subchronic) 6 months Mortality 410 Mouse Oral (chronic) 103 weeks Mortality 410 Rat Single oral dose Mortality 20 day Mortality Rat Oral (subchronic) 10 weeks Hepatic effects 225 Rat Oral (subchronic) 20 days Decreased litter weight during gestation 12		Kearel	Oral (subchronic)	5 months	Blood ALAD reduced 80%		44 [b]	4.4 [c]	Eisler, 1988
Horse Oral (chronic) NS Mortality 3 Dog Oral (subchronic) 180 days Anorexia and convulsions 3 Mouse Oral (subchronic) 6 months Mortality Mortality 410 Mouse Oral (chronic) 103 weeks Mortality 410 410 Rat Single oral dose Mortality Acrality 225 225 Rat Oral (subchronic) 10 weeks Hepatic effects 225 225 Rat Oral (subchronic) 20 days Decreased litter weight during gestation 11		Cattle (calves)	Oral (subchronic)	105 days	Mortality		[q] 09	9	Eisler, 1988
Dog Oral (acute) NS LDLO Dog Oral (subchronic) 180 days Anorexia and convulsions 3 Mouse Oral (subchronic) 6 months Mortality Mortality 410 Mouse Oral (chronic) 103 weeks Mortality 410 410 Rat Oral (subchronic) 20 day Mortality 225 225 Rat Oral (subchronic) 10 weeks Hepatic effects 225 225 Rat Oral (subchronic) 20 days Decreased litter weight during gestation 12		Horse	Oral (chronic)	SN	Mortality			2.4	Eisler, 1988
Dog Oral (subchronic) 180 days Anorexia and convulsions Mouse Oral (subchronic) 6 months Mortality Mouse Oral (chronic) 90 days Delayed growth of testes Mouse Oral (chronic) 103 weeks Mortality Rat Single oral dose Mortality 410 Rat Oral (subchronic) 20 day Mortality Rat Oral (subchronic) 10 weeks Hepatic effects Rat Oral (subchronic) 20 days Decreased litter weight during gestation		Dog	Oral (acute)	SN	LDLO		300	30 [b]	ATSDR, 1988
Mouse Oral (subchronic) 6 months Mortality Mouse Oral (subchronic) 90 days Delayed growth of testes Mouse Oral (chronic) 103 weeks Mortality 410 Rat Oral (subchronic) 20 day Mortality 225 Rat Oral (subchronic) 10 weeks Hepatic effects 225 Rat Oral (subchronic) 20 days Decreased litter weight during gestation 12		Dog	Oral (subchronic)	180 days	Anorexia and convulsions		30 [6]	3	Eisler, 1988
Oral (subchronic) 90 days Delayed growth of testes Oral (chronic) 103 weeks Mortality Single oral dose Mortality Oral (subchronic) 20 day Mortality Oral (subchronic) 10 weeks Hepatic effects Oral (subchronic) 20 days Decreased litter weight during gestation 12	fanganese	Mouse	Oral (subchronic)	6 months	Mortality			2.	2300 ATSDR, 1990
Oral (chronic) 103 weeks Mortality Single oral dose Mortality Oral (subchronic) 20 day Mortality Oral (subchronic) 10 weeks Hepatic effects Oral (subchronic) 20 days Decreased litter weight during gestation 12		Mouse	Oral (subchronic)	90 days	Delayed growth of testes			140	ATSDR, 1990
Single oral dose Mortality 410 Oral (subchronic) 20 day Mortality 225 Oral (subchronic) 10 weeks Hepatic effects Oral (subchronic) 20 days Decreased litter weight during gestation 12		Mouse	Oral (chronic)	103 weeks	Mortality			4050 [d] 8	810 ATSDR, 1990
Oral (subchronic) 20 day Mortality Oral (subchronic) 10 weeks Hepatic effects Oral (subchronic) 20 days Decreased litter weight during gestation		Rat	Single oral dose		Mortality	410			ATSDR, 1990
Oral (subchronic) 10 weeks Hepatic effects Oral (subchronic) 20 days Decreased litter weight during gestation		Rat	Oral (subchronic)	20 day	Mortaläy	225	45 [a]	4.5 [b]	ATSDR, 1990
Oral (subchronic) 20 days Decreased litter weight during gestation		Rat	Oral (subchronic)	10 weeks	Hepatic effects			(p) 09	
		Rat	Oral (subchronic)	20 days	Decreased litter weight during gestation		1240		620 ATSDR, 1990
Oral (chronic) 103 weeks		Rat	Oral (chronic)	103 weeks	Mortality			930	ATSDR, 1990
Rat Oral (subchronic) 2 months Biochemical alterations in CNS		Rat	Oral (subchronic)	2 months	Biochemical alterations in CNS			009	ATSDR, 1990

TOX.wk1

23-Apr-93

TABLE H-3 SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

					ACUTE*	1日*	CHRONIC	
						ACUTE ORAL		
					ORAL	RISK		
CHEMICAL	TEST SPECIES	TEST TYPE	DURATION	BFFBCT	LD50	CRITERIA	LOAEL NO	NOAEL REFERENCE
					(mg/kgBW)	(mg/kgBW)	(mg/kgBW/day) (mg/kgBW/day)	W/day)
	Guinea pig	Single oral dose		Mortality	400			USEPA, 1984
	Monkey	Oral (chronic)	18 months	Weakness, rigidity			25	ATSDR, 1990
Mercury	Mouse	Single oral dose		Mortality	22			NIOSH, 1985
	Mouse	Oral (subchronic)	18 days	Mortality; neurological symptoms			6.3	Suzuki, 1979
	Mouse	Oral (subchronic)	38 days	Mortality; neurological symptoms			5	Suzuki, 1979
	Mouse	Oral (subchronic)	50 days	Embryotoxicity and teratogenicity			6.0	Suzuki, 1979
	Mouse	Oral (subchronic)	45 days	Hypophagia, weight loss, weakness of hind legs			-	Suzuki, 1979
	Mouse	Oral (subchronic)	Day 6-17 (gest)	Stillbirths and neonatal death			4	Suzuki, 1979
	Mouse	Oral (subchronic)	Day 0-18 (gest)	Embryolethality and teratogenicity			0.7	Suzuki, 1979
	Rat	Oral (subchronic)	Day 6-14 (gest) R	Retarded fetus growth and teratogenicity			4	Suzuki, 1979
	Rat	Oral (subchronic)	Gest. + 16 days	Behavioral changes in offspring			0.12 [c]	Suzuki, 1979
	Rat	Oral (chronic)	SN	Reduced fertility	٠		0.5	Eisler, 1987
	Rat	Oral (subchronic)	38 days	Adverse behavioral change			0.16 [c]	Eisler, 1987
	Rat	Single oral dose		Mortality	18	3.6 [a]	0.36 [b]	NIOSH, 1985
	Pig	Oral (chronic)	Pregnancy	High incidence of stillbirths			0.5	Eisler, 1987
	House sparrow	Single oral dose		Mortality	12.6	2.5 [a]		Eisler, 1987
	Rock dove	Single oral dose		Mortality	22.8	4.6 [a]		Eisler, 1987
	Pigeon	Oral (subchronic)	17 days	Behavioral alterations			3	Eisler, 1987
	Pigeon	Oral (subchronic)	5 weeks	Behavioral alterations			-	Eisler, 1987
	Starling	Oral (subchronic)	8 weeks	Kidney lesions			0.25 [c]	Eisler, 1987
	Chicken	Single oral dose		Mortality	20	4 [a]		Fimreite, 1979
	Bantam chicken	Single oral dose		Mortality	190	38 [a]		Fimreite, 1979
	Prairie chicken	Single oral dose		Mortality	11.5	2 [a]	0.2[b]	Eisler, 1987
	Chukar	Single oral dose		Mortality	26.9	5 [a]		Eisler, 1987
	Coturnix	Single oral dose		Mortality	11	2 [a]		Eisler, 1987
	Mallard	Single oral dose		Mortality	2.2	0.4 [a]		Eisler, 1987
	Mallard	Oral (chronic)	3 Generations	Behavioral and reproductive deficiencies			0.007 [c]	Eisler, 1987
	Mallard	Oral (chronic)	NS	Behavioral effects in offspring			0.036 [c]	Fimreite, 1979
	Black duck	Oral (subchronic)	28 weeks	Reproduction inhibited, brain lesions			0.22 [c]	Eisler, 1987
	Fulvous whistling duck	Single oral dose		Mortality	37.8	7.6 [a]		Eisler, 1987
	Northern bobwhite	Single oral dose		Mortality	23.8	4.8 [a]		Eisler, 1987
	Bobwhite quail	Oral (acute)	5 days	Mortality	523	105 [a]		Hill et al., 1975
	Japanese quail	Single oral dose		Mortality	14.4	2.9 [a]		Eisler, 1987
	Japanese quail	Oral (subchronic)	3 weeks	Depressed gonad weights			0.81 [c]	Eisler, 1987
	Japanese quail	Oral (subchronic)	9 weeks	Alterations in brain and plasma enzyme activities			0.10 [c]	Eisler, 1987

TOX.wk1

TABLE H-3 SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

TEST SPECIES TEST TYPE DURATION EFFECT LD50 CREMENS						ACTITE*		CHRONIC		
TEST SPECIES TEST TYPE DURATION EPPECT LD50 CRITTERIA							E ORAL			
Dog	CHEMICAL	TEST SPECIES	TEST TYPE	DURATION				LOAEL NOAEL (mg/kgBW/day)	OAEL (BW/day)	NOAEL REFERENCE (gBW/day)
Cray partridge		Japanese quail	Oral (chronic)		Reproductive effects			5.0 [c]		Fimreite, 1979
Ring		Gray partridge	Single oral dose		Mortality	17.6	3.5 [a]			Eisler, 1987
Mink		Gray pheasant	Oral (subchronic)		Reduced reproductive ability			0.64		Eisler, 1987
Mule deer Single ond dose Mortality 17.9 3 Rheave monkey Oral (darbonic) Pregnancy Mortality 1 2 0 Mink Single oral dose Mortality 1 0 1 0 Mink Oral (subchronic) Day 10–58 (gest) Increased incidence of anomalous fetuses 1 0 0 Cat Oral (subchronic) Day 10–58 (gest) Increased incidence of anomalous fetuses 67 13 Rat Oral (subchronic) Day 10–58 (gest) Increased incidence of anomalous fetuses 67 13 Rat Oral (stronic) 2 years Mortality 67 10 Rat Oral (stronic) 2 years Histological elanges in heart and kidney 67 10 Rat Oral (chronic) 2 years Histological elanges in heart and kidney 67 100 Rat Oral (chronic) 1 years 1 pistological elanges in heart and kidney 67 100 Mouse Oral (chronic) 2 years Histological elanges in heart and kidney 67 10 <th></th> <th>Ring-necked pheasant</th> <th>Single oral dose</th> <th></th> <th>Mortality</th> <th>11.5</th> <th>2.3 [a]</th> <th></th> <th></th> <th>Eisler, 1987</th>		Ring-necked pheasant	Single oral dose		Mortality	11.5	2.3 [a]			Eisler, 1987
Rhestus monkey		Mule deer	Single oral dose		Mortality	17.9	3.6 [a]	0.36		Bisler, 1987
Mink Single oral dose		Rhesus monkey	Oral (chronic)		Maternally toxic and abortient			0.5		Eisler, 1987
Mink Single oral dose Mortality 1 0 Mink Oral (subchronic) 2 months Mortality 1 0 Cat Oral (subchronic) Pregnancy High incidence of anomalous fetuses 67 13 Bat Oral (subchronic) Pregnancy High incidence of anomalous fetuses 67 13 Rat Oral (subchronic) Pregnancy Mortality 67 13 Bapanesc quail Oral (acute) 2 years Histologic lesions in bone marrow 6 100 Dog Oral (chronic) 2 years Histologic lesions in bone marrow 6 100 Rat Oral (chronic) 1 years Histological clauges in heart and kidney 6 6 Rat Oral (chronic) 2 years Selenosis 6 100 6 Mouse Oral (chronic) 1 years Soft bones, hepatic lesions 6 6 6 Mouse Oral (chronic) 2 years Mortality 8 4 6 Mouse		River otter	Single oral dose		Mortality	2	0.4 [a]			Bisler, 1987
Mink Oral (subchronic) 2 months Mortality Cat Oral (subchronic) Day 10–58 (gex) Increased incidence of anomalous fetuses Cat Oral (subchronic) Pregancy High incidence of stillbirths 67 13 Rat Oral (subchronic) 2 years Decreased body weight gain 694 [c] 100 Image: Carl (actue) Oral (chronic) 2 years NOEL 100 604 [c] 100 Image: Carl (actue) Oral (chronic) NS Histologic fesions in boar marrow 0 0 604 [c] 100 Rat Oral (chronic) NS Histological changes in heart and kidney 0 0 604 [c] 100 Malbard Oral (chronic) NS Reduced patching 0		Mink	Single oral dose		Mortality	-	0.2 [a]			Eisler, 1987
Cat Cat		Mink	Oral (subchronic)		Mortality			0.029 [c]		Bisler, 1987
Dog Oral (chronic) Pregnancy High incidence of stillbirths 67 13 Rat Single oral dose Mortality 67 13 Rat Oral (subchronic) 2 years Decreased body weight gain 504 [c] 100 Dog Oral (chronic) 2 years No elenosis 804 [c] 100 m Rat Oral (chronic) 2 years Histological changes in heart and kidney 6 Rat Oral (chronic) NS Histological changes in heart and kidney 0. Rat Oral (chronic) 2 years Soft bones, hepatic lesions 0. Mallard Oral (chronic) 1 years Soft bones, hepatic lesions 3.3 Horse Single oral (chronic) 3 months Reduced agg hatching 0 Mouse Oral (subchronic) 3 months Mortality 3.3 Mouse Oral (subchronic) 125 quas Increased hair cystine. 3.4 Rat Oral (subchronic) 75 quas Mortality Annality Rat		Cat			Increased incidence of anomalous fetuses			0.25		Eisler, 1987
Rat Single oral dose Mortality 67 13 Rat Oral (subchronic) 2 years Decreased body weight gain 67 13 Ispanese quail Oral (chronic) 2 years Decreased body weight gain 504 [c] 100 m Rat Oral (chronic) 2 years Histologic lesions in bone marrow 6 0 m Rat Oral (chronic) NS Histological changes in heart and kidney 6 0 Rat Oral (chronic) NS Histological changes in heart and kidney 6 0 Mailard Oral (chronic) NS Reduced egg hatching 6 0 Mouse Oral (chronic) NS Reduced hatchability 33 0 Mouse Intraperitorical acute Mortality 34 0 Mouse Oral (subchronic) 12 days Increased hair cystine, hemoglobin 1 Rat Oral (subchronic) 15 days NOAEL for hematological alterations 96 [c] Rat Oral (subchronic) 75		Dog	Oral (chronic)		High incidence of still births		1 [b]	0.1		Bisler, 1987
Rat Oral (subchronic) 2 years Mortality Rat Oral (chronic) 2 years Decreased body weight gain 504 [c] 100 Japanese quail Oral (chronic) 2 years Histologic lesions in bone marrow 6 6 100 Im Rat Oral (chronic) NS Histological changes in heart and kidney 6 6 6 6 6 100 6	Nickel	Rat	Single oral dose		Mortality	19	13.4 [a]	1.3 [b]		ATSDR, 1987
Rat Oral (acute) 2 years Decreased body weight gain 504 [c] 100 Japanese quail Oral (acute) 2 days NOEL 504 [c] 100 Im Rat Oral (chronic) 2 years Histological lesions in bone marrow 6 Rat Oral (chronic) NS Histological changes in heart and kidney 6 Rat Oral (chronic) 2 years Soft bones, hepatic lesions 0 Mallard Oral (chronic) NS Reduced egg hatching 6 Horse Oral (subchronic) 3 months Reduced hatching 333 Mouse Single oral dose Mortality 34 6 Mouse Oral (subchronic) 125 days Increased hair cystine 34 6 Rat Oral (subchronic) 2.5 years Decreased hair cystine, hemoglobin 1 1 Rat Oral (subchronic) 75 - 103 days NOAEL for hematological alterations 96 [c] 240		Rat	Oral (subchronic)		Mortality			25 [d]	'n	ATSDR, 1987
Japanese quail Oral (acute) 5 days NOEL 504 [c] 100 Jum Rat Oral (chronic) 2 years Histologic lesions in bone marrow 6 0 Rat Oral (chronic) NS Histological changes in heart and kidney 0 0 Rat Oral (chronic) 2 years Soft bones, hepatic lesions 0 0 Mallard Oral (chronic) NS Reduced egg hatching 0 0 Horse Oral (subchronic) 3 months Reduced egg hatching 0 0 Mouse Intraperitoneal (acute) 3 months Reduced egg hatching 0 3.3 Mouse Intraperitoneal (acute) 2 week Mortality 3.3 0 Mouse Oral (acute) 1.25 days Increased hyperactivity 3.4 0 Rat Oral (subchronic) 1.25 days NOAEL for hematological alterations 1 Rat Oral (subchronic) 7.5 - 103 days Mortality 96 [c] Rat Oral (subchronic)		Rat	Oral (chronic)		Decreased body weight gain			20	v	ATSDR, 1987
1mm Rat Oral (chronic) 2 years Histological changes in heart and kidney 6 Rat Oral (chronic) NS Histological changes in heart and kidney 0.0 Rat Oral (chronic) 2 years Soft bones, hepatic lesions 0.0 Mallard Oral (chronic) NS Reduced egg hatching 0.0 Mallard Oral (subchronic) 3 months Reduced hatchability 3.3 Mouse Intraperitoneal (acute) Mortality 3.3 0.0 Mouse Intraperitoneal (acute) 2 week Mortality 3.4 0.0 Mouse Oral (subchronic) 125 days Increased hair cystine 3.4 0.0 Mouse Oral (subchronic) 2.5 years Decreased hair cystine, hemoglobin 1 Rat Oral (subchronic) 7.5 years Decreased hair cystine, hemoglobin 1 Rat Oral (subchronic) 75 - 103 days NOAEL for hematological alterations 96 [c] Rat Oral (subchronic) 5 days Mortality 25410 2		Japanese quail	Oral (acute)	5 days	NOEL	504 [c]	100.7 [a]	10.1 [6]		Hill and Camardese, 1986
nm Rat Oral (chronic) NS Relenosis 0.0 Rat Oral (chronic) 2 years Soft bones, hepatic lesions 0.0 Japanese quail Oral (chronic) NS Reduced egg hatching 0.0 Mallard Oral (subchronic) 3 months Reduced hatchability 3.3 Horse Single oral dose MLD 3.3 Mouse Intraperitoneal (acute) Mortality 3.3 Mouse Oral (subchronic) 1.25 days Increased hajperactivity 3.4 Mouse Oral (subchronic) 1.25 pears Decreased hair cystine 3.4 Inm Rat Oral (subchronic) 1.25 years Decreased hair cystine, hemoglobin 1 Rat Oral (subchronic) 7.5 years Decreased hair cystine, hemoglobin 1 Rat Oral (subchronic) 75-103 days NOAEL for hematological alterations 96 [c] Rat Oral (subchronic) 5 days Mortality 2510 2510		Dog	Oral (chronic)		Histologic lesions in bone marrow		625 [b]	62.5	22	ATSDR, 1987
Rat Oral (chronic) VS Histological changes in heart and kidney Rat Oral (chronic) 2 years Soft bones, hepatic lesions Japanese quail Oral (subchronic) NS Reduced egg hatching Mallard Oral (subchronic) 3 months Reduced hatchability 3.3 Horse Single oral dose MLD 3.3 6 Mouse Intraperitoneal (acute) 2 week Mortality 34 6 Mouse Oral (subchronic) 125 days Increased hajperactivity 34 6 Mouse Oral (subchronic) 2.5 years Decreased hair cystine 36 Ilum Rat Oral (subchronic) 15-103 days NoAEL for hematological alterations 1 Rat Oral (subchronic) 75-103 days Mortality 96 [c] Rat Oral (subchronic) 5 days Mortality 2510	Selenium	Rat	Oral (chronic)	NS	Selenosis		0.04 [c]	0.004 [b]		Eisler, 1985
Part Oral (chronic)		Rat	Oral (chronic)		Histological changes in heart and kidney			0.045		Eisler, 1985
Japanese quail Oral (chronic) NS Reduced egg hatching Mallard Oral (subchronic) 3 months Reduced hatchability 3.3 Horse Single oral dose MLD 3.3 Mouse Intraperitoneal (acute) Mortality 34 6 Mouse Oral (suchronic) 125 days Increased haperactivity 34 6 Imm Rat Oral (subchronic) 1.25 years Decreased hair cystine 1 Imm Rat Oral (subchronic) 7.5 years Decreased hair cystine, hemoglobin 1 Rat Oral (subchronic) 75-103 days NOAEL for hematological alterations 96 [c] Rat Cral (acute) Mortality 25 days Mortality		Rat	Oral (chronic)	2 years	Soft bones, hepatic lesions			0.2		ATSDR, 1989
Mallard Oral (subchronic) 3 months Reduced hatchability Horse Single oral dose MLD Mouse Intraperitoneal (acute) 2 week Mortality Rat Oral (subchronic) 1.25 days Increased hair cystine Rat Oral (subchronic) 2.5 years Decreased hair cystine Rat Oral (subchronic) 75–103 days NOAEL for hemoglobin Rat Oral (subchronic) 75–103 days Mortality Again Oral (acute) 5 days Mortality Mortality 90 [c] 96 [c]		Japanese quail	Oral (chronic)	SN	Reduced egg hatching		0.6 [c]	[4] 90.0		Eisler, 1985
Horse Single oral dose MLD Mouse Intraperitoneal (acute) Mortality Rat Oral (acute) 2 week Mortality Mouse Oral (subchronic) 125 days Increased hyperactivity Ilium Rat Oral (subchronic) 2.5 years Decreased hair cystine Rat Oral (subchronic) 75–103 days NOAEL for hemoglobin Rat Oral (subchronic) 75–103 days Mortality Again State Oral (acute) 5 days Mortality Rat Oral (acute) 75–103 days Mortality Says Single oral document oral days Single oral document oral days Single oral document oral document oral days Single oral document oral do		Mallard	Oral (subchronic)	3 months	Reduced hatchability			1.75		Eisler, 1985
Mouse Intraperitoneal (acute) Mortality Rat Oral (acute) 2 week Mortality Mouse Oral (subchronic) 125 days Increased hyperactivity ium Rat Oral (chronic) 2.5 years Decreased hair cystine Rat Oral (subchronic) 103 days Decreased hair cystine, hemoglobin Rat Oral (subchronic) 75–103 days NOAEL for hemoglobin Rat Oral (subchronic) 5 days Mortality Sapanese quail Oral (acute) 5 days Mortality Sapanese quail Oral (acute) 5 days Mortality Sapanese quail Oral (acute) 5 days Mortality Sapanese quail Oral (acute) 5 days Mortality Sapanese quail Oral (acute) 5 days Mortality Sapanese quail Oral (acute) 5 days Mortality Sapanese quail Oral (acute) 5 days Mortality		Horse	Single oral dose		MLD	3.3				Eisler, 1985
Rat Oral (acute) 2 week Mortality Mouse Oral (subchronic) 125 days Increased hyperactivity Rat Oral (subchronic) 2.5 years Decreased hair cystine Rat Oral (subchronic) 103 days Decreased hair cystine, hemoglobin Rat Oral (subchronic) 75–103 days NOAEL for hematological alterations Japanese quail Oral (acute) 5 days Mortality 96 [c]	Silver	Mouse	Intraperitoneal (acute	•	Mortality	34	6.8 [a]			NIOSH, 1985
Mouse Oral (subchronic) 125 days Increased hyperactivity Rat Oral (chronic) 2.5 years Decreased hair cystine. Rat Oral (subchronic) 103 days Decreased hair cystine. hemoglobin Rat Oral (subchronic) 75-103 days NOAEL for hematological alterations Japanese quail Oral (acute) 5 days Mortality Rat Cinale oral does Mortality		Rat	Oral (acute)	2 week	Mortality		3624 [b]	362.4 [d]	181.2	ATSDR, 1990
Rat Oral (chronic) 2.5 years Decreased hair cystine Rat Oral (subchronic) 103 days Decreased hair cystine, hemoglobin Rat Oral (subchronic) 75–103 days NOAEL for hematological alterations Japanese quail Oral (acute) 5 days Mortality Rat Oral (acute) 5 days Mortality Rat Oral (acute) 5 days Mortality		Mouse	Oral (subchronic)	125 days	Increased hyperactivity		181 [b]	18.1	,	ATSDR, 1990
Rat Oral (subchronic) 103 days Decreased hair cystine, hemoglobin Rat Oral (subchronic) 75–103 days NOAEL for hematological alterations Japanese quail Oral (acute) 5 days Mortality Bat Starl Acce Mortality	Vanadium	Rat	Oral (chronic)	2.5 years	Decreased hair cystine			4 [d]	0.89	IRIS, 1989
Rat Oral (subchronic) 75–103 days NOAEL for hematological alterations Japanese quail Oral (acute) 5 days Mortality Bat Stanla oral days Mortality		Rat	Oral (subchronic)	103 days	Decreased hair cystine, hemoglobin		25 [b]	2.5		IRIS, 1989
Japanese quail Oral (acute) 5 days Mortality 96 [c] Bat Strail Are Mortality 2510		Rat	Oral (subchronic)	75-103 days	NOAEL for hematological alterations			33 [q]	9.9	ATSDR, 1991
Rat Sinele aral date Martality 2510		Japanese quail	Oral (acute)	5 days	Mortality	[2] 96	20 [a]	2 [b]		Hill and Camardese, 1986
Nat Sugge of all uses Motivals.	Zinc	Rat	Single oral dose		Mortality	2510	500 [a]			Sax, 1984
Rat Oral (subchronic) NS Kidney toxicity		Rat	Oral (subchronic)	NS	Kidney toxicity			160		Liobet, et al., 1988

TOX.wk1

23-Apr-93

SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES) TABLE H-3

(mg/kgBW/day) (mg/kgBW/day)	(mg/kgBW)	(mg/kgBW)				
LOAEL NOAEL REFERENCE	CRITERIA	LD50	DURATION BPFECT	TEST TYPE DU	TEST SPECIES	CHEMICAL
	RISK	ORAL				
	ACUTE ORAL					
CHRONIC	ACUTE.	AC				

NOTES:

[a] For chemicals lacking LOAEL or NOAEL data, an Acute Oral Criterion (AOC) is calculated by applying a factor of 0.2 to the acute LD50; this value is expected to

protect 99.9% of the exposed population from acute effects (USEPA, 1986).

[b] Estimated by applying an acute - chronic ratio of 10.

[c] Converted to dose per kilogram body weight by multiplying by ingestion rate and dividing by body weight. The following ingestion rate and body weight data were used:

,	,		
Species	Ingestion Rate	Body Weight	Reference
	(kg/dny)	(kg)	
Rat (Male)	0.025	0.58	USEPA, 1988
Rat (Female)	0.02	0.25	USEPA, 1988
Rat	0.015	0.25	NIOSH, 1985
Rabbit	0.059	2.2	USEPA, 1988
Chicken	0.106	1.16	USEPA, 1988
Bobwhite	0.015	0.17	Кепада, 1973
California quail	0.014 [c]	0.139	USEPA, 1988
Mallard Duck	0.09	1.25	Terres, 1980
Duck	0.112 [c]	1.6	USEPA, 1988
Starling	0.01	0.0437	USEPA, 1988
Kestrel	0.01	0.179	L'SEPA, 1988
Screech Owl	0.0086	0.169	USEPA, 1988
Mink	0.0465	1.613	USEPA, 1988
Mouse	0.0035	0.03	USEPA, 1988
ĵ.	50	14 47	11CHPA 1088

[d] Estimated by applying a LOAEL-NOAEL ratio of 5 (Newell et al., 1987).

[e] Ingestion rate estimated from body weight using allometric equation for chickens in USEPA, 1988.

[f] Chrysene data used as surrogate for benzo(g.h.i)perylene

BW = Body Weight

LOAEL = Lowest Observed Adverse Effect Level NOAEL = No Observed Adverse Effect Level

Table H-4 Reference Toxicity Values Selected for Derivation of Ecological Protective Contaminant Levels in Surface Soils [a]

Site Investigation Report Fort Devens

			Ecologica	Receptor		
Analyte	Short-tailed	White-footed	American	Garter	Red	Red-tailed
a kalangan bangan b	shrew	mouse	robin	snake	fox 1	hawk
		Reference Toxicit	y Values (mg/kg	body weight/day)		
Organics						
acenaphthylene	600	600	600	600	600	600
acetone	500	500	500	500	500	. 500
anthracene	3300	3300	3300	3300	3300	3300
benzo(a)anthracene	2	2	2	2	2	2
benzo(a)pyrene	1.25 [c]	1.25 [c]	1.25 [c]	1.25 [c]	1.25 [c]	1.25 [c]
benzo(b)fluoranthene	40	40 99	40 99	40 99	40 99	40 99
benzo(g,h,i)perylene	99	72	72	. 72	72	72
benzo(k)fluoranthene	72 19	19	19	19	19	19
bis(2-ethylhexyl)phthalate	10	10	10	10	10	10
carbazole chloroform	169 [c]	169 [c]	169 [c]	169 [c]	12.9	169 [c]
	99	99	99	99	99	99
chrysene dibenzofuran	2.4	2.4	2.4	2.4	2.4	2.4
dibenzofuran di – n – butylphthalate	600	600	600	600	600	600
ai – n – butyiphthalate 2,4 – dinitrotoluene	67.5 [c]	67.5 [c]	67.5 [c]	67.5 [c]	10	67.5 [c]
2,6—dinitrotoluene	67.5 [c]	67.5 [c]	67.5 [c]	67.5 [c]	10	67.5 [c]
2,0—unitrototuene fluoranthene	250	250	250	250	250	. 250
fluorene	250	250 250	250 250	250	250	250
indeno(1,2,3-cd)pyrene	72	72	72	72	72	72
2-methylnaphthalene	33	33	33	33	33	33
naphthalene	41	41	41	41	41	41
nitroglycerine	60	60	60	60	60	60
n-nitrosodiphenylamine	50	50	50	50	50	50
phenanthrene	120	120	120	120	120	120
pyrene	125	125	125	125	125	125
tetrachloroethylene	71	71	71	71	71	71
toluene	446	446	446	446	446	446
trichlorofluoromethane	488	488	488	488	488	488
Pesticides/PCBs						
alpha-chlordane	0.136 [c]	0.136 [c]	0.745 [Ь]	0.745 [b]	0.37	0.745 [b]
gamma-chlordane	0.136 [c]	0.136 [c]	0.745 [b]	0.745 [้ิ่ษ]	0.37	0.745 [b]
DDD	0.48 [c]	0.48 [c]	0.25 [b]	7.6	6.9 [c]	0.25 [b]
DDE	0.48 [c]	0.48 [c]	0.25 [ь]	7.6	6.9 [c]	0.25 [b]
DDT	0.48 [c]	0.48 [c]	0.25 [b]	7.6	6.9 [c]	0.25 [b]
Heptachlor	0.3 [c]	0.3 [c]	0.3 [c]	0.3 [c]	0.5	0.3 [c]
aroclor-1254	3.84 [c]	3.84 [c]	2.3 [b]	2.3 [b]	3.84 [c]	2.3 [b]
Inorganics						
aluminum	425	425	425	425	425	425
antimony	1.75	1.75	1.75	1.75	1.75	1.75
arsenic	7.5	7.5	5.1 [b]	5.1 [b]	250	5.1 [b]
barium	10.2 [c]	10.2 [c]	10.2 [c]	10.2 [c]	10.2 [c]	10.2 [c]
beryllium	0.22	0.22 1.75	0.22 7.6	0.22 7.6	0.22 3.75	0.22 7.6
cadmium	1.75 40.6 [c]	40.6 [c]	7.6 3.5	7.0 3.5	40.6 [c]	7.6 3.5
chromium cobalt	12.5 [c]	12.5 [c]	12.5 [c]	12.5 [c]	40.0 [C] 5	12.5 [c]
copper	76.6 [c]	76.6 [c]	29	29	76.6 [c]	29
lead	2.1	2.1	1.75	4.4	3	4.4
manganese	370 [c]	370 [c]	370 [c]	370 [c]	25	370 [c]
mercury	0.5	0.5	1.85 [b]	1.85 [b]	0.1	1.85 [b]
nickel	50 [c]	50 [c]	10.1	10.1	62.5	10.1
selenium	0.12 [c]	0.12 [c]	1.75	1.75	0.12 [c]	1.75
silver	18.1	18.1	18.1	18.1	18.1	18.1
vanadium	2.5	2.5	2	2	2.5	2
zinc	160	160	160	160	160	160

NOTES

Values were obtained from the master Reference Toxicity Values (RTVs) summary table (H-3) following procedures described in text.

[[]a] All values are chronic Lowest Observed Adverse Effects Levels (LOAELs), unless otherwise noted.

[[]b] Average of LOAEL bird values.

[[]c] Average of LOAEL values.

SYNOPTIC WATER LEVEL DATA SUMMARY

ABB Environmental Services, Inc.

W0039366APP.CVR 7053-07

APPENDIX I SUMMARY OF SYNOPTIC WATER-LEVEL MEASUREMENTS

ABB-ES conducted synoptic water-level rounds on May 26, September 15, and December 22 of 1992, March 30 and November 8, 1993, and March 30 and June 28, 1994. The number of measuring points varied because new measuring locations were added by the SI and SSI program and because certain stations were not accessible or not measurable. The number of water-level stations were as follows:

All measured water-levels are tabulated below.

			MAY 2	6, 1992	SEPT. 1	15, 1992	DECEMBER 22, 1992	IR 22, 1992	MARCH 30, 1993	30, 1993 *
STATION/	REF.	ELEV. OF	DEPTH	ELEV. OF	DEPTH	ELEV. OF	DEPTH	ELEV. OF	DEPTH TO	ELEV. OF
WELL NO.	POINT	REF. PT.	TO WATER	WATER	TO WATER	WATER	TO WATER	WATER	WATER	WATER
GSM-92-01X	PVC	240.45	Not measured	Not measured	34.31	206.14	33.62	206.83		207.8
G5M-92-02X	PVC	224.73	224.73 Not measured	Not measured	18.09	206.64	17.37	207.36		209.3
G5M-92-03A	PVC	238.48	238.48 Not measured	Not measured	25.81	212.67	Dry	Dry		212.6
G5M-92-03B	PVC	239.62	Not measured	Not measured	34.09	205.53	33.17	206.45	6,	208.8
G6M-92-01X	PVC	265.41	Not measured	Not measured	60.44	204.97	60.34	205.07	60.1	205.3
G6M-92-02X	PVC	271.00	Not measured	Not measured	67.84	203.16	67.1	203.9		204.4
G6M-92-03X	PVC	269.53	Not measured	Not measured	63.1	206.43	63.37	206.16		206.4
G6M-92-04X	PVC	270.36	Not measured	Not measured	87.78	202.58	66.44	203.92	65.59	204.8
G6M-92-05X	PVC	268.88	Not measured	Not measured	10.99	202.87	64.79	204.09	64.35	204.5
G6M-92-06X	PVC	.263.79	Not measured	Not measured	58.35	205.44	58.29	205.5		205.8
G6M-92-07X	PVC	266.86	Not measured	Not measured	26.65	206.94	60.28	206.58	59.92	206.9
G6M-92-08X	PVC	262.94	Not measured	Not measured	54.21	208.73	Not measured	Not measured	. 54.31	208.6
G6M-92-09X	PVC	261.25	Not measured	Not measured	51.44	209.81	52.04	209.21	51.67	209.6
G6M-92-10X	PVC	225.81	Not measured	Not measured	14.12	211.69	14.08	211.73	12.38	213.4
G6M-92-11X	PVC	225.62	Not measured	Not measured	13.75	211.87	13.84	211.78	13.23	212.4
WWTMW-01	PVC	217.71	7.40	210.31	90.6	208.65	8.4	209.31	6.78	210.9
WWTMW-01A	PVC	220.88	16.58	204.3	17.12	203.76	15.41	205.47	12.76	208.1
WWTMW-02	PVC	225.73	21.86	203.87	22.28	203.45	20.58	205.15	17.69	208.0
WWTMW-02A	PVC	225.47	21.68	203.79	22.1	203.37	20.43	205.04	16.96	208.5
WWTMW-03	PVC	216.79	13.48	203.31	13.87	202.92	12.06	204.73	8.16	208.6
WWTMW-04	PVC	217.79	13.04	204.75	13.74	204.05	12.19	205.6	10.57	207.2
WWTMW-05	PVC	213.39	10.56	202.83	6.01	202.49	9.12	204.27	5.65	207.7
WWTMW-06	PVC	234.54	13.78	220.76	18.72	215.82	17.84	216.7	Not measured	Not measured
WWTMW-07	PVC	243.08	24.89	218.19	29.11	213.97	26.54	216.54	Not measured	Not measured
WWTMW-08	PVC	219.43	10.08	209.35	11.54	207.89	10.83	208.6	8.83	210.6
WWTMW-09	PVC	212.49	9.04	203.45	92.6	203.13	7.43	205.06	Not measured	Not measured
WWTMW-10	PVC	214.74	11.52	203.22	11.84	202.9	9.91	204.83	5.75	209.0
WWTMW-11	PVC	214.57	11.65	202.92	11.98	202.59	10.19	204.38	5.64	208.9
WWTMW-12	PVC	221.49	17.50	203.99	17.91	203.58	16.51	204.98	14.5	207.0
WWTMW-13	PVC	220.10	16.20	203.9	16.66	203.44	14.95	205.15	13.18	206.9
WWTMW-14	PVC	219.14	10.34	208.8	11.19	207.95	11.57	72.702	10.11	209.0
MNG-1	PVC	248.89	24.55	224.34	24.6	224.29	Not measured	Not measured	Not measured	Not measured
MNG-2	PVC	238.66	20.36	218.3	20.67	217.99	20.23	218.43	19.64	
MNG-3	PVC	254.47	37.52	216.95	37.35	217.12	36.84	217.63	35.94	218.5
MNG-4	PVC	254.37	32.80	221.57	32.98	221.39	Not measured	Not measured	Not measured	Not measured

FORT DEVENS

			MAY 2	26, 1992	SEPT. 15, 1992	5, 1992	DECEMBE	DECEMBER 22, 1992	MARCH 30, 1993	30, 1993 *
STATION/	REF.	ELEV. OF		ELEV. OF	DEPTH	ELEV. OF	рертн	ELEV. OF	ремти то	ELEV. OF
WELL NO.	POINT	REF. PT.	TO WATER	WATER	TO WATER	WATER	TO WATER	WATER	WATER	WATER
MNG-5	PVC	237.21	17.28	219.93	17.48	219.73	17.58	219.63		220.1
MNG-6	PVC	254.70	36.46		36.52	218.18	36.22	218.48	35.75	219.0
MNG-7	PVC	250.08	31.43	218.65	31.39	218.69	31.38	218.7	31.06	219.0
SWEL-01	BRIDGE RAIL	221.16		200.72	21.08	200.08	18.85	202.31	13.1	208.1
SWEL-02	BRIDGE RAIL	217.82		201.92	191	201.72		203.84		210.5
SWEL-05	CAPPED PIN	217.84		217.84	1.05	216.79	0.22	217.62		218.6
SHL-1	PVC		Dry	Dry	Dry	Dry	Not measured	Not measured	2.45	270.0
SHL-3H	PVC	248.17	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured
SHL-3L	CASING	248.50	30.67	217.83	30.82	217.68	30.24	218.26	30.49	218.0
SHL-4	PVC	228.71	11.10	217.61	11.23	217.48	10.58		10.36	218.4
SHL-5	PVC	218.53	4.10	214.43	5.15	213.38	2.39	216.14		216.7
SHL-6	CASING	254.17	28.80	225.37	29.11	225.06	29.38	224.79		225.4
SHL-7	PVC	237.13	17.56	219.57	17.93	219.2	17.45	219.68	16.35	220.8
SHL-8	PVC	221.85	7.53	214.32	8.22	213.63	7.1	214.75	6.78	214.9
	PVC-2-INCH	221.66	7.70	213.96	8.4	213.26	6.92	214.74	Not measure	Not measured
SHL-9	PVC	222.86	9.15	213.71	10.01	212.85		214.65		214.8
SHL-10	PVC	248.80	31.19	217.61	31.41	217.39	30.8	218	61	217.8
SHL-11	PVC	236.34	18.87	217.47	19.02	217.32	18.65			217.9
SHL-12	PVC	249.51	23.25	226.26	23.59	225.92	23.88		7	227.1
SHL-13	PVC	221.58	7.05	214.53	7.66	213.92	6.61	214.97		214.0
SHL-15	PVC	260.75	17.92	242.83	19.42	241.33	19.08	2		243.6
SHL-17	PVC	234.57	8.46	226.11	8.8	77.225				229.4
SHL-18	PVC	238.39	19.63	218.76	19.9	218.49				218.9
SHL-19	PVC	241.34	23.29	218.05	23.5	217.84	22.45			218.2
SHL-20	PVC	236.84	19.24	217.6	19.47		19.07	77.712		218.0
SHL-21	PVC	259.75	45.34	214.41	46.01	213.74			45	214.6
SHL-22	PVC	220.49	6.73	213.76			5.91	214.58		
SHL-23	PVC	242.14	12.72	214.87						
SHL-24	PVC	239.60	16.92	222.68			16.74			
SHL-25	PVC	258.87	24.68	234.19	26.78	232.09	26.86		2	
POL-1	PVC	259.77	19.14	240.63	19.99	239.78	19.04	240.73		244.5
POL-2	PVC	259.42	27.70	231.72	28.29	231.13		2		231.4
POL-3	PVC	261.94	25.42	236.52	26.8					236.3
B202-1	PVC	254.43	28.30	226.13	28.62				2	227.0
B202-2	PVC	258.37	32.05	226.32	32.3	226.07	32.76	225.61	32.2	226.2
										ļ

ABB ENVIRONMENTAL SERVICES

DEPTH ELEV. OF DEPTH TO WATER WATER TO WATER 31.51 226.81 32.13
25.49
25.92
28.53
29.79
27.18
26.88
15.77
14.43
Not measured Not measured
8.41
18.92
25.98
3.65
5.37
17.07
18.93
21.73
26.03
23.56
Dry
24.43
22.37
9.64
15.33
13.27
13.34
10.25
Not measured Not measured
10.98

FORT DEVENS

1993 *	ELEV. OF	WATER	348.2	351.0	324.2	Not measured	327.3	333.0	331.5	Not measured	Not measured	321.5	228.6	Not measured	Not measured	226.8	-0.4	245.6		Not measured		232.5	232.1	232.3	232.6	243.1	243.2	. 242.5	242.8	Not measured	Not measured	Not measured	Not measured	331.1	324.1	Not measured
MARCH 30, 1993 *	DEPTH TO B	WATER V	8.65	4.38	12.66	Not measured Not	12.37	15.94	18	Not measured Not	Not measured Not	10.5	24.28	Not measured Not	Not measured Not	18.4	0.41	89.0-		219.42 Not measured Not		25.7	24.68	26.4	37.3	20.17	21	21.57	20.73	Not measured No.	Not measured No	Not measured No		-	25.88	Not measured No
ر 22, 1992	ELEV. OF	WATER	346.22	349.6	323.49	326.47	328.48	333.42	332.12	327.47	Dry	323.72	228.03	227.63	215.4	243.84	Not measured	245.11		219.42		231.6	231.3	231.5	231.92	242.15	242.16	241.53	241.86	314.8	314.71	314.97	315.14	329.44	324.33	Dry
DECEMBER 22, 1992	DEPTH	TO WATER	10.6	5.8	13.4	8.84	11.16	15.47	17.39	26.9	Dry	8.32	24.86	22.26	20.73	1.32	Not measured	-0.15		1.58		26.55	25.46	27.18	28.02	21.16	22.03	22.55	21.7	21.75	21.04	19.92	19.92	20.45	25.6	Dry
15, 1992	ELEV. OF	WATER	345.84	346.55	318.43	322.67	326.07	331.44	330.07	324.38	321.22	Dry	228.8	228.36	214.58	243.59	240.85	244.66		Not measured		232.64	232.07	232.26	232.9	243.08	243.07	242.5	242.75	315.45	315.43	315.67	315.76	329.08	324.52	Dry
SEPT. 1	DEPTH	TO WATER	10.98	8.85	18.46	12.64	13.57	17.45	19.44	10.06	11.22	Dry	24.09	21.53	21.55	1.57	2.15	0.3		Not measured		25.51	24.69	26.42	27.04	20.23	21.12	21.58	20.81	21.1	20.32	19.22	19.3	20.81	25.41	Dry
6, 1992	ELEV. OF	WATER	347.86	347.94	321.08	324.08	326.83	332.27	331.46	324.94	Dry	321.62	229.05	228.6	214.92	243.75	241.61	245.29		Not measured		233.63	233.05	233.25	233.81	243.4	243.45	242.94	243.13	316.43	316.43	316.68	316.76	330.99	324.63	317.24
MAY 26	DEPTH	TO WATER	8.96	7.46	15.81	11.23	12.81	16.62	18.05	9.50	Dry	10.42	23.84	21.29	21.21	1.41	1.39	-0.33		221.00 Not measured		24.52	23.71	25.43	26.13	19.91	20.74	21.14	20.43	20.12	19.32	18.21	18.30	18.90	25.30	26.43
	ELEV. OF	REF. PT.	356.82	355.40	336.89	335.31	339.64	348.89	349.51	334.44	332.44	332.04	252.89	249.89	236.13	245.16	243.00	244.96		221.00		258.15	256.76	258.68	259.94	263.31	264.19	264.08	263.56	336.55	335.75	334.89	335.06	349.89	349.93	343.67
	REF.	POINT	PVC	PVC	PVC	PVC	PVC	CASING	PVC	PVC	PVC	PVC	PVC	PVC	BRIDGE RAIL	TOP OF STAKE	TOP OF STAKE	"0" MARK ON	STAFF	TOP OF 1"	GALV PIPE	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC
	STATION/	WELL NO.	3602W-03	3602W-04	GE-01	GE-02	GE-03	UST-01	UST-02	NBC-1	NBC-2	NBC-3	EA-04	EA-05	SWEL-03	SWEL-06	SWEL-07	SWEL-08		G3D-92-01X		1-1	1-2	1-3	1-4	2-1	2-2	2-3	2-4	3-1	3-2	3-3	3-4	E0D-1	E0D-2	EOD-3

ABB ENVIRONMENTAL SERVICES

			MAY 2	26, 1992	SEPT. 1	15, 1992	DECEMBER 22, 1992	IR 22, 1992	MARCH 30, 1993	30, 1993 *
STATION/	REF.	ELEV. OF	DEPTH	ELEV. OF	DEPTH	ELEV. OF	DEPTH	ELEV. OF	рертн то	ELEV. OF
WELL NO.	POINT	REF. PT.	TO WATER	WATER	TO WATER	WATER	TO WATER	WATER	WATER	WATER
FOD-4	PVC	352.12	31.23	320.89	32.91	319.21	34.75	317.37	32.21	319.9
12M-92-01X	PVC	266.32	Not measured	Not measured	46.78	219.54	46.32	220	45.12	221.2
27M-92-01X	PVC	244.86		Not measured	12.49	232.37	13.25	231.61	Not measured	Not measured
27M-92-02X	PVC	251.97		Not measured	17.51	234.46	18.75	233.22	17.7	234.5
27M-92-03X	PVC	255.34	Not measured	Not measured	19.6	235.74	20.95	234.39	Not measured	Not measured
27M-92-04X	PVC	254.81	Not measured	Not measured	20.13	234.68	21.42	233.39	20.35	234.7
28M-92-01X	PVC	247.64		Not measured	9.59	238.05	9.35	238.29	29.5	242.0
28M-92-02X	PVC	245.54		Not measured	8.62	236.92	8.03	237.51	6.18	239.4
28M-92-03X	PVC	241.72		Not measured	14.1	227.62	13.38	228.34	8.25	233.5
28M-92-04X	PVC	244.31	Not measured	Not measured	8.62	235.69	8.02	236.29	5.2	239.1
41M-92-01X	PVC	249.58	Not measured	Not measured	26.92	222.66	25.0	224.58	24.68	224.9
SWEL-09	BRIDGE RAIL	235.51	20.53	214.98	21.94	213.57	Not measured	Not measured	• 15.6	219.9
SWEL-10	TOP OF STAKE	224.00	1.28	222.72	1.35	222.65	2.7	221.3	2.9	221.1
SWEL-11	BRIDGE RAIL		18.01	215.46	Not measured	Not measured	16.81	216.66	10.45	223.0
SWEL-12	TOP OF STAKE	226.00	1.59	224.41	Not measured	Not measured	1.4	224.6	56.0	225.1
SWEL-13	TOP OF STAKE	238.00	1.20	236.8	Not measured	Not measured	8.0	237.2	Not measured	Not measured
SWEL-14	TOP OF STAKE	318.30	1.37	316.93	Not measured	Not measured	1.6	316.7	1.45	316.6
SWEL-15	TOP OF STAKE	241.00	Not measured	Not measured	2.13	238.87	2.9	238.1	2.4	238.6
PATTON PROD.	FLOOR/PUMP	252.97	39.00	213.97	Not measured	Not measured	Not measured	Not measured	14.5	238.5
	FLOOR/STATIC	252.97	14.50	238.47	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured
McPHERSON	FLOOR/PUMP	221.49	35.00	186.49	Not measured	Not measured	39	182.49		213.5
PRODUCTION	FLOOR/STATIC	221.49	10.00	211.49	Not measured	Not measured	6	212.49	Not measure	Not measured
SHEBOKEN	FLOOR/PUMP	244.32	26.20	218.12	Not measured	Not measured	26.2	218.12	13.4	230.9
PRODUCTION	FLOOR/STATIC	244.32	12.00	232.32	Not measured	Not measured	14.8	229.52	Not measured	Not measured
SOUTH POST	FLOOR/PUMP		Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured
WATER POINT	FLOOR/STATIC		Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured
25M-92-05X	PVC		Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured
25M-92-06X	PVC		Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured
25M-92-07X	PVC		Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured
25M-92-08X	PVC		Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured
26M-92-01X	PVC		Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured
26M-92-02X	PVC		Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured
26M-92-03X	PVC	317.15	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	31.8	285.4
26M-92-04X	PVC	330.62	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	44.7	285.9
26M-92-05X	PVC	296.59	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	9.3	287.3

FORT DEVENS

			MAY 2	26, 1992	SEPT. 15, 1992	5, 1992	DECEMBER 22, 1992	R 22, 1992	MARCH 30, 1993	30, 1993 🔹
STATION/	REF.	ELEV. OF DEPTH	DEPTH	ELEV. OF	рвртн	ELEV. OF	рветн	ELEV. OF	DEPTH TO ELEV. OF	ELEV. OF
WELL NO.	POINT	REF. PT.	REF. PT. TO WATER	WATER	TO WATER WATER	WATER	TO WATER WATER	WATER	WATER	WATER
26M-92-06X	PVC	. 302.59	302.59 Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	6.2	296.4
26M-92-07X	PVC	326.75	326.75 Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	38.35	288.4
32M-92-01X	PVC	260.93	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	16.67	244.3
32M-92-02X	PVC	261.98	261.98 Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	20.3	241.7
32M-92-03X	PVC	260.99	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	25	236.0
32M-92-04X	PVC	262.28	262.28 Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	9	256.3
32M-92-05X	PVC	262.04	262.04 Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	10.25	251.8
32M-92-06X	PVC	261.69	Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	7.58	254.1
32M-92-07X	PVC	260.86	260.86 Not measured	Not measured	Not measured	Not measured	Not measured	Not measured	12.87	248.0

[•] AT THE TIME OF THE MARCH 30, 1993 SYNOPTIC WATER-LEVEL MEASUREMENT ROUND FORT DEVENS WAS EXPERIENCING A FLOOD EVENT.

LEVELS4.WK1

ABB ENVIRONMENTAL SERVICES

			NOVEMBER	IR 8, 1993	MARCH	30, 1994	JUNE 28, 1994	4
STATION/	REF.	ELEV. OF	DEPTH	ELEV. OF	DEPTH	ELEV. OF	DEPTH	ELEV. OF
WELL NO.	POINT	REF. PT.	TO WATER	WATER	TO WATER	WATER	TO WATER	WATER
G5M-92-01X	PVC	240.45	35.47	204.98	29.2	211.25	33.8	206.65
G5M-92-02X	PVC	224.73	18.75	205.98	13.59	211.14	17.1	207.63
G5M-92-03A	PVC	238.48	Dry	Dry	25.79	212.69	Dry	Dry
G5M-92-03B	PVC	239.62	34.51	205.11	28.93	210.69	33	206.62
G6M-92-01X	PVC	265.41	61.72	203.69	59	206.41	60.3	205.11
G6M-92-02X	PVC	271.00	68.81	202.19	64.97	206.03	8.79	203.2
G6M-92-03X	PVC	269.53	64.69	204.84	62.46	207.07	62.35	207.18
G6M-92-04X	PVC	270.36	68.31	202.05	63.81	206.55	68.3	202.06
G6M-92-05X	PVC	268.88		202.25	62.29	206.59	5.99	202.38
G6M-92-06X	PVC	263.79	85.68	204.21	56.83	206.96	58.2	205.59
G6M-92-07X	PVC	266.86	61.42	205.44	59.29	207.57	59.4	207.46
G6M-92-08X	PVC	262.94	55.68	207.26	Not Applicable	Not Measured	Not Applicable	Not Measured
G6M-92-09X	PVC	261.25	52.95	208.3	51.09	210.16	50.65	210.6
G6M-92-10X	PVC	225.81	14.85	210.96	11.35	214.46	12.67	213.14
G6M-92-11X	PVC	225.62	14.55	211.07	11.96	213.66	12.55	213.07
G6M-92-12X	PVC	224.76	13.55	211.21	9.15	215.61		214.16
G6M-92-13X	PVC	225.55	15.03	210.52	12.57	212.98	12.6	212.95
G6M-92-14X	PVC	224.81	13.74	211.07	95.6	215.25	10.9	213.91
ITMW-4	PVC	238.00	Not Installed	Not Installed	Not Installed	Not Installed	25.4	212.6
ITMM-5	PVC	265	Not Installed	Not Installed	Not Installed	Not Installed	55.02	209.98
WWTMW-01	PVC	17.712	69'6	208.02	5.72	211.99	25.4	192.31
WWTMW-017	PVC	220.88	17.13	203.75	11.74	209.14		204.28
WWTMW-02	PVC	225.73	22.45	203.28	17.13	208.6	22.5	203.23
WWTMW-02A	PVC	225.47	22.36	203.11	16.96	208.51	22.5	202.97
WWTMW-03	PVC	216.79	14.19	202.6	8.45	208.34	14.65	202.14
WWTMW-04	PVC	217.79	14.59	203.2	9:39	208.4	14.05	203.74
WWTMW-05	PVC	213.39	11.40	201.99	6.15	207.24	11.6	201.79
WWTMW-06	PVC	234.54	19.54	215	Not Applicable	Not Measured	14.65	219.89
WWTMW-07	PVC	243.08	28.3	214.78	Not Applicable	Not Measured	26.25	216.83
WWTMW-08	PVC	219.43	12.15	207.28	7.55	211.88	10.2	209.23
WWTWW-09	PVC	212.49	9.26	203.23	3.55	208.94	4.8	207.69
WWTMW-10	PVC	214.74	11.88	202.86	69.9	208.05	12.35	202.39
WWTMW-11	PVC	214.57	12.35	202.22	7.03	207.54	12.6	201.97
WWTMW-12	PVC	221.49	18.18	203.31	13.58	207.91	18.05	203.44
WWTMW-13	PVC	220.10	16.87	203.23	12.03	208.07	16.9	203.2

			NOVEMBER 6, 1995	"K 0, 1995	E VAL	+ \ \ \ \ \ \ \ \ \	JOINT 40, 1771	
STATION/	REF.	ELEV. OF	DEPTH	ELEV. OF	DEPTH	ELEV. OF	DEPTH	ELEV. OF
WELL NO.	POINT	REF. PT.	TO WATER	WATER	TO WATER	WATER	TO WATER	WATER
SHL-21	PVC	259.75	45.47	214.28	44.6	215.15	45.28	214.47
SHL-22	DAG	220.49	6.75	213.74	5.18	215.31	16.9	213.52
SHL-23	PVC	242.14	27.49	214.65	25.9	216.24	27.31	214.83
SHL-24	PVC	239.60	16.98	222.62	15.25	224.35	16.03	223.57
SHL-25	PVC	258.87	27.06	231.81	21.21	237.66	23.92	234.95
SHM-93-01A	PVC	243.22	22.25	220.97	20.93	222.29	22.33	220.89
SHM-93-10C	PVC	248.42	30.41	218.01	29.46	218.96	30.37	218.05
SHM-93-18B	PVC	238.12	19.38	218.74	18.24	219.88	19.38	218.74
SHM-93-22C	PVC	221.55	7.8	213.75	6.2	215.35	8.06	213.49
SHM-93-24A	PVC	239.25	17.41	221.84	15.62	223.63	16.61	222.64
SHP-93-10D	CASING	248.48	Not Installed	Not Installed	Not Installed	Not Installed	30.86	217.62
SHP-93-10E	CASING	247.91	Not Installed	Not Installed	Not Installed	Not Installed	30.19	217.72
POL-1	PVC	259.77	19.24	240.53	16.65	243.12	19.25	240.52
POL-2	PVC	259.42	29.25	230.17	26.89	232.53	25.78	233.64
POL-3	PVC	261.94	26.68	235.26	22.6	239.34	25.25	236.69
32M-92-01X	PVC	258.68	18.74	239.94	16.67	242.01	17.49	241.19
32M-92-02X	DAC	262.61	22.60	240.01	20.3	242.31	21.53	241.08
32M-92-03X	PVC	260.72	30.04	230.68	25	235.72	27.29	233.43
32M-92-04X	DAC	261.37	Not Applicable	Not Measured	9	255.37	Not Applicable	Not Measured
32M-92-05X	PVC	260.55	Not Applicable	Not Measured	10.25	250.3	Not Applicable	Not Measured
32M-92-06X	PVC	262.89	13.07	249.82	7.58	255.31	13.93	248.96
32M-92-07X	OAd	259.63	15.48	244.15	12.87	246.76	14.53	245.1
43MA93-04X	DAG	261.37	30.59	230.78	26.74	234.63	27.28	234.09
43MA93-05X	PVC	260.55	33.4	227.15	Not Applicable	Not Measured	30.47	230.08
43MA93-06X	PVC	262.89	. 33.33	229.56	29.86	233.03	29.86	233.03
43MA93-07X	DAC	259.63	30.13	229.5	29.92	233.01	26.7	232.93
43MA93-08X	PVC	260.29	30.2	230.09	26.04	234.25	26.6	233.69
43MA93-10X	PVC	260.41	29.86	230.55	26.02	234.39	26.43	233.98
B202-1	PVC	254.43	29.19	225.24	27.05	227.38	27.43	227
B202-2	DAd	258.37	32.96	225.41	31.07	227.3	31.19	227.18
B202-3	PVC	258.32	32.31	226.01	30.53	227.79	30.28	228.04
SWEL-04	TOP OF ST	218.00	Not Applicable	Not Measured	Not Applicable	Not Measured	4.47	213.53
SWEL-PSP(P)	TOP OF ST	219.6	4.52	215.08	Not Applicable	Not Measured		
G3M-92-01X	PVC	252.49	50'97	226.44	24.98	227.51	24.5	227.99
G3M-92-02X		251.01	26.82	224.19	25.7	225.31	25.54	225.47
G3M-92-03X	PVC	250.90	26.75	224.15	25.65	30,300	25.1	9266

(994	ELEV. OF	R WATER	55 225.21	35 225.45	.1 227.61	06 225.84	1 224.91			98 226.52	15.7 317.96	2.45 298.94	2.3 298.39	52 346.02	21 336.76	15 335.01	334.2	05 334.23	6.66 243.45		53 243.95	3.78 243.76	le Not Measured	le Not Measured	33 242.5	16.8 243.97			46 243.87	75 230.69		69 277.04	25.9 276.81	19 285.34	Dry	276.6
JUNE 28, 1994	DEPTH	TO WATER	27.65	28.85	26.1	26.06	21.1	18.05	26.87	26.98	15	2.		11.62	12.21	10.15	11.96	11.05		16.17	23.53		Not Applicable	Not Applicable				23.28	22.46	18.75	10.16	21.69		23.19	Dry	24.22
30, 1994	ELEV. OF	WATER	224.46	224.65	727.17	225.46	224.17	225.09	225.59	225.75	323.43	296.21	295.65	349.33	341.31	337.74	336	335.71	244.05	243.85	243.92	244.14	Not Measured	243.44	246.45	245.14	243.86	243.91	243.8	Not Measured	Not Measured	280.29	280.09	287.23	Dry	279
MARCH	DEPTH	TO WATER	28.4	29.65	26.54	26.44	21.84	17.5	27.6	27.75	10.23	2.43	2.58	8.31	99'L	7.42	10.16	9.57	90.9	16.16	23.56	3.4	Not Applicable	2.95	11.38	15.63	14.45	23.25	22.53	Not Applicable	Not Applicable	18.44	22.62	21.3	Dry	21.82
R 8, 1993	ELEV. OF	WATER	223.46	223.74	225.75	224.35	221.72	223.05	224.53	224.67	319.06	298.64	298.23	343.22	338.74	336.06	335.08	335.11	241.38	240.34	238.6	243.54	Not Measured	240.69	245.1	241.18	240.57	245.17	240.17	Not Measured	Not Measured	277.38	277.11	285.39	Dry	276.81
NOVEMBER 8,	рертн	TO WATER	29.4	30.56	27.96	27.55	24.29	19.54	28.66	28.83	14.60	2.75	2.46	14.42	10.23	9.10	11.08	10.17	8.73	19.61	28.88	4.00	Not Applicable	5.70	12.73	19.59	17.74	. 21.99	26.16	Not Applicable	Not Applicable	21.35	25.60	23.14	Dry	24.01
	ELEV. OF	REF. PT.	252.86	254.30	253.71	251.90	246.01	242.59	253.19	253.5	333.66	301.39	300.69	357.64	348.97	345.16	346.16	345.28	250.11	260.01	267.48	247.54	247.56	246.39	257.83	260.77	258.31	267.16	266.33	249.44	244.1	298.73	302.71	308.53	310.00	300.82
	REF.	POINT	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC	PVC
	STATION/	WELL NO.	G3M-92-04X	G3M-92-05X	G3M-92-06X	G3M-92-07X	G3M-92-08X	G3M-92-09X	G3M-92-10X	G3M-92-11X	13M-92-01X	13M-92-02X	13M-92-03X	49M-92-01X	58M-92-01X	58M-92-02X	58M-92-03X	58M-92-04X	CSB-1	CSB-2	CSB-3	CSB-4	CSB-5	CSB-6	CSB-7	CSB-8	CSM-93-01A	CSM-93-02A	CSM-93-02B	SKP-93-01	SKP-93-02	AAFES-01D	AAFES-02	AAFES-03	AAFES-04	AAFES-05

FORT DEVENS

			NOVEMBER	3R 8, 1993	MARCH	30, 1994	JUNE 28, 1994	4
STATION/	REF.	ELEV. OF	DEPTH	ELEV. OF	ПЕРТН	ELEV. OF	HLdag	ELEV. OF
WELL NO.	POINT	REF. PT.	TO WATER	WATER	TO WATER	WATER	TO WATER	WATER
XGM - 93 - 01X	PVC	313.62	27.69	285.93	Not Applicable	Not Measured	27.8	285.82
XGM-93-02X	PVC	309.9	30.5	279.4	28.95	280.95	30.72	279.18
3622W-01	PVC	364.11	14.97	349.14	5.73	358.38	13.85	350.26
3622W-02	PVC	362.22	12.85	349.37	4.02	358.2	11.67	350.55
3622W-03	PVC	362.50	11.83	350.67	3.95	358.55	11.9	350.6
3622W-04	PVC	363.57	59.5	357.92	4.11	359.46	7.2	356.37
3602W-01	PVC	356.19	9.22	346.97	5.54	350.65	7.92	348.27
3602W-02	PVC	356.58	10.38	346.2	6.54	350.04	6	347.58
3602W-03	PVC	356.82	11.80	345.02	7.92	348.9	8.92	347.9
3602W-04	PVC	355.40	6.45	348.95	3.27	352.13	7.59	347.81
0614W-02X	PVC	339.46	Not Installed	Not Installed	Not Installed	Not Installed	8.72	330.74
0614W-03X	PVC	343.85	Not Installed	Not Installed	Not Installed	Not Installed	12.94	330.91
1666W-01	PVC	258.37	Not Installed	Not Installed	Not Installed	Not Installed	24.74	233.63
1401W-01X	PVC	251.57	Not Installed	Not Installed	Not Installed	Not Installed	21.25	230.32
1401W-02X	PVC	251.72	Not Installed	Not Installed	Not Installed	Not Installed	21.3	230.42
1401W-03X	PVC	251.84	Not Installed	Not Installed	Not Installed	Not Installed	21.41	230.43
GE-01	PVC	336.89	15.26	321.63	12.4	324.49	16.86	320.03
GE-02	PVC	335.31	13	322.31	86.8	326.33	11.97	323.34
GE-03	PVC	339.64	12.08	327.56	6.77	261.74	13.41	326.23
UST-01	CASING	348.89	Not Applicable	Not Measured	15.43	333.46	16.92	331.97
UST-02	PVC	349.51	17.89	331.62	17.69	331.82	19.58	329.93
2680W-01	PVC	334.44	8.00	326.44	5.99	328.45	9.26	325.18
2680W-02	PVC	332.44	9:36	323.08	6.01	326.43	10.65	321.79
2680W-03		332.04	Dry	Dry	6.92	325.12	0	Dry
XOM-93-01X	PVC	331.29	10.68	320.61	7.22	313.39	12	319.29
XOM-93-02X		332.87	7.1	325.77	4.87	320.9	8.22	324.65
XOM-93-03X	PVC	331.87	11.1	320.77	77.7	313	12.24	319.63
EA-04	PVC	252.89	25.08	227.81	23.45	229.44	7.22	230.19
EA-05	PVC	249.89	22.45	227.44	20.88	229.01	20.18	229.71
SWEL-03	BRIDGER	236.13	21.28	214.85	19.6	216.53	21.35	214.78
SWEL-06	TOP OF ST	245.16	Not Applicable	Not Measured	Not Applicable	Not Measured	1.54	243.62
SWEL-07	TOP OF ST	243.00	Not Applicable	Not Measured	Not Applicable	Not Measured	1.63	241.37
SWEL-08	"0" MARK	244.82	-0.80	245.62	22.88	221.94	Not Measured	Not Applicable
G3D-92-01X		221.00	Not Applicable	Not Measured	Not Applicable	Not Measured	Not Measured	Not Applicable
	GAI V PIPE				_			

&F

	1 27		NOVEMBER 8, 1993	"K 8, 1995	MARCH 30, 1994	30, 1994	JUNE 28, 1994	•
STATION/	REF.	ELEV. OF	DEPTH	ELEV. OF	нцана	ELEV. OF	DEPTH	ELEV. OF
WELL NO.	POINT	REF. PT.	TO WATER	WATER	TO WATER	WATER	TO WATER	WATER
1-1	PVC	258.15	26.53	231.62	Not Applicable	Not Measured	Not Measured	Not Applicable
1-2	PVC	256.76	25.46	231.3	23.77	232.99	23	233.76
1–3	PVC	258.68	27.22	231.46	25.46	233.22	Not Measured	Not Applicable
1-4	PVC	259.94	28.00	231.94	26.44	233.5	25.31	234.63
2-1	PVC	263.31	20.92	242.39	19.33	243.98	19	244.31
2-2	PVC	264.19	Not Applicable	Not Measured	Not Applicable	Not Measured	Not Measured	Not Applicable
2-3	PVC	264.08	Not Applicable	Not Measured	20.65	243.43	20.23	243.85
2-4	PVC	263.56	21.40	242.16	19.89	243.67	19.52	244.04
3-1	PVC	336.55	21.92	314.63	19.4	317.15	19.18	317.37
3-2	PVC	335.75	21.2	314.55	18.56	317.19	18.36	317.39
3-3	PVC	334.89	20.01	314.88	17.4	317.49	17.23	317.66
3-4	PVC	335.06	20.03	315.03	17.52	317.54	Not Measured	Not Applicable
EOD-1	PVC	349.89	Not Applicable	Not Measured	Not Applicable	Not Measured	Not Measured	Not Applicable
EOD-2	PVC	349.93	Not Applicable	Not Measured	Not Applicable	Not Measured	24.81	325.12
EOD-3	PVC	343.67	Not Applicable	Not Measured	Not Applicable	Not Measured	Not Measured	Not Applicable
EOD-4	PVC	352.12	Not Applicable	Not Measured	Not Applicable	Not Measured	29.82	322.3
12M-92-01X	PVC	266.32	46.7	219.62	44.23	222.09	Not Measured	Not Applicable
25M-92-05X	PVC	348.91	Not Applicable	Not Measured	Not Applicable	Not Measured	17.41	331.5
25M-92-06X	PVC	359.88	Not Applicable	Not Measured	Not Applicable	Not Measured	66.64	293.24
25M-92-07X	PVC	372.49	Not Applicable	Not Measured	Not Applicable	Not Measured	76.83	295.66
25M-92-08X	PVC	381.06	Not Applicable	Not Measured	Not Applicable	Not Measured	99'11	303.4
25M-92-09X	PVC	360.56		Not Measured	Not Applicable	Not Measured	45.55	315.01
25M-92-10X	PVC	343.20	Not Applicable	Not Measured	Not Applicable	Not Measured	27.14	316.06
26M-92-01X	PVC	333.30	Not Applicable	Not Measured	Not Applicable	Not Measured	22.34	310.96
26M-92-02X	PVC	315.50	Not Applicable	Not Measured	Not Applicable	Not Measured	29.8	285.7
26M-92-03X	PVC	317.10	Not Applicable	Not Measured	31.8	285.3	31.32	285.78
26M-92-04X	PVC	330.55	Not Applicable	Not Measured	44.7	285.85	43.73	286.82
26M-92-05X	PVC	296.75	Not Applicable	Not Measured	9.3	287.45	8.81	287.94
26M-92-06X	PVC	302.65	Not Applicable	Not Measured	6.2	296.45	11.85	290.8
26M-92-07X	PVC	326.68	Not Applicable	Not Measured	38.35	288.33	35.95	290.73
27M-92-01X	PVC	244.86	Not Applicable	Not Measured	Not Applicable	Not Measured	10.38	234.48
27M-92-02X	PVC	251.97	Not Applicable	Not Measured	Not Applicable	Not Measured	14.99	236.98
27M-92-03X	PVC	255.34	Not Applicable	Not Measured	Not Applicable	Not Measured	16.91	238.43
27M-92-04X	PVC	254.81	Not Applicable	Not Measured	Not Applicable	Not Measured	17.51	237.3
27M-92-05X	PVC	244.58		Not Installed	Not Installed	Not Installed	10.76	233.82
27M-92-06X	PVC	244.50	Not Installed	Not Installed	Not Installed	Not Installed	10.8	233.7

			NOVEMBER 9	IN 0, 1995	MAKCE	10,17	ナハイ・ション・ファ	
STATION/	REF.	ELEV. OF	DEPTH	ELEV. OF	DEPTH	ELEV. OF	DEPTH	ELEV. OF
WELL NO.	POINT	REF. PT.	TO WATER	WATER	TO WATER	WATER	TO WATER	WATER
27M-92-07X	PVC	225.80	Not Installed	Not Installed	Not Installed	Not Installed	15.38	210.42
27M-92-08X	PVC	243.60	Not Installed	Not Installed	Not Installed	Not Installed	10.12	233.48
27M-92-09X	PVC	247.50	Not Installed	Not Installed	Not Installed	Not Installed	13.64	233.86
27M-92-10X	PVC	247.60	Not Installed	Not Installed	Not Installed	Not Installed	13.18	234.42
28M-92-01X	PVC	247.64	6.62	238.02	Not Applicable	Not Measured	7.83	239.81
28M-92-02X	PVC	245.54	8.53	237.01	Not Applicable	Not Measured	88.9	238.66
28M-92-03X	PVC	241.72	13.84	227.88	Not Applicable	Not Measured	Not Applicable	Not Measured
28M-92-04X	PVC	244.31	8.48	235.83	Not Applicable	Not Measured	7.2	237.11
SPM-93-02X	PVC	325.73	Not Installed	Not Installed	Not Installed	Not Installed	12.25	313.48
SPM-93-03X	PVC	261.21	Not Installed	Not Installed	Not Installed	Not Installed	14.4	246.81
SPM-93-05X	PVC	238.17	Not Installed	Not Installed	Not Installed	Not Installed	5.78	232.39
SPM-93-06X	PVC	237.85	Not Installed	Not Installed	Not Installed	Not Installed	6.42	231.43
SPM-93-07X	PVC	266.00	Not Installed	Not Installed	Not Installed	Not Installed	26.28	239.72
SPM-93-08X	PVC	267.43	Not Installed	Not Installed	Not Installed	Not Installed	26.75	240.68
SPM-93-09X	PVC	256.91	Not Installed	Not Installed	Not Installed	Not Installed	21.66	235.25
SPM-93-10X	PVC	256.02	Not Installed	Not Installed	Not Installed	Not Installed	21.62	234.4
SPM-93-11X	PVC	256.06	Not Installed	Not Installed	Not Installed	Not Installed	22.37	233.69
SPM-93-12X	PVC	257.20	Not Installed	Not Installed	Not Installed	Not Installed	22.56	234.64
SPM-93-13X	PVC	346.74	Not Installed	Not Installed	Not Installed	Not Installed	89.29	281.06
SPM-93-15X	PVC	359.52	Not Installed	Not Installed	Not Installed	Not Installed	4.45	355.07
SPM-93-16X	PVC	239.80	Not Installed	Not Installed	Not Installed	Not Installed	17.7	232.09
SWEL-20		283.85	Not Installed	Not Installed	Not Installed	Not Installed	1.75	282.1
41M-92-01X	PVC	249.58	26.84	222.74	24.28	225.3	Not Measured	Not Applicable
41M-93-02B	PVC	251.47	29.48	221.99	27.16	224.31	28.41	223.06
41M-93-03X	PVC	258.7	38.44	220.26	36.23	222.47	Not Measured	Not Applicable
41M-93-04X	PVC	228.51	7.02	221.49	4.47	224.04	8.46	220.05
41M-93-05X	PVC	229.95	7.83	222.12	5.04	224.91	6.21	223.74
B2419-01	PVC	348.7	5.46	343.24	1.91	346.79	7.71	340.99
B2419-02	PVC	348.71	4.45	344.26	2.17	346.54	5.77	342.94
B2419-03	PVC	347.46	9	341.46	3.04	344.42	7.78	339.68
B2452-01	PVC	367.56	Not Applicable	Not Measured	Not Applicable	Not Measured	6.16	361.4
B2452-02	PVC	368.77	4.6	364.17	DESTROYED	DESTROYED	DESTROYED	DESTROYED
B2452-03	PVC	368.26	5.18	363.08	DESTROYED	DESTROYED	DESTROYED	DESTROYED
B2432-01	PVC	368.66	3.75	364.91	1.85	363.06	6.22	362.44
B2432-02	PVC	358.34	4.18	354.16	1.4	352.76	6.58	351.76
B2432-03	PVC	76 938	736	348 88	217	241 73	0 34	20110

			NOVEMBER 8, 1993	.K 8, 1993	MAKCH 30, 1994	50, 1994	JUNE 28, 1994	*
STATION/	REF.	ELEV. OF	DEPTH	ELEV. OF	DEPTH	ELEV. OF	DEPTH	ELEV. OF
WELL NO.	POINT	REF. PT.	TO WATER	WATER	TO WATER	WATER	TO WATER	WATER
B2434-01	PVC	369.5	2.58	366.92	Not Applicable	Not Measured	3.81	365.69
B2434-02	PVC	367.74	3.76	363.98	Not Applicable	Not Measured	5.43	362.31
B2434-03	PVC	369.45	2.73	366.72	0.43	366.29	4.72	364.73
B_612-01	PVC	345.44	3.85	341.59	Not Applicable	Not Measured	2.97	339.47
B 612-02	PVC	345.66	7.07	338.59	Not Applicable	Not Measured	Not Applicable	Not Measured
B 612-03	PVC	345.71	Not Applicable	Not Measured	Not Applicable	Not Measured	7.33	338.38
GRM-01A	PVC	253.31	32.83	220.48	31.59	188.89	31.8	221.51
GRM-01B	PVC	252.9	34.03	218.87	32.85	186.02	33.62	219.28
GRM-01C	PVC	253.48	34.61	218.87	3.42	215.45	34.2	219.28
XDM-93-01X	PVC	256.55	Not Applicable	Not Measured	1.31	255.24	3.91	252.64
XDM-93-02X	PVC	255.72	Not Applicable	Not Measured	5.35	250.37	7.42	248.3
XDM-93-03X	PVC	256.39	8.63	247.76	6.38	241.38	8.71	247.68
XDM-93-04X	PVC	255.91	8.97	246.94	6.7	240.24	8.89	247.02
XIM-93-01X	PVC	325.37	28.39	296.98	26.65	270.33	30.36	295.01
XIM-93-02X	PVC	322.41	26.94	295.47	25.58	269.89	28.23	294.18
XIM-93-04X	PVC	331.05	43.91	287.14	41	246.14	44.73	286.32
XIM-93-05X	PVC	316.81	24.29	292.52	23.2	269.32	25.1	291.71
XIM-93-06X	PVC	315.37	29.37	286	28.05	257.95	29.52	285.85
XJM-93-01X	PVC	371.2	7.26	363.94	4.66	359.28	20.6	362.13
XJM-93-02X	PVC	370.44	11.76	358.68	8.49	350.19	11.82	358.62
XJM-93-03X	PVC	367.88	8.18	359.7	4.39	355.31	8.19	359.69
XJM-93-04X	PVC	370.97	7.49	363.48	2.65	360.83	5.13	365.84
B2446-02	PVC	367.81	76.7	359.84	3.34	356.5	7.83	359.98
B2446-03	PVC	367.81	9.12	358.69	4.6	354.09	8.81	359
B2446-04	PVC	367.81	6.6	357.91	6.23	351.68	9.74	358.07
XNM-93-01X	PVC	339.2	13.74	325.46	14.4	311.06	17.33	321.87
XNM-93-02X	PVC	336.49	16.67	319.82	16.48	303.34	18.66	317.83
XNM-93-03X	PVC	336.6	16.61	319,99	16.18	303.81	18.06	318.54
XNM-93-04X	PVC	332.25	10.38	321.87	9.81	312.06	13.5	318.75
SWEL-09	BRIDGER	235.51	20.62	214.89	18.36	217.15	Not Measured	Not Applicable
SWEL-10	TOPOFS		Stake Removed	Stake Removed	3.7	220.3	1.03	222.97
SWEL-11	BRIDGER	233.47	18.02	215.45	13.4	202.05	18.45	215.02
SWEL-12	TOP OF S	1 226.00	Not Applicable	Not Measured	Not Applicable	Not Measured	0.72	225.28
SWEL-13	TOP OF S		1.19	236.81	1.25	235.56	1.12	236.88
SWEL-14	TOP OF ST	318.30	1.86	316.44	1.56	314.88	89.0	317.62
CILITY 16	TOPORT	241.00	Mot Amiliantia	May Magning	NT A 11. 11			

FORT DEVENS


			NOVEMBE	R 8, 1993	MARCH	30, 1994	NOVEMBER 8, 1993 MARCH 30, 1994 JUNE 28, 1994	74
STATION/ REF. EI	REF.		DEPTH	ELEV. OF	DEPTH	ELEV. OF	EV. OF DEPTH ELEV. OF DEPTH ELEV. OF DEPTH	ELEV. OF
WELL NO. POINT	POINT	~	TO WATER	WATER	TO WATER	WATER	EF. PT. TO WATER WATER TO WATER TO WATER	WATER
PATION PRO FLOOR/PI	FLOOR/PU	252.97	Not Applicable	Not Measured	252.97 Not Applicable Not Measured Not Applicable Not Measured	Not Measured	Not Applicable	Not Measured
McPHERSON FLOOR/P	FLOOR/PU	221.49	Not Applicable	Not Measured	Not Applicable	Not Measured		Not Measured
PRODUCTION FLOOR/ST	FLOOR/ST	221.49						
SHEBOKEN FLOOR/PU	FLOOR/PU	244.32	Not Applicable	Not Measured	Not Applicable	Not Measured	244.32 Not Applicable Not Measured Not Applicable Not Measured Not Applicable Not Measured	Not Measured
PRODUCTION FLOOR/ST	FLOOR/ST	244.32						
SOUTH POST			Not Applicable	Not Measured	Not Applicable	Not Measured	Not Applicable Not Measured Not Applicable Not Applicable Not Measured	Not Measured
WATER POINT								


LEVELA.WK1


GEOTECHNICAL DATA


APPENDIX J GEOTECHNICAL DATA GROUPS 2 AND 7 FORT DEVENS, MA


12M-92-01X 12D-92-01X 12D-92-02X 12D-92-03X 12D-92-04X 12D-92-05X 12D-92-06X 12D-92-07X 12D-92-08X 13M-92-01X 13D-92-02X 13D-92-03X 13D-92-04X 14D-92-02X 14D-92-03X 27M-92-01X 27M-92-02X 27M-92-03X 27M-92-04X 28M-92-01X 28M-92-02X 28M-92-03X 28M-92-04X 41M-92-01X 41D-92-01X 41D-92-02X 41D-92-03X 41D-92-04X 41D-92-05X 41D-92-06X 42D-92-01X 42D-92-02X 42D-92-03X 42D-92-04X 49M-92-01X 56B-92-01X 56B-92-02X 57D-92-01X 57D-92-02X 57S-92-01X 57S-92-02X 57S-92-03X 57S-92-06X 57S-92-07X 57S-92-08X 58M-92-01X 58M-92-02X 58M-92-03X 58M-92-04X
























































































































































٦	% +3"	% GRAVEL	% SAND	% FINES
0	0.0	27.3	51.0	21.7
\dashv				
\dashv				

	LL	ΡI	D ₈₅	D60	D ₅₀	D30	D ₁₅	D10	Cc	Cu
0			9.44	2.34	1.27	0.237				
Γ										
Π										

MATERIAL DESCRIPTION	USCS	AASHT0
O Silty SAND with Gravel (based on grain-size)	SM	

Project No.: 07053.04

Project: USATHAMA - FORT DEVENS SI/RI

o Location: Field Sample I.D. - BX580325

Remarks:

Wash Sieve Anlysis


Site I.D. - 58M-92-03X


As rec'd w% = 7.6

Date: October 26, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 5592







- · · · · · · · · · · · · · · · · · · ·																															-			
	GR	A]	ĮΝ	ا ا	S	I	ZE	_		I	S	T	R	?I	E	3L	IT	Ί	0	Ν		ΓE	= 5	5T	-	R	E	P	0	R	T	٠		
	<u>=</u>	<u>.</u>			1 In.	3/4 In.	1/2 In.	3/8 In.		-		6 10			924		140	:	89		70	588												
100	<u>e</u>		N	Ť	-	<u>m</u> _	<u> </u>	m 	-	*		Ť			Ĭ		÷	1																
90	-		+			- -			\top	1	-	-		+			+	-						Y	\dashv				\parallel	\dashv	-	+		
80			\coprod						++			1												Ŋ							-	_		-
70													•												V									
FINER 9																																		
-												1									11 11 11					1								1
PERCENT 8 6											-	+		_			- 1					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			-		Y							-
PER 04				-			:				-	+		-				-							+		-	X						
30											-	$\frac{1}{1}$						-			1				_	<u> </u>					•	_		
20										:		\perp						_													-	_		
. 10																										·								
0 2	00 1	90 TITE	لللل		<u> </u>	1:	10	.0			_!	}_		1.			<u> </u>		- m		. 1					0).e	1	ىب	<u> </u>	1		a.ø	J 01
Test	% +3	3 •			%	G	RA'	VE!	L			T						INE				Τ		%	S	IL	T			7	% (CLA	Y Y	7
• 19	Ø.0	a				9	0.0)					-				6.	7							51	.7					31	E	<u> </u>	}
]
	.	F	P I			De	 35			D ₆	0		•	D ₅	 Ø	T		De	30		E	15	<u>, </u>		D	10			C	c			Cu	
•												-	0.	0	1		0.	00	34	-											-			
• YELLOW SILT										IP	TIO	NO									+		US	CS						4 (E				
	.o. J																																	
Projec	t No	. :						**************************************	- 						 .							1	Re	mar	-ks	:								
Projec						2x																												
Date:	12-2	8-9	3																															
ODD																			T															
ABB	Ln	V	1 r	01	nm	e	nt	.a	. 1		⊃ ∈	r	V	1 (= 5	, د		11	IU	•	_	Fi	gui	e	No	•	_						


			<i>:</i>						
GF	RAIN	SIZE	DIS	TRIB	10ITL	1 TE	ST RE	PORT	
PERCENT FINER 00 00 00 00 00 00 00 00 00 00 00 00 00	3 ln. 2 ln. 1 -1/2 ln.	3.4 In. 172 In. 172 In. 3.8 In.		010	• • • • • • • • • • • • • • • • • • •	1140			
20 10 200 Test %	100	10.0 % GRAVE Ø.0		· 	SIZE - mm SAND 24.5	0.1	Ø. % SILT 56.2		0.001 CLAY L9.3
LL	PΙ	D ₈₅	Deo	D ₅₀ 0.07	D ₃₀ 0.020	D ₁₅	D ₁₀	Cc	Cu
SILT WI	TH SAND	MATERIAL 1		USCS		SHT0 (0.0)			
Project N Project: Location Date: 12-	FT. DEVER on: 41M-9 -28-93 GRAIN S	9-03X IZE DISTRI				c.	Remarks:		


	GRA:	EN _.	SIZE	DIS	TRIB	OITL	Y T	ES	ST RE	PORT	
100	6 In.		1 In. 3/4 In. 1/2 In. 3/8 In.		+10 +20	+18 +68	*140	}			
90											
80											
70											
INER 9											
<u> </u>											
PERCENT PERCENT											
30 30											
20											
10											
0											
ł .	20 100	<u> </u>	10.	9	1.0 GRAIN	SIZE - m	Ø.1		Ø.	Ø1	0.001
Test	% +3" Ø.Ø		% GRAV 4.8	EL	7/	GAND E.88			% SILT	<u>%</u> 5.9	CLAY
		PI	D	D	D	n			D. o	C _c	C
•		-1	D ₈₅ 0.92	D ₆₀ 0.42	0.35	D ₃₀ 0.244		15 40	D ₁₀ 0.1103	1.30	3.8
• NARR	OWLY GR		SAND WIT	DESCRIPT H SILT	ION		· · · · · · · · · · · · · · · · · · ·	<u> </u>	USCS SP-SM		SHT0 1-3
Pro Jec Pro jec	t No.: t: FT.	DEVEN	ıs					R€	marks:		
11	tion: 4										
Date	12-28-9	33									
	. GRA	IN SI		IBUTION :							
ABB	Env	iro	nment	al Se	rvice	s, Ir	ic.	F	igure No.		




		GR	aI	N,	S	IZ	ZE	-	D	I	S	T	R	Ι	В	BL	17	I	C	1(1	٦	ΓΕ		67	Γ	F	RE	F)()F	21	_		
	100	6 In.	3 In.	2 In.	1-1/2 1 ln.	3/4 ln.	1/2 In.		,	<u>.</u>		4 10			4 20		440		89		97.4	0114	\$ 288												_
	90																																		
	80																																		
													•															į		I					
į	70 60 80								H			1																							
l.	-																							\dagger											
į	20 50 50 50 50 50 50 50 50 50 50 50 50 50								+-+				/			+																			
į	40					-			++		-	+				1								+									•		
	30								++		-	+				+		1		_				+											_
	20					:			\parallel		-	$\frac{1}{1}$												+											-
	10							H				1				+		-						-							<u> </u> -				-
	Ø 2	00 10	 30			<u> </u>	10.	∭ ø						 L . (∐ a						ø.	1					<u></u>	ø.	 	Ц				ø.	 00:
ŗ	T+	% +3	, ,		•,		RAV) <u></u> 1					GF	RA:				E ANI		mm	· 		T-		•		SIL	<u> </u>			T	·/	CI	-AY	7
•	5	0.0	-				7.3	_				1						. 5											1.	2				-(7)	
												1																							
_[ĻL		PI	•		De				D-60				05		I		De				D	15	;		D	10			(C .			C	<u> </u>
•					1	5.1	12		3.	09)		1.	64	4		0.	25	57	+															
					MAT	FRI	ΓΩΙ	Di	-50	-R1	PT	T)N										T		ינו	SCS	<u>-</u>			-			SHT	.0	
•	SILT	Y SAN	ID W	ΙTΗ																			-			SM							1-1		
																							1											-	
Pr Pr	rojec rojec	t No. t: FT	: . D	EVE	145		1		_	~~														Re	ma	rk:	s:								
•	Loca	t: FT tion:	XG	M-9	39-0:	2× 8	5	-5		15	1	5	30)	2	9-	3/	′ /														•			
D.	ate:	12-28	3-93													_																			
		. 0	RAI	N S	IZE														~																
F	BB	En	νi	ro	nm	er	nt_	a	1		<u>se</u>	r	V	1 (26	25	,		1	n	С.	•		Fi	gu	re	N	ο.	_			_			









GR	RAIN	SIZE	DIS	TRIB	UTIO	N T	ES	ST RE	POR	?T
- 100 v	3 In. 2 In. 1-1/2 In.	1 In. 3/4 In. 1/2 In. 3/8 In.		+18 +28	+ + + + 6	+ 140				
100 9										
80										
70										
INER 00										
L 50										
PERCENT 09 PERCENT 00										
30										
20										
10										
200	100	10.		1.0		0.1		0.	 01	0.00
Test % +		% GRAV			SIZE - m SAND	m		% SILT		% CLAY
• 20 0.	0	53.8			34.0			1	2.2	
		I .								
•	PI	D ₈₅	D ₆₀ 4.02	D ₅₀	_{рэй} 0.732.		15 125	D _{1Ø}	Cc	Cu
							1			
• SILTY SA		MATERIAL GRAVEL	DESCRIPT	ION				USCS SM	ļ	ASHT0 R-1-a
							_	. 1		
Project No Project: F	FT. DEVE						Ke	marks:		
Location	i. Ain-5	J 52A								
Date: 12-2		ZE DISTR	TRUTTON 1	FST PEPO	net					
ABB Er						C.	Fi	gure No.		-




	Γ
6 In. 6 In. 11.2 In. 11	
90	
80	
70	
Ψ 50	-
T 50	
30	
20	
10	
200 100 10.0 1.0 0.1 0.01 GRAIN SIZE - mm	0.00
Test % +3" % GRAVEL % SAND % SILT % ● 18 0.0 53.1 37.2 9.7	CLAY
LL PI D ₈₅ D ₆₀ D ₅₀ D ₃₀ D ₁₅ D ₁₀ C _c	C
• 11.68 4.81 2.47 0.585 0.2200 0.0837 0.85	57.5
MATERIAL DESCRIPTION USCS AAS	SHTO
	1-a
Project No.: Remarks: Project: FT. DEVENS	
● Location: XIM-93-05X	
Date: 12-28-93	
GRAIN SIZE DISTRIBUTION TEST REPORT ABB Environmental Services, Inc. Figure No	




GRAIN	SIZE	DIS	TRIB	UTIO	N T	ES	ST RE	POR1	-
100 e n. 2 h. 1-1/2 l.	1 In. 3/4 In. 1/2 In. 3/8 In.	7	4 18	+ + 6 + 6 8	+140 +200				
90									
80									
70									
N 60									
		\							
0 PERCENT 10 PER									
30									
20									
10									
0									
200 100	10.8	3	1.0 GRAIN	SIZE – m	0.1		0.	01	0.00
Test % +3"	% GRAVE 48.5	EL	7.	SAND 42.6			% SILT	3.9	CLAY
LL PI	D ₈₅	D ₆₀	D ₅₀	Dao	D ₁	5	D ₁₀	Cc	Cu
•	7.33	2.75	1.88	0.774	0.25			2.09	26.3
		25552121	7.0.1				USCS	000	SHTO
• WIDELY GRADED SA	MATERIAL S						SW-SM		1-b
								<u> </u>	
Project No.: Project: FT. DEVEN						Re	marks:		
• Location: XIM-93	3-44X								
Date: 12-28-93									




GF	RAIN	SIZE	DIS	TRIB	UTIO	N T	EST	RE	POR	T
100	3 In.	1-1/2 1 1 1n. 3/4 1n. 1/2 1n. 3/8 1n.	4	+10	+48 +68	+148 +288				
90										
80										
70 &		N								
FINER 99										
50 EX										
PERCENT 0 02								_		
30										
20										
10						$\downarrow \downarrow \downarrow$				
0										
	100	10.	0	1.0 GRAIN	SIZE - m	0.1 m	4.4.4	Ø.	Ø1	0.00
Test % 4		% GRAV			SAND		%	SILT		CLAY
• 2 0.	. Ø	59.2			29.5			1	1.3	
					1		,			
LL	PI	D ₈₅	D ₆₀	D ₅₀	D ₃₀	D ₁		D ₁₀	СС	Cu
•		18.41	7.41	3.03	0.767	0.100	-2			
		MATERIAL	DESCRIPT	ION			US	ics	AF	ISHTO
● NARROWL	Y GRADED	GRAVEL W)		GP	-GM	A	-1-a
Project No Project: I	FT. DEVE						Remai	rks:		
• Location	n: XOM-9	93-02X								
Date: 12-	28-93									
	GRAIN S	IZE DISTR								
ABB Er	nviro	nment	al Se	rvice	s, In	c.	Figu	re No.	-	=




		GRA	116	SIZE ۽	DIS	TRIB	UTIO	N T	ES	T RE	POR	
	100	6 In.	а Б.	1 1 4 6	y # x 4	+10 +20	+18	#140 #200				
	90											
	80			1								
į	70 03 60											
	<u>.</u>											
i (0 5 0 0 5 0 0 5 0 0 0 0 0 0 0 0 0 0 0 0											
ĺ												
	30											
	20											
	10											
	2	00 10	0	10	.0	1.0	C175	0.1		Ø.	<u> </u>	0.00
	Test	% +3	11	% GRA	VEL.		SIZE - m			% SILT	7,	CLAY
•	4	0.0		63.8	3		27.4				3.8	
	LL		ΡI	D ₈₅	D ₅₀	D ₅₀	D ₃₀		15 83	D ₁₀ 0.1047	c _c 0.97	c _u
				13.83		3.03	0.511			0.10	0.51	30.2
			/	MATERIAL	DESCRIPT	ION	<u> </u>			USCS	AA	SHT0
•	NARR	OWLY	GRAD	ED GRAVEL	WITH SILT	AND SANI)			GP-GM	A-	1-a
<u></u>	n lec	t No.	•			-M-7-W			Re	marks:		
P,	-o jec	t: FT	. DE'	VENS -93-01X						- "		
	Loca	. C I GIT.	71111	33 51 7								
D.	ate:	12-28	-93									
۵	RR			size dist) C -	۴.	aure No		
L			- 11				-, <u>-</u>			30. C 110.		





		GR	A]	[N	SI	ZE	-	D]	(S	TR	II	31	JT	Ι	10	1	T	E:	5T	F	RE	P	0	R	T		
	100	6 In.	3.		1 In.	1/2 In.		‡		+ 10	4 50	<u> </u>	440	4 69		4 40	0 000		, , ,	.,		······			•		_
	90																										
	80															1											
	70																										
	7 60 7 7																*********										
	1_												1														
	۸ ر آ																										
														1													
	30														1	\								\parallel			
	20															1								<u> </u>			
	10															•	Ì										
	2	00 1	98	111:	<u>. 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 </u>	10.	0	_1:_1	1		 L.Ø RAIN	4 5	SIZ	' Ε -	mn	0. n	1	_1_1_	.lL	!	0.6	31	_10			0.0	ן 190
		× +3				GRAV							SF 78.	ND						5IL 4.9				%	CL		1
	20	0.0	0		···	15.2				-							1			4.5	***				1.	5	
					1														1								<u></u>
•	LL		<u>P</u>	I	2.	⁰ 85 Ø2	6	D ₆			9 ₅₀ 34		Ø.	D ₃₀		Ø.		.5 35	0.1	D ₁₀ 286		0	. 9	_		C _u 5.1	
												-															_
					MATER	RIAL	DΕ	SCR	IPT	ION									US	S				AA	SHT	0	
•	NARR	OWLY	GR	ADED	SAND) WIT	Ή 9	SIL.	1A T	ND G	RAVI	EL							SP-	SM				6	-∃		
1 1	ojec				·	-							<u>,</u>			-		Re	mar	ks:		<u> </u>					
Pr	ojec Loca	t: F1 tion:	г. I : X]	DEVEN	15 3-02×	۲ <u>۰-۲۶</u> -۲	15	= 1	8	5-9	3																
			2	-5	. (6	7-12	•	34	شبيب	36	-																
Dē	ite:																										
A	ВВ					istr en t								Ι	'n	С.	•	Fi	gur	e N	ο.						




	GRAIN SIZE DISTRIBUTION													T	Ε	S	T		RE	Ξſ)	0	R	T											
	100	6 In.	3 In.		1-1/2 1/	3/4 In.		3/8 In.		4.		(4 10		00.7	924		‡ 40	624			1 140	₽ 200												
	90																																		
	80																																		
															11.0																	1			
	70 00 00									1 1				\																	\prod	1		-	
	+		1							11					X												+		\parallel		$\dagger \dagger$	\dagger			
	50 50 40 40			+												1					*				+	-	-				H	+			
	40																1							$\frac{1}{1}$	+	-			\parallel		H	+			
	30																	١		-				$\frac{1}{1}$	+		-				\forall	+	-	+	
	20										-								1					\prod	+	-	-		\parallel		H	+			
	10					:					+									+	_	$ \downarrow $	7	+		+	+				\prod	+	-		
	Ø 21	20 1º	 	Ш.			10	.0						1	. 0			:	1			<u>]</u>		Ш		<u></u>		Ø.	. 0	∐ 1	Ш				 0.00
	Test	× +3	3 "		•	<u> </u>	RA'	VF	-					GR	AI		SI (S			- n	nm	-	$\overline{}$			<u>,</u>	SI	ı T				,	· (ay]
•	19	0.0					32.											3.											7.	3					
																				*											_				
	LL		Р	I			85 86			De					50				DЭ					5			D ₁			_	c _c				Cu
•						0.	96		1	. 0	4			3.6			L	J	35	4		. 1	. /	5 <u>4</u> —	6	0.1	. 00	99		1	. 2	<u>о</u>		1	0.3
					MA.	TER	IAL	 . D	ES	SCR	IF	, T I	10]	4			<u> </u>								<u> </u>	JSC	 :S		<u> </u>		==	Af	- SH)
•	WIDE	LY GF	RADI	ED 9	SANE) W:	ITH	S	ΙL	Τ	AN	D	GR	PAV	EL	•									S	W-9	5M					A	-1	-b	
	ojec	+ No							-															D		ark									
_	Loca		- ,	DEVE	ENS	34 V	ر	رک	J	<i>i</i>	-	- /	/ ~	/										•	C111	ai r	``.								
	Loca	tion	: X.	י-ויוע	JJ-6	ìΙΧ	9		(•	1	- 1	/																						
D.	ate:	12-28	3-9	3																															
 c	BB				SIZE															Τ ~	. ~			,-	: ~		_ ^								
L	מתו		<u>~ 1</u>	. I L	7111		116	<i>,</i> a	T	•	<u> </u>	I	_	/ 1	L	_	<u> </u>	,		<u> </u>	<u> </u>	•		r	١g	ure	<u>-</u> -	٠ 0٢	•	_			-		








GRA	INĮSIZE	DIS	TRIB	UTIO	η 7	LE:	ST RE	POR	Τ
1	3 In. 1-1/2 In. 1 In. 1/2 In.	4. 4. 5. 15.	+18 +28	4-18 4-68	+ 140	4288			
90									
80									
70									
11 NE NE NE NE NE NE NE NE NE NE NE NE NE									
DE 20 PE 20									
30									
20									
10									
Ø									
200 100	10.	0	1.0 GRAIN	SIZE - m	0.1 m		0.	Ø1 	0.00
Test % +3" ● 1	% GRAV		7,	SAND 29.7			% SILT 4	% B.4	CLAY
LL	PI D ₈₅	D60	D ₅₀	D30	D	15	D ₁₀	Cc	Cu
	5.01	0.19	0.08						
	MATERIAL	DESCRIPT	ION				USCS	AA	ISHTO
• SILTY SAND	WITH GRAVEL						SM	A-4	(0.0)
Project No.:					·····	Re	marks:	<u></u>	
Project: FT. • Location: >									
,									
Date: 12-28-9		ATPLITT ON T							
II.	in size distr ironment				с.	Fi	gure No.		



1	GRAIN SIZE DISTRIBUTION 7														TI	Ξς	5T		RE	P	0	R	T				
1 00			1-1/2 1	3/4 In.	1/2 In. 3/8 In.		प #		+ 18	· · · · · ·	92. 4	Ç	9	6 60		+140	\$ 288										
90																											
80																											
70																	1										
INER 9																											
ا ن																											
DERCENT															·			X									
1																											
	20																		\								
	10																										
_	30 10	Ø		1	10.0)		,		1.8 RAI		SI	ZE	-		3.1					٥.	01				0	.001
Test	% +3 Ø.Ø	n l		% GR	RAVE	EL_					'		1 . 5							SI 56.	LT Z			;		LA'	
		PI		Da	_		Den	, [Dso	 2		D	30			D ₁			D ₁	_n		С			(C _U
•	LL PI D ₈₅ D ₆₀ D ₅₀ D ₃₀ I 0.07 0.020																										
	MATERIAL DESCRIPTION													<u> </u>					T			ASH	170				
• SILT	MATERIAL DESCRIPTION SILT WITH SAND To ject No.: To ject: FT. DEVENS Location: 41M-93-03X															US:							3.0)			
														1													
Pro jec														Remarks:													
• Loca	tion:	41M	-93-(23X																							
Date:		-93																									
Date.	12-28												-														



	GR	AII	N ¿	SI	ZE	- -	D.	IS	T	R]	[E	3L	ΤL	I	0	Ν		ΓΕ	S	T	R	E	Р	0	R	T		
100	6 In.	3 In.	2 In. 1-1/2 I	1 In. 3/4 In.	1/2 In.))	4	- -	+ 18		4 20		440	5	2	w/10 Ad-	1140	+ 200				······································				•		
90																												
80																												
70										_						· · · · · · · · · · · · · · · · · · ·												
F INER 0																												
1 .													1															
PERCENT 0 0																												
30														1														
20																												
10																												
20	10 10	30	1.1	1 · 1:	10.	0	1.1.1	L		1. GRF		S	IZ	E -	- m		. 1	111	-1	<u>. 1</u>	-1	0.0	1	1,1	_1_		ø.	 001
Test	% +3 0.0	-			GRAV								SF '4.	Z Z Z	1					% <u> </u>	SIL		. Ø		7,	; C	LAY	
	0.0																											
																			1									
•		PI		2.5	985 51	Q	D _∈ 3.4		0	ور 3 . 3	5Ø 6	\perp	0.	E Q		0.		15 429	_	_	902			c . 3	_		5.1	
																										1		
					RIAL															JSC						, SH.		
• NARRO	YUMCY	GRAI	ED	SAND	WIT	Н	SIL	T A	ND	GR	AVE	L							5	P-9	iΜ				!	A-3		
Project																		R	em	ark	s:							
Project Locat																												
Date: 1				7F 5	TC TC	T D .		201		T 1						-												
ABB					istr nt										In	ıc	-	F	i g	ure	. No).				-		

LEVEL 3 ANALYTICAL DATA

GEOPHYSICS REPORT

ABB Environmental Services, Inc.

W0039366APP.CVR 7053-07

INTRODUCTION

The purpose of this appendix is to describe the geophysical surveys which took place at Fort Devens during the SI and SSI, included in SA 43 (19 historic gas stations and the central gasoline-distribution sites) at the sites, all of which are located in the Main Post and SA 41 located in the South Post. The purpose for these investigations was to

- search for and accurately locate abandoned USTs and associated piping; and
- clear underground utilities for tank excavation and soil borings;
- identify potential groundwater contaminant source areas.

Several geophysical techniques were employed during this field efforts. These include ground penetrating radar (GPR), metal detector, terrain conductivity and magnetometry.

SCHEDULE

The SI geophysical survey took place between April 27 and May 21, 1992.

PERSONNEL

The following ABB-ES personnel participated in the SI geophysical survey:

- R. Allen (Sr. Geophysicist)
- D. Lovejoy

SURVEY CONTROL

All SI surveys were conducted in a general reconnaissance mode (no formal survey grid except as noted in the following discussions for each site) in an area of approximately one acre around each station. Any USTs which were located were accurately marked in the field in anticipation of subsequent excavation efforts. At any site where tanks are believed to remain in place but could not be located by geophysical techniques within approximately 120 feet (the approximate radius of a

1-acre area) of their suspected locations, it was assumed that they were previously removed.

FIELD PROCEDURES

A total of 14 sites were investigated under the SI survey. They are: SA 43A, SA 43B, SA 43C, SA 43D, SA 43E, SA 43G, SA 43H, SA 43I, SA 43J, SA 43K, SA 43N, SA 43Q, SA 43R, and SA 43S (Figure 1). Other sites described in the work plan were eliminated due to information which was discovered after the work plan was prepared.

ABB-ES established survey traverse lines in the field considering available data on tank, piping, and former pump island locations and access limitations. A metal detector (MD) screening of the site in the assumed location of the USTs was performed initially at each site. This was followed by GPR profiling of MD anomalies. This methodology often permitted the location and subsequent mapping of a UST in a very efficient manner. If the GPR data did not indicate the presence of a UST or associated piping at a MD anomaly, a magnetometer survey was initiated on a 10- by 10-foot grid over an area centered on the presumed location of the UST provide additional assurance that the UST had not been inadvertently overlooked. Any magnetic anomalies were then investigated with GPR.

The locations for soil borings were cleared with GPR and marked in the field.

METAL DETECTOR SURVEY

Metal detection techniques are often used in hazardous waste and related studies to map the edges of trenches where hazardous materials may have been disposed in drums or other metallic containers, to trace underground utilities, to locate buried tanks, and to quickly screen large sites where metallic deposits are known or suspected. Once a general site screening has been performed, investigators are in a better position to formulate a strategy for additional exploration techniques, as appropriate.

A metal detector responds to the electrical conductivity of metal targets. The conductivity of such targets usually contrasts sharply with that of the medium surrounding them (air or soil). Although there are many different types and

configurations of metal detectors, all of them consist of a transmitter and receiver. The transmitter creates an alternating (primary) magnetic field about the transmitter coil which is balanced, or nulled, in the receiver coil to cancel the effect of the primary field in the transmitter. When the transmitter is in the vicinity of a metal object, eddy currents are induced to flow in that object by the primary field generated by the transmitter. These eddy currents produce a secondary magnetic field which interacts with the primary field upsetting the existing balance (null) condition resulting in an output, normally to a meter or audio signal, or both.

At each of the historic gas station sites, the metal detector was used during the initial survey to confirm that the site is not underlain by large amounts of metallic debris.

GROUND PENETRATING RADAR SURVEY

The GPR technique uses high frequency radio waves to determine the presence of subsurface objects and structures. Energy is radiated downward into the subsurface from an antenna that is pulled slowly across the ground at speeds varying from about 0.25 to 5 mph, depending on the amount of detail desired and the nature of the target. The radio wave energy is reflected from surfaces where there is a contrast in the electrical properties of subsurface materials. These surfaces may be naturally occurring geologic horizons (e.g., soil layers, changes in moisture content, voids and fractures in bedrock) or manmade (e.g., buried utilities, tanks, drums). The reflected energy is processed and displayed as a continuous strip chart recording of distance versus time (where time can be thought of as proportional to depth). The depth of penetration of a GPR system is highly site-specific, and depends on the soil types at the site (clean sands are best), moisture conditions (dry is best), and the frequency of the antenna (the lower the frequency, the deeper the penetration, and the less the resolution capability).

Typical applications for GPR include delineating the boundaries of buried hazardous waste materials and the perimeters of abandoned landfills; finding steel reinforcement bars and voids in concrete structures; and locating and mapping underground storage tanks and other buried utilities.

MAGNETOMETER SURVEY

Magnetometers are used routinely for locating repositories of buried (drummed) wastes. Locating and quantifying these materials is essential to any remediation effort, and magnetometer surveys can provide an extra measure of safety to those personnel involved in the clean-up activities.

The earth's magnetic field is modified locally by both naturally occurring and manmade magnetic materials. The total field of the earth has a value which varies from approximately 30,000 to 60,000 gammas, depending on location: the total field value is approximately 30,000 gammas at the equator and 60,000 gammas at the poles. One can obtain the absolute value of the total earth's field intensity to an accuracy of 1 gamma or better. In the field, the operator should be aware of sources of high magnetic gradients such as would be caused by power lines, buildings, and any large iron or steel objects. If a total field survey is being conducted, base station readings should be taken frequently (every 30 minutes to 1 hour) to provide a check on any diurnal variations and magnetic storms that may occur during a survey. Typically, diurnal variations will not exceed a few tens of gammas.

Vertical gradient measurements involve the simultaneous acquisition by two sensors of two values of the total field. For this study, an EDA Omniplus Vertical Gradiometer was used. The sensors are mounted on a staff that is held vertically during a measurement. A known distance (in this case ½ meter) separates the sensors on the staff. The upper sensor is 8 feet above the ground when a measurement is taken. This instrument records all data in an internal memory which can be transferred in the field to a personal computer for evaluation and data processing. The vertical gradient value is derived by obtaining the difference between the total field values of the lower and upper sensors divided by the distance between them.

Vertical gradient measurements are more sensitive to the presence of near-surface metal objects than total field values alone and are not subject to diurnal magnetic variations because any variation affects the two sensors on the magnetometer sensor staff equally.

RESULTS

The results are discussed site by site below. A total of eight USTs were mapped during this investigation, and plans have already been implemented to excavate these structures and remediate the soil surrounding the tanks as necessary.

Site 43A. This site is the former central distribution facility for the historic gas stations. It was located in what is now the Petroleum, Oil, and Lubricant (POL) Storage, across Market Street from the Defense Reutilization Marketing Office (DRMO) between Antietam, Cook, and Market Streets. Due to the presence of chain link fences, railroad tracks, and power lines, a magnetometer survey over the entire site was not feasible, so a metal detector screening survey was conducted. The spacing between adjacent traverses was from 3 to 5 feet. The entire site was screened in this manner. Eight anomalous zones were mapped and flagged in the field with the metal detector (Figure 2), and each of these were each studied by either magnetometer or ground penetrating radar, or both. For several of the MD anomalies where the magnetometer could be used, a series of spot readings were taken. USTs generally reveal themselves with vertical gradient values of approximately 1000 gammas per meter. There were no indications of USTs for any of these anomalous zones, although the soils in the vicinity of the railroad were impenetrable by the GPR energy, presumably due to the materials used as ballast in the railroad bed.

A magnetometer survey was conducted in the vicinity of the MD anomaly in the northwest corner of the site near the corner of Market and Cook Streets (see Figure 2). Both the metal detector and GPR were ineffective due to the materials in the railroad bed. The vertical gradient contours for this survey are presented on Figure 3. A total of 59 magnetometer stations were established on a 10- by 10-foot measurement grid. The data do not indicate the presence of a UST, although there could be some piping or other metallic objects buried in this general area causing the several high vertical gradient values observed here.

Site 43B. The foundation for the old pump house and pump island is still evident at SA 43B across Patch Road from Building 3545. MD and GPR were used initially to quickly determine if any USTs remain at this site. When the results of this initial screening were negative, a magnetometer grid was laid out and a magnetometer survey (10- by 10-foot grid) was completed (Figure 4). A total of

178 magnetometer stations were established. The results of the magnetometer survey are presented as Figure 5. No USTs are believed to be present at this site.

Site 43C. The foundation for the old pump house and pump island off Patch Road is still evident at SA 43C. MD and GPR were used initially to quickly determine if any USTs remain at this site. GPR confirmed the presence of a single UST which was marked in the field between Building 3541 and the pump island (Figure 6).

Site 43D. The foundation for the old pump house and pump island is not evident at SA 43D off Patch Road. MD and GPR were used initially to quickly determine if any USTs remain at this site. GPR confirmed the presence of two USTs which were marked in the field straddling a chain link fence (Figure 7). One of the USTs was partially beneath a steel dumpster.

Site 43E. SA 43E is located on the parking lot of the Shawmut Bank near Building 2000 on MacArthur Avenue. MD was used to quickly screen the parking lot, locating an anomaly which was subsequently studied with GPR. GPR confirmed the presence of a UST in the parking lot, which was mapped and marked by the field party (see field sketch, Figure 8).

<u>Site 43G</u>. Located off Queenstown Street near Building T-2009, a GPR survey was completed with traverses separated by 3 feet (Figure 9). This work did not identify a UST. A magnetometer survey was not feasible due to the presence of a chain link fence, two dumpsters, a metal storage building, and several vehicles.

<u>Site 43H</u>. Located in the driveway of the motor pool (Building 602) on Queenstown Street, a GPR survey was completed on a 5-foot grid in both directions (Figure 10). No USTs were mapped at this location.

<u>Site 43I.</u> A GPR survey between Queenstown Avenue and Building 603 did not identify a UST at SA 43I. GPR traverses were separated by approximately 3 feet and were run in both directions (Figure 11).

<u>Site 43J.</u> A UST was identified and marked by a MD/GPR survey in front of two hazardous waste storage buildings near Building T-2446 across Patton Street from a cemetery (Figure 12).

<u>Site 43K</u>. GPR profiling off Patton Street adjacent to Building 2514 resulted in the identification and mapping of an UST (Figure 13).

<u>Site 43N</u>. Located on Lake George Street by a former wash rack, a single UST was located and mapped with MD/GPR (Figure 14). A magnetic survey was also completed to locate a second tank which might still exist. The second UST was not found. The results of the magnetometer survey are shown on Figure 15. A total of 113 magnetometer stations were established.

Site 43Q. A metal detector was used to quickly screen SA 43Q, located on the soccer field off Sherman Avenue. Several MD anomalies were located, and GPR profiling did not indicate the presence of USTs. A magnetic grid was then set up to extend the geophysical coverage to determine if a UST was located outside of the primary presumed location for an UST (Figure 16). A total of 437 magnetometer stations were established. The results of the magnetic survey are presented as Figure 17. Several GPR traverses were completed in the vicinity of several moderately high magnetic anomalies, resulting in no USTs being identified.

Site 43R. This former gas station site is located northeast of the soccer field (SA 43Q) and across Sherman Avenue from Building 696. A magnetometer survey was completed in the southwest corner of a several acre field adjacent to the parking lot. A total of 348 magnetometer stations were established (Figure 18). The results of the magnetometer survey are presented as Figure 19. A GPR survey was then conducted in the vicinity of a large magnetic anomaly, confirming the probable presence of a UST 15 to 18 feet long. This structure was marked and flagged in the field. Figure 20 shows the location of the UST with respect to fixed landmarks at SA 43S.

Site 43S. Located west of the Nashua river on Gorgas St. near Building 3412, a metal detector survey was used to quickly determine if UST(s) were still present. That screening effort was not conclusive, so a magnetometer survey was completed in an area 200 feet by 150 feet (see Figure 20). A total of 477 magnetometer stations were established. The results of the magnetometer survey are presented as Figure 21. No magnetic anomalies indicating USTs were noted during this effort.

STUDY AREA 41 GEOPHYSICAL SURVEY

INTRODUCTION

The original objectives of the SSI geophysical survey completed at SA 41 were to delineate the limits of the landfill and provide information on potential groundwater contaminants source area. The SSI survey effort was performed during the SA 41 field program in September 1993.

SURVEY METHODS

Two geophysical surveying techniques, magnetometry and terrain conductivity, were selected as the most appropriate methods to meet the objectives of the SA 41 SSI. A rectangular X-Y grid system was established within the survey area in 1993 along which SSI geophysical survey data was collected. The surveyed area is presented in Figure 22.

Because the survey area is adjacent to an active firing range, unexploded ordnance (UXO) clearance was deemed necessary prior to geophysical surveying. Before geophysical surveying started, vegetation was removed along survey lines during UXO clearing activities to allow easier access to the grid nodes. During all phases of geophysical surveying, ABB field personnel were escorted by an ABB-ES subcontractor certified to provide UXO services.

Field maps were generated during geophysical survey data collection for the purpose of locating survey stations, cultural landmarks, and natural and man-made surface features within the survey area.

MAGNETOMETER SURVEY METHOD

The magnetometer survey method is used to measure variations in the earth's natural magnetic field strength resulting from the localized effects of natural and man-made materials. Man-made materials that can affect the earth's magnetic field include objects constructed of ferrous metal (steel and iron). Nonferrous metal objects, such as those constructed of aluminum, copper, and tin, do not effect magnetic fields and are thus not detectable with a magnetometer.

The magnetic gradiometer, a type of magnetometer, is a portable instrument consisting of a pair of total field sensors mounted on a survey pole. The sensors are designed to measure the earth's magnetic field strength (usually in gammas) simultaneously at each sensor while the survey pole is held vertically. The vertical magnetic gradient (measured typically in units of gammas/meter) can then be determined by calculating the difference between the total field values measured by each sensor and dividing that value by the distance separating the two sensors. Because the total field is measured during a sampling event, both the gradient and total field values can be used together during the interpretation of survey results.

Anomalous, localized variations in the normal total field or vertical magnetic gradient values are often attributable to both surface and subsurface ferrous metal objects. The magnetic field strength and vertical magnetic gradient values are proportional to the mass of the ferrous metallic source and inversely proportional to the cube of the distance between sensor and object. Based on this, the size and proximity (depth of burial for subsurface objects) of the target will influence the response of the magnetometer.

The effectiveness in interpreting data collected with this survey method is dependent on understanding two important factors that affect the data. The first, and perhaps most important in locating subsurface targets is the interference caused by the presence of natural and cultural features at the surface (automobiles, fences, overhead utility lines, bedrock outcrops, and time-variable changes in the earth's magnetic field). For this reason, it is particularly important to note all surface physical features within the survey area that may influence the data. The second factor to consider is the natural variation of the earth's magnetic field strength. Significant changes can take place over a matter of hours. Monitoring these natural variations at a selected base station during the survey allows the interpreter to factor these variations out of the data set if necessary. One beneficial feature of magnetic gradient data is that these natural variations do not affect the data because they are factored out in the calculation. Magnetic gradient data tend to be less sensitive to magnetic field noise.

Total field and magnetic gradient data can be measured at discrete locations (usually within an X-Y survey grid). The X and Y horizontal coordinates and the magnetometer values are then used to generate total field and vertical gradient contour maps of the survey area. By factoring out the effects of surface

interference and natural variations in field strength, anomalies in the total field and vertical magnetic gradient produced by buried ferrous metal objects can be seen in the contour maps. The anomalies can then be used to make assumptions on the location, size, distribution, and occasionally the depth of ferrous metal targets.

TERRAIN CONDUCTIVITY SURVEY METHOD

The terrain conductivity survey method (also known as an electro-magnetic induction or EM survey) measures electrical conductivity in subsurface materials. Variations in conductivity can be the result of several natural factors including soil type, porosity, moisture content, and pore water salinity. Buried waste and metal utility lines can also produce measurable variations in subsurface conductivity. The terrain conductivity survey provides a good interpretation supplement to the magnetometer survey in that metallic objects (ferrous and nonferrous) and conductive materials are detectable. The combination of both surveys provides a particularly effective remote sensing tool for buried waste materials.

The typical terrain conductivity survey unit is comprised of portable sending and receiving electromagnetic field coils. The 3-dimensional source field produced by the unit induces electrical eddy currents in subsurface materials that in turn produce a secondary electromagnetic field. This secondary magnetic field is received by the terrain conductivity unit where the field strength is measured and recorded in a portable data logging device. The magnitude of the secondary field is roughly proportional to the conductivity of subsurface materials beneath the sampling point. When collected in a survey mode, as conductivity values are recorded from one location to another, these values provide an indication of the relative changes in subsurface material composition.

Near surface variations in conductivity values are most easily detected with this survey method. As with the magnetometer survey, the quality of terrain conductivity data can be adversely affected by the presence of surface features such as fences, automobiles, and electromagnetic noise produced by overhead power lines, radio transmitters, and atmospheric conditions.

The two components (quadrature phase and in-phase values) of the secondary electromagnetic field produced while conducting a terrain conductivity survey can be measured during the data collection. The quadrature phase (real solution)

component represents the terrain conductivity value averaged over the range of the primary field, and the in-phase (imaginary solution) component is essentially equivalent to a metal detector response.

Terrain conductivity data can be collected at discrete stations (i.e., grid nodes) in much the same manner as the magnetometer data is collected. Data is processed into conductivity contour maps, and anomalies interpreted. The anomalies can then be used to make assumptions on the location, size, distribution, and occasionally the depth of electrically conductive media.

SA 41 MAGNETOMETER SURVEY

The magnetometer survey was conducted using a GEM™ gradiometer. The unit consists of a portable microprocessor-based proton precession magnetometer with a pair of proton precession total field magnetic sensors mounted on a vertical survey pole. With the pole held vertically, the magnetometer simultaneous reads each sensor and provides the total field values and automatically calculates the gradient value at that location. The unit is equipped with an electronics console that allows the operator to view and store collected field data in an internal memory.

DATA COLLECTION

Magnetometer survey data was collected at discrete stations from within a 10-by-20 foot rectangular grid established over a 275 by 325 foot survey area at SA 41 (see Figure 22). Total field and vertical gradient data measurements were stored in the magnetometer during the survey day. As mentioned before, a critical aspect of surveying with this geophysical technique is to identify and map potential sources of magnetic interference in a field-drawn sketch map (Figure 23).

A two-person field crew (instrument operator and crew chief) collected magnetometer data on September 9, 1993 during the SSI field program. A survey base stations were established to provide reference points from which to monitor diurnal variations in the magnetic field strength a regular intervals (roughly each hour) during surveying. These values were used later to provide an evaluation of diurnal variations and the need for corrections to the total field data.

At the conclusions of both survey days, data was transferred from the magnetometer's internal memory to a personal computer for processing and interpretation.

DATA PROCESSING AND INTERPRETATION

The natural magnetic field strength variations measured during the 1993 survey day at the base stations was determined not to be significant enough when compared to the to the observed total field anomaly magnitudes to make necessitate corrections to the data sets.

Data were processed using a geophysical software program with contouring capabilities (GEOSOFT^m). The resulting total field and vertical magnetic gradient contour map are presented in Figures 24 and 25, respectively. Magnetic anomalies identified in the contour maps are reviewed and those attributable to surface interference such as bedrock outcrops, metal fences, and ferrous metal debris are noted. The field maps were used during the interpretation process to discriminate between magnetic anomalies caused by natural and cultural surficial features and buried objects.

The majority of total field measurements varied only slightly above and below the mean value of 54,532 gammas over the surveyed area. Extreme values ranging from 52,892 to 55,336 gammas were recorded. Predominant anomalies attributable to cultural interference were observed in the area of the waste material (rusted cans, metal, and glass) monitoring well protective casings, barbed wire fence, former brick kiln structure (reinforcing rods), and numerous piles of metallic debris.

The majority of vertical magnetic gradient values observed in the survey area ranged from -15 to 5 gammas/meter with extreme values ranging from -5666 to 3084 gammas/meter. The mean value for the survey area was -10 gammas/meter. Vertical gradient data did not reveal any other additional significant anomalous areas. Each of the total field anomalies were observable in the vertical gradient data.

TERRAIN CONDUCTIVITY SURVEY

The terrain conductivity survey was conducted using a Geonics™ EM-31 terrain conductivity meter and Polycorder data logger. The EM-31 unit consists of a transmitter/receiver array which can simultaneously measure both components of the electromagnetic magnetic field induced by the instrument when it is coupled the Polycorder (digital data logger).

DATA COLLECTION

Terrain conductivity data was collected at discrete stations (coincident with the magnetometer survey stations) from within the rectangular grid established over the area that was surveyed at SA 41 in 1993. As with the magnetometer survey, both components of the field measurements were stored with each X and Y grid coordinate.

At the start of each survey day, the survey crew performed set-up procedures as specified in the operations manual. Procedures included battery check, a mechanical "zero" calibration check, and instrument functional checks for phasing and sensitivity. Terrain conductivity measurements collected at stations common to both surveys were very consistent.

At the conclusions of each survey day, data was transferred from the internal memory of the data logger to a personal computer for processing and interpretation.

PROCESSING AND INTERPRETATION

Data collected during the terrain conductivity survey were downloaded from the field data logger to a personal computer and processed using the contouring program mentioned earlier. The resulting quadrature and in-phase component contour maps are presented in Figures 26 and 27, respectively.


Quadrature phase measurements generally varied from 0 to 10 mmhos/meter over the surveyed area. The mean value for the survey area was 4.9 mmhos/meter with extreme values ranging from -53.4 to 17.2. Predominant anomalies attributable to cultural interference were again observed in the area of the waste material, barbed wire fence, former brick kiln structure (reinforcing rods), and to

a lesser extent the monitoring well protective casings and numerous piles of metallic debris. All anomalies were attributable to surface interference observed in the magnetometer survey data.


The in-phase measurements varied roughly ± 1 around a mean value of 0 across the survey area. Extreme values ranging from -31.8 to 14.2 revealed significant anomalies over the debris pile and around the demolished brick kiln. No correlation between the quadrature phase and in-phase data sets was observable. Minor anomalies were observed along wire fences, and other cultural surface features.

FINDINGS AND CONCLUSIONS


Surface exposure of the debris pile is consistent with anomalies in all surveys results suggesting no subsurface extent beyond the surface exposure. A significant amount of ferrous metal (in the form of steel cans) exists in the landfill debris. No major anomalies suggestive of a 55-gallon drum disposal area were observed and no other notable anomalies were observed within the 1993 SSI survey area.
















FORT DEVENS


SA-41Geophysical Survey


Site Features and Extent of Survey












FORT DEVENS


SA-41 Geophysical Survey


Magnetic Survey

Total Field Contours
gammas











Vertical Gradient Contours gammas/meter






FORT DEVENS


SA-41


Geophysical Survey Magnetic Survey

Vertical Gradient Contours gammas/meter









Quadrature Contours mmhos/meter




FIGURE 26


FORT DEVENS

SA-41


Geophysical Survey Terrain Conductivity Survey

> Quadrature Contours mS/m










FORT DEVENS

SA-41Geophysical Survey
Terrain Conductivity Sur


In-phase Contours ppt

ABB Environmental Service





In-phase Contours ppt



Scale 1:600 100 (feet)

FORT DEVENS

SA-41Geophysical Survey
Terrain Conductivity Survey

In-phase Contours
ppt